

# Juan Suárez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/122056/publications.pdf>

Version: 2024-02-01

128  
papers

3,316  
citations

136950

32  
h-index

206112

48  
g-index

131  
all docs

131  
docs citations

131  
times ranked

4096  
citing authors

#	ARTICLE	IF	CITATIONS
1	Early maternal deprivation induces gender-dependent changes on the expression of hippocampal CB <sub>1</sub> and CB <sub>2</sub> cannabinoid receptors of neonatal rats. <i>Hippocampus</i> , 2009, 19, 623-632.	1.9	133
2	Immunohistochemical description of the endogenous cannabinoid system in the rat cerebellum and functionally related nuclei. <i>Journal of Comparative Neurology</i> , 2008, 509, 400-421.	1.6	122
3	Role of cannabinoid CB2 receptors in glucose homeostasis in rats. <i>European Journal of Pharmacology</i> , 2007, 565, 207-211.	3.5	104
4	A role for the putative cannabinoid receptor GPR55 in the islets of Langerhans. <i>Journal of Endocrinology</i> , 2011, 211, 177-185.	2.6	104
5	Ulcerative Colitis Induces Changes on the Expression of the Endocannabinoid System in the Human Colonic Tissue. <i>PLoS ONE</i> , 2009, 4, e6893.	2.5	90
6	Cannabinoid CB1 Receptors Are Localized in Striated Muscle Mitochondria and Regulate Mitochondrial Respiration. <i>Frontiers in Physiology</i> , 2016, 7, 476.	2.8	89
7	Plasma profile of pro-inflammatory cytokines and chemokines in cocaine users under outpatient treatment: influence of cocaine symptom severity and psychiatric comorbidity. <i>Addiction Biology</i> , 2015, 20, 756-772.	2.6	85
8	A place for the hippocampus in the cocaine addiction circuit: Potential roles for adult hippocampal neurogenesis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 66, 15-32.	6.1	80
9	Peroxisome Proliferator-Activated Receptors: Experimental Targeting for the Treatment of Inflammatory Bowel Diseases. <i>Frontiers in Pharmacology</i> , 2020, 11, 730.	3.5	78
10	Differential Effects of Single Versus Repeated Alcohol Withdrawal on the Expression of Endocannabinoid System-Related Genes in the Rat Amygdala. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 984-994.	2.4	65
11	Expression of the cannabinoid system in muscle: effects of a high-fat diet and CB1 receptor blockade. <i>Biochemical Journal</i> , 2011, 433, 175-185.	3.7	62
12	Pharmacological Administration of the Isoflavone Daidzein Enhances Cell Proliferation and Reduces High Fat Diet-Induced Apoptosis and Gliosis in the Rat Hippocampus. <i>PLoS ONE</i> , 2013, 8, e64750.	2.5	58
13	Role of the satiety factor oleoylethanolamide in alcoholism. <i>Addiction Biology</i> , 2016, 21, 859-872.	2.6	58
14	Calcium-binding proteins, neuronal nitric oxide synthase, and GABA help to distinguish different pallial areas in the developing and adult chicken. I. Hippocampal formation and hyperpallium. <i>Journal of Comparative Neurology</i> , 2006, 497, 751-771.	1.6	51
15	Anti-obesity efficacy of LH-21, a cannabinoid CB <sub>1</sub> receptor antagonist with poor brain penetration, in diet-induced obese rats. <i>British Journal of Pharmacology</i> , 2012, 165, 2274-2291.	5.4	51
16	Oleoylethanolamide enhances $\beta$ -adrenergic-mediated thermogenesis and white-to-brown adipocyte phenotype in epididymal white adipose tissue in rat. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 129-41.	2.4	51
17	Early maternal deprivation induces changes on the expression of 2-AG biosynthesis and degradation enzymes in neonatal rat hippocampus. <i>Brain Research</i> , 2010, 1349, 162-173.	2.2	45
18	Pharmacological blockade of either cannabinoid CB1 or CB2 receptors prevents both cocaine-induced conditioned locomotion and cocaine-induced reduction of cell proliferation in the hippocampus of adult male rat. <i>Frontiers in Integrative Neuroscience</i> , 2014, 7, 106.	2.1	45

#	ARTICLE	IF	CITATIONS
19	Alcohol-induced cognitive deficits are associated with decreased circulating levels of the neurotrophin BDNF in humans and rats. <i>Addiction Biology</i> , 2019, 24, 1019-1033.	2.6	45
20	Endocannabinoid system in the adult rat circumventricular areas: An immunohistochemical study. <i>Journal of Comparative Neurology</i> , 2010, 518, 3065-3085.	1.6	44
21	Neuroplastic and cognitive impairment in substance use disorders: a therapeutic potential of cognitive stimulation. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 106, 23-48.	6.1	44
22	The Biomedical Uses of Inositols: A Nutraceutical Approach to Metabolic Dysfunction in Aging and Neurodegenerative Diseases. <i>Biomedicines</i> , 2020, 8, 295.	3.2	44
23	Pharmacological blockade of the fatty acid amide hydrolase (FAAH) alters neural proliferation, apoptosis and gliosis in the rat hippocampus, hypothalamus and striatum in a negative energy context. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 98.	3.7	43
24	Effects of Intermittent Alcohol Exposure on Emotion and Cognition: A Potential Role for the Endogenous Cannabinoid System and Neuroinflammation. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 15.	2.0	43
25	Effects of the endogenous PPAR $\alpha$ agonist, oleoylethanolamide on MDMA-induced cognitive deficits in mice. <i>Synapse</i> , 2010, 64, 379-389.	1.2	42
26	Attenuation of cocaine-induced conditioned locomotion is associated with altered expression of hippocampal glutamate receptors in mice lacking LPA1 receptors. <i>Psychopharmacology</i> , 2012, 220, 27-42.	3.1	42
27	Evaluation of plasma-free endocannabinoids and their congeners in abstinent cocaine addicts seeking outpatient treatment: impact of psychiatric co-morbidity. <i>Addiction Biology</i> , 2013, 18, 955-969.	2.6	40
28	Obesity-dependent cannabinoid modulation of proliferation in adult neurogenic regions. <i>European Journal of Neuroscience</i> , 2011, 33, 1577-1586.	2.6	39
29	The impact of cocaine on adult hippocampal neurogenesis: Potential neurobiological mechanisms and contributions to maladaptive cognition in cocaine addiction disorder. <i>Biochemical Pharmacology</i> , 2017, 141, 100-117.	4.4	37
30	Oleoylethanolamide dose-dependently attenuates cocaine-induced behaviours through a PPAR $\alpha$ receptor-independent mechanism. <i>Addiction Biology</i> , 2013, 18, 78-87.	2.6	36
31	Pharmacological blockade of fatty acid amide hydrolase (FAAH) by URB597 improves memory and changes the phenotype of hippocampal microglia despite ethanol exposure. <i>Biochemical Pharmacology</i> , 2018, 157, 244-257.	4.4	35
32	Chronic administration of recombinant IL-6 upregulates lipogenic enzyme expression and aggravates high fat diet-induced steatosis in IL-6 deficient mice. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 721-31.	2.4	34
33	Cocaine self-administration differentially modulates the expression of endogenous cannabinoid system-related proteins in the hippocampus of Lewis vs. Fischer 344 rats. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1277-1293.	2.1	33
34	Antiobesity efficacy of GLP-1 receptor agonist liraglutide is associated with peripheral tissue-specific modulation of lipid metabolic regulators. <i>BioFactors</i> , 2016, 42, 600-611.	5.4	33
35	The role of the pancreatic endocannabinoid system in glucose metabolism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2009, 23, 87-102.	4.7	32
36	Hyperactivity induced by the dopamine D2/D3 receptor agonist quinpirole is attenuated by inhibitors of endocannabinoid degradation in mice. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 661-676.	2.1	32

#	ARTICLE	IF	CITATIONS
37	Decreased plasma concentrations of BDNF and IGF-1 in abstinent patients with alcohol use disorders. PLoS ONE, 2017, 12, e0187634.	2.5	32
38	Pharmacological Blockade of Cannabinoid CB1 Receptors in Diet-Induced Obesity Regulates Mitochondrial Dihydrolipoamide Dehydrogenase in Muscle. PLoS ONE, 2015, 10, e0145244.	2.5	31
39	Sex Differences in Psychiatric Comorbidity and Plasma Biomarkers for Cocaine Addiction in Abstinent Cocaine-Addicted Subjects in Outpatient Settings. Frontiers in Psychiatry, 2015, 6, 17.	2.6	31
40	Plasma concentrations of oleoylethanolamide in a primary care sample of depressed patients are increased in those treated with selective serotonin reuptake inhibitor-type antidepressants. Neuropharmacology, 2019, 149, 212-220.	4.1	30
41	Ulcerative Colitis Impairs the Acylethanolamide-Based Anti-Inflammatory System Reversal by 5-Aminosalicylic Acid and Glucocorticoids. PLoS ONE, 2012, 7, e37729.	2.5	29
42	Localization of the cannabinoid CB1 receptor and the 2-AG synthesizing (DAGL $\beta$ ) and degrading (MAGL) in the adult rat hippocampus. Frontiers in Neuroanatomy, 2014, 8, 56.	1.7	27
43	Cocaine-Induced Behavioral Sensitization Is Associated With Changes in the Expression of Endocannabinoid and Glutamatergic Signaling Systems in the Mouse Prefrontal Cortex. International Journal of Neuropsychopharmacology, 2015, 18, .	2.1	27
44	Plasma Concentrations of BDNF and IGF-1 in Abstinent Cocaine Users with High Prevalence of Substance Use Disorders: Relationship to Psychiatric Comorbidity. PLoS ONE, 2015, 10, e0118610.	2.5	25
45	Exposure to a Highly Caloric Palatable Diet During Pregestational and Gestational Periods Affects Hypothalamic and Hippocampal Endocannabinoid Levels at Birth and Induces Adiposity and Anxiety-Like Behaviors in Male Rat Offspring. Frontiers in Behavioral Neuroscience, 2016, 9, 339.	2.0	25
46	Intermittent ethanol exposure during adolescence impairs cannabinoid type 1 receptor-dependent long-term depression and recognition memory in adult mice. Neuropsychopharmacology, 2020, 45, 309-318.	5.4	25
47	Lipid Transmitter Signaling as a New Target for Treatment of Cocaine Addiction: New Roles for Acylethanolamides and Lysophosphatidic Acid. Current Pharmaceutical Design, 2013, 19, 7036-7049.	1.9	25
48	Perinatal asphyxia results in altered expression of the hippocampal acylethanolamide/endocannabinoid signaling system associated to memory impairments in postweaned rats. Frontiers in Neuroanatomy, 2015, 9, 141.	1.7	24
49	Exposure to a Highly Caloric Palatable Diet during the Perinatal Period Affects the Expression of the Endogenous Cannabinoid System in the Brain, Liver and Adipose Tissue of Adult Rat Offspring. PLoS ONE, 2016, 11, e0165432.	2.5	24
50	Oleoylethanolamide Modulates BDNF-ERK Signaling and Neurogenesis in the Hippocampi of Rats Exposed to $\Delta^9$ -THC and Ethanol Binge Drinking During Adolescence. Frontiers in Molecular Neuroscience, 2019, 12, 96.	2.9	23
51	Maternal Caloric Restriction Implemented during the Preconceptional and Pregnancy Period Alters Hypothalamic and Hippocampal Endocannabinoid Levels at Birth and Induces Overweight and Increased Adiposity at Adulthood in Male Rat Offspring. Frontiers in Behavioral Neuroscience, 2016, 10, 208.	2.0	22
52	Cocaine-induced behavioral sensitization decreases the expression of endocannabinoid signaling-related proteins in the mouse hippocampus. European Neuropsychopharmacology, 2016, 26, 477-492.	0.7	22
53	D-Pinitol from <i>Ceratonia siliqua</i> Is an Orally Active Natural Inositol That Reduces Pancreas Insulin Secretion and Increases Circulating Ghrelin Levels in Wistar Rats. Nutrients, 2020, 12, 2030.	4.1	22
54	Pharmacological activation of CB2 receptors counteracts the deleterious effect of ethanol on cell proliferation in the main neurogenic zones of the adult rat brain. Frontiers in Cellular Neuroscience, 2015, 9, 379.	3.7	21

#	ARTICLE	IF	CITATIONS
55	Imbalance of Endocannabinoid/Lysophosphatidylinositol Receptors Marks the Severity of Alzheimer's Disease in a Preclinical Model: A Therapeutic Opportunity. <i>Biology</i> , 2020, 9, 377.	2.8	21
56	Chronic IL-6 Administration Desensitizes IL-6 Response in Liver, Causes Hyperleptinemia and Aggravates Steatosis in Diet-Induced-Obese Mice. <i>PLoS ONE</i> , 2016, 11, e0157956.	2.5	21
57	Long-Term Effects of Prenatal Exposure to Undernutrition on Cannabinoid Receptor-Related Behaviors: Sex and Tissue-Specific Alterations in the mRNA Expression of Cannabinoid Receptors and Lipid Metabolic Regulators. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 241.	2.0	20
58	Plasma concentrations of oleoylethanolamide and other acylethanolamides are altered in alcohol-dependent patients: effect of length of abstinence. <i>Addiction Biology</i> , 2017, 22, 1366-1377.	2.6	20
59	Elaidyl-sulfamide, an oleoylethanolamide-modelled PPAR $\alpha$ agonist, reduces body weight gain and plasma cholesterol in rats. <i>DMM Disease Models and Mechanisms</i> , 2012, 5, 660-70.	2.4	19
60	Effects of acute versus repeated cocaine exposure on the expression of endocannabinoid signaling-related proteins in the mouse cerebellum. <i>Frontiers in Integrative Neuroscience</i> , 2014, 8, 22.	2.1	19
61	Environmental Enrichment, Age, and PPAR $\alpha$ Interact to Regulate Proliferation in Neurogenic Niches. <i>Frontiers in Neuroscience</i> , 2016, 10, 89.	2.8	19
62	GABAergic and Cortical and Subcortical Glutamatergic Axon Terminals Contain CB1 Cannabinoid Receptors in the Ventromedial Nucleus of the Hypothalamus. <i>PLoS ONE</i> , 2011, 6, e26167.	2.5	19
63	Cocaine modulates both glutaminase gene expression and glutaminase activity in the brain of cocaine-sensitized mice. <i>Psychopharmacology</i> , 2012, 219, 933-944.	3.1	18
64	Diet-dependent modulation of hippocampal expression of endocannabinoid signaling-related proteins in cannabinoid antagonist-treated obese rats. <i>European Journal of Neuroscience</i> , 2013, 37, 105-117.	2.6	18
65	Both genetic deletion and pharmacological blockade of lysophosphatidic acid LPA1 receptor results in increased alcohol consumption. <i>Neuropharmacology</i> , 2016, 103, 92-103.	4.1	18
66	Acetaminophen-Induced Liver Injury Alters the Acyl Ethanolamine-Based Anti-Inflammatory Signaling System in Liver. <i>Frontiers in Pharmacology</i> , 2017, 8, 705.	3.5	18
67	Adipocyte cannabinoid CB1 receptor deficiency alleviates high fat diet-induced memory deficit, depressive-like behavior, neuroinflammation and impairment in adult neurogenesis. <i>Psychoneuroendocrinology</i> , 2019, 110, 104418.	2.7	17
68	Localization of peroxisome proliferator-activated receptor alpha (PPAR $\alpha$ ) and N-acyl phosphatidylethanolamine phospholipase D (NAPE-PLD) in cells expressing the Ca <sup>2+</sup> -binding proteins calbindin, calretinin, and parvalbumin in the adult rat hippocampus. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 12.	1.7	16
69	Treatment with a novel oleic-acid dihydroxyamphetamine conjugation ameliorates non-alcoholic fatty liver disease in obese Zucker rats. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 1213-1225.	2.4	16
70	Cocaine-conditioned place preference is predicted by previous anxiety-like behavior and is related to an increased number of neurons in the basolateral amygdala. <i>Behavioural Brain Research</i> , 2016, 298, 35-43.	2.2	16
71	Palmitoylethanolamide prevents neuroinflammation, reduces astrogliosis and preserves recognition and spatial memory following induction of neonatal anoxia-ischemia. <i>Psychopharmacology</i> , 2018, 235, 2929-2945.	3.1	16
72	Cocaine-induced changes in CX3CL1 and inflammatory signaling pathways in the hippocampus: Association with IL1 $\beta$ . <i>Neuropharmacology</i> , 2020, 162, 107840.	4.1	16

#	ARTICLE	IF	CITATIONS
73	Serotonin is the main tryptophan metabolite associated with psychiatric comorbidity in abstinent cocaine-addicted patients. <i>Scientific Reports</i> , 2019, 9, 16842.	3.3	15
74	A Negative Energy Balance Is Associated with Metabolic Dysfunctions in the Hypothalamus of a Humanized Preclinical Model of Alzheimer's Disease, the 5XFAD Mouse. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5365.	4.1	15
75	CB1 Blockade Potentiates Down-Regulation of Lipogenic Gene Expression in Perirenal Adipose Tissue in High Carbohydrate Diet-Induced Obesity. <i>PLoS ONE</i> , 2014, 9, e90016.	2.5	15
76	A moderate diet restriction during pregnancy alters the levels of endocannabinoids and endocannabinoid-related lipids in the hypothalamus, hippocampus and olfactory bulb of rat offspring in a sex-specific manner. <i>PLoS ONE</i> , 2017, 12, e0174307.	2.5	15
77	Comorbilidad psiquiátrica y valores plasmáticos de 2-acilglicérols en consumidores de alcohol en tratamiento ambulatorio. Análisis de las diferencias de género. <i>Revista De Psicología De La Salud</i> , 2017, 29, 83.	0.5	15
78	Pregnancy-Associated Plasma Protein (PAPP)-A2 in Physiology and Disease. <i>Cells</i> , 2021, 10, 3576.	4.1	15
79	A proposed homology between the reptilian dorsomedial thalamic nucleus and the mammalian paraventricular thalamic nucleus. <i>Brain Research Bulletin</i> , 2002, 57, 443-445.	3.0	14
80	Plasma tryptophan and kynurenine pathway metabolites in abstinent patients with alcohol use disorder and high prevalence of psychiatric comorbidity. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 102, 109958.	4.8	14
81	Distribution of GABA, calbindin and nitric oxide synthase in the developing chick entopallium. <i>Brain Research Bulletin</i> , 2005, 66, 441-444.	3.0	13
82	Differential hepatoprotective role of the cannabinoid CB <sub>1</sub> and CB <sub>2</sub> receptors in paracetamol-induced liver injury. <i>British Journal of Pharmacology</i> , 2020, 177, 3309-3326.	5.4	13
83	Sex-Specific Anxiety and Prefrontal Cortex Glutamatergic Dysregulation Are Long-Term Consequences of Pre-and Postnatal Exposure to Hypercaloric Diet in a Rat Model. <i>Nutrients</i> , 2020, 12, 1829.	4.1	13
84	Acute stress and alcohol exposure during adolescence result in an anxious phenotype in adulthood: Role of altered glutamate/endocannabinoid transmission mechanisms. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110460.	4.8	13
85	A putative striato-dorsal thalamic pathway in lizards. <i>Brain Research Bulletin</i> , 2002, 57, 533-535.	3.0	12
86	Spectrophotometric analysis of color changes in teeth incinerated at increasing temperatures. <i>Forensic Science International</i> , 2015, 252, 193.e1-193.e6.	2.2	12
87	Oleylethanolamide restores alcohol-induced inhibition of neuronal proliferation and microglial activity in striatum. <i>Neuropharmacology</i> , 2019, 146, 184-197.	4.1	12
88	Native $\alpha$ -Synuclein, 3-Nitrotyrosine Proteins, and Patterns of Nitro- $\alpha$ -Synuclein-Immunoreactive Inclusions in Saliva and Submandibular Gland in Parkinson's Disease. <i>Antioxidants</i> , 2021, 10, 715.	5.1	12
89	Obesity and the Endocannabinoid System: Is There Still a Future for CB1 Antagonists in Obesity?. <i>Current Obesity Reports</i> , 2012, 1, 216-228.	8.4	11
90	Perinatal free choice of a high-calorie low-protein diet affects leptin signaling through IRS1 and AMPK dephosphorylation in the hypothalamus of female rat offspring in adulthood. <i>Acta Physiologica</i> , 2019, 226, e13244.	3.8	11



#	ARTICLE	IF	CITATIONS
91	Cessation of fluoxetine treatment increases alcohol seeking during relapse and dysregulates endocannabinoid and glutamatergic signaling in the central amygdala. <i>Addiction Biology</i> , 2020, 25, e12813.	2.6	11
92	Evaluation of neurotrophic factors and education level as predictors of cognitive decline in alcohol use disorder. <i>Scientific Reports</i> , 2021, 11, 15583.	3.3	11
93	Adiponectin promoter activator NP-1 reduces body weight and hepatic steatosis in high-fat diet-fed animals. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E817-E830.	3.5	10
94	Octadecylpropyl Sulfamide Reduces Neurodegeneration and Restores the Memory Deficits Induced by Hypoxia-Ischemia in Mice. <i>Frontiers in Pharmacology</i> , 2018, 9, 376.	3.5	10
95	Pin1 promotes tau dephosphorylation through a cyclin-dependent kinase 5 regulation mechanism: A new potential approach for tauopathies?. <i>British Journal of Pharmacology</i> , 2022, 179, 4655-4672.	5.4	10
96	Moderate and severe perinatal asphyxia induces differential effects on cocaine sensitization in adult rats. <i>Synapse</i> , 2013, 67, 553-567.	1.2	9
97	PPAR $\alpha$ /CB1 receptor dual ligands as a novel therapy for alcohol use disorder: Evaluation of a novel oleic acid conjugate in preclinical rat models. <i>Biochemical Pharmacology</i> , 2018, 157, 235-243.	4.4	9
98	Sex-Dimorphic Behavioral Alterations and Altered Neurogenesis in U12 Intron Splicing-Defective Zrsr1 Mutant Mice. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3543.	4.1	9
99	Maternal hypercaloric diet affects factors involved in lipid metabolism and the endogenous cannabinoid systems in the hypothalamus of adult offspring: sex-specific response of astrocytes to palmitic acid and anandamide. <i>Nutritional Neuroscience</i> , 2022, 25, 931-944.	3.1	9
100	Energy sensors in drug addiction: A potential therapeutic target. <i>Addiction Biology</i> , 2021, 26, e12936.	2.6	9
101	Effects of Adolescent Intermittent Alcohol Exposure on the Expression of Endocannabinoid Signaling-Related Proteins in the Spleen of Young Adult Rats. <i>PLoS ONE</i> , 2016, 11, e0163752.	2.5	8
102	Potential association of plasma lysophosphatidic acid (LPA) species with cognitive impairment in abstinent alcohol use disorders outpatients. <i>Scientific Reports</i> , 2020, 10, 17163.	3.3	8
103	Abstinent patients with alcohol use disorders show an altered plasma cytokine profile: Identification of both interleukin 6 and interleukin 17A as potential biomarkers of consumption and comorbid liver and pancreatic diseases. <i>Journal of Psychopharmacology</i> , 2020, 34, 1250-1260.	4.0	8
104	Recombinant IGF-1 Induces Sex-Specific Changes in Bone Composition and Remodeling in Adult Mice with Pappa2 Deficiency. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4048.	4.1	8
105	The adiponectin promoter activator NP-1 induces high levels of circulating TNF $\alpha$ and weight loss in obese (fa/fa) Zucker rats. <i>Scientific Reports</i> , 2018, 8, 9858.	3.3	7
106	A combination of circulating chemokines as biomarkers of obesity-induced insulin resistance at puberty. <i>Pediatric Obesity</i> , 2021, 16, e12711.	2.8	7
107	Computational and Biological Evaluation of N-octadecyl-N $\epsilon$ -propylsulfamide, a Selective PPAR $\alpha$ Agonist Structurally Related to N-acylethanolamines. <i>PLoS ONE</i> , 2014, 9, e92195.	2.5	7
108	Influence of gender and education on cocaine users in an outpatient cohort in Spain. <i>Scientific Reports</i> , 2021, 11, 20928.	3.3	7

#	ARTICLE	IF	CITATIONS
109	Acylethanolamides and endocannabinoid signaling system in dorsal striatum of rats exposed to perinatal asphyxia. <i>Neuroscience Letters</i> , 2017, 653, 269-275.	2.1	6
110	ATP13A2 levels in serum and cerebrospinal fluid in patients with idiopathic Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 88, 3-9.	2.2	6
111	Plasma Concentrations of Lysophosphatidic Acid and Autotaxin in Abstinent Patients with Alcohol Use Disorder and Comorbid Liver Disease. <i>Biomedicines</i> , 2021, 9, 1207.	3.2	6
112	Vascular Endothelial Growth Factor as a Potential Biomarker of Neuroinflammation and Frontal Cognitive Impairment in Patients with Alcohol Use Disorder. <i>Biomedicines</i> , 2022, 10, 947.	3.2	5
113	Cannabinoid dependence induces sustained changes in GABA release in the globus pallidus without affecting dopamine release in the dorsal striatum: A dual microdialysis probe study. <i>Addiction Biology</i> , 2018, 23, 1251-1261.	2.6	4
114	Sex Differences in Plasma Lysophosphatidic Acid Species in Patients with Alcohol and Cocaine Use Disorders. <i>Brain Sciences</i> , 2022, 12, 588.	2.3	4
115	Clinical Value of Inflammatory and Neurotrophic Biomarkers in Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Biomedicines</i> , 2022, 10, 1368.	3.2	4
116	Spectrophotometric Color Measurement to Assess Temperature of Exposure in Cortical and Medullar Heated Human Bones: A Preliminary Study. <i>Diagnostics</i> , 2020, 10, 979.	2.6	3
117	Abrupt cessation of reboxetine along alcohol deprivation results in alcohol intake escalation after reinstatement of drinking. <i>Addiction Biology</i> , 2021, 26, e12957.	2.6	3
118	Comorbidities and autopsy findings of COVID-19 deaths and their association with time to death: a systematic review and meta-analysis. <i>Current Medical Research and Opinion</i> , 2022, , 1-8.	1.9	3
119	Bupropion, a possible antidepressant without negative effects on alcohol relapse. <i>European Neuropsychopharmacology</i> , 2019, 29, 756-765.	0.7	2
120	Sudden cessation of fluoxetine before alcohol drinking reinstatement alters microglial morphology and TLR4/inflammatory neuroadaptation in the rat brain. <i>Brain Structure and Function</i> , 2021, 226, 2243-2264.	2.3	2
121	Repeated Restraint Stress and Binge Alcohol during Adolescence Induce Long-Term Effects on Anxiety-like Behavior and the Expression of the Endocannabinoid System in Male Rats. <i>Biomedicines</i> , 2022, 10, 593.	3.2	2
122	Trends in Psychiatric Hospitalizations of Patients With Dual Diagnosis in Spain. <i>Journal of Dual Diagnosis</i> , 2022, 18, 92-100.	1.2	2
123	Instruments to measure skills and knowledge of physicians and medical students in palliative care: A systematic review of psychometric properties. <i>Medical Teacher</i> , 2022, 44, 1133-1145.	1.8	2
124	Dietary administration of D-chiro-inositol attenuates sex-specific metabolic imbalances in the 5xFAD mouse model of Alzheimer's disease. <i>Biomedicine and Pharmacotherapy</i> , 2022, 150, 112994.	5.6	2
125	Sex-specific behavioral and neurogenic responses to cocaine in mice lacking and blocking dopamine D1 or dopamine D2 receptors. <i>Journal of Comparative Neurology</i> , 2021, 529, 1724-1742.	1.6	1
126	Analysis of Both Lipid Metabolism and Endocannabinoid Signaling Reveals a New Role for Hypothalamic Astrocytes in Maternal Caloric Restriction-Induced Perinatal Programming. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6292.	4.1	1



#	ARTICLE	IF	CITATIONS
127	Long-term effects of intermittent alcohol exposure during adolescence on neurobiological substrates of emotion: A role for the endogenous cannabinoid system and neuroinflammation. Alcohol, 2017, 60, 237-238.	1.7	0
128	Autopsia en muertes por Covid-19: análisis y recomendaciones a través de una revisión. Revista De Ciencias Forenses De Honduras, 2020, 6, 14-27.	0.1	0