## Martin Maurer

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1221493/publications.pdf

Version: 2024-02-01

69 papers

3,310 citations

34 h-index 57 g-index

72 all docs 72 docs citations

times ranked

72

4645 citing authors

#	Article	IF	CITATIONS
1	Significant Data Available. Deutsches Ärzteblatt International, 2017, 114, 720.	0.9	O
2	Two-Dimensional Gel Electrophoresis Image Analysis via Dedicated Software Packages. Methods in Molecular Biology, 2016, 1384, 55-65.	0.9	4
3	Cooperation Between Schools and Hospitals. Deutsches Ärzteblatt International, 2016, 113, 560.	0.9	O
4	Web-Based Tools for the Interpretation of Chain-Like Protein Spot Patterns on Two-Dimensional Gels. Current Proteomics, 2012, 9, 18-25.	0.3	3
5	Genomic and proteomic advances in autism research. Electrophoresis, 2012, 33, 3653-3658.	2.4	8
6	The Application of Clinical Genetics. The Application of Clinical Genetics, 2012, 5, 19.	3.0	1
7	Two-Dimensional Protein Analysis of Neural Stem Cells. Neuromethods, 2012, , 101-117.	0.3	2
8	Prevention Rather Than Therapy. Deutsches Ärzteblatt International, 2012, 109, 14; author reply 14.	0.9	0
9	Phosphates and Behavioral Abnormalities. Deutsches Ärzteblatt International, 2012, 109, 492; author reply 493.	0.9	O
10	A combined experimental and computational study on the sulfoxidation by high-valent iron bispidine complexes. Dalton Transactions, 2011, 40, 11276.	3.3	36
11	Proteomic Definitions of Mesenchymal Stem Cells. Stem Cells International, 2011, 2011, 1-9.	2.5	44
12	Proteomics of brain extracellular fluid (ECF) and cerebrospinal fluid (CSF). Mass Spectrometry Reviews, 2010, 29, 17-28.	5.4	66
13	Neurons and Neuronal Stem Cells Survive in Glucose-Free Lactate and in High Glucose Cell Culture Medium During Normoxia and Anoxia. Neurochemical Research, 2010, 35, 1635-1642.	3.3	25
14	Isoflurane Anesthesia Elicits Protein Pattern Changes in Rat Hippocampus. Journal of Neurosurgical Anesthesiology, 2010, 22, 144-154.	1.2	38
15	Increased densities of monocarboxylate transporter MCT1 after chronic hyperglycemia in rat brain. Brain Research, 2009, 1257, 32-39.	2.2	21
16	Alterations of the podocyte proteome in response to high glucose concentrations. Proteomics, 2009, 9, 4519-4528.	2.2	29
17	Expression of Hemoglobin in Rodent Neurons. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 585-595.	4.3	124
18	Oxidation of Cyclohexane by High-Valent Iron Bispidine Complexes: Tetradentate versus Pentadentate Ligands. Inorganic Chemistry, 2009, 48, 10389-10396.	4.0	83

#	Article	IF	Citations
19	Increased densities of monocarboxylate transport protein MCT1 after chronic administration of nicotine in rat brain. Neuroscience Research, 2009, 64, 429-435.	1.9	4
20	Alterations in Rat Serum Proteome and Metabolome as Putative Disease Markers in Sepsis. Journal of Trauma, 2009, 66, 1065-1075.	2.3	8
21	Acute anoxia stimulates proliferation in adult neural stem cells from the rat brain. Experimental Brain Research, 2008, 188, 33-43.	1.5	42
22	Proteomics of human cerebral microdialysate: From detection of biomarkers to clinical application. Proteomics - Clinical Applications, 2008, 2, 437-443.	1.6	16
23	Protein expression differs between neural progenitor cells from the adult rat brain subventricular zone and olfactory bulb. BMC Neuroscience, 2008, 9, 7.	1.9	12
24	Neuroprotection by pravastatin in acute ischemic stroke in rats. Brain Research Reviews, 2008, 58, 48-56.	9.0	67
25	Reduction in rat phosphatidylethanolamine binding protein-1 (PEBP1) after chronic corticosterone treatment may be paralleled by cognitive impairment: A first study. Stress, 2008, 11, 134-147.	1.8	35
26	Oxidation of Cyclohexane by a High-Valent Iron Bispidine Complex: A Combined Experimental and Computational Mechanistic Study. Journal of Physical Chemistry A, 2008, 112, 13028-13036.	2.5	56
27	Old Friends in New Constellations - the Hematopoetic Growth Factors G-CSF, GMCSF, and EPO for the Treatment of Neurological Diseases. Current Medicinal Chemistry, 2008, 15, 1407-1411.	2.4	37
28	Transplantation of adult neural progenitor cells transfected with Vascular Endothelial Growth Factor rescues grafted cells in the rat brain. International Journal of Biological Sciences, 2008, 4, 1-7.	6.4	19
29	Lithium Promotes Adult Neural Progenitor Differentiation Via GSK3 $ ilde{A}$ Y-Dependent Signaling Pathways. The Open Enzyme Inhibition Journal, 2008, 1, 5-11.	2.0	0
30	Alterations in Cerebral Metabolomics and Proteomic Expression during Sepsis. Current Neurovascular Research, 2007, 4, 280-288.	1.1	30
31	The Effects of Sevoflurane Anesthesia on Rat Brain Proteins: A Proteomic Time-Course Analysis. Anesthesia and Analgesia, 2007, 104, 1129-1135.	2.2	48
32	Glycogen Synthase Kinase $3\hat{l}^2$ (GSK $3\hat{l}^2$ ) Regulates Differentiation and Proliferation in Neural Stem Cells from the Rat Subventricular Zone. Journal of Proteome Research, 2007, 6, 1198-1208.	3.7	44
33	Reduced Cerebral Blood Flow but Elevated Cerebral Glucose Metabolic Rate in Erythropoietin Overexpressing Transgenic Mice with Excessive Erythrocytosis. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 469-476.	4.3	38
34	Identification of Early Markers for Symptomatic Vasospasm in Human Cerebral Microdialysate after Subarachnoid Hemorrhage: Preliminary Results of a Proteome-Wide Screening. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1675-1683.	4.3	39
35	Spatial learning induces predominant downregulation of cytosolic proteins in the rat hippocampus. Genes, Brain and Behavior, 2007, 6, 128-140.	2.2	34
36	The functional genome of CA1 and CA3 neurons under native conditions and in response to ischemia. BMC Genomics, 2007, 8, 370.	2.8	41

3

#	Article	IF	CITATIONS
37	Activation of inwardly rectifying Kir2.x potassium channels by $\hat{l}^2$ 3-adrenoceptors is mediated via different signaling pathways with a predominant role of PKC for Kir2.1 and of PKA for Kir2.2. Naunyn-Schmiedeberg's Archives of Pharmacology, 2007, 375, 311-322.	3.0	26
38	Anticholinergic antiparkinson drug orphenadrine inhibits HERG channels: block attenuation by mutations of the pore residues Y652 or F656. Naunyn-Schmiedeberg's Archives of Pharmacology, 2007, 376, 275-284.	3.0	12
39	Adult neural stem cells express glucose transporters GLUT1 and GLUT3 and regulate GLUT3 expression. FEBS Letters, 2006, 580, 4430-4434.	2.8	42
40	Screening the Brain: Molecular Fingerprints of Neural Stem Cells. Current Stem Cell Research and Therapy, 2006, 1, 65-77.	1.3	10
41	Changes in the Serum Proteome of Patients with Sepsis and Septic Shock. Anesthesia and Analgesia, 2006, 103, 1522-1526.	2.2	73
42	Volatile anesthetics evoke prolonged changes in the proteome of the left ventricule myocardium: defining a molecular basis of cardioprotection?. Acta Anaesthesiologica Scandinavica, 2006, 50, 414-427.	1.6	32
43	The heterogeneity of human mesenchymal stem cell preparationsâ€"Evidence from simultaneous analysis of proteomes and transcriptomes. Experimental Hematology, 2006, 34, 536-548.	0.4	177
44	Software Analysis of Two-Dimensional Electrophoretic Gels in Proteomic Experiments. Current Bioinformatics, 2006, 1, 255-262.	1.5	19
45	Stem cell proteomes: A profile of human mesenchymal stem cells derived from umbilical cord blood. Electrophoresis, 2005, 26, 2749-2758.	2.4	92
46	FXTAS, SCA10, and SCA17 in American patients with movement disorders. American Journal of Medical Genetics, Part A, 2005, 136A, 87-89.	1.2	36
47	Comparison of Large Proteomic Datasets. Current Proteomics, 2005, 2, 179-189.	0.3	11
48	Comparison of Statistical Approaches for the Analysis of Proteome Expression Data of Differentiating Neural Stem Cells. Journal of Proteome Research, 2005, 4, 96-100.	3.7	52
49	The hematopoietic factor G-CSF is a neuronal ligand that counteracts programmed cell death and drives neurogenesis. Journal of Clinical Investigation, 2005, 115, 2083-2098.	8.2	630
50	Early proteomic markers of vasospasm can be identified in cerebral microdialysates of patients with subarachnoid hemorrhage. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S119-S119.	4.3	0
51	Functional relevance of the Wnt signaling pathway in adult neural stem cells. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S223-S223.	<b>4.</b> 3	0
52	The hematopoietic factor G-CSF is a neuronal ligand that drives neurogenesis. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S235-S235.	4.3	1
53	Genomic and Proteomic Signatures of Human Mesenchymal Stem Cells Blood, 2005, 106, 2300-2300.	1.4	0
54	Tumor Necrosis Factor-Like Weak Inducer of Apoptosis-Induced Neurodegeneration. Journal of Neuroscience, 2004, 24, 8237-8244.	3.6	130

#	Article	IF	CITATIONS
55	Cloning of a novel neuronally expressed orphan G-protein-coupled receptor which is up-regulated by erythropoietin, interacts with microtubule-associated protein 1b and colocalizes with the 5-hydroxytryptamine 2a receptor. Journal of Neurochemistry, 2004, 91, 1007-1017.	3.9	12
56	Comprehensive Proteome Expression Profiling of Undifferentiated versus Differentiated Neural Stem Cells from Adult Rat Hippocampus. Neurochemical Research, 2004, 29, 1129-1144.	3.3	60
57	Simple Method for Three-Dimensional Representation of 2-DE Spots Using a Spreadsheet Program. Journal of Proteome Research, 2004, 3, 665-666.	3.7	7
58	Correlation between local monocarboxylate transporter 1 (MCT1) and glucose transporter 1 (GLUT1) densities in the adult rat brain. Neuroscience Letters, 2004, 355, 105-108.	2.1	44
59	Alterations in Rat Brain Proteins after Desflurane Anesthesia. Anesthesiology, 2004, 100, 302-308.	2.5	105
60	The Path to Enlightenment: Making Sense of Genomic and Proteomic Information. Genomics, Proteomics and Bioinformatics, 2004, 2, 123-131.	6.9	7
61	The proteome of neural stem cells from adult rat hippocampus. Proteome Science, 2003, 1, 4.	1.7	50
62	The proteome of human brain microdialysate. Proteome Science, 2003, 1, 7.	1.7	56
63	Expression of vascular endothelial growth factor and its receptors in rat neural stem cells. Neuroscience Letters, 2003, 344, 165-168.	2.1	125
64	Tolerance Against Ischemic Neuronal Injury Can Be Induced by Volatile Anesthetics and Is Inducible NO Synthase Dependent. Stroke, 2002, 33, 1889-1898.	2.0	266
65	Cerebral transcriptome analysis of transgenic mice overexpressing erythropoietin. Neuroscience Letters, 2002, 327, 181-184.	2.1	15
66	Correlation between local glucose transporter densities and local 3-O-methylglucose transport in rat brain. Neuroscience Letters, 2001, 310, 101-104.	2.1	18
67	Increased cerebral glucose utilization and decreased glucose transporter Glut1 during chronic hyperglycemia in rat brain. Brain Research, 2000, 858, 338-347.	2.2	87
68	Brain water content, glucose transporter densities and glucose utilization after 3 days of water deprivation in the rat. Neuroscience Letters, 1999, 271, 13-16.	2.1	10
69	Local transport kinetics of glucose during acute and chronic nicotine infusion in rat brains. Journal of Neural Transmission, 1998, 105, 1017-1028.	2.8	9