

Tobias Luck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1221544/publications.pdf>

Version: 2024-02-01

132
papers

8,180
citations

76326

40
h-index

56724

83
g-index

149
all docs

149
docs citations

149
times ranked

12807
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss and grief in elderly people: Results from the LIFE-Adult-Study. <i>Death Studies</i> , 2022, 46, 1621-1630.	2.7	13
2	Feelings of guilt in the general adult population: prevalence, intensity and association with depression. <i>Psychology, Health and Medicine</i> , 2021, 26, 1143-1153.	2.4	19
3	Epidemiologie gerontopsychiatrischer Erkrankungen. , 2021, , 7-14.		0
4	Reading cognition from the eyesâ€”association of retinal nerve fiber layer thickness with cognitive performance in a population-based study. <i>Brain Communications</i> , 2021, 3, fcab258.	3.3	8
5	Relationships Between Self-Rated Health at Three Time Points: Past, Present, Future. <i>Frontiers in Psychology</i> , 2021, 12, 763158.	2.1	2
6	Correlates of hospitalization among the oldest old: results of the AgeCoDeâ€”AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
7	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	1.0	9
8	Mindreading From the Eyes Declines With Aging â€” Evidence From 1,603 Subjects. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 550416.	3.4	19
9	Do High Mental Demands at Work Protect Cognitive Health in Old Age via Hippocampal Volume? Results From a Community Sample. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 622321.	3.4	3
10	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748.	3.9	30
11	AgeWell.de â€” study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019, 19, 203.	2.7	34
12	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. <i>Frontiers in Psychiatry</i> , 2019, 10, 479.	2.6	15
13	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 705-710.	1.5	5
14	T40. Alzheimerâ€™s Disease DNA (Hydroxy)Methylome in the Brain and Blood: Evidence for OXT Methylation as a Preclinical Marker. <i>Biological Psychiatry</i> , 2019, 85, S144.	1.3	1
15	Testosterone imbalance may link depression and increased body weight in premenopausal women. <i>Translational Psychiatry</i> , 2019, 9, 160.	4.8	20
16	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	2.6	17
17	Olfactory function is associated with cognitive performance: results from the population-based LIFE-Adult-Study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 43.	6.2	40
18	Neuroanatomical correlates of food addiction symptoms and body mass index in the general population. <i>Human Brain Mapping</i> , 2019, 40, 2747-2758.	3.6	41

#	ARTICLE	IF	CITATIONS
19	Alzheimer's disease-associated (hydroxy)methylomic changes in the brain and blood. <i>Clinical Epigenetics</i> , 2019, 11, 164.	4.1	88
20	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.8	232
21	Olfactory dysfunction: properties of the Sniffin Sticks Screening 12 test and associations with quality of life. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 389-395.	1.6	18
22	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	2.7	41
23	The association between unemployment and depression—Results from the population-based LIFE-adult-study. <i>Journal of Affective Disorders</i> , 2018, 235, 399-406.	4.1	59
24	White matter microstructural variability mediates the relation between obesity and cognition in healthy adults. <i>NeuroImage</i> , 2018, 172, 239-249.	4.2	67
25	Increased estrogen level can be associated with depression in males. <i>Psychoneuroendocrinology</i> , 2018, 87, 196-203.	2.7	21
26	White matter hyperintensities associated with small vessel disease impair social cognition beside attention and memory. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 996-1009.	4.3	66
27	Gray matter structural networks are associated with cardiovascular risk factors in healthy older adults. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 360-372.	4.3	29
28	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
29	P256: EFFECTS OF LEPTIN ON HIPPOCAMPUS VOLUME AND COGNITIVE PERFORMANCE. <i>Alzheimer's and Dementia</i> , 2018, 14, P727.	0.8	0
30	P3122: APOE ϵ 4 MODULATES LEVELS OF OMEGA ω 3 AND OMEGA ω 6 FATTY ACIDS IN ALZHEIMER'S DISEASE DEMENTIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P1114.	0.8	0
31	O40802: THE MEDIATING EFFECT OF COGNITIVE RESERVE BETWEEN SOCIAL ISOLATION AND COGNITIVE FUNCTION: RESULTS OF THE POPULATION-BASED LIFE-ADULT STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1421.	0.8	0
32	4. Risikofaktoren und Prävention. , 2018, , 123-156.		0
33	Exploring Genetic Associations of Alzheimer's Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 340.	3.4	12
34	Is dementia incidence declining in high-income countries? A systematic review and meta-analysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1233-1247.	3.0	73
35	Informal caregivers' perspectives on health of and (potentially inappropriate) medication for (relatively) independent oldest-old people—a qualitative interview study. <i>BMC Geriatrics</i> , 2018, 18, 169.	2.7	8
36	Perspective of elderly patients on chronic use of potentially inappropriate medication—Results of the qualitative CIM-TRIAD study. <i>PLoS ONE</i> , 2018, 13, e0202068.	2.5	16

#	ARTICLE	IF	CITATIONS
37	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	12.8	484
38	Longitudinal Analysis of Outpatient Physician Visits in the Oldest Old: Results of the AgeQualiDe Prospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 689-694.	3.3	9
39	Normative data for the Digit Symbol Substitution Test in a population-based sample aged 65â€“79 years: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Clinical Neuropsychologist</i> , 2018, 32, 114-132.	2.3	12
40	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13
41	Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors â€“ results of the LIFE-Adult-Study. <i>BMC Psychology</i> , 2018, 6, 23.	2.1	22
42	Compression of cognitive morbidity by higher education in individuals aged 75+ living in Germany. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1389-1396.	2.7	3
43	Prevalence of pain and its associated factors among the oldest-olds in different care settings â€“ results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018, 19, 85.	2.9	14
44	Enriched environment at work: Disassociated from stress and burnout. <i>Work</i> , 2018, 60, 29-40.	1.1	4
45	Social Network Types in Old Age and Incident Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018, 31, 163-170.	2.3	16
46	APOE e4-genotype and lifestyle interaction on cognitive performance: Results of the LIFE-Adult-study.. <i>Health Psychology</i> , 2018, 37, 194-205.	1.6	14
47	Age-, sex-, and education-specific norms for an extended CERAD Neuropsychological Assessment Batteryâ€“Results from the population-based LIFE-Adult-Study.. <i>Neuropsychology</i> , 2018, 32, 461-475.	1.3	28
48	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. <i>Journal of Affective Disorders</i> , 2017, 210, 338-344.	4.1	248
49	Disentangling the complex relation of disability and depressive symptoms in old age â€“ findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895.	1.0	30
50	Impact of coronary heart disease on cognitive decline in Alzheimerâ€™s disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e1111-e1117.	1.4	33
51	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 738-746.	2.6	11
52	Factors affecting functional impairment among elderly Germans â€“ Results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 299-306.	3.3	18
53	Secular trends in the incidence of dementia in high-income countries: a protocol of a systematic review and a planned meta-analysis. <i>BMJ Open</i> , 2017, 7, e013630.	1.9	9
54	Higher body mass index is associated with reduced posterior default mode connectivity in older adults. <i>Human Brain Mapping</i> , 2017, 38, 3502-3515.	3.6	56

#	ARTICLE	IF	CITATIONS
55	Could High Mental Demands at Work Offset the Adverse Association Between Social Isolation and Cognitive Functioning? Results of the Population-Based LIFE-Adult-Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1258-1269.	1.2	11
56	General practitioners'™ views on (long-term) prescription and use of problematic and potentially inappropriate medication for oldest-old patients"™ A qualitative interview study with GPs (CIM-TRIAD) <i>Tj ETQq0 0 Q.igBT /Ovz4lock 10 T</i>		
57	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	1.6	23
58	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
59	Effects of psychological eating behaviour domains on the association between socio-economic status and BMI. <i>Public Health Nutrition</i> , 2017, 20, 2706-2712.	2.2	17
60	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 71-83.	1.5	19
61	Advance directives and power of attorney for health care in the oldest-old "™ results of the AgeQualiDe study. <i>BMC Geriatrics</i> , 2017, 17, 85.	2.7	19
62	Prevalence of DSM-5 Mild Neurocognitive Disorder in Dementia-Free Older Adults: Results of the Population-Based LIFE-Adult-Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 328-339.	1.2	43
63	Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 692-698.	3.3	13
64	Sleep disturbances and upregulation of brain arousal during daytime in depressed versus non-depressed elderly subjects. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 633-640.	2.6	30
65	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440.	0.8	33
66	Predicting brain-age from multimodal imaging data captures cognitive impairment. <i>NeuroImage</i> , 2017, 148, 179-188.	4.2	407
67	[P3"™139]: IMMUNE CELL POPULATIONS ARE ASSOCIATED WITH HUMAN HIPPOCAMPUS VOLUME. <i>Alzheimer's and Dementia</i> , 2017, 13, P988.	0.8	0
68	[P3"™357]: ASSOCIATION OF HIPPOCAMPAL VOLUMES WITH COGNITIVE TASKS IN A LARGE POPULATION"™BASED COHORT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1092.	0.8	0
69	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 140.	2.4	48
70	Die Gerontopsychiatrie. , 2017, , 3-18.		0
71	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly "™ Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016, 11, e0147050.	2.5	20
72	Outcomes of stable and unstable patterns of subjective cognitive decline "™ results from the Leipzig Longitudinal Study of the Aged (LEILA75+). <i>BMC Geriatrics</i> , 2016, 16, 180.	2.7	30

#	ARTICLE	IF	CITATIONS
73	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1135-1146.	2.6	70
74	P3-086: FTO is Not Related to Imaging Parameters of the Hippocampus: A Volumetric and Diffusion Tensor Imaging Study. , 2016, 12, P851-P851.		0
75	P3-377: The Cognitive Functioning of Socially Isolated Individuals May Profit from High Mental Work Demands. , 2016, 12, P993-P994.		0
76	P4-153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Non-AD in Memory Clinic and Community-Based Cohorts. <i>Alzheimer's and Dementia</i> , 2016, 12, P1073.	0.8	1
77	Education as protector against dementia, but what exactly do we mean by education?. <i>Age and Ageing</i> , 2016, 45, 523-528.	1.6	31
78	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
79	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168.	3.1	61
80	Sexual and reproductive health of young people with disability in Ethiopia: a study on knowledge, attitude and practice: a cross-sectional study. <i>Globalization and Health</i> , 2016, 12, 5.	4.9	44
81	Serum BDNF correlates with connectivity in the (pre)motor hub in the aging human brain a resting-state fMRI pilot study. <i>Neurobiology of Aging</i> , 2016, 38, 181-187.	3.1	11
82	Higher body mass index in older adults is associated with lower gray matter volume: implications for memory performance. <i>Neurobiology of Aging</i> , 2016, 40, 1-10.	3.1	84
83	Association of the apolipoprotein E genotype with memory performance and executive functioning in cognitively intact elderly.. <i>Neuropsychology</i> , 2015, 29, 382-387.	1.3	26
84	Mortality in Individuals with Subjective Cognitive Decline: Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). <i>Journal of Alzheimer's Disease</i> , 2015, 48, S33-S42.	2.6	20
85	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1203-1212.	2.6	52
86	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86.	2.6	317
87	First evidence for glial pathology in late life minor depression: S100B is increased in males with minor depression. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 406.	3.7	19
88	Eating Behaviour in the General Population: An Analysis of the Factor Structure of the German Version of the Three-Factor-Eating-Questionnaire (TFEQ) and Its Association with the Body Mass Index. <i>PLoS ONE</i> , 2015, 10, e0133977.	2.5	69
89	Risk of Dementia in Older Adults With Low Versus High Occupation-Based Motivational Processes. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 126-135.	2.3	11
90	Weight stigma affects weight under the skin evidence for an adapted psychological mediation framework-a systematic review. <i>Obesity</i> , 2015, 23, 266-276.	3.0	79

#	ARTICLE	IF	CITATIONS
91	Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). <i>Appetite</i> , 2015, 91, 241-247.	3.7	31
92	Cost-utility analysis of a preventive home visit program for older adults in Germany. <i>BMC Health Services Research</i> , 2015, 15, 141.	2.2	22
93	Differential effects of enriched environment at work on cognitive decline in old age. <i>Neurology</i> , 2015, 84, 2169-2176.	1.1	47
94	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
95	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	2.9	287
96	Serum Neuron-Specific Enolase Is Related to Cerebellar Connectivity: A Resting-State Functional Magnetic Resonance Imaging Pilot Study. <i>Journal of Neurotrauma</i> , 2015, 32, 1380-1384.	3.4	13
97	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	2.5	128
98	Prognosis of Mild Cognitive Impairment in General Practice: Results of the German AgeCoDe Study. <i>Annals of Family Medicine</i> , 2014, 12, 158-165.	1.9	63
99	Systematic review of the effect of the psychosocial working environment on cognition and dementia. <i>Occupational and Environmental Medicine</i> , 2014, 71, 358-365.	2.8	98
100	Sexuality and Sexual Reproductive Health of Disabled Young People in Ethiopia. <i>Sexually Transmitted Diseases</i> , 2014, 41, 583-588.	1.7	20
101	Association between mental demands at work and cognitive functioning in the general population – results of the health study of the Leipzig research center for civilization diseases (LIFE). <i>Journal of Occupational Medicine and Toxicology</i> , 2014, 9, 23.	2.2	34
102	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 76-83.	0.8	414
103	Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2013, 8, 697.	2.9	29
104	Depression and Incident Dementia. An 8-Year Population-Based Prospective Study. <i>PLoS ONE</i> , 2013, 8, e59246.	2.5	28
105	Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment – Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 943-954.	1.2	52
106	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 84-97.	1.2	29
107	Natural course of depressive symptoms in late life. An 8-year population-based prospective study. <i>Journal of Affective Disorders</i> , 2012, 142, 166-171.	4.1	48
108	Epidemiology of dementia – A current overview. <i>Public Health Forum</i> , 2012, 20, 11-12.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Attitudes of the German General Population toward Early Diagnosis of Dementia – Results of a Representative Telephone Survey. PLoS ONE, 2012, 7, e50792.	2.5	44
110	Prevalence and risk factors of depressive symptoms in latest life – results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). International Journal of Geriatric Psychiatry, 2012, 27, 286-295.	2.7	51
111	Age-related predictors of institutionalization: results of the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 263-270.	3.1	49
112	Prediction of Dementia in Primary Care Patients. PLoS ONE, 2011, 6, e16852.	2.5	116
113	Clock Drawing Test – screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). International Psychogeriatrics, 2011, 23, 1592-1601.	1.0	40
114	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. Dementia and Geriatric Cognitive Disorders, 2011, 31, 81-88.	1.5	31
115	Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). BMC Health Services Research, 2010, 10, 186.	2.2	72
116	Mild Cognitive Impairment: Incidence and Risk Factors: Results of the Leipzig Longitudinal Study of the Aged. Journal of the American Geriatrics Society, 2010, 58, 1903-1910.	2.6	82
117	Prediction of Dementia by Subjective Memory Impairment – Effects of Severity and Temporal Association With Cognitive Impairment – Dementia and Subjective Memory Impairment. Archives of General Psychiatry, 2010, 67, 414.	12.3	559
118	Incidence of Mild Cognitive Impairment: A Systematic Review. Dementia and Geriatric Cognitive Disorders, 2010, 29, 164-175.	1.5	179
119	Prediction of institutionalization in the elderly. A systematic review. Age and Ageing, 2010, 39, 31-38.	1.6	690
120	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). Dementia and Geriatric Cognitive Disorders, 2009, 28, 365-372.	1.5	26
121	Does a Reliable Decline in Mini Mental State Examination Total Score Predict Dementia?. Dementia and Geriatric Cognitive Disorders, 2009, 27, 50-58.	1.5	30
122	Training in dementia care: a cluster-randomized controlled trial of a training program for nursing home staff in Germany. International Psychogeriatrics, 2009, 21, 295.	1.0	84
123	Gender differences in predictors of nursing home placement in the elderly: a systematic review. International Psychogeriatrics, 2009, 21, 1015-1025.	1.0	51
124	Direct costs associated with mild cognitive impairment in primary care. International Journal of Geriatric Psychiatry, 2008, 23, 963-971.	2.7	33
125	Growing old at home – A randomized controlled trial to investigate the effectiveness and cost-effectiveness of preventive home visits to reduce nursing home admissions: study protocol [NCT00644826]. BMC Public Health, 2008, 8, 185.	2.9	12
126	Prediction of Institutionalisation in Dementia. Dementia and Geriatric Cognitive Disorders, 2008, 26, 65-78.	1.5	249

#	ARTICLE	IF	CITATIONS
127	Time until Institutionalization in Incident Dementia Cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Neuroepidemiology</i> , 2008, 31, 100-108.	2.3	33
128	Patterns of subjective memory impairment in the elderly: association with memory performance. <i>Psychological Medicine</i> , 2007, 37, 1753-1762.	4.5	129
129	Mortality in Individuals with Mild Cognitive Impairment. <i>Neuroepidemiology</i> , 2007, 29, 226-234.	2.3	37
130	Mild Cognitive Impairment in General Practice: Age-Specific Prevalence and Correlate Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 24, 307-316.	1.5	173
131	Nursing home staff training in dementia care: a systematic review of evaluated programs. <i>International Psychogeriatrics</i> , 2007, 19, 818-841.	1.0	121
132	Increased Serum NSE and S100B Indicate Neuronal and Glial Alterations in Subjects Under 71 Years With Mild Neurocognitive Disorder/Mild Cognitive Impairment. <i>Frontiers in Cellular Neuroscience</i> , 0, 16, .	3.7	8