Massimo Milani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1225238/publications.pdf

Version: 2024-02-01

257450 276875 2,283 120 24 41 citations h-index g-index papers 133 133 133 2307 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Localization of Usher syndrome type II to chromosome 1q. Genomics, 1990, 7, 245-249.	2.9	272
2	Efficacy and safety of a new clobetasol propionate 0.05% foam in alopecia areata: a randomized, double-blind placebo-controlled trial. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 1243-1247.	2.4	109
3	Efficacy of betamethasone valerate foam formulation in comparison with betamethasone dipropionate lotion in the treatment of mild-to-moderate alopecia areata: A multicenter, prospective, randomized, controlled, investigator-blinded trial. International Journal of Dermatology, 2003, 42, 572-575.	1.0	68
4	Evaluation of the efficacy and tolerability of oral terbinafine (DaskilR) in patients with seborrhoeic dermatitis. A multicentre, randomized, investigator-blinded, placebo-controlled trial. British Journal of Dermatology, 2001, 144, 854-857.	1.5	66
5	D-dimer before chemotherapy might predict venous thromboembolism. Blood Coagulation and Fibrinolysis, 2009, 20, 170-175.	1.0	64
6	Efficacy of betamethasone valerate mousse in comparison with standard therapies on scalp psoriasis: an open, multicentre, randomized, controlled, cross-over study on 241 patients. British Journal of Dermatology, 2003, 148, 134-138.	1.5	61
7	Sublingual immunotherapy efficacy in patients with atopic dermatitis and house dust mites sensitivity: a prospective pilot study. Current Medical Research and Opinion, 2007, 23, 2503-2506.	1.9	61
8	Effect of Fluvastatin on Lipids and Fibrinolysis in Coronary Artery Disease. American Journal of Cardiology, 1997, 79, 84-87.	1.6	59
9	Thromboxane antagonism and cough induced by angiotensin-converting-enzyme inhibitor. Lancet, The, 1997, 350, 15-18.	13.7	50
10	Evening vs morning isradipine sustained release in essential hypertension: a doubleâ€blind study with 24 h ambulatory monitoring British Journal of Clinical Pharmacology, 1993, 35, 51-54.	2.4	45
11	Efficacy of the combination of 2 g oral tinidazole and acidic buffering vaginal gel in comparison with vaginal clindamycin alone in bacterial vaginosis: a randomized, investigator-blinded, controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 109, 67-71.	1.1	45
12	Efficacy of AT in pre-eclampsia: a case-control prospective trial. Thrombosis and Haemostasis, 2004, 91, 283-289.	3.4	41
13	Risk of deep venous thrombosis (DVT) in bedridden or wheelchair-bound multiple sclerosis patients: A prospective study. Thrombosis Research, 2010, 125, 315-317.	1.7	41
14	Long-term treatment with the dual antithromboxane agent picotamide decreases microalbuminuria in normotensive type 2 diabetic patients. Diabetes, 1998, 47, 423-430.	0.6	36
15	The VISYT trial: Venom Immunotherapy Safety and Tolerability with purified vs nonpurified extracts. Annals of Allergy, Asthma and Immunology, 2009, 103, 57-61.	1.0	36
16	C-Reactive Protein in Hypertensive Disorders in Pregnancy. Clinical and Applied Thrombosis/Hemostasis, 2006, 12, 330-337.	1.7	35
17	Antiaging efficacy of melatonin-based day and night creams: a randomized, split-face, assessor-blinded proof-of-concept trial. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 51-57.	1.8	35
18	Effects of picotamide, an antiplatelet agent, on cardiovascular events in 438 claudicant patients with diabetes: a retrospective analysis of the ADEP study. British Journal of Clinical Pharmacology, 1996, 42, 782-785.	2.4	33

#	Article	IF	CITATIONS
19	The efficacy and tolerability of 5â€aminolevulinic acid 5% thermosetting gel photodynamic therapy (<scp>PDT</scp>) in the treatment of mildâ€toâ€moderate acne vulgaris. A twoâ€center, prospective assessorâ€blinded, proofâ€ofâ€concept study. Journal of Cosmetic Dermatology, 2019, 18, 156-162.	1.6	31
20	Successful treatment of bacterial vaginosis with a policarbophil-carbopol acidic vaginal gel: results from a randomised double-blind, placebo-controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 120, 202-205.	1.1	30
21	Long-term use of a new topical formulation containing piroxicam 0.8% and sunscreen: efficacy and tolerability on actinic keratosis. A proof of concept study. Current Medical Research and Opinion, 2016, 32, 1345-1349.	1.9	29
22	Effects of Picotamide, an Antithromboxane Agent, on Carotid Atherosclerotic Evolution. Stroke, 1995, 26, 597-601.	2.0	28
23	Efficacy of a new aluminium salt thermophobic foam in the treatment of axillary and palmar primary hyperhidrosis: a pilot exploratory trial. Current Medical Research and Opinion, 2005, 21, 1949-1953.	1.9	26
24	Efficacy of sublingual specific immunotherapy in intermittent and persistent allergic rhinitis in children: an observational case–control study on 171 patients. The EFESOâ€children Multicenter Trial. Pediatric Allergy and Immunology, 2009, 20, 660-664.	2.6	25
25	Clobetasol propionate 0·05% in a novel foam formulation is safe and effective in the short-term treatment of patients with delayed pressure urticaria: a randomized, double-blind, placebo-controlled trial. British Journal of Dermatology, 2006, 154, 353-356.	1.5	23
26	Biorevitalizing effect of a novel facial serum containing apple stem cell extract, proâ€collagen lipopeptide, creatine, and urea on skin aging signs. Journal of Cosmetic Dermatology, 2016, 15, 24-30.	1.6	23
27	Sublingual Desensitization in Patients with Wasp Venom Allergy: Preliminary Results. International Journal of Immunopathology and Pharmacology, 2008, 21, 669-677.	2.1	22
28	Efficacy of sublingual specific immunotherapy in patients with respiratory allergy to Alternaria alternata: a randomised, assessor-blinded, patient-reported outcome, controlled 3-year trial. Current Medical Research and Opinion, 2010, 26, 2801-2806.	1.9	22
29	Adherence to drug treatments and adjuvant barrier repair therapies are key factors for clinical improvement in mild to moderate acne: the ACTUO observational prospective multicenter cohort trial in 643 patients. BMC Dermatology, 2015, 15, 17.	2.1	22
30	Endothelin, vasoconstriction, and endothelial damage in Raynaud's phenomenon. Lancet, The, 1991, 337, 114-115.	13.7	21
31	Efficacy of betamethasone valerate 0.1% thermophobic foam in seborrhoeic dermatitisof the scalp: an open-label,multicentre, prospective trial on180 patients. Current Medical Research and Opinion, 2003, 19, 342-345.	1.9	21
32	Efficacy and tolerability of a new chlorhexidine-based vaginal gel in vaginal infections. Current Medical Research and Opinion, 2004, 20, 849-853.	1.9	21
33	Thrombosis-related complications and mortality in cancer patients with central venous devices: an observational study on the effect of antithrombotic prophylaxis. Annals of Oncology, 2007, 18, 551-555.	1.2	21
34	Sublingual immunotherapy for latex allergy: tolerability and safety profile of rush build-up phase. Current Medical Research and Opinion, 2008, 24, 1147-1154.	1.9	21
35	The 24-hour skin hydration and barrier function effects of a hyaluronic 1%, glycerin 5%, and Centella asiatica stem cells extract moisturizing fluid: an intra-subject, randomized, assessor-blinded study. Clinical, Cosmetic and Investigational Dermatology, 2017, Volume 10. 311-315.	1.8	21
36	Efficacy of topical 10% urea-based lotion in patients with ichthyosis vulgaris: a two-center, randomized, controlled, single-blind, right-vsleft study in comparison with standard glycerol-based emollient cream. Current Medical Research and Opinion, 2011, 27, 2279-2284.	1.9	20

#	Article	IF	CITATIONS
37	Preventive Long-Term Effects of a Topical Film-Forming Medical Device with Ultra-High UV Protection Filters and DNA Repair Enzyme in Xeroderma Pigmentosum: A Retrospective Study of Eight Cases. Case Reports in Dermatology, 2014, 6, 222-226.	0.8	20
38	Treatment of Multiple Actinic Keratosis and Field of Cancerization with Topical Piroxicam 0.8% and Sunscreen 50+ in Organ Transplant Recipients: A Series of 10 Cases. Case Reports in Dermatology, 2018, 9, 211-216.	0.8	20
39	Diabetes mellitus and peripheral vascular disease: is aspirin effective in preventing vascular events?. Diabetologia, 1996, 39, 1402-1404.	6.3	19
40	Efficacy and tolerability of a new synergized pyrethrins thermofobic foam in comparison with benzyl benzoate in the treatment of scabies in convicts: the ISAC study (Studio Della scabbia in ambiente) Tj ETQq0 0 () rg &∓ /Ov	erlaek 10 Tf 5
41	Efficacy of chlorhexidine, dexpanthenol, allantoin and chitosan gel in comparison with bicarbonate oral rinse in controlling post-interventional inflammation, pain and cicatrization in subjects undergoing dental surgery. Current Medical Research and Opinion, 2015, 31, 2179-2183.	1.9	19
42	Efficacy of a film-forming medical device containing sunscreen (50+) and piroxicam 0.8% in actinic keratosis and field cancerization: a multicenter, assessor-blinded, 3 month trial. Current Medical Research and Opinion, 2017, 33, 1255-1259.	1.9	19
43	Efficacy of topical hydrating and emollient lotion containing 10% urea ISDIN® plus dexpanthenol (Ureadin Rx 10) in the treatment of skin xerosis and pruritus in hemodialyzed patients: an open prospective pilot trial. Giornale Italiano Di Dermatologia E Venereologia, 2011, 146, 321-5.	0.8	19
44	FLUVASTATIN AND TISSUE FACTOR PATHWAY INHIBITOR IN TYPE IIA AND IIB HYPERLIPIDEMIA AND IN ACUTE MYOCARDIAL INFARCTION. Thrombosis Research, 1997, 87, 397-403.	1.7	18
45	Improvement of Microcirculation and Healing of Venous Hypertension and Ulcers with Crystacide. Evaluation of Free Radicals, Laser Doppler Flux and PO2. A Prospective- Randomized-Controlled Study. Angiology, 2003, 54, 325-330.	1.8	18
46	Sensitivity and specificity of different skin prick tests with latex extracts in pediatric patients with suspected natural rubber latex allergy $\hat{a} \in A$ cohort study. Pediatric Allergy and Immunology, 2008, 19, 315-318.	2.6	18
47	The safety of a novel sublingual rush induction phase for latex desensitization. Current Medical Research and Opinion, 2010, 26, 1855-1859.	1.9	18
48	Skin tolerability and efficacy of combination therapy with hydrogen peroxide stabilized cream and adapalene gel in comparison with benzoyl peroxide cream and adapalene gel in common acne. A randomized, investigator-masked, controlled trial. British Journal of Dermatology, 2004, 151, 481-484.	1.5	17
49	An urea, arginine and carnosine based cream (Ureadin Rx Db ISDIN) shows greater efficacy in the treatment of severe xerosis of the feet in Type 2 diabetic patients in comparison with glycerol-based emollient cream. A randomized, assessor-blinded, controlled trial. BMC Dermatology, 2012, 12, 16.	2.1	17
50	Local rhamnosoft, ceramides and Lâ€isoleucine in atopic eczema: a randomized, placebo controlled trial. Pediatric Allergy and Immunology, 2014, 25, 271-275.	2.6	17
51	Allergy immunotherapy tablet: Grazax ^{\hat{A}^{\otimes}} for the treatment of grass pollen allergy. Expert Review of Clinical Immunology, 2011, 7, 21-27.	3.0	16
52	Efficacy and safety of stabilised hydrogen peroxide cream (Crystacide) in mild-to-moderate acne vulgaris: a randomised, controlled trial versus benzoyl peroxide gel. Current Medical Research and Opinion, 2003, 19, 135-138.	1.9	16
53	Effect on vaginal pH of a polycarbophil vaginal gel compared with an acidic douche in women with suspected bacterial vaginosis: a randomized, controlled study. Current Therapeutic Research, 2000, 61, 781-788.	1.2	15
54	Protective effects of <i>Polypodium leucotomos</i> extract against <scp>UVB</scp> â€induced damage in a model of reconstructed human epidermis. Photodermatology Photoimmunology and Photomedicine, 2017, 33, 156-163.	1.5	15

#	Article	IF	CITATIONS
55	p>Skin protective effects of an antipollution, antioxidant serum containing Deschampsiaantartica/pm>extract, ferulic acid and vitamin C: a controlled single-blind, prospective trial inwomen living in urbanized, high air pollution areaDermatology, 2019, Volume 12, 393-399.	1.8	15
56	Efficacy and tolerability of natural synergised pyrethrins in a new thermo labile foam formulation in topical treatment of scabies: a prospective, randomised, investigator-blinded, comparative trial vs. permethrin cream. European Journal of Dermatology, 2003, 13, 69-71.	0.6	15
57	Audiometric Patterns of Genetic Non-syndromal Sensorineural Hearing Loss. International Journal of Audiology, 1997, 36, 228-236.	1.7	14
58	Observational study of sublingual specific immunotherapy in persistent and intermittent allergic rhinitis: the EFESO trial. Current Medical Research and Opinion, 2008, 24, 2719-2724.	1.9	14
59	Natural rubber latex allergy in children: clinical and immunological effects of 3-years sublingual immunotherapy. European Annals of Allergy and Clinical Immunology, 2008, 40, 142-7.	1.0	14
60	Effets of fluvastatin and pravastatin on lipid profiles and thromboxane production in type IIa hypercholesterolemia. American Journal of Cardiology, 1995, 76, 51A-53A.	1.6	13
61	Long-Term Safety and Efficacy of Picotamide, a Dual-Action Antithromboxane Agent, in Diabetic Patients with Carotid Atherosclerosis: A 6-Year Follow-Up Study. Journal of International Medical Research, 1998, 26, 200-205.	1.0	13
62	Evaluation of the Local Effects of Vitamin E (E-Mousse $\hat{A}^{\text{@}})$ on Free Radicals in Diabetic Microangiopathy: A Randomized, Controlled Trial. Angiology, 2003, 54, 415-421.	1.8	13
63	Efficacy and tolerability of nitric-zinc complex in the treatment of external genital warts and "difficult-to-treat" warts: a "proof of concept", prospective, multicentre, open study. Giornale Italiano Di Dermatologia E Venereologia, 2015, 150, 643-8.	0.8	12
64	Circulating microRNA biomarkers in melanoma and non-melanoma skin cancer. Expert Review of Molecular Diagnostics, 2022, 22, 305-318.	3.1	12
65	Vaginal Use of Ibuprofen Isobutanolammonium (Ginenorm): Efficacy, Tolerability, and Pharmacokinetic Data: A Review of Available Data. ISRN Obstetrics & Gynecology, 2012, 2012, 1-6.	1.2	11
66	Use of a urea, arginine and carnosine cream versus a standard emollient glycerol cream for treatment of severe xerosis of the feet in patients with type 2 diabetes: a randomized, 8 month, assessor-blinded, controlled trial. Current Medical Research and Opinion, 2015, 31, 1063-1069.	1.9	11
67	A starch, glycyrretinic, zinc oxide and bisabolol based cream in the treatment of chronic mild-to-moderate atopic dermatitis in children: a three-center, assessor blinded trial. Minerva Pediatrics, 2017, 69, 470-475.	0.4	11
68	Efficacy and Safety of Fluvastatin, a New HMG CoA Reductase Inhibitor, in Elderly Hypercholesterolaemic Women. Drugs, 1994, 47, 59-63.	10.9	10
69	glycoprotein, glycyrretinic acid, piroctone olamine and climbazole on signs, symptoms and skin bacterial microbiota in subjects with seborrheic dermatitis of the faceClinical, Cosmetic and lnyestigational Dermatology, 2019. Volume 12, 285-293.	1.8	10
70	Effects of topical piroxicam and sun filters in actinic keratosis evolution and field cancerization: a two-center, assessor-blinded, clinical, confocal microscopy and dermoscopy evaluation trial. Current Medical Research and Opinion, 2019, 35, 1785-1792.	1.9	10
71	Effects of topical 0.8% piroxicam and 50+ sunscreen filters on actinic keratosis in hypertensive patients treated with or without photosensitizing diuretic drugs: an observational cohort study. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 485-490.	1.8	9
72	Effects of Ticlopidine and Indobufen on Platelet Aggregation Induced by A23187 and Adrenaline in the Presence of Different Anticoagulants. Journal of International Medical Research, 1989, 17, 514-520.	1.0	8

#	Article	IF	CITATIONS
73	Recent progress in the therapeutic management of pre-eclampsia. Expert Opinion on Pharmacotherapy, 2004, 5, 2233-2239.	1.8	8
74	Effects of oral supplementation with FOS and GOS prebiotics in women with adult acne: the & amp;ldquo;S.O. Sweet& amp;rdquo; study: a proof-of-concept pilot trial. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 445-449.	1.8	8
75	Effects of isradipine sustained release on platelet function and fibrinolysis in essential hypertensives with or without other risk factors. Cardiovascular Drugs and Therapy, 1996, 10, 119-123.	2.6	7
76	Efficacy of an acidic vaginal gel on vaginal pH and interleukin-6 levels in low-risk pregnant women: a double-blind, randomized placebo-controlled trial. Journal of Maternal-Fetal and Neonatal Medicine, 2004, 15, 198-201.	1.5	7
77	A Multicenter, Randomized, Parallel-Group Trial Assessing Compliance, Tolerability, Safety, and Efficacy to Treatment with Grass Allergy Tablets in 261 Patients with Grass Pollen Rhinoconjunctivitis. Journal of Allergy, 2012, 2012, 1-6.	0.7	7
78	Efficacy of sinecatechins 10% as proactive sequential therapy of external genital warts after laser CO ₂ ablative therapy: The PACT study (post-ablation immunomodulator treatment of) Tj ETQq0 0 (O rgBT /Ov	erlock 10 Tf 5
79	International Journal of STD and AIDS, 2019, 30, 131-136. A twoâ€center, assessorâ€blinded, prospective trial evaluating the efficacy of a novel hypertonic draining cream for cellulite reduction: A Clinical and instrumental (Antera 3D CS) assessment. Journal of Cosmetic Dermatology, 2018, 17, 448-453.	1.6	7
80	Safety and Efficacy of Picotamide, a Dual Anti-Thromboxane Agent, in Patients with Thrombocytosis and a Previous Thromboembolic Event: A 1-Year Observational Study. Journal of International Medical Research, 1996, 24, 311-315.	1.0	6
81	Antiaggregatory Effects of Picotamide in Long-Term Treatment: A 2-Year, Double-Blind Placebo-Controlled Trial. Vascular Medicine, 1997, 2, 292-295.	1.5	6
82	Efficacy of a Film-Forming Medical Device Containing Piroxicam and Sun Filters in the Treatment of Multiple Actinic Keratosis Lesions in a Subject with a History of Kaposi Sarcoma. Case Reports in Dermatology, 2017, 8, 254-261.	0.8	6
83	Efficacy and Tolerability of Topical Polyphenon E in Multiple "Seborrheic Keratosis-Like―Lesions of the Groin in an Immunocompetent 26-Year-Old Man. Case Reports in Dermatology, 2019, 11, 310-316.	0.8	6
84	Efficacy and Safety of Intralesional Methotrexate in the Treatment of a Large Keratoacanthoma of the Dorsal Hand in a 99-Year-Old Woman. Case Reports in Dermatology, 2019, 10, 247-250.	0.8	6
85	Propylene glycol free 5% minoxidil lotion formulation: cosmetic acceptability, local tolerability, clinical efficacy and in-vitro skin absorption evaluations. Giornale Italiano Di Dermatologia E Venereologia, 2020, 155, 341-345.	0.8	6
86	Clinical relevance of non-grass pollens respiratory allergies in Italy and effects of specific sublingual immunotherapy: The Rainbow Trial, a multicentre 3-year prospective observational study. European Annals of Allergy and Clinical Immunology, 2011, 43, 111-6.	1.0	6
87	t-PA, PAI, and Protein C Before and After Vascular Occlusion of the Upper Limb in Patients with Raynaud's Phenomenon. Angiology, 1991, 42, 231-238.	1.8	5
88	Effects of two different HMG-CoA reductase inhibitors on thromboxane production in type IIA hypercholesterolemia. Biomedicine and Pharmacotherapy, 1996, 50, 269-274.	5.6	5
89	Efficacy of a new antidandruff thermophobic foam: a randomized, controlled, investigatorâ€blinded trial vs. ketoconazole 2% scalp fluid. Journal of Cosmetic Dermatology, 2005, 4, 23-26.	1.6	5
90	Sublingual immunotherapy with venom for patients with Hymenoptera venom allergy. Journal of Allergy and Clinical Immunology, 2009, 124, 385.	2.9	5

#	Article	IF	CITATIONS
91	Efficacy and Tolerability of Topical Green Tea Extract (Polyphenon E) Application in a "Therapy-Resistant―Plantar Wart. Case Reports in Dermatology, 2018, 10, 127-132.	0.8	5
92	Efficacy of different photoprotection strategies in preventing actinic keratosis new lesions after photodynamic therapy. The ATHENA study: a two-center, randomized, prospective, assessor-blinded pragmatic trial. Current Medical Research and Opinion, 2019, 35, 141-145.	1.9	4
93	Efficacy of lidocaine 7 %, tetracaine 7 % self-occlusive cream in reducing MAL-cPDT-associated pain in subjects with actinic keratosis: A randomized, single-blind, vehicle-controlled trial (The $\hat{a} \in 3P$ -Trial $\hat{a} \in 3P$ -Photodiagnosis and Photodynamic Therapy, 2020, 30, 101758.	2.6	4
94	Efficacy and tolerability of short contact therapy with tretinoin, clindamycin, and glycolic acid gel in acne: A randomized, controlled, assessorâ€blinded twoâ€center trial: The ⟨scp⟩MASCOTTE⟨/scp⟩ study. Dermatologic Therapy, 2021, 34, e14724.	1.7	4
95	Effects of aspirin or picotamide, an antithromboxane agent, in combination with low-intensity oral anticoagulation in patients with acute myocardial infarction: a controlled randomized pilot trial. Giornale Italiano Di Cardiologia, 1999, 29, 524-8.	0.2	4
96	Isradipine in the Treatment of Peripheral Occlusive Vascular Disease of the Lower Limbs: A Pilot Study. Journal of International Medical Research, 1992, 20, 323-330.	1.0	3
97	The impact of antithrombotic prophylaxis on infectious complications in cancer patients with central venous catheters: an observational study. Blood Coagulation and Fibrinolysis, 2009, 20, 35-40.	1.0	3
98	Topical purified omental lipid formulations in the prevention of skin ulcers: a narrative review. Journal of Wound Care, 2019, 28, 284-290.	1.2	3
99	Efficacy and tolerability of a cream containing modified glutathione (GSH 4), betaâ€Glycyrrhetic, and azelaic acids in mildâ€toâ€moderate rosacea: A pilot, assessorâ€blinded, VISIA and ANTERA 3â€D analysis, twoâ€center study (The "Rosazel―Trial). Journal of Cosmetic Dermatology, 2021, 20, 1197-1203.	1.6	3
100	Allergen-specific immunotherapy for allergic rhinitis in the elderly: is it never too late?. Immunotherapy, 2013, 5, 699-702.	2.0	2
101	Efficacy and Tolerability of Polyphenon E in "Difficult-to-Treat―Multiple Genital Warts in an HIV-Positive Male Subject. Case Reports in Dermatology, 2017, 9, 55-59.	0.8	2
102	Assessment of clinical efficacy of lidocaine/tetracaine 7%/7% peel cream in fractional microablative laser procedureâ€associated pain for facial skin aging treatment. A randomized, controlled, singleâ€blind trial. Journal of Cosmetic Dermatology, 2021, , .	1.6	2
103	A Progress Report on the Localization of Usher Syndrome Type II to Chromosome 1q. Annals of the New York Academy of Sciences, 1991, 630, 284-287.	3.8	1
104	Comparison of the effects of picotamide and aspirin on renal albumin excretion and cutaneous microcirculation in patients with type II diabetes mellitus: a pilot study. Current Therapeutic Research, 1995, 56, 1105-1110.	1,2	1
105	Approaching atopic dermatitis treatment differently: from skin barrier preservation to allergen-specific immunotherapy. Immunotherapy, 2012, 4, 561-564.	2.0	1
106	Purified Omental Lipids (P.O.L) in the Treatment of Skin Dryness in Type 2 Diabetic Subjects with or without Vascular or Neurological Complications: A Prospective, Controlled, Assessor-Blinded Trial. Journal of Clinical & Experimental Dermatology Research, 2016, 7, .	0.1	1
107	Behandlung der multiplen aktinischen Keratose und Feldkanzerisierung mit topischem Piroxicam 0,8% und Sonnenschutz (LSF 50+) bei Organtransplantat-EmpfÄ n gern: Eine Serie von 10 FÄ ll en. Karger Kompass Dermatologie, 2018, 6, 167-170.	0.0	1
108	Anti-Aging Efficacy of Melatonin-Based Cream: Clinical and Instrumental Skin Evaluation. Cosmetics, 2018, 5, 60.	3.3	1

#	Article	IF	CITATIONS
109	Treatment of Grade II and III Actinic Keratosis Lesions with a Film-Forming Medical Device Containing Sunscreen/Piroxicam 0.8% and a Retinoic Acid/Glycolic Gel: A Pilot Trial. Dermatology and Therapy, 2018, 8, 399-404.	3.0	1
110	Treatment of brittle nail with a hydroxypropyl chitosanâ€based lacquer, alone or in combination with oral biotin: A randomized, assessorâ€blinded trial. Dermatologic Therapy, 2019, 32, e13028.	1.7	1
111	Topical sinecatechins in the treatment of verrucae planae of the face. Dermatologic Therapy, 2019, 32, e12891.	1.7	1
112	Efficacy and Tolerability of a Tretinoin 0.02%, Clindamycin 0.8% and Glycolic Acid 4% Gel in Acne: A Multicenter, Prospective, Pragmatic, Assessor-Blinded, 12-Week Trial on 159 Subjects., 2019, 10, .		1
113	Efficacy of a Topical Product Containing Purified Omental Lipids and Three Anti-Itching Compounds in the Treatment of Chronic Pruritus/Prurigo Nodularis in Elderly Subjects: A Prospective, Assessor-Blinded, 4-Week Trial with Transepidermal Water Loss and Optical Coherence Tomography Assessments. Clinical. Cosmetic and Investigational Dermatology. 2020. Volume 13. 1051-1058.	1.8	1
114	Successful Treatment of Nail Lichen Planus with a Lacquer Containing Urea, Keratinase, and a Retinoid Molecule: Report of 10 Cases. Case Reports in Dermatology, 2022, 14, 43-48.	0.8	1
115	Generalized verrucosis: A therapeutic challenge: Efficacy of topical sinecatechins (Veregen) 10%. Dermatologic Therapy, 2019, 32, e12986.	1.7	0
116	Prevention and treatment of venous thrombosis with therapeutic elastic tutors in different care settings. Clinical and hemodynamic evaluation and assessment of compliance to different treatments. Acta Phlebologica, 2017, 18, .	0.3	0
117	Efficacy and tolerability of 1% ciclopirox shampoo in the treatment of moderate-to-severe scalp seborrheic dermatitis: a multicenter, prospective, assessor-blinded trial. Giornale Italiano Di Dermatologia E Venereologia, 2019, 154, 342-346.	0.8	0
118	Endothelin in mild to moderate essential hypertension: relationship between ambulatory and clinic blood pressure values. Journal of Human Hypertension, 1994, 8, 761-4.	2.2	0
119	Assessment of sinecatechins 10% ointment used as proactive sequential therapy in recurrence rate of genital warts lesions after cryotherapy. The PACT-II Trial (postablation immunomodulator treatment) Tj ETQq1 1 lournal of Dermatology and Venereology, 2022, 157, 72-77.	0.784314 0.2	rgBT /Overlo
120	Efficacy of a retinoid complex plus antiâ€inflammatory component cream alone or in combination with prebiotic food supplement in adult acne: A randomized, assessorâ€blinded, parallelâ€group, multicentre trial on 184 women. Journal of Cosmetic Dermatology, 2022, , .	1.6	0