

# Massimo Milani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1225238/publications.pdf>

Version: 2024-02-01

120  
papers

2,283  
citations

257450

24  
h-index

276875

41  
g-index

133  
all docs

133  
docs citations

133  
times ranked

2307  
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of sinecatechins 10% ointment used as proactive sequential therapy in recurrence rate of genital warts lesions after cryotherapy. The PACT-II Trial (postablation immunomodulator treatment) Tj ETQq1 1 0.784314 rgBT /Overbo Journal of Dermatology and Venereology, 2022, 157, 72-77.	0.2	0
2	Successful Treatment of Nail Lichen Planus with a Lacquer Containing Urea, Keratinase, and a Retinoid Molecule: Report of 10 Cases. Case Reports in Dermatology, 2022, 14, 43-48.	0.8	1
3	Circulating microRNA biomarkers in melanoma and non-melanoma skin cancer. Expert Review of Molecular Diagnostics, 2022, 22, 305-318.	3.1	12
4	Efficacy of a retinoid complex plus anti-inflammatory component cream alone or in combination with prebiotic food supplement in adult acne: A randomized, assessor-blinded, parallel-group, multicentre trial on 184 women. Journal of Cosmetic Dermatology, 2022, , .	1.6	0
5	Efficacy and tolerability of a cream containing modified glutathione (GSH-C4), beta-Glycyrrhetic, and azelaic acids in mild-to-moderate rosacea: A pilot, assessor-blinded, VISIA and ANTERA 3D analysis, two-center study (The "Rosazela" Trial). Journal of Cosmetic Dermatology, 2021, 20, 1197-1203.	1.6	3
6	Efficacy and tolerability of short contact therapy with tretinoin, clindamycin, and glycolic acid gel in acne: A randomized, controlled, assessor-blinded two-center trial: The "MASCOTTE" study. Dermatologic Therapy, 2021, 34, e14724.	1.7	4
7	Assessment of clinical efficacy of lidocaine/tetracaine 7%/7% peel cream in fractional microablative laser procedure-associated pain for facial skin aging treatment. A randomized, controlled, single-blind trial. Journal of Cosmetic Dermatology, 2021, , .	1.6	2
8	Efficacy of lidocaine 7 %, tetracaine 7 % self-occlusive cream in reducing MAL-cPDT-associated pain in subjects with actinic keratosis: A randomized, single-blind, vehicle-controlled trial (The "3P-Trial"). Photodiagnosis and Photodynamic Therapy, 2020, 30, 101758.	2.6	4
9	Propylene glycol free 5% minoxidil lotion formulation: cosmetic acceptability, local tolerability, clinical efficacy and in-vitro skin absorption evaluations. Giornale Italiano Di Dermatologia E Venereologia, 2020, 155, 341-345.	0.8	6
10	Efficacy of a Topical Product Containing Purified Omental Lipids and Three Anti-Itching Compounds in the Treatment of Chronic Pruritus/Prurigo Nodularis in Elderly Subjects: A Prospective, Assessor-Blinded, 4-Week Trial with Transepidermal Water Loss and Optical Coherence Tomography Assessments. Clinical, Cosmetic and Investigational Dermatology, 2020, Volume 13, 1051-1058.	1.8	1
11	The efficacy and tolerability of 5-aminolevulinic acid 5% thermosetting gel photodynamic therapy (<sc>PDT</sc>) in the treatment of mild-to-moderate acne vulgaris. A two-center, prospective assessor-blinded, proof-of-concept study. Journal of Cosmetic Dermatology, 2019, 18, 156-162.	1.6	31
12	Treatment of brittle nail with a hydroxypropyl chitosan-based lacquer, alone or in combination with oral biotin: A randomized, assessor-blinded trial. Dermatologic Therapy, 2019, 32, e13028.	1.7	1
13	Generalized verrucosis: A therapeutic challenge: Efficacy of topical sinecatechins (Veregen) 10%. Dermatologic Therapy, 2019, 32, e12986.	1.7	0
14	<p>Effects of a cream containing 5% hyaluronic acid mixed with a bacterial-wall-derived glycoprotein, glycyrrhetic acid, piroctone olamine and climbazole on signs, symptoms and skin bacterial microbiota in subjects with seborrheic dermatitis of the face</p>. Clinical, Cosmetic and Investigational Dermatology, 2019, Volume 12, 285-293.	1.8	10
15	<p>Skin protective effects of an antipollution, antioxidant serum containing <em>Deschampsia antarctica</em> extract, ferulic acid and vitamin C: a controlled single-blind, prospective trial in women living in urbanized, high air pollution area</p>. Clinical, Cosmetic and Investigational Dermatology, 2019, Volume 12, 393-399.	1.8	15
16	Effects of topical piroxicam and sun filters in actinic keratosis evolution and field cancerization: a two-center, assessor-blinded, clinical, confocal microscopy and dermoscopy evaluation trial. Current Medical Research and Opinion, 2019, 35, 1785-1792.	1.9	10
17	Topical purified omental lipid formulations in the prevention of skin ulcers: a narrative review. Journal of Wound Care, 2019, 28, 284-290.	1.2	3
18	Topical sinecatechins in the treatment of verrucae planae of the face. Dermatologic Therapy, 2019, 32, e12891.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Efficacy and Tolerability of Topical Polyphenon E in Multiple "Seborrheic Keratosis-Like" Lesions of the Groin in an Immunocompetent 26-Year-Old Man. Case Reports in Dermatology, 2019, 11, 310-316.	0.8	6
20	Efficacy of sinecatechins 10% as proactive sequential therapy of external genital warts after laser CO <sub>2</sub> ablative therapy: The PACT study (post-ablation immunomodulator treatment of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 International Journal of STD and AIDS, 2019, 30, 131-136.	1.1	1
21	Efficacy and Safety of Intralesional Methotrexate in the Treatment of a Large Keratoacanthoma of the Dorsal Hand in a 99-Year-Old Woman. Case Reports in Dermatology, 2019, 10, 247-250.	0.8	6
22	Efficacy of different photoprotection strategies in preventing actinic keratosis new lesions after photodynamic therapy. The ATHENA study: a two-center, randomized, prospective, assessor-blinded pragmatic trial. Current Medical Research and Opinion, 2019, 35, 141-145.	1.9	4
23	Efficacy and Tolerability of a Tretinoin 0.02%, Clindamycin 0.8% and Glycolic Acid 4% Gel in Acne: A Multicenter, Prospective, Pragmatic, Assessor-Blinded, 12-Week Trial on 159 Subjects. , 2019, 10, .		1
24	Efficacy and tolerability of 1% ciclopirox shampoo in the treatment of moderate-to-severe scalp seborrheic dermatitis: a multicenter, prospective, assessor-blinded trial. Giornale Italiano Di Dermatologia E Venereologia, 2019, 154, 342-346.	0.8	0
25	Treatment of Multiple Actinic Keratosis and Field of Cancerization with Topical Piroxicam 0.8% and Sunscreen 50+ in Organ Transplant Recipients: A Series of 10 Cases. Case Reports in Dermatology, 2018, 9, 211-216.	0.8	20
26	Behandlung der multiplen aktinischen Keratose und Feldkanzerisierung mit topischem Piroxicam 0,8% und Sonnenschutz (LSF 50+) bei Organtransplantat-Empfängern: Eine Serie von 10 Fällen. Karger Kompass Dermatologie, 2018, 6, 167-170.	0.0	1
27	Anti-Aging Efficacy of Melatonin-Based Cream: Clinical and Instrumental Skin Evaluation. Cosmetics, 2018, 5, 60.	3.3	1
28	Effects of topical 0.8% piroxicam and 50+ sunscreen filters on actinic keratosis in hypertensive patients treated with or without photosensitizing diuretic drugs: an observational cohort study. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 485-490.	1.8	9
29	Effects of oral supplementation with FOS and GOS prebiotics in women with adult acne: the "S.O. Sweet" study: a proof-of-concept pilot trial. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 445-449.	1.8	8
30	Antiaging efficacy of melatonin-based day and night creams: a randomized, split-face, assessor-blinded proof-of-concept trial. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 51-57.	1.8	35
31	Treatment of Grade II and III Actinic Keratosis Lesions with a Film-Forming Medical Device Containing Sunscreen/Piroxicam 0.8% and a Retinoic Acid/Glycolic Gel: A Pilot Trial. Dermatology and Therapy, 2018, 8, 399-404.	3.0	1
32	Efficacy and Tolerability of Topical Green Tea Extract (Polyphenon E) Application in a "Therapy-Resistant" Plantar Wart. Case Reports in Dermatology, 2018, 10, 127-132.	0.8	5
33	A two-center, assessor-blinded, prospective trial evaluating the efficacy of a novel hypertonic draining cream for cellulite reduction: A Clinical and instrumental (Antera 3D CS) assessment. Journal of Cosmetic Dermatology, 2018, 17, 448-453.	1.6	7
34	Protective effects of <i>Polypodium leucotomos</i> extract against $UVA$ -induced damage in a model of reconstructed human epidermis. Photodermatology Photoimmunology and Photomedicine, 2017, 33, 156-163.	1.5	15
35	Efficacy of a Film-Forming Medical Device Containing Piroxicam and Sun Filters in the Treatment of Multiple Actinic Keratosis Lesions in a Subject with a History of Kaposi Sarcoma. Case Reports in Dermatology, 2017, 8, 254-261.	0.8	6
36	Efficacy of a film-forming medical device containing sunscreen (50+) and piroxicam 0.8% in actinic keratosis and field cancerization: a multicenter, assessor-blinded, 3 month trial. Current Medical Research and Opinion, 2017, 33, 1255-1259.	1.9	19

#	ARTICLE	IF	CITATIONS
37	Efficacy and Tolerability of Polyphenon E in "Difficult-to-Treat" Multiple Genital Warts in an HIV-Positive Male Subject. <i>Case Reports in Dermatology</i> , 2017, 9, 55-59.	0.8	2
38	The 24-hour skin hydration and barrier function effects of a hyaluronic 1%, glycerin 5%, and Centella asiatica stem cells extract moisturizing fluid: an intra-subject, randomized, assessor-blinded study. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2017, Volume 10, 311-315.	1.8	21
39	Prevention and treatment of venous thrombosis with therapeutic elastic tutors in different care settings. Clinical and hemodynamic evaluation and assessment of compliance to different treatments. <i>Acta Phlebologica</i> , 2017, 18, .	0.3	0
40	A starch, glycyrrhetic, zinc oxide and bisabolol based cream in the treatment of chronic mild-to-moderate atopic dermatitis in children: a three-center, assessor blinded trial. <i>Minerva Pediatrics</i> , 2017, 69, 470-475.	0.4	11
41	Purified Omental Lipids (P.O.L) in the Treatment of Skin Dryness in Type 2 Diabetic Subjects with or without Vascular or Neurological Complications: A Prospective, Controlled, Assessor-Blinded Trial. <i>Journal of Clinical &amp; Experimental Dermatology Research</i> , 2016, 7, .	0.1	1
42	Long-term use of a new topical formulation containing piroxicam 0.8% and sunscreen: efficacy and tolerability on actinic keratosis. A proof of concept study. <i>Current Medical Research and Opinion</i> , 2016, 32, 1345-1349.	1.9	29
43	Biorevitalizing effect of a novel facial serum containing apple stem cell extract, pro-collagen lipopeptide, creatine, and urea on skin aging signs. <i>Journal of Cosmetic Dermatology</i> , 2016, 15, 24-30.	1.6	23
44	Adherence to drug treatments and adjuvant barrier repair therapies are key factors for clinical improvement in mild to moderate acne: the ACTUO observational prospective multicenter cohort trial in 643 patients. <i>BMC Dermatology</i> , 2015, 15, 17.	2.1	22
45	Use of a urea, arginine and carnosine cream versus a standard emollient glycerol cream for treatment of severe xerosis of the feet in patients with type 2 diabetes: a randomized, 8 month, assessor-blinded, controlled trial. <i>Current Medical Research and Opinion</i> , 2015, 31, 1063-1069.	1.9	11
46	Efficacy of chlorhexidine, dexpanthenol, allantoin and chitosan gel in comparison with bicarbonate oral rinse in controlling post-interventional inflammation, pain and cicatrization in subjects undergoing dental surgery. <i>Current Medical Research and Opinion</i> , 2015, 31, 2179-2183.	1.9	19
47	Efficacy and tolerability of nitric-zinc complex in the treatment of external genital warts and "difficult-to-treat" warts: a "proof of concept", prospective, multicentre, open study. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2015, 150, 643-8.	0.8	12
48	Local rhamnose, ceramides and L-cysteine in atopic eczema: a randomized, placebo controlled trial. <i>Pediatric Allergy and Immunology</i> , 2014, 25, 271-275.	2.6	17
49	Preventive Long-Term Effects of a Topical Film-Forming Medical Device with Ultra-High UV Protection Filters and DNA Repair Enzyme in Xeroderma Pigmentosum: A Retrospective Study of Eight Cases. <i>Case Reports in Dermatology</i> , 2014, 6, 222-226.	0.8	20
50	Allergen-specific immunotherapy for allergic rhinitis in the elderly: is it never too late?. <i>Immunotherapy</i> , 2013, 5, 699-702.	2.0	2
51	A Multicenter, Randomized, Parallel-Group Trial Assessing Compliance, Tolerability, Safety, and Efficacy to Treatment with Grass Allergy Tablets in 261 Patients with Grass Pollen Rhinoconjunctivitis. <i>Journal of Allergy</i> , 2012, 2012, 1-6.	0.7	7
52	Vaginal Use of Ibuprofen Isobutanolammonium (Ginenorm): Efficacy, Tolerability, and Pharmacokinetic Data: A Review of Available Data. <i>ISRN Obstetrics &amp; Gynecology</i> , 2012, 2012, 1-6.	1.2	11
53	Approaching atopic dermatitis treatment differently: from skin barrier preservation to allergen-specific immunotherapy. <i>Immunotherapy</i> , 2012, 4, 561-564.	2.0	1
54	An urea, arginine and carnosine based cream (Ureadin Rx Db ISDIN) shows greater efficacy in the treatment of severe xerosis of the feet in Type 2 diabetic patients in comparison with glycerol-based emollient cream. A randomized, assessor-blinded, controlled trial. <i>BMC Dermatology</i> , 2012, 12, 16.	2.1	17

#	ARTICLE	IF	CITATIONS
55	Allergy immunotherapy tablet: Grazax <sup>®</sup> for the treatment of grass pollen allergy. Expert Review of Clinical Immunology, 2011, 7, 21-27.	3.0	16
56	Efficacy of topical 10% urea-based lotion in patients with ichthyosis vulgaris: a two-center, randomized, controlled, single-blind, right-vs.-left study in comparison with standard glycerol-based emollient cream. Current Medical Research and Opinion, 2011, 27, 2279-2284.	1.9	20
57	Efficacy of topical hydrating and emollient lotion containing 10% urea ISDIN <sup>®</sup> plus dexpanthenol (Ureadin Rx 10) in the treatment of skin xerosis and pruritus in hemodialyzed patients: an open prospective pilot trial. Giornale Italiano Di Dermatologia E Venereologia, 2011, 146, 321-5.	0.8	19
58	Clinical relevance of non-grass pollens respiratory allergies in Italy and effects of specific sublingual immunotherapy: The Rainbow Trial, a multicentre 3-year prospective observational study. European Annals of Allergy and Clinical Immunology, 2011, 43, 111-6.	1.0	6
59	Efficacy of sublingual specific immunotherapy in patients with respiratory allergy to Alternaria alternata: a randomised, assessor-blinded, patient-reported outcome, controlled 3-year trial. Current Medical Research and Opinion, 2010, 26, 2801-2806.	1.9	22
60	Risk of deep venous thrombosis (DVT) in bedridden or wheelchair-bound multiple sclerosis patients: A prospective study. Thrombosis Research, 2010, 125, 315-317.	1.7	41
61	The safety of a novel sublingual rush induction phase for latex desensitization. Current Medical Research and Opinion, 2010, 26, 1855-1859.	1.9	18
62	Efficacy of sublingual specific immunotherapy in intermittent and persistent allergic rhinitis in children: an observational case-control study on 171 patients. The EFESO children Multicenter Trial. Pediatric Allergy and Immunology, 2009, 20, 660-664.	2.6	25
63	Sublingual immunotherapy with venom for patients with Hymenoptera venom allergy. Journal of Allergy and Clinical Immunology, 2009, 124, 385.	2.9	5
64	The VISYT trial: Venom Immunotherapy Safety and Tolerability with purified vs nonpurified extracts. Annals of Allergy, Asthma and Immunology, 2009, 103, 57-61.	1.0	36
65	The impact of antithrombotic prophylaxis on infectious complications in cancer patients with central venous catheters: an observational study. Blood Coagulation and Fibrinolysis, 2009, 20, 35-40.	1.0	3
66	D-dimer before chemotherapy might predict venous thromboembolism. Blood Coagulation and Fibrinolysis, 2009, 20, 170-175.	1.0	64
67	Sensitivity and specificity of different skin prick tests with latex extracts in pediatric patients with suspected natural rubber latex allergy - A cohort study. Pediatric Allergy and Immunology, 2008, 19, 315-318.	2.6	18
68	Sublingual immunotherapy for latex allergy: tolerability and safety profile of rush build-up phase. Current Medical Research and Opinion, 2008, 24, 1147-1154.	1.9	21
69	Observational study of sublingual specific immunotherapy in persistent and intermittent allergic rhinitis: the EFESO trial. Current Medical Research and Opinion, 2008, 24, 2719-2724.	1.9	14
70	Sublingual Desensitization in Patients with Wasp Venom Allergy: Preliminary Results. International Journal of Immunopathology and Pharmacology, 2008, 21, 669-677.	2.1	22
71	Natural rubber latex allergy in children: clinical and immunological effects of 3-years sublingual immunotherapy. European Annals of Allergy and Clinical Immunology, 2008, 40, 142-7.	1.0	14
72	Thrombosis-related complications and mortality in cancer patients with central venous devices: an observational study on the effect of antithrombotic prophylaxis. Annals of Oncology, 2007, 18, 551-555.	1.2	21

#	ARTICLE	IF	CITATIONS
73	Sublingual immunotherapy efficacy in patients with atopic dermatitis and house dust mites sensitivity: a prospective pilot study. <i>Current Medical Research and Opinion</i> , 2007, 23, 2503-2506.	1.9	61
74	Efficacy and tolerability of a new synergized pyrethrins thermophobic foam in comparison with benzyl benzoate in the treatment of scabies in convicts: the ISAC study (Studio Della scabbia in ambiente) <i>Tj ETQq0 0 0 rg24 /Overlock 10 Tf 50</i>	1.9	61
75	Efficacy and safety of a new clobetasol propionate 0.05% foam in alopecia areata: a randomized, double-blind placebo-controlled trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 1243-1247.	2.4	109
76	Clobetasol propionate 0.05% in a novel foam formulation is safe and effective in the short-term treatment of patients with delayed pressure urticaria: a randomized, double-blind, placebo-controlled trial. <i>British Journal of Dermatology</i> , 2006, 154, 353-356.	1.5	23
77	C-Reactive Protein in Hypertensive Disorders in Pregnancy. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 330-337.	1.7	35
78	Efficacy of a new antidandruff thermophobic foam: a randomized, controlled, investigator-blinded trial vs. ketoconazole 2% scalp fluid. <i>Journal of Cosmetic Dermatology</i> , 2005, 4, 23-26.	1.6	5
79	Efficacy of a new aluminium salt thermophobic foam in the treatment of axillary and palmar primary hyperhidrosis: a pilot exploratory trial. <i>Current Medical Research and Opinion</i> , 2005, 21, 1949-1953.	1.9	26
80	Successful treatment of bacterial vaginosis with a polycarbophil-carbopol acidic vaginal gel: results from a randomised double-blind, placebo-controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 120, 202-205.	1.1	30
81	Efficacy of AT in pre-eclampsia: a case-control prospective trial. <i>Thrombosis and Haemostasis</i> , 2004, 91, 283-289.	3.4	41
82	Efficacy of an acidic vaginal gel on vaginal pH and interleukin-6 levels in low-risk pregnant women: a double-blind, randomized placebo-controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2004, 15, 198-201.	1.5	7
83	Efficacy and tolerability of a new chlorhexidine-based vaginal gel in vaginal infections. <i>Current Medical Research and Opinion</i> , 2004, 20, 849-853.	1.9	21
84	Recent progress in the therapeutic management of pre-eclampsia. <i>Expert Opinion on Pharmacotherapy</i> , 2004, 5, 2233-2239.	1.8	8
85	Skin tolerability and efficacy of combination therapy with hydrogen peroxide stabilized cream and adapalene gel in comparison with benzoyl peroxide cream and adapalene gel in common acne. A randomized, investigator-masked, controlled trial. <i>British Journal of Dermatology</i> , 2004, 151, 481-484.	1.5	17
86	Efficacy of betamethasone valerate foam formulation in comparison with betamethasone dipropionate lotion in the treatment of mild-to-moderate alopecia areata: A multicenter, prospective, randomized, controlled, investigator-blinded trial. <i>International Journal of Dermatology</i> , 2003, 42, 572-575.	1.0	68
87	Efficacy of betamethasone valerate mousse in comparison with standard therapies on scalp psoriasis: an open, multicentre, randomized, controlled, cross-over study on 241 patients. <i>British Journal of Dermatology</i> , 2003, 148, 134-138.	1.5	61
88	Efficacy of the combination of 2 g oral tinidazole and acidic buffering vaginal gel in comparison with vaginal clindamycin alone in bacterial vaginosis: a randomized, investigator-blinded, controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 109, 67-71.	1.1	45
89	Evaluation of the Local Effects of Vitamin E ( E-Mousse®) on Free Radicals in Diabetic Microangiopathy: A Randomized, Controlled Trial. <i>Angiology</i> , 2003, 54, 415-421.	1.8	13
90	Efficacy of betamethasone valerate 0.1% thermophobic foam in seborrheic dermatitis of the scalp: an open-label, multicentre, prospective trial on 180 patients. <i>Current Medical Research and Opinion</i> , 2003, 19, 342-345.	1.9	21

#	ARTICLE	IF	CITATIONS
91	Improvement of Microcirculation and Healing of Venous Hypertension and Ulcers with Crystacide. Evaluation of Free Radicals, Laser Doppler Flux and PO2. A Prospective- Randomized-Controlled Study. <i>Angiology</i> , 2003, 54, 325-330.	1.8	18
92	Efficacy and safety of stabilised hydrogen peroxide cream (Crystacide) in mild-to-moderate acne vulgaris: a randomised, controlled trial versus benzoyl peroxide gel. <i>Current Medical Research and Opinion</i> , 2003, 19, 135-138.	1.9	16
93	Efficacy and tolerability of natural synergised pyrethrins in a new thermo labile foam formulation in topical treatment of scabies: a prospective, randomised, investigator-blinded, comparative trial vs. permethrin cream. <i>European Journal of Dermatology</i> , 2003, 13, 69-71.	0.6	15
94	Evaluation of the efficacy and tolerability of oral terbinafine (DaskilR) in patients with seborrhoeic dermatitis. A multicentre, randomized, investigator-blinded, placebo-controlled trial. <i>British Journal of Dermatology</i> , 2001, 144, 854-857.	1.5	66
95	Effect on vaginal pH of a polycarbophil vaginal gel compared with an acidic douche in women with suspected bacterial vaginosis: a randomized, controlled study. <i>Current Therapeutic Research</i> , 2000, 61, 781-788.	1.2	15
96	Effects of aspirin or picotamide, an antithromboxane agent, in combination with low-intensity oral anticoagulation in patients with acute myocardial infarction: a controlled randomized pilot trial. <i>Giornale Italiano Di Cardiologia</i> , 1999, 29, 524-8.	0.2	4
97	Long-term treatment with the dual antithromboxane agent picotamide decreases microalbuminuria in normotensive type 2 diabetic patients. <i>Diabetes</i> , 1998, 47, 423-430.	0.6	36
98	Long-Term Safety and Efficacy of Picotamide, a Dual-Action Antithromboxane Agent, in Diabetic Patients with Carotid Atherosclerosis: A 6-Year Follow-Up Study. <i>Journal of International Medical Research</i> , 1998, 26, 200-205.	1.0	13
99	Antiaggregatory Effects of Picotamide in Long-Term Treatment: A 2-Year, Double-Blind Placebo-Controlled Trial. <i>Vascular Medicine</i> , 1997, 2, 292-295.	1.5	6
100	Audiometric Patterns of Genetic Non-syndromal Sensorineural Hearing Loss. <i>International Journal of Audiology</i> , 1997, 36, 228-236.	1.7	14
101	FLUVASTATIN AND TISSUE FACTOR PATHWAY INHIBITOR IN TYPE IIA AND IIB HYPERLIPIDEMIA AND IN ACUTE MYOCARDIAL INFARCTION. <i>Thrombosis Research</i> , 1997, 87, 397-403.	1.7	18
102	Thromboxane antagonism and cough induced by angiotensin-converting-enzyme inhibitor. <i>Lancet</i> , The, 1997, 350, 15-18.	13.7	50
103	Effect of Fluvastatin on Lipids and Fibrinolysis in Coronary Artery Disease. <i>American Journal of Cardiology</i> , 1997, 79, 84-87.	1.6	59
104	Effects of two different HMG-CoA reductase inhibitors on thromboxane production in type IIA hypercholesterolemia. <i>Biomedicine and Pharmacotherapy</i> , 1996, 50, 269-274.	5.6	5
105	Safety and Efficacy of Picotamide, a Dual Anti-Thromboxane Agent, in Patients with Thrombocytosis and a Previous Thromboembolic Event: A 1-Year Observational Study. <i>Journal of International Medical Research</i> , 1996, 24, 311-315.	1.0	6
106	Diabetes mellitus and peripheral vascular disease: is aspirin effective in preventing vascular events?. <i>Diabetologia</i> , 1996, 39, 1402-1404.	6.3	19
107	Effects of isradipine sustained release on platelet function and fibrinolysis in essential hypertensives with or without other risk factors. <i>Cardiovascular Drugs and Therapy</i> , 1996, 10, 119-123.	2.6	7
108	Effects of picotamide, an antiplatelet agent, on cardiovascular events in 438 claudicant patients with diabetes: a retrospective analysis of the ADEP study. <i>British Journal of Clinical Pharmacology</i> , 1996, 42, 782-785.	2.4	33

#	ARTICLE	IF	CITATIONS
109	Effects of fluvastatin and pravastatin on lipid profiles and thromboxane production in type IIa hypercholesterolemia. <i>American Journal of Cardiology</i> , 1995, 76, 51A-53A.	1.6	13
110	Comparison of the effects of picotamide and aspirin on renal albumin excretion and cutaneous microcirculation in patients with type II diabetes mellitus: a pilot study. <i>Current Therapeutic Research</i> , 1995, 56, 1105-1110.	1.2	1
111	Effects of Picotamide, an Antithromboxane Agent, on Carotid Atherosclerotic Evolution. <i>Stroke</i> , 1995, 26, 597-601.	2.0	28
112	Efficacy and Safety of Fluvastatin, a New HMG CoA Reductase Inhibitor, in Elderly Hypercholesterolaemic Women. <i>Drugs</i> , 1994, 47, 59-63.	10.9	10
113	Endothelin in mild to moderate essential hypertension: relationship between ambulatory and clinic blood pressure values. <i>Journal of Human Hypertension</i> , 1994, 8, 761-4.	2.2	0
114	Evening vs morning isradipine sustained release in essential hypertension: a double-blind study with 24 h ambulatory monitoring.. <i>British Journal of Clinical Pharmacology</i> , 1993, 35, 51-54.	2.4	45
115	Isradipine in the Treatment of Peripheral Occlusive Vascular Disease of the Lower Limbs: A Pilot Study. <i>Journal of International Medical Research</i> , 1992, 20, 323-330.	1.0	3
116	A Progress Report on the Localization of Usher Syndrome Type II to Chromosome 1q. <i>Annals of the New York Academy of Sciences</i> , 1991, 630, 284-287.	3.8	1
117	Endothelin, vasoconstriction, and endothelial damage in Raynaud's phenomenon. <i>Lancet, The</i> , 1991, 337, 114-115.	13.7	21
118	t-PA, PAI, and Protein C Before and After Vascular Occlusion of the Upper Limb in Patients with Raynaud's Phenomenon. <i>Angiology</i> , 1991, 42, 231-238.	1.8	5
119	Localization of Usher syndrome type II to chromosome 1q. <i>Genomics</i> , 1990, 7, 245-249.	2.9	272
120	Effects of Ticlopidine and Indobufen on Platelet Aggregation Induced by A23187 and Adrenaline in the Presence of Different Anticoagulants. <i>Journal of International Medical Research</i> , 1989, 17, 514-520.	1.0	8