

# Muhammad Alhroob

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1230248/publications.pdf>

Version: 2024-02-01

522  
papers

33,682  
citations

7568

77  
h-index

5829

161  
g-index

549  
all docs

549  
docs citations

549  
times ranked

11933  
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
2	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
3	Combined Measurement of the Higgs Boson Mass in $pp$ Collisions at $\sqrt{s}=7$ and $8$ TeV with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.	7.8	1,062
4	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
5	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC $pp$ collision data at $\sqrt{s}=7$ and $8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
6	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s}=13$ TeV. European Physical Journal C, 2016, 76, 292.	3.9	453
7	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
8	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
9	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 581.	3.9	298
10	Luminosity determination in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
11	Measurements of the Higgs boson production and decay rates and coupling strengths using $pp$ collision data at $\sqrt{s}=7$ and $8$ TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
12	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
13	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
14	Combined measurements of Higgs boson production and decay using up to $\sqrt{s}=13$ TeV of proton-proton collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2020, 101, .	3.9	241
15	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
16			

#	ARTICLE	IF	CITATIONS
19	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
20	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
21	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7$ TeV recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
22	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
23	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s}=8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
24	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 340, 276.	4.1	195
25	Measurement of the inclusive proton-proton cross section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
26	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
27	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
28	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
29	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
30	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
31	Measurements of Higgs boson production and couplings in the four-lepton channel in $\sqrt{s}=7$ and $8$ TeV collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2015, 91, 112002.	4.7	158
32	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, 112002.	4.7	157
33	Measurement of the transverse momentum and $\phi_{\eta}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
34	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
35	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
36	Precision measurement and interpretation of inclusive $W^+W^-$ production with ATLAS in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 367.	3.9	145

#	ARTICLE	IF	CITATIONS
37	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	7.8	145
38	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
39	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at the ATLAS detector. Physical Review D, 2016, 94, .	4.1	138
40	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	137
41	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	4.7	136
42	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	7.8	133
43	Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	3.9	132
44	Search for Invisible Decays of a Higgs Boson Produced in Association with a $Z/\tilde{\chi}^0$ Boson in ATLAS. Physical Review Letters, 2014, 112, .	4.7	131
45	ATLAS b-jet identification performance and efficiency measurement with $\sqrt{s} = 13$ TeV events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	7.8	130
46	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	130
47	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	3.9	125
48	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.2	124
49	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	124
50	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 8$ TeV pp collisions at the ATLAS detector. Physical Review D, 2011, 83, .	3.9	123
51	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	121
52	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in $\sqrt{s} = 13$ TeV pp collisions at the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
53	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	4.7	116
54		3.9	115

#	ARTICLE	IF	CITATIONS
55	Observation and measurement of Higgs boson decays to $\gamma\gamma$ in the diphoton decay channel with the ATLAS detector. Physical Review D, 2015, 92, 032002.	4.7	115
56	Observation and measurement of Higgs boson decays to $W^+W^-$ in the $WW$ final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, 032003.	4.7	110
57	Search for heavy Higgs bosons decaying into two tau leptons with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	4.7	109
58	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
59	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
60	Search for heavy resonances decaying into $WW$ in the $e^+e^- \rightarrow \gamma^*/Z \rightarrow WW$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
61	Search for heavy ZZ resonances in the $e^+e^- \rightarrow \gamma^*/Z \rightarrow ZZ$ final states using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
62	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using Collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2020, 125, 051801.	7.8	97
63	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
64	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
65	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
66	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
67	Search for the $b\bar{b}\gamma$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
68	Measurement of $W\gamma$ and Z-boson production cross sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	3.9	88
69	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
70	Measurement of multi-particle azimuthal correlations in pp, $p\bar{A}+A$ Pb and low-multiplicity $Pb\bar{A}+A$ Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
71	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
72	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82

#	ARTICLE	IF	CITATIONS
73	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
74	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
75	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
76	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
77	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
78	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
79	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
80	Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s}=8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 142-159.	4.7	78
81	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
82	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	77
83	Angular analysis of $B_0 \rightarrow K^{*0} \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
84	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
85	Measurement of quarkonium production in lead and proton-proton collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
86	Observation of Light-by-Light Scattering in Ultraperipheral $Pb-Pb$ collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
87	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
88	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
89	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
90	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73

#	ARTICLE	IF	CITATIONS
91	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
92	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
93	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
94	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
95	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
96	Search for resonances in diphoton events at $s = 13 \sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
97	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\sqrt{s}=13$ TeV. Physical Review Letters, 2018, 121, 191801.	7.8	70
98	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $H \rightarrow b \bar{b}$ in fully hadronic final states using pp collision data at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
99	ATLAS data quality operations and performance for 2015-2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
100	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
101	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
102	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
103	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
104	Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13$ TeV. Collisions in the ATLAS Detector. Physical Review Letters, 2020, 125, 131801.	7.8	67
105	A search for $t \bar{t} A$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
106	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
107	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $\sqrt{s}=13$ TeV. Collisions in the ATLAS Detector. Physical Review Letters, 2020, 125, 131801.	7.8	64
108	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64

#	ARTICLE	IF	CITATIONS
109	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
110	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, 114011.	4.7	64
111	Search for $W$ and $Z$ bosons with missing transverse momentum in $\sqrt{s} = 13$ TeV collisions at the ATLAS detector. Physical Review D, 2021, 103, 012001.	4.7	64
112	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
113	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
114	Measurement of the Higgs boson mass in the $H \rightarrow \tau\tau$ and $H \rightarrow \tau\tau + \text{invisible}$ channels with $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	4.7	63
115	Search for $W$ and $Z$ bosons with missing transverse momentum in $\sqrt{s} = 13$ TeV collisions with the ATLAS detector. Physical Review D, 2019, 99, 012001.	4.7	63
116	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
117	Identification of boosted, hadronically decaying $W$ bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
118	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
119	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $H \rightarrow W\tau$ in $\sqrt{s} = 13$ TeV collisions with the ATLAS detector. Physical Review D, 2019, 99, 012001.	4.7	61
120	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
121	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
122	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
123	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
124	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
125	Search for $W$ and $Z$ bosons with missing transverse momentum in $\sqrt{s} = 13$ TeV collisions with the ATLAS detector. Physical Review D, 2019, 99, 012001.	4.7	60
126	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60

#	ARTICLE	IF	CITATIONS
127	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
128	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
129	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
130	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \bar{\nu}_{\tau}$ , in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 $\text{fb}^{-1}$ of $pp$ collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. <a href="http://www.w3.org/1998/Math/MathML" style="color: yellow;">http://www.w3.org/1998/Math/MathML</a> altimg="si1.gif" overflow="scroll" > </mml:mi> </mml:mi> </mml:mover accent="true" > </mml:mrow> </mml:mi> </mml:mi> </mml:mrow> </mml:mrow> </mml:mrow> </mml:mo stretchy="false" > </mml:mo> </mml:mrow> </mml:mover > </mml:math> production cross-section using $e\bar{e}$ events with b-tagged jets in $pp$ collisions at $\sqrt{s}=13$ TeV. <a href="http://www.w3.org/1998/Math/MathML" style="color: yellow;">http://www.w3.org/1998/Math/MathML</a> altimg="si107.gif" > </mml:math>	4.7	59
131	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	4.1	57
132	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in $pp$ collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
133	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	3.9	56
134	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	4.7	56
135	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	3.9	55
136	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
137	Measurements of fiducial cross-sections for $t\bar{t}\bar{A}$ production with one or two additional b-jets in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
138	Search for Higgs boson pair production in the $\gamma\gamma WW^{*}\bar{A}$ channel using $pp$ collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
139	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
140	Production of a Same-Sign $W^{\pm}W^{\pm}$ Boson Pair in Association with Two Jets in $pp$ Collisions at $\sqrt{s}=13$ TeV. <a href="http://www.w3.org/1998/Math/MathML" style="color: yellow;">http://www.w3.org/1998/Math/MathML</a> altimg="si107.gif" > </mml:math>	7.8	53
141	Performance of jet substructure techniques for large- $R$ jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
142	Search for lepton-flavour-violating $H \rightarrow \tau\mu$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
143	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
144			

#	ARTICLE	IF	CITATIONS
145	Search for high-mass new phenomena in the dilepton final state using proton- $\bar{p}$ proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Measurement of the top quark mass in the dilepton channel from $Z \rightarrow \tau\tau$ decays in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	4.1	52
146	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z^{\prime}$ boson in the $\tau\tau$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
147	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
148	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	3.9	51
149	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	51
150	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
151	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
152	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
153	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
154	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
155	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $\sqrt{s} = 13$ TeV pp Collisions at the ATLAS Detector. Physical Review Letters, 2019, 122, 171801.	7.8	49
156	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
157	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
158	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $\sqrt{s} = 13$ TeV pp Collisions at the ATLAS Detector. Physical Review Letters, 2019, 122, 171801.	7.8	49
159	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50

#	ARTICLE	IF	CITATIONS
163	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
164	Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the $H \rightarrow \tau\tau$ and $H \rightarrow \tau\tau + \text{invisible}$ decay channels in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	7.8	48
165	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
166	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
167	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	3.9	47
168	Measurement of the top quark mass in the $t \rightarrow t \bar{t} \hat{A}$ decay channel. European Physical Journal C, 2019, 79, 1.	3.9	47
169	Study of the rare decays of $B^0 \rightarrow s \gamma B^0$ and $B^0 \rightarrow \mu^+ \mu^- B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
170	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\tau$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
171	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
172	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow \tau\tau$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	4.1	46
173	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
174	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 13$ TeV in dilepton final states with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 459-477.	4.1	46
175	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
176	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
177	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
178	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
179	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
180	Search for charged Higgs bosons in the $H \rightarrow \tau\tau$ tb decay channel in pp collisions at $s = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43

#	ARTICLE	IF	CITATIONS
181	Search for single production of vector-like quarks decaying into $Wb$ in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
182	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
183	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ\gamma\gamma$ and $ZZ\gamma\gamma^{*}$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
184	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
185	Combined measurement of differential and total cross sections in the $H\ell\ell$ and the $H\ell\ell Z$ decay channels at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	4.1	42
186	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
187	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb of $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
188	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $Pb-Pb$ Collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Physical Review Letters, 2011, 107, 192301.	7.8	41
189	Measurement of the $p\bar{p}$ production cross sections and gauge boson polarisation in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	7.8	41
190	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
191	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
192	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $pp$ collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
193	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \rightarrow \bar{J}/\psi D_s^+ B_c^+ \rightarrow \bar{J}/\psi D_s^+ \bar{B}_c^0$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
194	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and $b$ -jets in 36 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
195	Measurements of $b$ -jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
196	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ and $t\bar{t}H\gamma$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	7.8	40
197	Search for heavy resonances decaying into a pair of $Z$ bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow \mu^+\mu^- Z Z$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
198	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39

#	ARTICLE	IF	CITATIONS
199	Search for flavour-changing neutral current top-quark decays to $\bar{q}Z$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	3.9	39
200	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 87.	3.9	39
201	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $pp$ collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	39
202	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	4.7	39
203	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
204	Measurement of the double-differential high-mass Drell-Yan cross section in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
205	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
206	Search for Higgs boson pair production in the $\gamma\gamma$ final state with $13$ TeV $pp$ collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
207	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV $pp$ collisions with the ATLAS detector. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-477.	4.1	38
208	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
209	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
210	Measurement of the W boson polarisation in $t\bar{t}$ events from $pp$ collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
211	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
212	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
213	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV $pp$ collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
214	Search for heavy lepton resonances decaying to a Z boson and a lepton in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
215	Search for heavy long-lived multi-charged particles in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
216	Search for the Dimuon Decay of the Higgs Boson in $pp$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36

#	ARTICLE	IF	CITATIONS
217	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
218	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
219	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
220	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
221	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review Letters, 2015, 114, 161801.	7.8	35
222	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
223	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
224	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 91-113.	3.9	35
225	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. Physical Review D, 2016, 93, .	4.7	34
226	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}+jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
227	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
228	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
229	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
230	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
231	Measurements of $\Upsilon(2S)$ and $X(3872)$ $\rightarrow J/\psi + \Upsilon$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
232	Measurement of the Soft-Drop Jet Mass in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	7.8	33
233	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
234	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	3.9	33

#	ARTICLE	IF	CITATIONS
235	Determination of the strong coupling constant $\alpha_s$ from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
236	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
237	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
238	Measurement of the $Z$ Production Cross Section in $pp$ Collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 128.	7.8	31
239	A search for prompt lepton-jets in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
240	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
241	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV $pp$ collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
242	Search for $W$ production in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
243	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
244	Evidence of $W$ Production in $pp$ Collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 128.	7.8	30
245	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
246	Study of hard double-parton scattering in four-jet events in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
247	Charged-particle distributions in $pp$ interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
248	Searches for the $Z$ decay mode of the Higgs boson and for new high-mass resonances in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
249	Study of $WW\gamma$ and $WZ\gamma$ production in $pp$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 646.	3.9	30
250	Search for new phenomena in events with same-charge leptons and $b$ -jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
251	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
252	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30

#	ARTICLE	IF	CITATIONS
253	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
254	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
255	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
256	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
257	Searches for heavy ZZ and ZW resonances in the $\hat{q}\hat{q}$ and $\hat{q}\hat{q}/2$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
258	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
259	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 355, 285-285.	4.7	28
260	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
261	Measurement of $WW/WZ \rightarrow \ell\ell uq^{\prime}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
262	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
263	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
264	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
265	Measurement of the $t\bar{t}Z$ cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	4.7	28
266	In situ calibration of large-radius jet energy and mass in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
267	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
268	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
269	Measurement of the Lund Jet Plane Using Charged Particles in $\sqrt{s} = 13$ TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28
270	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28

#	ARTICLE	IF	CITATIONS
271	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	27
272	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
273	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
274	Measurements of top-quark pair differential cross-sections in the $e^+e^-$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
275	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
276	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
277	Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
278	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{l}$ , -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
279	Measurements of electroweak $Wj$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
280	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	26
281	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $W\ell\bar{\ell}$ and $W\ell\ell$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
282	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
283	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
284	Search for triboson $W^+W^+W^-$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
285	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
286	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
287	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	7.8	25
288	Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV with t. Physical Review D, 2021, 104, .	4.7	25

#	ARTICLE	IF	CITATIONS
289	Measurement of the cross-section of $W^+W^-$ production in association with a Z boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	7.8	24
290	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
291	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517.	3.9	24
292	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
293	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
294	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
295	Determination of the Ratio of Quark Fragmentation Fractions $b/s$ and $f/s$ in $W^+W^-$ production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review Letters, 2015, 115, 262001.	7.8	23
296	A search for high-mass resonances decaying to $\tilde{l}, +\tilde{l}, \tilde{\chi}^0$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
297	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
298	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
299	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $p$ and $Pb$ collisions in ATLAS. Physical Review Letters, 2019, 123, 042001.	7.8	23
300	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
301	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
302	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
303	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
304	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
305	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $\sqrt{s} = 7$ and $8$ TeV with ATLAS. Physical Review D, 2016, 94, .	4.7	22
306	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
307	Measurements of top-quark pair spin correlations in the $\mu\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
308	Search for heavy neutral Higgs bosons produced in association with $b$ -quarks and decaying into $b$ -quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
309	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
310	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. Physical Review Letters, 2020, 125, 261801.	7.8	22
311	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
312	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
313	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
314	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
315	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	3.9	21
316	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
317	Search for heavy neutral Higgs bosons produced in association with $b$ -quarks and decaying into $b$ -quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	7.8	20
318	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
319	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
320	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
321	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
322	Search for photonic signatures of gauge-mediated supersymmetry in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	20
323	Search for $W\tau\tau$ decays in the hadronic final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	4.1	20
324	Search for diboson resonances in hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
325	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
326	Measurement of k T splitting scales in $W\hat{t}^{\pm}, \tau^{\pm}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
327	Search for flavour-changing neutral current top quark decays $t \hat{t}^{\pm} H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
328	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
329	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu} \rightarrow 3\mu, \tau, \tau^{\pm} \tau^{\pm}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
330	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\nu\bar{\nu} p p$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
331	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
332	Prompt and non-prompt $\psi(2S) / \psi(1S)$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
333	Search for top-quark decays $t \hat{t}^{\pm} H q$ with 36 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
334	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
335	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb <sup>-1</sup> of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
336	Search for top quark decays $t \hat{t}^{\pm} qH$ , with $H \hat{t}^{\pm} \tau^{\pm}$ , in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
337	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
338	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
339	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
340	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
341	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
342	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
343	Probing the $W$ $t\bar{b}$ vertex structure in $t$ -channel single-top-quark production and decay in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
344	Search for supersymmetry in events with $b$ -tagged jets and missing transverse momentum in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
345	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in $pp$ collisions at $\sqrt{s}=13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
346	Direct top-quark decay width measurement in the $t \rightarrow W^+ b \nu_e$ channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
347	Search for flavour-changing neutral current top-quark decays $t \rightarrow q Z$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
348	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
349	Measurements of $W$ and $Z$ boson production in $pp$ collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
350	Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
351	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
352	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
353	Angular Anisotropy of Muons from Charm and Bottom Hadrons in $pp$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	7.8	17
354	Search for type-III seesaw heavy leptons in dilepton final states in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
355	Longitudinal Flow Decorrelations in $pp$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 082301.	7.8	17
356	Search for Displaced Leptons in $pp$ Collisions with the ATLAS Detector. Physical Review Letters, 2021, 126, 082301.	7.8	17
357	Measurement of the top-quark mass in the $t \rightarrow W^+ b \nu_e$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
358	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
359	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in $pp$ collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
360	Top-quark mass measurement in the all-hadronic $t \rightarrow W^+ b \nu_e$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
361	Measurement of colour flow using jet-pull observables in $t\bar{t}\hat{A}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
362	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 152002.	7.8	16
363	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
364	Measurement of differential cross sections and $W^+/\hat{W}^+$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
365	Measurement of event-shape observables in $Z \rightarrow \ell^+\ell^-$ events in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
366	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
367	Search for strong gravity in multijet final states produced in $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
368	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	4.7	15
369	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
370	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
371	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in semileptonic final states in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 780, 299-310.	4.7	15
372	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
373	Test of the universality of $\hat{g}_l$ , and $\hat{g}_l$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
374	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
375	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
376	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
377	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
378	Studies of $Z\tau^+\tau^-$ production in association with a high-mass dijet system in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
379	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 579-602.	4.7	14
380	Measurement of $VH, \mathbb{H}o\overline{\mathbb{H}}s$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
381	Measurements of inclusive and differential fiducial cross-sections of $\mathbb{H}t$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
382	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
383	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
384	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	14
385	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $\sqrt{s} = 13$ TeV Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	7.8	14
386	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
387	Search for $\overline{\mathbb{H}}\mathbb{H}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
388	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2020, 102, 074011.	4.7	14
389	Measurement of the c-jet mistagging efficiency in $\mathbb{H}t$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
390	Search for new phenomena in pp collisions in final states with tau leptons, b-jets, and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
391	Search for Higgs boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
392	Measurement of the CP-violating phase $\beta_s$ and the $B_s^0$ meson decay width difference with $B_s^0$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
393	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
394	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
395	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
396	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.	3.9	13

#	ARTICLE	IF	CITATIONS
397	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55-76.	4.7	13
398	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
399	Measurement of the production cross section of a single photon and a pair of opposite-sign dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, 074004.	4.7	13
400	Measurement of the CP-violating phase $\phi_{sB}$ in $B_{s0} \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. European Physical Journal C, 2021, 81, .	3.9	13
401	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
402	Search for long-lived charginos based on a disappearing-track signature using 136 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
403	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
404	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
405	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
406	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	4.7	12
407	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
408	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2019, 7.8 122, 151801.		12
409	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
410	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
411	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
412	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
413	Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
414	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
415	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
416	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
417	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13$ TeV. European Physical Journal C, 2022, 82, 1.	3.9	12
418	Measurement of four-jet differential cross sections in $s = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
419	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
420	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
421	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
422	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
423	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
424	Two-particle azimuthal correlations in photonuclear ultraperipheral collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	2.9	11
425	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s} = 5.02$ TeV with ATLAS. Physical Review C, 2021, 104, .	2.9	11
426	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
427	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
428	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
429	Measurement of the $Z\gamma \rightarrow u\bar{u}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
430	Measurement of the inclusive and fiducial $t\bar{t}\hat{A}^-$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
431	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W_{\pm}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
432	Measurement of $J/\psi$ production in association with a $W_{\pm}$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
433	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
434	Measurement of the $\sigma(\text{pp} \rightarrow t\bar{t})$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
435	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
436	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
437	Search for resonant pair production of Higgs bosons in the $\text{pp} \rightarrow \text{H} \rightarrow \text{b}\bar{\text{b}}$ channel using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
438	Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, .	4.7	10
439	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
440	Measurement of the $\sigma(\text{pp} \rightarrow \gamma\gamma)$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
441	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
442	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ZZ $\rightarrow \text{e}^+\text{e}^-$ and ZZ $\rightarrow \mu^+\mu^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
443	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
444	Combinations of single-top-quark production cross-section measurements and $ f_{\text{LVtb}} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
445	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
446	Measurement of the $Z(\nu\bar{\nu})\nu\nu$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
447	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
448	Evidence for electroweak production of two jets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 811, 1.	4.1	9
449	Measurement of the relative width difference of the B <sup>0</sup> $\rightarrow \text{B}^0 \rightarrow \text{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
450	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
451	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
452	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
453	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
454	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
455	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
456	Measurements of $W+W\tilde{a}^{\pm} + 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
457	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
458	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
459	Reconstruction and identification of boosted di- $\tilde{l}$ , systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
460	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
461	Search for dark matter candidates at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 824, 136832.	4.1	8
462	Search for Lepton-Flavor Violation in $Z \rightarrow \tilde{l}_i \tilde{l}_j$ -Boson Decays with $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8
463	Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \text{au au}$ . European Physical Journal C, 2018, 78, 163.	3.9	7
464	Combination of inclusive and differential $\overline{\text{mathrm}}\{t\}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
465	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
466	Medium-Induced Modification of $Z$ -Tagged Charged Particle Yields in $Pb-Pb$ Collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	7.8	7
467	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
468	Search for new phenomena in three- or four-lepton events in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 824, 136832.	4.1	7

#	ARTICLE	IF	CITATIONS
469	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
470	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
471	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
472	Measurement of ZZ production in the $\gamma, \gamma, \gamma\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
473	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
474	Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into $W^\pm Z$ or $ZZ$ in Fully Hadronic Final States from $pp \rightarrow \text{DM} + \text{Higgs} \rightarrow W^\pm Z$ or $ZZ$ disp. Physical Review Letters, 2021, 125, 251802.	7.8	6
475	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13$ TeV. Journal of Instrumentation, 2021, 16, P07029.	1.2	6
476	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 251802.	7.8	6
477	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
478	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	5
479	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
480	The ATLAS Fast Tracker system. Journal of Instrumentation, 2021, 16, P07006.	1.2	5
481	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
482	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
483	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
484	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
485	Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector. Physical Review D, 2022, 105, .	4.7	5
486	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
487	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
488	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
489	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
490	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
491	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
492	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
493	Measurement of $K_S^0$ and $\Lambda^0$ production in $pp \rightarrow \tau^+\tau^-$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
494	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \mu^{\pm} \nu_{\mu}$ ( $\rightarrow \pi^{\pm} \nu_{\pi}$ ) $u_{\text{au}}$ $u_{\text{au}}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
495	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
496	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
497	Implementations of Custom Sonar Instruments for Binary Gas Mixture and Flow Analysis in the ATLAS Experiment at the CERN LHC. IEEE Transactions on Nuclear Science, 2016, 63, 1659-1667.	2.0	3
498	Measurement of the kt splitting scales in $Z \rightarrow \nu\bar{\nu}$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
499	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
500	Measurements of inclusive and differential cross-sections of combined $\overline{t}\gamma$ and $tW^{\pm}$ production in the $e^+e^-$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
501	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
502	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
503	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	1.2	3
504	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. , 2015, 2015, 1.		3

#	ARTICLE	IF	CITATIONS
505	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
506	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
507	Measurement of b-quark fragmentation properties in jets using the decay $B_{\pm} \rightarrow J/\psi K_{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
508	Two-particle Bose-Einstein correlations in $\{pp\}$ collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
509	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
510	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s} = 4$ TeV. Journal of Instrumentation, 2018, 13, P12006-P12006.	1.2	2
511	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
512	Search for heavy particles in the b-tagged dijet mass distribution with additional b-tagged jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Physical Review D, 2022, 105, .	4.7	2
513	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
514	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
515	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
516	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
517	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2016, 76, 1.		1
518	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. , 2018, 78, 1.		1
519	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. , 2018, 78, 1.		1
520	Operation and performance of the ATLAS semiconductor tracker in LHC Run 2. Journal of Instrumentation, 2022, 17, P01013.	1.2	1
521	A search for an unexpected asymmetry in the production of $e^+e^-$ and $e^+e^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1
522	Implementation of an ultrasonic instrument for simultaneous mixture and flow analysis of binary gas systems. , 2015, . .		0