

Mamoun Medraj

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1230567/publications.pdf>

Version: 2024-02-01

137
papers

4,167
citations

94433

37
h-index

144013

57
g-index

138
all docs

138
docs citations

138
times ranked

3805
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Prediction and experimental evaluation of the threshold velocity in water droplet erosion. <i>Materials and Design</i> , 2022, 213, 110312. | 7.0 | 16 |
| 2 | Stability of the microstructure and elevated-temperature mechanical properties of additively manufactured Inconel 718 superalloy subjected to long-term in-service thermal cycling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 838, 142790. | 5.6 | 6 |
| 3 | Experimental and CFD simulation of interactions between water droplets with different surface features to understand water droplet erosion. <i>Transactions of the Canadian Society for Mechanical Engineering</i> , 2022, 46, 573-586. | 0.8 | 2 |
| 4 | On the role of strain hardening and mechanical properties in water droplet erosion of metals. <i>Tribology International</i> , 2022, 173, 107649. | 5.9 | 5 |
| 5 | Optimization of the Post-Process Heat Treatment of Inconel 718 Superalloy Fabricated by Laser Powder Bed Fusion Process. <i>Metals</i> , 2021, 11, 144. | 2.3 | 12 |
| 6 | Optimization of the Electrospun Niobium-Tungsten Oxide Nanofibers Diameter Using Response Surface Methodology. <i>Nanomaterials</i> , 2021, 11, 1644. | 4.1 | 4 |
| 7 | Water droplet impingement erosion performance of WC-based coating sprayed by HVOF and HVOF. <i>Wear</i> , 2021, 484-485, 203904. | 3.1 | 14 |
| 8 | Effect of homogenization and solution treatments time on the elevated-temperature mechanical behavior of Inconel 718 fabricated by laser powder bed fusion. <i>Scientific Reports</i> , 2021, 11, 2020. | 3.3 | 46 |
| 9 | Water Droplet Erosion of Wind Turbine Blades: Mechanics, Testing, Modeling and Future Perspectives. <i>Materials</i> , 2020, 13, 157. | 2.9 | 50 |
| 10 | Influence of Homogenization and Solution Treatments Time on the Microstructure and Hardness of Inconel 718 Fabricated by Laser Powder Bed Fusion Process. <i>Materials</i> , 2020, 13, 2574. | 2.9 | 37 |
| 11 | Power Ultrasonic Additive Manufacturing: Process Parameters, Microstructure, and Mechanical Properties. <i>Advances in Materials Science and Engineering</i> , 2020, 2020, 1-17. | 1.8 | 14 |
| 12 | Investigation on metallic glass formation in Mg-Zn-Sr ternary system combined with the CALPHAD method. <i>Materials Letters</i> , 2019, 256, 126628. | 2.6 | 8 |
| 13 | Hot compression behavior and microstructure of selectively laser-melted IN718 alloy. <i>International Journal of Advanced Manufacturing Technology</i> , 2018, 96, 371. | 3.0 | 21 |
| 14 | Magnetic force microscopic study of Ce ₂ (Fe, Co) ₁₄ B, and its modifications by Ni and Cu. <i>Journal of Magnetism and Magnetic Materials</i> , 2018, 460, 95-103. | 2.3 | 9 |
| 15 | Intrinsic Magnetic Properties of Ce ₂ Fe ₁₄ B Modified by Al, Ni, or Si. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 205. | 2.5 | 13 |
| 16 | Phase equilibria and magnetic phases in the Fe-rich regions of the Ce-Fe-[Ni, Si, Al]-B quaternary systems. <i>Journal of Alloys and Compounds</i> , 2018, 763, 289-295. | 5.5 | 4 |
| 17 | Microstructural and Microhardness Evolution from Homogenization and Hot Isostatic Pressing on Selective Laser Melted Inconel 718: Structure, Texture, and Phases. <i>Journal of Manufacturing and Materials Processing</i> , 2018, 2, 30. | 2.2 | 33 |
| 18 | Intrinsic magnetic properties of Ce ₂ (Fe, Co) ₁₄ B and its modifications by Ni and Cu. <i>Journal of Alloys and Compounds</i> , 2018, 763, 916-925. | 5.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Microstructure, In Vitro Corrosion Behavior and Cytotoxicity of Biodegradable Mg-Ca-Zn and Mg-Ca-Zn-Bi Alloys. Journal of Materials Engineering and Performance, 2017, 26, 653-666. | 2.5 | 28 |
| 20 | Thermal Characteristics, Mechanical Properties, In Vitro Degradation and Cytotoxicity of Novel Biodegradable Zn-Al-Mg and Zn-Al-Mg-xBi Alloys. Acta Metallurgica Sinica (English Letters), 2017, 30, 201-211. | 2.9 | 39 |
| 21 | Characterisation and thermodynamic calculations of biodegradable Mg-2.2Zn-3.7Ce and Mg-Ca-2.2Zn-3.7Ce alloys. Materials Science and Technology, 2017, 33, 1333-1345. | 1.6 | 7 |
| 22 | Phase Equilibria and Magnetic Phases in the Ce-Fe-Co-B System. Materials, 2017, 10, 16. | 2.9 | 14 |
| 23 | Binary Phase Diagrams and Thermodynamic Properties of Silicon and Essential Doping Elements (Al, As,) | 2.9 | 56 |
| 24 | Structure, Texture and Phases in 3D Printed IN718 Alloy Subjected to Homogenization and HIP Treatments. Metals, 2017, 7, 196. | 2.3 | 179 |
| 25 | Water Droplet Erosion Performance of Laser Shock Peened Ti-6Al-4V. Metals, 2016, 6, 262. | 2.3 | 17 |
| 26 | Energy based approach for understanding water droplet erosion. Materials and Design, 2016, 104, 76-86. | 7.0 | 22 |
| 27 | Experimental investigation of the Mg Zn Zr ternary system at 450°C. Journal of Alloys and Compounds, 2016, 680, 212-225. | 5.5 | 7 |
| 28 | Novel bi-layered nanostructured SiO ₂ /Ag-FHAp coating on biodegradable magnesium alloy for biomedical applications. Ceramics International, 2016, 42, 11941-11950. | 4.8 | 42 |
| 29 | Effect of ultrasonic nanocrystalline surface modification on the water droplet erosion performance of Ti 6Al 4V. Surface and Coatings Technology, 2016, 307, 157-170. | 4.8 | 34 |
| 30 | Preparation and Performance of Plasma/Polymer Composite Coatings on Magnesium Alloy. Journal of Materials Engineering and Performance, 2016, 25, 3948-3959. | 2.5 | 12 |
| 31 | Thermodynamic analysis of dehydrogenation path of Mg-Al-Li-Na alloys. Calphad: Computer Coupling of Phase Diagrams and Thermochemistry, 2016, 54, 54-66. | 1.6 | 3 |
| 32 | HVOF and HVOF Coatings of Agglomerated Tungsten Carbide-Cobalt Powders for Water Droplet Erosion Application. Journal of Thermal Spray Technology, 2016, 25, 1711-1723. | 3.1 | 12 |
| 33 | Understanding the hydrogen storage behavior of promising Al-Mg-Na compositions using thermodynamic modeling. Materials for Renewable and Sustainable Energy, 2016, 5, 1. | 3.6 | 3 |
| 34 | Water droplet erosion behaviour of gas nitrated Ti6Al4V. Surface and Coatings Technology, 2016, 292, 78-89. | 4.8 | 23 |
| 35 | Fabrication and characterization of hydrophobic microarc oxidation/poly-lactic acid duplex coating on biodegradable Mg-Ca alloy for corrosion protection. Vacuum, 2016, 125, 185-188. | 3.5 | 61 |
| 36 | Thermodynamic modelling and in-situ neutron diffraction investigation of the (Ce + Mg + Zn) system. Journal of Chemical Thermodynamics, 2016, 93, 242-254. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Preparation and characterization of NiCrAlY/nano-YSZ/PCL composite coatings obtained by combination of atmospheric plasma spraying and dip coating on Mg-Ca alloy. Journal of Alloys and Compounds, 2016, 658, 440-452. | 5.5 | 65 |
| 38 | Water Impingement Erosion of Deep-Rolled Ti64. Metals, 2015, 5, 1462-1486. | 2.3 | 27 |
| 39 | Experimental Investigation of the Mg-Nd-Zn Isothermal Section at 300 Å°C. Metals, 2015, 5, 84-101. | 2.3 | 15 |
| 40 | Experimental Study of the Mg-Ni-Y System at 673 K Using Diffusion Couples and Key Alloys. Metals, 2015, 5, 1746-1769. | 2.3 | 17 |
| 41 | Corrosion and mechanical performance of double-layered nano-Al/PCL coating on Mg-Ca-Bi alloy. Vacuum, 2015, 119, 95-98. | 3.5 | 33 |
| 42 | Thermodynamic modeling of Cu-Ni-Y system coupled with key experiments. Materials Chemistry and Physics, 2015, 153, 32-47. | 4.0 | 7 |
| 43 | Effect of Electrodeposition Parameters on the Microstructure and Corrosion Behavior of ZrDCPD Coatings on Biodegradable Mg-Ca-Zn Alloy. International Journal of Applied Ceramic Technology, 2015, 12, 1054-1064. | 2.1 | 17 |
| 44 | Experimental study of the crystal structure of the Mg ₁₅ xZnxSr ₃ ternary solid solution in the Mg-Zn-Sr system at 300Å°C. Materials and Design, 2015, 86, 305-312. | 7.0 | 21 |
| 45 | Synthesis and corrosion behavior of a hybrid bioceramic-biopolymer coating on biodegradable Mg alloy for orthopaedic implants. Journal of Alloys and Compounds, 2015, 648, 1067-1071. | 5.5 | 31 |
| 46 | Experimental study of the phase equilibria in the Mg-Zn-Ag ternary system at 300 Å°C. Journal of Alloys and Compounds, 2015, 639, 593-601. | 5.5 | 37 |
| 47 | Experimental determination of the phase equilibria in the Mg-Zn-Sr ternary system. Journal of Materials Science, 2015, 50, 7636-7646. | 3.7 | 22 |
| 48 | The effect of initial surface roughness on water droplet erosion behaviour. Wear, 2015, 342-343, 198-209. | 3.1 | 70 |
| 49 | Microstructural, mechanical properties and corrosion behavior of plasma sprayed NiCrAlY/nano-YSZ duplex coating on Mg-1.2Ca-3Zn alloy. Ceramics International, 2015, 41, 15272-15277. | 4.8 | 24 |
| 50 | Essential Magnesium Alloys Binary Phase Diagrams and Their Thermochemical Data. Journal of Materials, 2014, 2014, 1-33. | 0.1 | 76 |
| 51 | Experimental Investigation of the Phase Equilibria in the Al-Mn-Zn System at 400Å°C. Journal of Materials, 2014, 2014, 1-13. | 0.1 | 6 |
| 52 | Progress in Wettability Study of Reactive Systems. Journal of Metallurgy, 2014, 2014, 1-14. | 1.1 | 8 |
| 53 | Phase Equilibria of the Ce-Mg-Zn Ternary System at 300 Å°C. Metals, 2014, 4, 168-195. | 2.3 | 7 |
| 54 | Influence of Cooling Rate on Microsegregation Behavior of Magnesium Alloys. Journal of Materials, 2014, 2014, 1-18. | 0.1 | 99 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Laser Peening Process and Its Impact on Materials Properties in Comparison with Shot Peening and Ultrasonic Impact Peening. <i>Materials</i> , 2014, 7, 7925-7974. | 2.9 | 286 |
| 56 | Effect of heat treatment on the microstructure and corrosion behaviour of Mg-Zn alloys. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2014, 65, 999-1006. | 1.5 | 32 |
| 57 | Microstructure and bio-corrosion behavior of Mg-Zn and Mg-Zn-Ca alloys for biomedical applications. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2014, 65, 1178-1187. | 1.5 | 96 |
| 58 | Tensile properties of laser additive manufactured Inconel 718 using filler wire. <i>Journal of Materials Research</i> , 2014, 29, 2006-2020. | 2.6 | 36 |
| 59 | On the atomic interdiffusion in Mg-{Ce, Nd, Zn} and Zn-{Ce, Nd} binary systems. <i>Journal of Materials Research</i> , 2014, 29, 1463-1479. | 2.6 | 15 |
| 60 | Effect of Casting Parameters on the Microstructural and Mechanical Behavior of Magnesium AZ31-B Alloy Strips Cast on a Single Belt Casting Simulator. <i>Advances in Materials Science and Engineering</i> , 2014, 2014, 1-9. | 1.8 | 0 |
| 61 | Global and Local Mechanical Properties of Autogenously Laser Welded Ti-6Al-4V. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014, 45, 1258-1272. | 2.2 | 20 |
| 62 | Experimental and thermodynamic study of the Mg-Sn-In-Zn quaternary system. <i>Journal of Alloys and Compounds</i> , 2014, 588, 75-95. | 5.5 | 17 |
| 63 | Fabrication and corrosion behavior of Si/HA nano-composite coatings on biodegradable Mg-Zn-Mn-Ca alloy. <i>Surface and Coatings Technology</i> , 2014, 258, 1090-1099. | 4.8 | 48 |
| 64 | In-vitro degradation behavior of Mg alloy coated by fluorine doped hydroxyapatite and calcium deficient hydroxyapatite. <i>Transactions of Nonferrous Metals Society of China</i> , 2014, 24, 2516-2528. | 4.2 | 39 |
| 65 | Experimental investigation of the Mg-Mn-Nd isothermal section at 450°C. <i>Journal of Alloys and Compounds</i> , 2014, 608, 247-257. | 5.5 | 2 |
| 66 | Critical assessment and thermodynamic modeling of Mg-Ca-Zn system supported by key experiments. <i>Calphad: Computer Coupling of Phase Diagrams and Thermochemistry</i> , 2014, 46, 134-147. | 1.6 | 20 |
| 67 | Experimental Investigation of the Ce-Mg-Mn Isothermal Section at 723K (450°C) via Diffusion Couples Technique. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014, 45, 3144-3160. | 2.2 | 3 |
| 68 | Thermodynamic and Experimental Study of the Mg-Sn-Ag-In Quaternary System. <i>Journal of Phase Equilibria and Diffusion</i> , 2014, 35, 284-313. | 1.4 | 22 |
| 69 | In-vitro corrosion inhibition mechanism of fluorine-doped hydroxyapatite and brushite coated Mg-Ca alloys for biomedical applications. <i>Ceramics International</i> , 2014, 40, 7971-7982. | 4.8 | 87 |
| 70 | Synthesis and biodegradation evaluation of nano-Si and nano-Si/TiO ₂ coatings on biodegradable Mg-Ca alloy in simulated body fluid. <i>Ceramics International</i> , 2014, 40, 14009-14018. | 4.8 | 32 |
| 71 | Enhancement of amorphous phase formation in alumina-YSZ coatings deposited by suspension plasma spray process. <i>Surface and Coatings Technology</i> , 2013, 220, 191-198. | 4.8 | 23 |
| 72 | Experimental study of the Cu-Ni-Y system at 700 °C using diffusion couples and key alloys. <i>Journal of Alloys and Compounds</i> , 2013, 561, 161-173. | 5.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Experimental investigation and first-principle calculations coupled with thermodynamic modeling of the Mn–Nd phase diagram. <i>Calphad: Computer Coupling of Phase Diagrams and Thermochemistry</i> , 2013, 42, 27-37. | 1.6 | 5 |
| 74 | Al–Mg–RE (RE=La, Ce, Pr, Nd, Sm) systems: Thermodynamic evaluations and optimizations coupled with key experiments and Miedema's model estimations. <i>Journal of Chemical Thermodynamics</i> , 2013, 58, 166-195. | 2.0 | 45 |
| 75 | Crystallization characteristics of the Mg-rich metallic glasses in the Ca–Mg–Zn system. <i>Journal of Alloys and Compounds</i> , 2013, 552, 88-97. | 5.5 | 23 |
| 76 | On the prediction of Gibbs free energy of mixing of binary liquid alloys. <i>Journal of Chemical Thermodynamics</i> , 2013, 57, 82-91. | 2.0 | 19 |
| 77 | Distortion and residual stress measurements of induction hardened AISI 4340 discs. <i>Materials Chemistry and Physics</i> , 2013, 142, 248-258. | 4.0 | 21 |
| 78 | Oxide films in laser additive manufactured Inconel 718. <i>Acta Materialia</i> , 2013, 61, 6562-6576. | 7.9 | 93 |
| 79 | Thermodynamic calculation of the Mg–Mn–Zn and Mg–Mn–Ce systems and re-optimization of their constitutive binaries. <i>Calphad: Computer Coupling of Phase Diagrams and Thermochemistry</i> , 2013, 41, 89-107. | 1.6 | 20 |
| 80 | Coherent nanoscale ternary precipitates in crystallized Ca ₄ Mg ₇₂ Zn ₂₄ metallic glass. <i>Scripta Materialia</i> , 2013, 68, 647-650. | 5.2 | 8 |
| 81 | Processing and Characterization of In Situ (Ti–TiB ₂) _p /AZ91D Magnesium Matrix Composites. <i>Advanced Engineering Materials</i> , 2013, 15, 708-717. | 3.5 | 2 |
| 82 | Phase equilibrium in Mg–Cu–Y. <i>Scientific Reports</i> , 2013, 3, 3033. | 3.3 | 9 |
| 83 | Synthesizing Nanostructured Ni ₇₅ Mg _{16.66} Y _{8.34} (at%) Powder by Solid State Reaction and Mechanical Milling. <i>Materials and Manufacturing Processes</i> , 2012, 27, 1300-1305. | 4.7 | 8 |
| 84 | Use of filler wire for laser welding of Ti–6Al–4V. <i>Canadian Metallurgical Quarterly</i> , 2012, 51, 320-327. | 1.2 | 13 |
| 85 | Homogeneity range and crystal structure of the Ca ₂ Mg ₅ Zn ₁₃ compound. <i>Journal of Alloys and Compounds</i> , 2012, 523, 75-82. | 5.5 | 12 |
| 86 | Experimental investigation of the phase equilibria of the Al–Ca–Zn system at 623K. <i>Journal of Alloys and Compounds</i> , 2012, 539, 97-102. | 5.5 | 2 |
| 87 | Critical assessment and thermodynamic modeling of Mg–Zn, Mg–Sn, Sn–Zn and Mg–Sn–Zn systems. <i>Calphad: Computer Coupling of Phase Diagrams and Thermochemistry</i> , 2012, 36, 28-43. | 1.6 | 112 |
| 88 | Effect of Postweld Heat Treatment on Microstructure, Hardness, and Tensile Properties of Laser-Welded Ti-6Al-4V. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2012, 43, 4171-4184. | 2.2 | 56 |
| 89 | Thermal Cycling of Suspension Plasma Sprayed Alumina–YSZ Coatings Containing Amorphous Phases. <i>Journal of the American Ceramic Society</i> , 2012, 95, 2614-2621. | 3.8 | 13 |
| 90 | Understanding the reaction mechanism of in-situ synthesized (Ti–TiB ₂)/AZ91 magnesium matrix composites. <i>Materials Chemistry and Physics</i> , 2012, 135, 193-205. | 4.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Experimental study of the Ca-Mg-Zn system using diffusion couples and key alloys. Science and Technology of Advanced Materials, 2011, 12, 025003. | 6.1 | 30 |
| 92 | Crashworthiness improvement of a pickup truck's chassis frame using the Pareto-Front and genetic algorithm. International Journal of Heavy Vehicle Systems, 2011, 18, 83. | 0.2 | 3 |
| 93 | Structural considerations in plasma spraying of the alumina-zirconia composite. Surface and Coatings Technology, 2011, 205, 5437-5443. | 4.8 | 14 |
| 94 | Amorphous and crystalline phase formation during suspension plasma spraying of the alumina-zirconia composite. Journal of the European Ceramic Society, 2011, 31, 2903-2913. | 5.7 | 61 |
| 95 | High-Temperature Performance of Alumina-Zirconia Composite Coatings Containing Amorphous Phases. Advanced Functional Materials, 2011, 21, 4143-4151. | 14.9 | 48 |
| 96 | The effect of cooling rate on thermophysical properties of magnesium alloys. Journal of Materials Research, 2011, 26, 974-982. | 2.6 | 14 |
| 97 | Novel fabrication process of AlN ceramic matrix composites at low temperatures. Science and Engineering of Composite Materials, 2011, 18, . | 1.4 | 1 |
| 98 | Phase Formation and Transformation in Alumina/YSZ Nanocomposite Coating Deposited by Suspension Plasma Spray Process. Journal of Thermal Spray Technology, 2010, 19, 787-795. | 3.1 | 38 |
| 99 | The 400°C isothermal section of the Mg-Al-Ca system. Intermetallics, 2010, 18, 1498-1506. | 3.9 | 21 |
| 100 | Determination of the solubility range and crystal structure of the Mg-rich ternary compound in the Ca-Mg-Zn system. Intermetallics, 2010, 18, 2404-2411. | 3.9 | 37 |
| 101 | Phase equilibria of the constituent ternaries of the Mg-Al-Ca-Sr system. Jom, 2009, 61, 68-74. | 1.9 | 11 |
| 102 | A critical thermodynamic assessment of the Mg-Ni, Ni-Y binary and Mg-Ni-Y ternary systems. Calphad: Computer Coupling of Phase Diagrams and Thermochemistry, 2009, 33, 478-486. | 1.6 | 53 |
| 103 | A thermodynamic description of the Al-Ca-Zn ternary system. Calphad: Computer Coupling of Phase Diagrams and Thermochemistry, 2009, 33, 584-598. | 1.6 | 17 |
| 104 | Critical assessment and thermodynamic modeling of the binary Mg-Zn, Ca-Zn and ternary Mg-Ca-Zn systems. Intermetallics, 2009, 17, 847-864. | 3.9 | 88 |
| 105 | Thermodynamic Description of the Mg-Mn, Al-Mn and Mg-Al-Mn Systems Using the Modified Quasichemical Model for the Liquid Phases. Materials Transactions, 2009, 50, 1113-1122. | 1.2 | 36 |
| 106 | The equilibrium phase diagram of the magnesium-copper-yttrium system. Journal of Chemical Thermodynamics, 2008, 40, 1064-1076. | 2.0 | 33 |
| 107 | Effective Parameters in Axial Injection Suspension Plasma Spray Process of Alumina-Zirconia Ceramics. Journal of Thermal Spray Technology, 2008, 17, 685-691. | 3.1 | 57 |
| 108 | Experimental Demonstration of Entrance/Exit Effects on the Permeability Measurements of Porous Materials. Advanced Engineering Materials, 2008, 10, 889-894. | 3.5 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Thermodynamic assessment of the phase equilibria in the Al-Ca-Sr system using the modified quasichemical model. <i>Journal of Chemical Thermodynamics</i> , 2008, 40, 724-734. | 2.0 | 11 |
| 110 | Nd:YAG laser welding of aerospace grade ZE41A magnesium alloy: Modeling and experimental investigations. <i>Materials Chemistry and Physics</i> , 2008, 109, 61-76. | 4.0 | 46 |
| 111 | Thermodynamic modelling of the Mg-Ca, Mg-Sr, Ca-Sr and Mg-Ca-Sr systems using the modified quasichemical model. <i>Calphad: Computer Coupling of Phase Diagrams and Thermochemistry</i> , 2008, 32, 240-251. | 1.6 | 62 |
| 112 | An Efficient Crashworthiness Design Optimization Approach for Frontal Automobile Structures. , 2008, , . | | 0 |
| 113 | Reliability of Laser Welding Process for ZE41A-T5 Magnesium Alloy Sand Castings. <i>Materials Transactions</i> , 2008, 49, 774-781. | 1.2 | 6 |
| 114 | New Phases in the Mg-Al-Sr System. <i>Materials Science Forum</i> , 2007, 539-543, 1620-1625. | 0.3 | 2 |
| 115 | Experimental investigation of the MgAlCa system. <i>Journal of Alloys and Compounds</i> , 2007, 436, 131-141. | 5.5 | 50 |
| 116 | Thermodynamic assessment of the Mg-Zn-Sr system. <i>Intermetallics</i> , 2007, 15, 93-97. | 3.9 | 16 |
| 117 | Experimental study and thermodynamic calculation of Al-Mg-Sr phase equilibria. <i>Intermetallics</i> , 2007, 15, 506-519. | 3.9 | 40 |
| 118 | Microstructural characterization of Mg-Al-Sr alloys. <i>Science and Technology of Advanced Materials</i> , 2007, 8, 237-248. | 6.1 | 21 |
| 119 | Transient liquid phase bonding of Inconel 718 and Inconel 625 with BNi-2: Modeling and experimental investigations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 447, 125-133. | 5.6 | 136 |
| 120 | Effect of alloying elements on the isothermal solidification during TLP bonding of SS 410 and SS 321 using a BNi-2 interlayer. <i>Materials Chemistry and Physics</i> , 2007, 106, 109-119. | 4.0 | 44 |
| 121 | The effect of microstructure on the permeability of metallic foams. <i>Journal of Materials Science</i> , 2007, 42, 4372-4383. | 3.7 | 58 |
| 122 | A computational thermodynamic model of the Mg-Al-Ge system. <i>Journal of Alloys and Compounds</i> , 2006, 425, 129-139. | 5.5 | 23 |
| 123 | High temperature neutron diffraction study of the Al ₂ O ₃ -Y ₂ O ₃ system. <i>Journal of the European Ceramic Society</i> , 2006, 26, 3515-3524. | 5.7 | 107 |
| 124 | Thermodynamic modeling of the Ca-Ni system. <i>Science and Technology of Advanced Materials</i> , 2006, 7, 119-126. | 6.1 | 4 |
| 125 | Computational thermodynamic model for the Mg-Al-Y system. <i>Journal of Phase Equilibria and Diffusion</i> , 2006, 27, 231-244. | 1.4 | 25 |
| 126 | Mathematical Modeling and Experimental Investigations of Isothermal Solidification during Transient Liquid Phase Bonding of Nickel Superalloys. <i>Advanced Materials Research</i> , 2006, 15-17, 882-887. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | THERMODYNAMIC MODELLING OF THE Mg-Al-Ca SYSTEM. Canadian Metallurgical Quarterly, 2005, 44, 523-536. | 1.2 | 16 |
| 128 | Understanding AlN sintering through computational thermodynamics combined with experimental investigation. Journal of Materials Processing Technology, 2005, 161, 415-422. | 6.3 | 38 |
| 129 | Experimental study of the ternary magnesium-aluminium-strontium system. Journal of Alloys and Compounds, 2005, 402, 170-185. | 5.5 | 30 |
| 130 | Thermodynamic modeling of the Mg-Al-Sb system. Calphad: Computer Coupling of Phase Diagrams and Thermochemistry, 2005, 29, 24-36. | 1.6 | 41 |
| 131 | The phase equilibria in the Mg-Ni-Ca system. Calphad: Computer Coupling of Phase Diagrams and Thermochemistry, 2005, 29, 289-302. | 1.6 | 29 |
| 132 | High-Temperature Neutron Diffraction of the $\text{Al}_2\text{O}_3\text{-Al}_2\text{O}_3\text{-Y}_2\text{O}_3$ System. Journal of the American Ceramic Society, 2003, 86, 717-26. | 3.8 | 13 |
| 133 | The equilibria in the $\text{AlN-Al}_2\text{O}_3\text{-Y}_2\text{O}_3$ system - thermodynamics and neutron diffraction. Applied Physics A: Materials Science and Processing, 2002, 74, s1188-s1191. | 2.3 | 1 |
| 134 | Morphological and Crystallographic Characterizations of the Ca-Mg-Zn Intermetallics Appearing in Ternary Diffusion Couples. Advanced Materials Research, 0, 409, 387-392. | 0.3 | 4 |
| 135 | Ternary Intermetallic Compounds across the Mg-NiY Line at 673 K. Materials Science Forum, 0, 706-709, 1134-1139. | 0.3 | 3 |
| 136 | A Differential Scanning Calorimetric Study of the Mg-Cu-Y System. Materials Science Forum, 0, 706-709, 1215-1220. | 0.3 | 1 |
| 137 | Conversion of Electric Arc Furnace Dust into Ceramics Using Thermodynamic Calculations and Experimental Work. Key Engineering Materials, 0, 765, 73-78. | 0.4 | 2 |