

Hector Escriva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1234007/publications.pdf>

Version: 2024-02-01

89
papers

5,712
citations

87888

38
h-index

79698

73
g-index

96
all docs

96
docs citations

96
times ranked

5060
citing authors

#	ARTICLE	IF	CITATIONS
1	Gain of gene regulatory network interconnectivity at the origin of vertebrates. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2114802119.	7.1	9
2	The Evolution of Invertebrate Animals. Genes, 2022, 13, 454.	2.4	2
3	Gene Regulatory Networks of Epidermal and Neural Fate Choice in a Chordate. Molecular Biology and Evolution, 2022, 39, .	8.9	4
4	Functions of the FGF signalling pathway in cephalochordates provide insight into the evolution of the prechordal plate. Development (Cambridge), 2022, 149, .	2.5	5
5	The emergence of the brain non-CpG methylation system in vertebrates. Nature Ecology and Evolution, 2021, 5, 369-378.	7.8	63
6	The Ontology of the Amphioxus Anatomy and Life Cycle (AMPHX). Frontiers in Cell and Developmental Biology, 2021, 9, 668025.	3.7	10
7	An Updated Staging System for Cephalochordate Development: One Table Suits Them All. Frontiers in Cell and Developmental Biology, 2021, 9, 668006.	3.7	23
8	Diversity of Modes of Reproduction and Sex Determination Systems in Invertebrates, and the Putative Contribution of Genetic Conflict. Genes, 2021, 12, 1136.	2.4	17
9	Crosstalk between nitric oxide and retinoic acid pathways is essential for amphioxus pharynx development. ELife, 2021, 10, .	6.0	4
10	JNK Mediates Differentiation, Cell Polarity and Apoptosis During Amphioxus Development by Regulating Actin Cytoskeleton Dynamics and ERK Signalling. Frontiers in Cell and Developmental Biology, 2021, 9, 749806.	3.7	5
11	Asymmetron lucayanum: How many species are valid?. PLoS ONE, 2020, 15, e0229119.	2.5	7
12	Assaying Chromatin Accessibility Using ATAC-Seq in Invertebrate Chordate Embryos. Frontiers in Cell and Developmental Biology, 2020, 7, 372.	3.7	12
13	Spawning Induction and Embryo Micromanipulation Protocols in the Amphioxus Branchiostoma lanceolatum. Methods in Molecular Biology, 2020, 2047, 347-359.	0.9	2
14	Genetic regulation of amphioxus somitogenesis informs the evolution of the vertebrate head mesoderm. Nature Ecology and Evolution, 2019, 3, 1233-1240.	7.8	19
15	Functional lability of RNA-dependent RNA polymerases in animals. PLoS Genetics, 2019, 15, e1007915.	3.5	30
16	Characterization of the TLR Family in Branchiostoma lanceolatum and Discovery of a Novel TLR22-Like Involved in dsRNA Recognition in Amphioxus. Frontiers in Immunology, 2018, 9, 2525.	4.8	25
17	Amphioxus functional genomics and the origins of vertebrate gene regulation. Nature, 2018, 564, 64-70.	27.8	224
18	My Favorite Animal, Amphioxus: Unparalleled for Studying Early Vertebrate Evolution. BioEssays, 2018, 40, e1800130.	2.5	16

#	ARTICLE	IF	CITATIONS
19	Wnt evolution and function shuffling in liberal and conservative chordate genomes. <i>Genome Biology</i> , 2018, 19, 98.	8.8	34
20	Metazoan evolution of glutamate receptors reveals unreported phylogenetic groups and divergent lineage-specific events. <i>ELife</i> , 2018, 7, .	6.0	53
21	Conservation of BMP2/4 expression patterns within the clade Branchiostoma (amphioxus): Resolving interspecific discrepancies. <i>Gene Expression Patterns</i> , 2017, 25-26, 71-75.	0.8	3
22	Nodalâ€“Activin pathway is a conserved neural induction signal in chordates. <i>Nature Ecology and Evolution</i> , 2017, 1, 1192-1200.	7.8	22
23	Developmental cell-cell communication pathways in the cephalochordate amphioxus: actors and functions. <i>International Journal of Developmental Biology</i> , 2017, 61, 697-722.	0.6	9
24	Editorial: Evolution of Organismal Form: From Regulatory Interactions to Developmental Processes and Biological Patterns. <i>Frontiers in Genetics</i> , 2016, 7, 148.	2.3	0
25	Discovery of an Active RAG Transposon Illuminates the Origins of V(D)J Recombination. <i>Cell</i> , 2016, 166, 102-114.	28.9	170
26	A single three-dimensional chromatin compartment in amphioxus indicates a stepwise evolution of vertebrate Hox bimodal regulation. <i>Nature Genetics</i> , 2016, 48, 336-341.	21.4	113
27	Expression of Fox genes in the cephalochordate Branchiostoma lanceolatum. <i>Frontiers in Ecology and Evolution</i> , 2015, 3, .	2.2	9
28	Identification, Evolution and Expression of an Insulin-Like Peptide in the Cephalochordate Branchiostoma lanceolatum. <i>PLoS ONE</i> , 2015, 10, e0119461.	2.5	20
29	A comparative examination of neural circuit and brain patterning between the lamprey and amphioxus reveals the evolutionary origin of the vertebrate visual center. <i>Journal of Comparative Neurology</i> , 2015, 523, 251-261.	1.6	41
30	Evolution of the Role of RA and FGF Signals in the Control of Somitogenesis in Chordates. <i>PLoS ONE</i> , 2015, 10, e0136587.	2.5	34
31	FGF Signaling Emerged Concomitantly with the Origin of Eumetazoans. <i>Molecular Biology and Evolution</i> , 2014, 31, 310-318.	8.9	23
32	Identification and expression analysis of BMP signaling inhibitors genes of the DAN family in amphioxus. <i>Gene Expression Patterns</i> , 2013, 13, 377-383.	0.8	15
33	Evolution of bilaterian central nervous systems: a single origin?. <i>EvoDevo</i> , 2013, 4, 27.	3.2	139
34	A dynamic history of gene duplications and losses characterizes the evolution of the SPARC family in eumetazoans. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122963.	2.6	18
35	Evolution of the vertebrate bone matrix: An expression analysis of the network forming collagen paralogues in amphibian osteoblasts. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2013, 320, 375-384.	1.3	12
36	Amphioxus makes the cutâ€“Again. <i>Communicative and Integrative Biology</i> , 2012, 5, 499-502.	1.4	11

#	ARTICLE	IF	CITATIONS
37	Vertebrate-like regeneration in the invertebrate chordate amphioxus. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 517-522.	7.1	71
38	Evolution of the FGF Gene Family. International Journal of Evolutionary Biology, 2012, 2012, 1-12.	1.0	42
39	Sequencing and Analysis of the Mediterranean Amphioxus (<i>Branchiostoma lanceolatum</i>) Transcriptome. PLoS ONE, 2012, 7, e36554.	2.5	42
40	Evolutionary crossroads in developmental biology: amphioxus. Development (Cambridge), 2011, 138, 4819-4830.	2.5	120
41	Nuclear hormone receptors in chordates. Molecular and Cellular Endocrinology, 2011, 334, 67-75.	3.2	38
42	Amphioxus Tbx6/16 and Tbx20 embryonic expression patterns reveal ancestral functions in chordates. Gene Expression Patterns, 2011, 11, 239-243.	0.8	17
43	Amphioxus FGF signaling predicts the acquisition of vertebrate morphological traits. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 9160-9165.	7.1	97
44	A Snapshot of the Population Structure of <i>Branchiostoma lanceolatum</i> in the Racou Beach, France, during Its Spawning Season. PLoS ONE, 2011, 6, e18520.	2.5	14
45	Active Metabolism of Thyroid Hormone During Metamorphosis of Amphioxus. Integrative and Comparative Biology, 2010, 50, 63-74.	2.0	39
46	Structural and Functional Insights into the Ligand-binding Domain of a Nonduplicated Retinoid X Nuclear Receptor from the Invertebrate Chordate Amphioxus. Journal of Biological Chemistry, 2009, 284, 1938-1948.	3.4	26
47	Distinct Expression Patterns of Glycoprotein Hormone- β 2 and - β 5 in a Basal Chordate Suggest Independent Developmental Functions. Endocrinology, 2009, 150, 3815-3822.	2.8	85
48	FGFRL1 is a neglected putative actor of the FGF signalling pathway present in all major metazoan phyla. BMC Evolutionary Biology, 2009, 9, 226.	3.2	19
49	Actors of the tyrosine kinase receptor downstream signaling pathways in amphioxus. Evolution & Development, 2009, 11, 13-26.	2.0	13
50	Evidence for stasis and not genetic piracy in developmental expression patterns of <i>Branchiostoma lanceolatum</i> and <i>Branchiostoma floridae</i> , two amphioxus species that have evolved independently over the course of 200 Myr. Development Genes and Evolution, 2008, 218, 703-713.	0.9	55
51	An amphioxus orthologue of the estrogen receptor that does not bind estradiol: Insights into estrogen receptor evolution. BMC Evolutionary Biology, 2008, 8, 219.	3.2	71
52	Amphioxus Postembryonic Development Reveals the Homology of Chordate Metamorphosis. Current Biology, 2008, 18, 825-830.	3.9	132
53	Development of a semi-closed aquaculture system for monitoring of individual amphioxus (<i>Branchiostoma lanceolatum</i>), with high survivorship. Aquaculture, 2008, 281, 145-150.	3.5	11
54	Unexpected Novel Relational Links Uncovered by Extensive Developmental Profiling of Nuclear Receptor Expression. PLoS Genetics, 2007, 3, e188.	3.5	188

#	ARTICLE	IF	CITATIONS
55	Organizing chordates with an organizer. <i>BioEssays</i> , 2007, 29, 619-624.	2.5	15
56	Insights into spawning behavior and development of the european amphioxus (<i>Branchiostoma</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 308B, 484-493.	1.3	103
57	Amphioxus and tunicates as evolutionary model systems. <i>Trends in Ecology and Evolution</i> , 2006, 21, 269-277.	8.7	142
58	Conserved RARE localization in amphioxusHox clusters and implications forHox code evolution in the vertebrate neural crest. <i>Developmental Dynamics</i> , 2006, 235, 1522-1531.	1.8	55
59	Neofunctionalization in Vertebrates: The Example of Retinoic Acid Receptors. <i>PLoS Genetics</i> , 2006, 2, e102.	3.5	108
60	Phylogenetic analysis of Amphioxus genes of the proprotein convertase family, including aPC6C, a marker of epithelial fusions during embryology. <i>International Journal of Biological Sciences</i> , 2006, 2, 125-132.	6.4	6
61	A conserved retinoid X receptor (RXR) from the mollusk <i>Biomphalaria glabrata</i> transactivates transcription in the presence of retinoids. <i>Journal of Molecular Endocrinology</i> , 2005, 34, 567-582.	2.5	82
62	Retinoic acid signaling acts via Hox1 to establish the posterior limit of the pharynx in the chordate amphioxus. <i>Development (Cambridge)</i> , 2005, 132, 61-73.	2.5	96
63	Evolutionary Genomics of Nuclear Receptors: From Twenty-Five Ancestral Genes to Derived Endocrine Systems. <i>Molecular Biology and Evolution</i> , 2004, 21, 1923-1937.	8.9	319
64	Retinoic acid influences anteroposterior positioning of epidermal sensory neurons and their gene expression in a developing chordate (amphioxus). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 10320-10325.	7.1	75
65	Preliminary observations on the spawning conditions of the European amphioxus (<i>Branchiostoma</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1.4 78	1.4	78
66	The orphan COUP-TF nuclear receptors are markers for neurogenesis from cnidarians to vertebrates. <i>Developmental Biology</i> , 2004, 275, 104-123.	2.0	58
67	The evolution of the nuclear receptor superfamily. <i>Essays in Biochemistry</i> , 2004, 40, 11-26.	4.7	169
68	The nuclear receptor superfamily. <i>Journal of Cell Science</i> , 2003, 116, 585-586.	2.0	424
69	Analysis of Lamprey and Hagfish Genes Reveals a Complex History of Gene Duplications During Early Vertebrate Evolution. <i>Molecular Biology and Evolution</i> , 2002, 19, 1440-1450.	8.9	168
70	Thyroid hormone increases transcription of GA-binding protein/nuclear respiratory factor-2 β -subunit in rat liver. <i>FEBS Letters</i> , 2002, 514, 309-314.	2.8	20
71	A functionally conserved member of the FTZ-F1 nuclear receptor family from <i>Schistosoma mansoni</i> . <i>FEBS Journal</i> , 2002, 269, 5700-5711.	0.2	50
72	The retinoic acid signaling pathway regulates anterior/posterior patterning in the nerve cord and pharynx of amphioxus, a chordate lacking neural crest. <i>Development (Cambridge)</i> , 2002, 129, 2905-2916.	2.5	110

#	ARTICLE	IF	CITATIONS
73	The retinoic acid signaling pathway regulates anterior/posterior patterning in the nerve cord and pharynx of amphioxus, a chordate lacking neural crest. <i>Development (Cambridge)</i> , 2002, 129, 2905-16.	2.5	32
74	Endogenous Î²-galactosidase activity in amphioxus: a useful histochemical marker for the digestive system. <i>Development Genes and Evolution</i> , 2001, 211, 154-156.	0.9	6
75	An ancestral whole-genome duplication may not have been responsible for the abundance of duplicated fish genes. <i>Current Biology</i> , 2001, 11, R458-R459.	3.9	112
76	Re: Revisiting recent challenges to the ancient fish-specific genome duplication hypothesis. <i>Current Biology</i> , 2001, 11, R1007-R1008.	3.9	7
77	Molecular cloning and characterization of thyroid hormone receptors in teleost fish. <i>Journal of Molecular Endocrinology</i> , 2001, 26, 51-65.	2.5	112
78	Euteleost Fish Genomes are Characterized by Expansion of Gene Families. <i>Genome Research</i> , 2001, 11, 781-788.	5.5	201
79	The Complete Nucleotide Sequence of the Mitochondrial DNA of the Agnathan <i>Lampetra fluviatilis</i> : Bearings on the Phylogeny of Cyclostomes. <i>Molecular Biology and Evolution</i> , 2000, 17, 519-529.	8.9	48
80	Ligand binding and nuclear receptor evolution. <i>BioEssays</i> , 2000, 22, 717-727.	2.5	244
81	Structural and functional divergence of a nuclear receptor of the RXR family from the trematode parasite <i>Schistosoma mansoni</i> . <i>FEBS Journal</i> , 2000, 267, 3208-3219.	0.2	37
82	Hormones and Nuclear Receptors in Schistosome Development. <i>Parasitology Today</i> , 2000, 16, 233-240.	3.0	75
83	Amphicou-TF, a nuclear orphan receptor of the lancelet <i>Branchiostoma floridae</i> , is implicated in retinoic acid signalling pathways. <i>Development Genes and Evolution</i> , 2000, 210, 471-482.	0.9	19
84	Evidence of tissue-specific, post-transcriptional regulation of NRF-2 expression. <i>Biochimie</i> , 2000, 82, 1129-1133.	2.6	8
85	Nuclear Hormone Receptors and Evolution. <i>American Zoologist</i> , 1999, 39, 704-713.	0.7	12
86	Expression of mitochondrial genes and of the transcription factors involved in the biogenesis of mitochondria Tfam, NRF-1 and NRF-2, in rat liver, testis and brain. <i>Biochimie</i> , 1999, 81, 965-971.	2.6	27
87	Evolution and Diversification of the Nuclear Receptor Superfamily. <i>Annals of the New York Academy of Sciences</i> , 1998, 839, 143-146.	3.8	24
88	Ligand binding was acquired during evolution of nuclear receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 6803-6808.	7.1	369
89	Lactoferrin Almost Absent from Lactating Rat Mammary Gland is Replaced by Transferrin. , 1997, , 125-134.		0