## Robert O'Hagan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1235303/publications.pdf

Version: 2024-02-01

759233 839539 1,330 19 12 18 citations h-index g-index papers 23 23 23 1344 docs citations times ranked citing authors all docs

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Fixation and Immunostaining of Endogenous Proteins or Post-translational Modifications in Caenorhabditis elegans. Bio-protocol, 2021, 11, e4172.                                   | 0.4  | O         |
| 2  | CCP1, a Tubulin Deglutamylase, Increases Survival of Rodent Spinal Cord Neurons following Glutamate-Induced Excitotoxicity. ENeuro, 2021, 8, ENEURO.0431-20.2021.                  | 1.9  | 7         |
| 3  | Mutation of NEKL-4/NEK10 and TTLL genes suppress neuronal ciliary degeneration caused by loss of CCPP-1 deglutamylase function. PLoS Genetics, 2020, 16, e1009052.                 | 3.5  | 15        |
| 4  | Glutamylation Regulates Transport, Specializes Function, and Sculpts the Structure of Cilia. Current Biology, 2017, 27, 3430-3441.e6.  | 3.9  | 67        |
| 5  | <i>Caenorhabditis elegans</i> paraoxonase-like proteins control the functional expression of DEG/ENaC mechanosensory proteins. Molecular Biology of the Cell, 2016, 27, 1272-1285. | 2.1  | 27        |
| 6  | The tubulin repertoire of <i>Caenorhabditis elegans</i> i>sensory neurons and its context‑dependent role in process outgrowth. Molecular Biology of the Cell, 2016, 27, 3717-3728. | 2.1  | 47        |
| 7  | Kymographic Analysis of Transport in an Individual Neuronal Sensory Cilium in Caenorhabditis elegans. Methods in Molecular Biology, 2016, 1454, 107-122.                           | 0.9  | 3         |
| 8  | MEC-10 and MEC-19 Reduce the Neurotoxicity of the MEC-4(d) DEG/ENaC Channel in Caenorhabditis elegans. G3: Genes, Genomes, Genetics, 2016, 6, 1121-1130.                           | 1.8  | 6         |
| 9  | A motor relay on ciliary tracks. Nature Cell Biology, 2015, 17, 1517-1519.   | 10.3 | 2         |
| 10 | Mating behavior, male sensory cilia, and polycystins in Caenorhabditis elegans. Seminars in Cell and Developmental Biology, 2014, 33, 25-33.                                       | 5.0  | 28        |
| 11 | Regulation of tubulin glutamylation plays cell-specific roles in the function and stability of sensory cilia. Worm, 2012, 1, 155-159.  | 1.0  | 14        |
| 12 | The Tubulin Deglutamylase CCPP-1 Regulates the Function and Stability of Sensory Cilia in C.Âelegans. Current Biology, 2011, 21, 1685-1694.  | 3.9  | 99        |
| 13 | The DEG/ENaC Protein MEC-10 Regulates the Transduction Channel Complex in <i>Caenorhabditis elegans</i> Touch Receptor Neurons. Journal of Neuroscience, 2011, 31, 12695-12704.    | 3.6  | 75        |
| 14 | Phylogenetic conservation of the cell-type-specific Lan3-2 glycoepitope in Caenorhabditis elegans. Development Genes and Evolution, 2010, 220, 77-87.                              | 0.9  | 1         |
| 15 | The Multipurpose 15-Protofilament Microtubules in C. elegans Have Specific Roles in Mechanosensation. Current Biology, 2009, 19, 1362-1367.  | 3.9  | 72        |
| 16 | The MEC-4 DEG/ENaC channel of Caenorhabditis elegans touch receptor neurons transduces mechanical signals. Nature Neuroscience, 2005, 8, 43-50.                                    | 14.8 | 457       |
| 17 | Mechanosensation in Caenorhabditis elegans. International Review of Neurobiology, 2005, 69, 169-203.   | 2.0  | 35        |
| 18 | Vocal communication between male Xenopus laevis. Animal Behaviour, 2004, 67, 353-365.  | 1.9  | 78        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | MEC-2 regulates C. elegans DEG/ENaC channels needed for mechanosensation. Nature, 2002, 415, 1039-1042. | 27.8 | 294       |