

Ke-Xue Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1247875/publications.pdf>

Version: 2024-02-01

107
papers

3,799
citations

117625

34
h-index

161849

54
g-index

108
all docs

108
docs citations

108
times ranked

2536
citing authors

#	ARTICLE	IF	CITATIONS
1	Egg white protein addition induces protein aggregation and fibrous structure formation of textured wheat gluten. <i>Food Chemistry</i> , 2022, 371, 131102.	8.2	20
2	Effect of superheated steam treatment and extrusion on lipid stability of black soybean noodles during storage. <i>Food Control</i> , 2022, 132, 108388.	5.5	19
3	Impact of laccase-induced protein cross-linking on the in vitro starch digestion of black highland barley noodles. <i>Food Hydrocolloids</i> , 2022, 124, 107298.	10.7	23
4	Inhibition of aspartic acid on the darkening of fresh wet noodles. <i>International Journal of Food Science and Technology</i> , 2022, 57, 390-399.	2.7	2
5	Effects and underlying mechanisms of insoluble dietary fiber and ferulic acid on the crumb structure of steamed bread. <i>Food Hydrocolloids</i> , 2022, 125, 107448.	10.7	11
6	Effect of rehydration on textural properties, oral behavior, kinetics and water state of textured wheat gluten. <i>Food Chemistry</i> , 2022, 376, 131934.	8.2	10
7	Effect of acidity regulators on the shelf life, quality, and physicochemical characteristics of fresh wet noodles. <i>Journal of Cereal Science</i> , 2022, 103, 103409.	3.7	15
8	Metabolomics analysis of freeze-thaw tolerance enhancement mechanism of $\hat{\mu}$ -poly-l-lysine on industrial yeast. <i>Food Chemistry</i> , 2022, 382, 132315.	8.2	6
9	Effects of extruded endogenous starch on the gel-entrapped network formation in gluten-free Tartary buckwheat noodles during sheeting. <i>LWT - Food Science and Technology</i> , 2022, 160, 113226.	5.2	4
10	Effects of freeze-thaw cycles on the quality of frozen raw noodles. <i>Food Chemistry</i> , 2022, 387, 132940.	8.2	13
11	Effects of tempering with plasma-activated water on total plate count and quality properties of wheat flour. <i>Journal of Cereal Science</i> , 2022, 105, 103468.	3.7	9
12	Effect of phosphate salts on the shelf-life and quality characteristics of semi-dried noodles. <i>Food Chemistry</i> , 2022, 384, 132481.	8.2	13
13	Effect of freeze-thaw cycles on the physicochemical properties and frying performance of frozen Youtiao dough. <i>Food Chemistry</i> , 2022, 386, 132854.	8.2	24
14	Inhibition of hexose oxidase on the dark spots in fresh wet noodle sheets: A feasible prevention of dark spots. <i>Food Chemistry</i> , 2021, 339, 128021.	8.2	7
15	Effect of sodium bicarbonate on quality of machine-made Kongxin noodles. <i>LWT - Food Science and Technology</i> , 2021, 138, 110670.	5.2	11
16	Influence of $\hat{\mu}$ -poly-l-lysine treated yeast on gluten polymerization and freeze-thaw tolerance of frozen dough. <i>Food Chemistry</i> , 2021, 343, 128440.	8.2	27
17	The addition of alpha amylase improves the quality of Chinese dried noodles. <i>Journal of Food Science</i> , 2021, 86, 860-866.	3.1	12
18	Insight into the Relationship Between Quality Characteristics and Major Chemical Components of Chinese Traditional Hand-Stretched Dried Noodles: a Comparative Study. <i>Food and Bioprocess Technology</i> , 2021, 14, 945-955.	4.7	5

#	ARTICLE	IF	CITATIONS
19	Influence of protein type, content and polymerization on in vitro starch digestibility of sorghum noodles. <i>Food Research International</i> , 2021, 142, 110199.	6.2	27
20	Combined effect of NaCl and resting on dough rheology of Chinese traditional hand-stretched dried noodles and the underlying mechanism. <i>Cereal Chemistry</i> , 2021, 98, 774-783.	2.2	7
21	Effect of Humidity-Controlled Dehydration on Microbial Growth and Quality Characteristics of Fresh Wet Noodles. <i>Foods</i> , 2021, 10, 844.	4.3	9
22	Inhibition of L-Cysteine on the Browning of Fresh Wet Noodles. <i>Foods</i> , 2021, 10, 1156.	4.3	18
23	Effects of ultrasound-assisted resting on the qualities of whole wheat dough sheets and noodles. <i>International Journal of Food Science and Technology</i> , 2021, 56, 5609-5618.	2.7	6
24	Effect of Superheated Steam Treatment on the Lipid Stability of Dried Whole Wheat Noodles during Storage. <i>Foods</i> , 2021, 10, 1348.	4.3	10
25	Effect of dough mixing with slightly acidic electrolyzed water on the shelf-life and quality characteristics of fresh wet noodles. <i>Food Control</i> , 2021, 124, 107891.	5.5	15
26	Changes of lipids in noodle dough and dried noodles during industrial processing. <i>Journal of Food Science</i> , 2021, 86, 3517-3528.	3.1	6
27	Effect of pre-treated wheat bran on semi-dried whole wheat noodles for extending shelf-life and improving quality characteristics. <i>LWT - Food Science and Technology</i> , 2021, 146, 111503.	5.2	10
28	Influence of extrusion on storage quality of dried oat noodles: Lipid degradation and off-flavours. <i>Journal of Cereal Science</i> , 2021, 101, 103316.	3.7	19
29	The effects of extruded endogenous starch on the processing properties of gluten-free Tartary buckwheat noodles. <i>Carbohydrate Polymers</i> , 2021, 267, 118170.	10.2	23
30	Thermal-aggregation behavior of gluten in frozen dough induced by μ -poly-L-lysine treated yeast. <i>Food Chemistry</i> , 2021, 359, 129985.	8.2	8
31	The impact of phosphates on the fibrous structure formation of textured wheat gluten. <i>Food Hydrocolloids</i> , 2021, 119, 106844.	10.7	19
32	Effect of NaHCO ₃ and freeze-thaw cycles on frozen dough: From water state, gluten polymerization and microstructure. <i>Food Chemistry</i> , 2021, 358, 129869.	8.2	27
33	Impact of gluten quality on textural stability of cooked noodles and the underlying mechanism. <i>Food Hydrocolloids</i> , 2021, 119, 106842.	10.7	52
34	Effect of superheated steam treatment on the lipid stability of whole wheat flour. <i>Food Chemistry</i> , 2021, 363, 130333.	8.2	16
35	Effects of insoluble dietary fiber and ferulic acid on the quality of steamed bread and gluten aggregation properties. <i>Food Chemistry</i> , 2021, 364, 130444.	8.2	32
36	Effects of insoluble dietary fiber and ferulic acid on the rheological properties of dough. <i>Food Hydrocolloids</i> , 2021, 121, 107008.	10.7	34

#	ARTICLE	IF	CITATIONS
37	Influence of the Addition of Extruded Endogenous Tartary Buckwheat Starch on Processing and Quality of Gluten-Free Noodles. <i>Foods</i> , 2021, 10, 2693.	4.3	3
38	Effects of wheat tempering with slightly acidic electrolyzed water on the microbial, biological, and chemical characteristics of different flour streams. <i>LWT - Food Science and Technology</i> , 2020, 118, 108790.	5.2	16
39	Enhancing the freezing/thawing tolerance of frozen dough using $\hat{\mu}$ -poly-L-lysine treated yeast. <i>Food Bioscience</i> , 2020, 37, 100699.	4.4	15
40	Polyphenol oxidase browning in the formation of dark spots on fresh wet noodle sheets: How dark spots formed. <i>Food Chemistry</i> , 2020, 329, 126800.	8.2	25
41	Effect of fresh egg white addition on the quality characteristics and protein aggregation of oat noodles. <i>Food Chemistry</i> , 2020, 330, 127319.	8.2	38
42	Effect of thermal treatments on <i>in vitro</i> starch digestibility of sorghum dried noodles. <i>Food and Function</i> , 2020, 11, 3420-3431.	4.6	30
43	Water Cooking Stability of Dried Noodles Enriched with Different Particle Size and Concentration Green Tea Powders. <i>Foods</i> , 2020, 9, 298.	4.3	13
44	Revealing the effect mechanism of NaCl on the rheological properties of dough of Chinese traditional hand-stretched dried noodles. <i>Food Chemistry</i> , 2020, 320, 126606.	8.2	20
45	Effect of ozonated water on physicochemical, microbiological, and textural properties of semi-dried noodles. <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14404.	2.0	9
46	Deterioration mechanisms of high-moisture wheat-based food – A review from physicochemical, structural, and molecular perspectives. <i>Food Chemistry</i> , 2020, 318, 126495.	8.2	35
47	Effect of superheated steam treatment on quality characteristics of whole wheat flour and storage stability of semi-dried whole wheat noodle. <i>Food Chemistry</i> , 2020, 322, 126738.	8.2	61
48	Effects of tempering with steam on the water distribution of wheat grains and quality properties of wheat flour. <i>Food Chemistry</i> , 2020, 323, 126842.	8.2	25
49	Effect of soybean milk addition on the quality of frozen-cooked noodles. <i>Food Hydrocolloids</i> , 2019, 87, 187-193.	10.7	37
50	Rheological and quality characteristics of composite gluten-free dough and biscuits supplemented with fermented and unfermented <i>Agaricus bisporus</i> polysaccharide flour. <i>Food Chemistry</i> , 2019, 271, 193-203.	8.2	57
51	Influences of alkali on the quality and protein polymerization of buckwheat Chinese steamed bread. <i>Food Chemistry</i> , 2019, 283, 52-58.	8.2	31
52	Effects of frozen storage on the quality characteristics of frozen cooked noodles. <i>Food Chemistry</i> , 2019, 283, 522-529.	8.2	80
53	Effect of <i>Agaricus bisporus</i> polysaccharide flour and inulin on the antioxidant and structural properties of gluten-free breads. <i>Journal of Food Measurement and Characterization</i> , 2019, 13, 1884-1897.	3.2	7
54	Inhibiting effect of low-molecular weight polyols on the physico-chemical and structural deteriorations of gluten protein during storage of fresh noodles. <i>Food Chemistry</i> , 2019, 287, 11-19.	8.2	35

#	ARTICLE	IF	CITATIONS
55	Effect of different mixing and kneading process on the quality characteristics of frozen cooked noodle. <i>LWT - Food Science and Technology</i> , 2019, 101, 583-589.	5.2	33
56	Increasing the physicochemical stability of stored green tea noodles: Analysis of the quality and chemical components. <i>Food Chemistry</i> , 2019, 278, 333-341.	8.2	16
57	Effect of barley β -glucan on water redistribution and thermal properties of dough. <i>International Journal of Food Science and Technology</i> , 2019, 54, 2329-2337.	2.7	17
58	Impact of arabinoxylan with different molecular weight on the thermo-mechanical, rheological, water mobility and microstructural characteristics of wheat dough. <i>International Journal of Food Science and Technology</i> , 2018, 53, 2150-2158.	2.7	20
59	Effects of alkali on protein polymerization and textural characteristics of textured wheat protein. <i>Food Chemistry</i> , 2018, 239, 579-587.	8.2	59
60	The enhanced inhibition of water extract of black tea under baking treatment on α -amylase and α -glucosidase. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 129-136.	7.5	27
61	Characterization of oil extracted from whole grain flour treated with ozone gas. <i>Journal of Cereal Science</i> , 2018, 79, 527-533.	3.7	16
62	Shelf life characteristics of bread produced from ozonated wheat flour. <i>Journal of Texture Studies</i> , 2018, 49, 492-502.	2.5	25
63	Assessment of rheological, physicochemical, and staling characteristics of gluten-free dough and bread containing <i>Agaricus bisporus</i> polysaccharide flour and inulin. <i>Journal of Food Measurement and Characterization</i> , 2018, 12, 2032-2044.	3.2	16
64	Artificial neural network " Genetic algorithm to optimize wheat germ fermentation condition: Application to the production of two anti-tumor benzoquinones. <i>Food Chemistry</i> , 2017, 227, 264-270.	8.2	41
65	Delineating the quality and component changes of whole-wheat flour and storage stability of fresh noodles induced by microwave treatment. <i>LWT - Food Science and Technology</i> , 2017, 84, 378-384.	5.2	39
66	Shelf-life extension of semi-dried buckwheat noodles by the combination of aqueous ozone treatment and modified atmosphere packaging. <i>Food Chemistry</i> , 2017, 237, 553-560.	8.2	54
67	Effect of Barley β -Glucan on the Gluten Polymerization Process in Dough during Heat Treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 6063-6069.	5.2	37
68	Impact of Characteristics of Different Wheat Flours on the Quality of Frozen Cooked Noodles. <i>Cereal Chemistry</i> , 2017, 94, 881-886.	2.2	26
69	The impact of protein cross-linking induced by alkali on the quality of buckwheat noodles. <i>Food Chemistry</i> , 2017, 221, 1178-1185.	8.2	90
70	Critical conditions accelerating the deterioration of fresh noodles: A study on temperature, pH, water content, and water activity. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e13173.	2.0	29
71	Impact of solid state fermentation on nutritional, physical and flavor properties of wheat bran. <i>Food Chemistry</i> , 2017, 217, 28-36.	8.2	138
72	Delineating the physico-chemical, structural, and water characteristic changes during the deterioration of fresh noodles. <i>Food Chemistry</i> , 2017, 216, 374-381.	8.2	79

#	ARTICLE	IF	CITATIONS
73	Effect of deamidation-induced modification on umami and bitter taste of wheat gluten hydrolysates. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 3181-3188.	3.5	37
74	Changes in the enzyme-induced release of bitter peptides from wheat gluten hydrolysates. <i>RSC Advances</i> , 2016, 6, 102249-102257.	3.6	14
75	Effect of sequential hydrolysis with endo- and exo-peptidase on bitterness properties of wheat gluten hydrolysates. <i>RSC Advances</i> , 2016, 6, 27659-27668.	3.6	41
76	Polymerization of wheat gluten and the changes of glutenin macropolymer (GMP) during the production of Chinese steamed bread. <i>Food Chemistry</i> , 2016, 201, 275-283.	8.2	108
77	Heat-induced interaction between egg white protein and wheat gluten. <i>Food Chemistry</i> , 2016, 197, 699-708.	8.2	87
78	Quality characteristics, structural changes, and storage stability of semi-dried noodles induced by moderate dehydration. <i>Food Chemistry</i> , 2016, 194, 797-804.	8.2	45
79	The Effect of Active Packaging on Microbial Stability and Quality of Chinese Steamed Bread. <i>Packaging Technology and Science</i> , 2015, 28, 775-787.	2.8	24
80	Macroporous adsorbent resin-based wheat bran polyphenol extracts inhibition effects on H ₂ O ₂ -induced oxidative damage in HEK293 cells. <i>RSC Advances</i> , 2015, 5, 20931-20938.	3.6	4
81	Resistance investigation of wheat bran polyphenols extracts on HEK293 cells against oxidative damage. <i>RSC Advances</i> , 2015, 5, 16116-16124.	3.6	7
82	Activation of Endogenous Phytase and Degradation of Phytate in Wheat Bran. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 1082-1087.	5.2	31
83	Reducing phytate content in wheat bran by directly removing the aleurone cell content with teeth roller mill and ultrasonic cleaner. <i>Journal of Cereal Science</i> , 2015, 64, 133-138.	3.7	11
84	Effect of steaming on the quality characteristics of frozen cooked noodles. <i>LWT - Food Science and Technology</i> , 2015, 62, 1134-1140.	5.2	56
85	Effect of Steam Flash Explosion Pretreatment on Phytate Degradation of Wheat Bran. <i>Food and Bioprocess Technology</i> , 2015, 8, 1552-1560.	4.7	30
86	Ferulic acid renders protection to HEK293 cells against oxidative damage and apoptosis induced by hydrogen peroxide. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2015, 51, 722-729.	1.5	33
87	Natural Additives in Wheat-Based Pasta and Noodle Products: Opportunities for Enhanced Nutritional and Functional Properties. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2014, 13, 347-357.	11.7	93
88	The impact of salt and alkali on gluten polymerization and quality of fresh wheat noodles. <i>Journal of Cereal Science</i> , 2014, 60, 507-513.	3.7	114
89	Retarding effects of organic acids, hydrocolloids and microwave treatment on the discoloration of green tea fresh noodles. <i>LWT - Food Science and Technology</i> , 2014, 55, 176-182.	5.2	18
90	Delineating the protein changes in Asian noodles induced by vacuum mixing. <i>Food Chemistry</i> , 2014, 143, 9-16.	8.2	62

#	ARTICLE	IF	CITATIONS
91	Delineating the microbial and physical-chemical changes during storage of ozone treated wheat flour. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 20, 223-229.	5.6	49
92	Protective effects of wheat germ protein isolate hydrolysates (WGPIH) against hydrogen peroxide-induced oxidative stress in PC12 cells. <i>Food Research International</i> , 2013, 53, 297-303.	6.2	44
93	PHYSICOCHEMICAL PROPERTIES AND SALTED NOODLE-MAKING QUALITY OF PURPLE SWEET POTATO FLOUR AND WHEAT FLOUR BLENDS. <i>Journal of Food Processing and Preservation</i> , 2013, 37, 709-716.	2.0	14
94	Functional properties of chitosan-xylose Maillard reaction products and their application to semi-dried noodle. <i>Carbohydrate Polymers</i> , 2013, 92, 1972-1977.	10.2	63
95	Effect of superfine green tea powder on the thermodynamic, rheological and fresh noodle making properties of wheat flour. <i>LWT - Food Science and Technology</i> , 2012, 46, 23-28.	5.2	82
96	Evaluation the quality characteristics of wheat flour and shelf-life of fresh noodles as affected by ozone treatment. <i>Food Chemistry</i> , 2012, 135, 2163-2169.	8.2	100
97	Effect of vacuum mixing on the quality characteristics of fresh noodles. <i>Journal of Food Engineering</i> , 2012, 110, 525-531.	5.2	95
98	Influence of ultrasound during wheat gluten hydrolysis on the antioxidant activities of the resulting hydrolysate. <i>International Journal of Food Science and Technology</i> , 2011, 46, 1053-1059.	2.7	30
99	Effect of different cooking methods on the flavour constituents of mushroom (<i>Agaricus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 2011, 46, 1100-1108.	2.7	66
100	Antioxidant activities and total phenolic contents of various extracts from defatted wheat germ. <i>Food Chemistry</i> , 2011, 126, 1122-1126.	8.2	176
101	Comparison of functional properties and secondary structures of defatted wheat germ proteins separated by reverse micelles and alkaline extraction and isoelectric precipitation. <i>Food Chemistry</i> , 2010, 123, 1163-1169.	8.2	85
102	Effect of cysteine on structural, rheological properties and solubility of wheat gluten by enzymatic hydrolysis. <i>International Journal of Food Science and Technology</i> , 2010, 45, 2155-2161.	2.7	20
103	Optimization of ultrasound-assisted extraction of defatted wheat germ proteins by reverse micelles. <i>Journal of Cereal Science</i> , 2009, 50, 266-271.	3.7	75
104	Optimization of a novel backward extraction of defatted wheat germ protein from reverse micelles. <i>Innovative Food Science and Emerging Technologies</i> , 2009, 10, 328-333.	5.6	32
105	Protein extraction from defatted wheat germ by reverse micelles: Optimization of the forward extraction. <i>Journal of Cereal Science</i> , 2008, 48, 829-835.	3.7	37
106	Proteins Extracted from Defatted Wheat Germ: Nutritional and Structural Properties. <i>Cereal Chemistry</i> , 2006, 83, 69-75.	2.2	123
107	COMPARATIVE STUDY OF CHEMICAL COMPOSITION AND PHYSICOCHEMICAL PROPERTIES OF DEFATTED WHEAT GERM FLOUR AND ITS PROTEIN ISOLATE. <i>Journal of Food Biochemistry</i> , 2006, 30, 329-341.	2.9	22