

# Bruce Furie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1249555/publications.pdf>

Version: 2024-02-01

93  
papers

13,097  
citations

53794

45  
h-index

56724

83  
g-index

94  
all docs

94  
docs citations

94  
times ranked

10083  
citing authors

#	ARTICLE	IF	CITATIONS
1	Next-generation sequencing for the diagnosis of MYH9: Predicting pathogenic variants. <i>Human Mutation</i> , 2020, 41, 277-290.	2.5	30
2	Thiol isomerase ERp57 targets and modulates the lectin pathway of complement activation. <i>Journal of Biological Chemistry</i> , 2019, 294, 4878-4888.	3.4	12
3	Identification of PDI Substrates by Mechanism-Based Kinetic Trapping. <i>Methods in Molecular Biology</i> , 2019, 1967, 165-182.	0.9	6
4	Regulatory role of thiol isomerases in thrombus formation. <i>Expert Review of Hematology</i> , 2018, 11, 437-448.	2.2	19
5	Targeting Protein Disulfide Isomerase with the Oral Flavonoid Isoquercetin Prevents Venous Thromboembolism in Advanced Cancer: Results of a Multi-Dose, Multi-Center, Phase II Clinical Trial (CATIQ Study). <i>Blood</i> , 2018, 132, 985-985.	1.4	0
6	Protein disulfide isomerase secretion following vascular injury initiates a regulatory pathway for thrombus formation. <i>Nature Communications</i> , 2017, 8, 14151.	12.8	68
7	Kinetic-based trapping by intervening sequence variants of the active sites of protein-disulfide isomerase identifies platelet protein substrates. <i>Journal of Biological Chemistry</i> , 2017, 292, 9063-9074.	3.4	31
8	Protein disulfide isomerase inhibition blocks thrombin generation in humans by interfering with platelet factor V activation. <i>JCI Insight</i> , 2017, 2, e89373.	5.0	96
9	A substrate-driven allosteric switch that enhances PDI catalytic activity. <i>Nature Communications</i> , 2016, 7, 12579.	12.8	98
10	Vascular thiol isomerases. <i>Blood</i> , 2016, 128, 893-901.	1.4	58
11	A specific plasminogen activator inhibitor-1 antagonist derived from inactivated urokinase. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1851-1860.	3.6	23
12	Extracellular Thiol Isomerases and Their Role in Thrombus Formation. <i>Antioxidants and Redox Signaling</i> , 2016, 24, 1-15.	5.4	59
13	Extracellular Protein Disulfide Isomerase Regulates Vitronectin during the Initiation of Thrombus Formation. <i>Blood</i> , 2016, 128, 15-15.	1.4	0
14	Both platelet- and endothelial cell-derived ERp5 support thrombus formation in a laser-induced mouse model of thrombosis. <i>Blood</i> , 2015, 125, 2276-2285.	1.4	59
15	Defective PDI release from platelets and endothelial cells impairs thrombus formation in Hermansky-Pudlak syndrome. <i>Blood</i> , 2015, 125, 1633-1642.	1.4	56
16	How I treat poisoning with vitamin K antagonists. <i>Blood</i> , 2015, 125, 438-442.	1.4	25
17	Human phenotype ontology annotation and cluster analysis to unravel genetic defects in 707 cases with unexplained bleeding and platelet disorders. <i>Genome Medicine</i> , 2015, 7, 36.	8.2	119
18	Compounds targeting disulfide bond forming enzyme DsbB of Gram-negative bacteria. <i>Nature Chemical Biology</i> , 2015, 11, 292-298.	8.0	47

#	ARTICLE	IF	CITATIONS
19	Quercetin-3-rutinoside Inhibits Protein Disulfide Isomerase by Binding to Its $\beta$ 2x Domain. <i>Journal of Biological Chemistry</i> , 2015, 290, 23543-23552.	3.4	90
20	Therapeutic Implications of Protein Disulfide Isomerase Inhibition in Thrombotic Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 16-23.	2.4	73
21	Thiol Isomerases in Thrombus Formation. <i>Circulation Research</i> , 2014, 114, 1162-1173.	4.5	72
22	Platelets are required for enhanced activation of the endothelium and fibrinogen in a mouse thrombosis model of APS. <i>Blood</i> , 2014, 124, 611-622.	1.4	105
23	ML359, a Small Molecule Inhibitor of Protein Disulfide Isomerase That Prevents Thrombus Formation and Inhibits Oxidoreductase but Not Transnitrosylase Activity. <i>Blood</i> , 2014, 124, 2880-2880.	1.4	2
24	Animal Models of Arterial and Venous Thrombosis. <i>Blood</i> , 2014, 124, SCI-2-SCI-2.	1.4	1
25	Regulation of Protein Disulfide Isomerase By S-Nitrosylation Controls Its Function during Thrombus Formation. <i>Blood</i> , 2014, 124, 93-93.	1.4	0
26	Protein disulfide isomerase capture during thrombus formation in vivo depends on the presence of $\beta$ 23 integrins. <i>Blood</i> , 2012, 120, 647-655.	1.4	117
27	Protein disulfide isomerase inhibitors constitute a new class of antithrombotic agents. <i>Journal of Clinical Investigation</i> , 2012, 122, 2104-2113.	8.2	257
28	Formation of the Clot. <i>Thrombosis Research</i> , 2012, 130, S44-S46.	1.7	9
29	$\beta$ 2-glycoprotein-1 autoantibodies from patients with antiphospholipid syndrome are sufficient to potentiate arterial thrombus formation in a mouse model. <i>Blood</i> , 2011, 117, 3453-3459.	1.4	128
30	Tissue Factor-Bearing Microparticles and Thrombus Formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 728-733.	2.4	132
31	Imaging fibrin formation and platelet and endothelial cell activation in vivo. <i>Thrombosis and Haemostasis</i> , 2011, 105, 776-782.	3.4	33
32	Active Site-labeled Prothrombin Inhibits Prothrombinase in Vitro and Thrombosis in Vivo. <i>Journal of Biological Chemistry</i> , 2011, 286, 23345-23356.	3.4	17
33	Laser-induced endothelial cell activation supports fibrin formation. <i>Blood</i> , 2010, 116, 4675-4683.	1.4	77
34	Endothelium-derived but not platelet-derived protein disulfide isomerase is required for thrombus formation in vivo. <i>Blood</i> , 2010, 116, 4665-4674.	1.4	141
35	Trp2313-His2315 of Factor VIII C2 Domain Is Involved in Membrane Binding. <i>Journal of Biological Chemistry</i> , 2010, 285, 8824-8829.	3.4	39
36	Role of Protein Disulfide Isomerase In Thrombus Formation In a Collagen-Induced Pathway of Thrombus Formation. <i>Blood</i> , 2010, 116, 345-345.	1.4	0

#	ARTICLE	IF	CITATIONS
37	Pathogenesis of thrombosis. Hematology American Society of Hematology Education Program, 2009, 2009, 255-258.	2.5	29
38	Intravascular but Not Extravascular Tissue Factor Is Required for Fibrin Generation During Thrombus Formation in Cremaster Arterioles in Living Mice Subjected to Laser Injury.. Blood, 2009, 114, 332-332.	1.4	1
39	TRAIL/ DR5 Interactions Are Important for Thymic Damage After Allogeneic Bone Marrow Transplantation.. Blood, 2009, 114, 234-234.	1.4	0
40	Reduction of Phosphatidylserine Exposure through Copper Chelation Leads to Reduced Fibrin Deposition After Laser Induced Vascular Injury In Vivo.. Blood, 2009, 114, 3049-3049.	1.4	0
41	Mechanisms of Thrombus Formation. New England Journal of Medicine, 2008, 359, 938-949.	27.0	1,474
42	A critical role for extracellular protein disulfide isomerase during thrombus formation in mice. Journal of Clinical Investigation, 2008, 118, 1123-31.	8.2	245
43	Endothelium but Not Platelet-Derived Protein Disulfide Isomerase Is Required for Fibrin Generation during Thrombus Formation in Vivo.. Blood, 2008, 112, 691-691.	1.4	1
44	Par4 is required for platelet thrombus propagation but not fibrin generation in a mouse model of thrombosis. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 288-292.	7.1	198
45	Platelets: tetherballs in thrombus formation. Blood, 2007, 109, 394-394.	1.4	2
46	Crystal Structure of the Bovine Lactadherin C2 Domain, a Membrane Binding Motif, Shows Similarity to the C2 Domains of Factor V and Factor VIII. Journal of Molecular Biology, 2007, 371, 717-724.	4.2	44
47	Real-Time In Vivo Imaging of Platelets During Thrombus Formation. , 2007, , 611-626.		6
48	Thrombin-initiated platelet activation in vivo is vWF independent during thrombus formation in a laser injury model. Journal of Clinical Investigation, 2007, 117, 953-960.	8.2	148
49	Bile salt-dependent lipase interacts with platelet CXCR4 and modulates thrombus formation in mice and humans. Journal of Clinical Investigation, 2007, 117, 3708-3719.	8.2	40
50	Protein Disulfide Isomerase Is Required for Fibrin Generation and Platelet Thrombus Formation In Vivo.. Blood, 2007, 110, 292-292.	1.4	1
51	Endothelial Cell Thiol Isomerases: Potential Role in Thrombus Formation.. Blood, 2007, 110, 3709-3709.	1.4	2
52	Monitoring Endothelial Cell Activation In Vivo during Thrombus Formation.. Blood, 2007, 110, 294-294.	1.4	0
53	Cancer-associated thrombosis. Blood Cells, Molecules, and Diseases, 2006, 36, 177-181.	1.4	59
54	Platelet PECAM-1 inhibits thrombus formation in vivo. Blood, 2006, 107, 535-541.	1.4	184

#	ARTICLE	IF	CITATIONS
55	Glycoprotein VIâ€“dependent and â€“independent pathways of thrombus formation in vivo. <i>Blood</i> , 2006, 107, 3902-3906.	1.4	202
56	Rapid Activation of Unstimulated Endothelial Cells Containing Tissue Factor Following Laser-Induced Injury as Monitored Via Calcium Mobilization.. <i>Blood</i> , 2006, 108, 1786-1786.	1.4	2
57	Crystal Structure of the Bovine Lactadherin C2 Domain, a Potential Anticoagulant, Shows Similarity to Factor V and Factor VIII.. <i>Blood</i> , 2006, 108, 194-194.	1.4	0
58	Interactions of Platelets, Bloodâ€“Borne Tissue Factor, and Fibrin During Arteriolar Thrombus Formation In Vivo. <i>Microcirculation</i> , 2005, 12, 301-311.	1.8	42
59	PTP-1B is an essential positive regulator of platelet integrin signaling. <i>Journal of Cell Biology</i> , 2005, 170, 837-845.	5.2	101
60	P-Selectin and Blood Coagulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 877-878.	2.4	5
61	Leukocyte-versus microparticle-mediated tissue factor transfer during arteriolar thrombus development. <i>Journal of Leukocyte Biology</i> , 2005, 78, 1318-1326.	3.3	135
62	Thrombus formation in vivo. <i>Journal of Clinical Investigation</i> , 2005, 115, 3355-3362.	8.2	388
63	Trousseauâ€™s Syndrome Revisited: Tissue Factor-Bearing Microparticles in Pancreatic Cancer.. <i>Blood</i> , 2005, 106, 259-259.	1.4	7
64	A Novel Thrombin Fluorogenic Substrate of High Affinity, Catalytic Efficiency and Selectivity.. <i>Blood</i> , 2005, 106, 1953-1953.	1.4	0
65	Role of platelet P-selectin and microparticle PSGL-1 in thrombus formation. <i>Trends in Molecular Medicine</i> , 2004, 10, 171-178.	6.7	246
66	Initial accumulation of platelets during arterial thrombus formation in vivo is inhibited by elevation of basal cAMP levels. <i>Blood</i> , 2004, 103, 2127-2134.	1.4	74
67	Wobbling with warfarin. <i>Blood</i> , 2004, 103, 2437-2437.	1.4	1
68	Hematopoietic cell-derived microparticle tissue factor contributes to fibrin formation during thrombus propagation. <i>Blood</i> , 2004, 104, 3190-3197.	1.4	323
69	Direct Real Time Visualization of Platelet Calcium Signaling In Vivo: Role of Platelet Activation and Thrombus Formation in a Living Mouse.. <i>Blood</i> , 2004, 104, 325-325.	1.4	2
70	A Role for Bile Salt-Dependent Lipase in Platelet Activation and in Thrombus Formation in Vivo.. <i>Blood</i> , 2004, 104, 3526-3526.	1.4	1
71	Importance of GPVI in Platelet Activation and Thrombus Formation In Vivo.. <i>Blood</i> , 2004, 104, 842-842.	1.4	3
72	Structural basis of membrane binding by Gla domains of vitamin Kâ€“dependent proteins. <i>Nature Structural and Molecular Biology</i> , 2003, 10, 751-756.	8.2	207

#	ARTICLE	IF	CITATIONS
73	Real Time in vivo Imaging of TissueFactor-Induced Thrombus Formation. Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research, 2003, 33, 26-27.	0.3	7
74	Accumulation of Tissue Factor into Developing Thrombi In Vivo Is Dependent upon Microparticle P-Selectin Glycoprotein Ligand 1 and Platelet P-Selectin. Journal of Experimental Medicine, 2003, 197, 1585-1598.	8.5	700
75	Real-time in vivo imaging of platelets, tissue factor and fibrin during arterial thrombus formation in the mouse. Nature Medicine, 2002, 8, 1175-1180.	30.7	625
76	A Journey with Platelet P-Selectin: The Molecular Basis of Granule Secretion, Signalling and Cell Adhesion. Thrombosis and Haemostasis, 2001, 86, 214-221.	3.4	216
77	The Î³-Loop Region of the Human Prothrombin Î³-Carboxyglutamic Acid Domain Penetrates Anionic Phospholipid Membranes. Journal of Biological Chemistry, 2001, 276, 23895-23902.	3.4	55
78	Role of Phosphatidylethanolamine in Assembly and Function of the Factor IXa~Factor VIIIa Complex on Membrane Surfaces. Biochemistry, 2000, 39, 13216-13222.	2.5	37
79	The Biology of P-Selectin Glycoprotein Ligand-1: Its Role as a Selectin Counterreceptor in Leukocyte-Endothelial and Leukocyte-Platelet Interaction. Thrombosis and Haemostasis, 1999, 81, 1-7.	3.4	217
80	Targeted Gene Disruption Demonstrates That P-Selectin Glycoprotein Ligand 1 (Psgl-1) Is Required for P-Selectin-Mediated but Not E-Selectin-Mediated Neutrophil Rolling and Migration. Journal of Experimental Medicine, 1999, 190, 1769-1782.	8.5	307
81	Glutamyl Substrate-Induced Exposure of a Free Cysteine Residue in the Vitamin K-Dependent Î³-Glutamyl Carboxylase Is Critical for Vitamin K Epoxidation. Biochemistry, 1999, 38, 9517-9523.	2.5	22
82	Localization of Labile Posttranslational Modifications by Electron Capture Dissociation: The Case of Î³-Carboxyglutamic Acid. Analytical Chemistry, 1999, 71, 4250-4253.	6.5	362
83	12-Hydroxyeicosatetraenoic acid upregulates P-selectin-induced tissue factor activity on monocytes. FEBS Letters, 1998, 441, 463-466.	2.8	23
84	Î³-Carboxyglutamic acids 36 and 40 do not contribute to human factor IX function. Protein Science, 1997, 6, 185-196.	7.6	49
85	Leukocyte Crosstalk at the Vascular Wall. Thrombosis and Haemostasis, 1997, 78, 306-309.	3.4	38
86	Structure and Mechanism of Action of the Vitamin K-Dependent Î³-Glutamyl Carboxylase: Recent Advances from Mutagenesis Studies. Thrombosis and Haemostasis, 1997, 78, 595-598.	3.4	22
87	The Molecular Basis of Platelet and Endothelial Cell Interaction with Neutrophils and Monocytes: Role of P-Selectin and the P-Selectin Ligand, PSGL-1. Thrombosis and Haemostasis, 1995, 74, 224-227.	3.4	119
88	Biosynthesis of Factor IX: Implications for Gene Therapy. Thrombosis and Haemostasis, 1995, 74, 274-277.	3.4	5
89	Expression cloning of a functional glycoprotein ligand for P-selectin. Cell, 1993, 75, 1179-1186.	28.9	722
90	Leukocyte accumulation promoting fibrin deposition is mediated in vivo by P-selectin on adherent platelets. Nature, 1992, 359, 848-851.	27.8	771

#	ARTICLE	IF	CITATIONS
91	PADGEM-dependent adhesion of platelets to monocytes and neutrophils is mediated by a lineage-specific carbohydrate, LNF III (CD15). <i>Cell</i> , 1990, 63, 467-474.	28.9	391
92	PADGEM protein: A receptor that mediates the interaction of activated platelets with neutrophils and monocytes. <i>Cell</i> , 1989, 59, 305-312.	28.9	878
93	The molecular basis of blood coagulation. <i>Cell</i> , 1988, 53, 505-518.	28.9	1,259