Scott A Lear

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1251768/publications.pdf

Version: 2024-02-01

208 papers

18,165 citations

25034

126 g-index

214 all docs

214 docs citations

times ranked

214

h-index

25056 citing authors

#	Article	IF	CITATIONS
1	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. Lancet, The, 2015, 386, 266-273.	13.7	1,295
2	Modifiable risk factors, cardiovascular disease, and mortality in 155â€^722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808.	13.7	935
3	Obesity and Cardiovascular Disease: A Scientific Statement From the American Heart Association. Circulation, 2021, 143, e984-e1010.	1.6	928
4	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2050-2062.	13.7	841
5	The effect of physical activity on mortality and cardiovascular disease in 130â€^000 people from 17 high-income, middle-income, and low-income countries: the PURE study. Lancet, The, 2017, 390, 2643-2654.	13.7	838
6	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. New England Journal of Medicine, 2014, 371, 612-623.	27.0	725
7	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. New England Journal of Medicine, 2014, 371, 818-827.	27.0	679
8	Obesity in adults: a clinical practice guideline. Cmaj, 2020, 192, E875-E891.	2.0	592
9	Visceral adipose tissue accumulation differs according to ethnic background: results of the Multicultural Community Health Assessment Trial (M-CHAT). American Journal of Clinical Nutrition, 2007, 86, 353-359.	4.7	464
10	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2037-2049.	13.7	446
11	Hypertension Canada's 2016 Canadian Hypertension Education Program Guidelines for Blood Pressure Measurement, Diagnosis, Assessment of Risk, Prevention, and Treatment of Hypertension. Canadian Journal of Cardiology, 2016, 32, 569-588.	1.7	400
12	Fitness versus physical activity patterns in predicting mortality in men. American Journal of Medicine, 2004, 117, 912-918.	1.5	393
13	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. Lancet, The, 2016, 388, 465-475.	13.7	381
14	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. The Lancet Global Health, 2019, 7, e748-e760.	6.3	340
15	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2018, 392, 2288-2297.	13.7	295
16	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. The Lancet Global Health, 2016, 4, e695-e703.	6.3	287
17	The Use of BMI and Waist Circumference as Surrogates of Body Fat Differs by Ethnicity. Obesity, 2007, 15, 2817-2824.	3.0	276
18	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet, The, 2016, 387, 61-69.	13.7	272

#	Article	IF	CITATIONS
19	Hypertension Canada's 2017 Guidelines for Diagnosis, Risk Assessment, Prevention, and Treatment of Hypertension in Adults. Canadian Journal of Cardiology, 2017, 33, 557-576.	1.7	269
20	Prevalence of a Healthy Lifestyle Among Individuals With Cardiovascular Disease in High-, Middle- and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 309, 1613.	7.4	256
21	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. Lancet, The, 2018, 392, 496-506.	13.7	243
22	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. European Heart Journal, 2019, 40, 1620-1629.	2.2	208
23	Appropriateness of waist circumference and waist-to-hip ratio cutoffs for different ethnic groups. European Journal of Clinical Nutrition, 2010, 64, 42-61.	2.9	199
24	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. Lancet Diabetes and Endocrinology, the, 2017, 5, 774-787.	11.4	198
25	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 396, 97-109.	13.7	194
26	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. Lancet, The, 2015, 386, 1945-1954.	13.7	163
27	Early cerebral small vessel disease and brain volume, cognition, and gait. Annals of Neurology, 2015, 77, 251-261.	5.3	150
28	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. Diabetes Care, 2016, 39, 780-787.	8.6	138
29	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	10.0	134
30	Ethnic Variation in Fat and Lean Body Mass and the Association with Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 4696-4702.	3.6	128
31	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. The Lancet Global Health, 2019, 7, e613-e623.	6.3	122
32	The relationship between waist circumference and metabolic risk factors: Cohorts of European and Chinese descent. Metabolism: Clinical and Experimental, 2002, 51, 1427-1432.	3.4	116
33	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	11.4	116
34	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. JAMA Psychiatry, 2020, 77, 1052.	11.0	116
35	A systematic review of telemonitoring technologies in heart failure. European Journal of Heart Failure, 2009, 11, 506-517.	7.1	115
36	The Association between Acculturation and Dietary Patterns of South Asian Immigrants. PLoS ONE, 2014, 9, e88495.	2.5	114

#	Article	IF	Citations
37	Physical activity levels, ownership of goods promoting sedentary behaviour and risk of myocardial infarction: results of the INTERHEART study. European Heart Journal, 2012, 33, 452-466.	2.2	109
38	Intraobserver and Interobserver Reliability of Waist Circumference and the Waistâ€toâ€Hip Ratio. Obesity, 2001, 9, 651-651.	4.0	105
39	Modification of the relationship between simple anthropometric indices and risk factors by ethnic background. Metabolism: Clinical and Experimental, 2003, 52, 1295-1301.	3.4	97
40	Visceral Adipose Tissue, a Potential Risk Factor for Carotid Atherosclerosis. Stroke, 2007, 38, 2422-2429.	2.0	97
41	Cardiovascular risk among South Asians living in Canada: a systematic review and meta-analysis. CMAJ Open, 2014, 2, E183-E191.	2.4	97
42	Utilization of the Internet to Deliver Cardiac Rehabilitation at a Distance: A Pilot Study. Telemedicine Journal and E-Health, 2007, 13, 323-330.	2.8	94
43	The household economic burden of non-communicable diseases in 18 countries. BMJ Global Health, 2020, 5, e002040.	4.7	90
44	Trends in smoking in Canada from 1950 to 2011: progression of the tobacco epidemic according to socioeconomic status and geography. Cancer Causes and Control, 2014, 25, 45-57.	1.8	86
45	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. BMJ: British Medical Journal, 2019, 364, 1772.	2.3	85
46	A Lifecourse Model of Multimorbidity Resilience. International Journal of Aging and Human Development, 2016, 82, 290-313.	1.6	82
47	The Extensive Lifestyle Management Intervention (ELMI) following cardiac rehabilitation trial. European Heart Journal, 2003, 24, 1920-1927.	2.2	76
48	Cardiovascular Disease in South Asian Migrants. Canadian Journal of Cardiology, 2015, 31, 1139-1150.	1.7	74
49	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. The Lancet Global Health, 2018, 6, e292-e301.	6.3	73
50	Determinants of changes in dietary patterns among Chinese immigrants: a cross-sectional analysis. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 42.	4.6	72
51	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. American Journal of Clinical Nutrition, 2020, 111, 795-803.	4.7	71
52	The relationship between simple anthropometric indices and c-reactive protein: ethnic and gender differences. Metabolism: Clinical and Experimental, 2003, 52, 1542-1546.	3.4	70
53	The Extensive Lifestyle Management Intervention (ELMI) after cardiac rehabilitation: A 4-year randomized controlled trial. American Heart Journal, 2006, 152, 333-339.	2.7	70
54	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. PLoS ONE, 2010, 5, e14294.	2.5	70

#	Article	IF	CITATIONS
55	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Internal Medicine, 2021, 181, 631.	5.1	68
56	The association between triglyceride to high-density-lipoprotein cholesterol ratio and insulin resistance in a multiethnic primary prevention cohort. Metabolism: Clinical and Experimental, 2012, 61, 583-589.	3.4	66
57	Randomized Trial of a Virtual Cardiac Rehabilitation Program Delivered at a Distance via the Internet. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 952-959.	2.2	65
58	Coronary atherosclerosis in anorexia nervosa. International Journal of Eating Disorders, 2003, 34, 375-377.	4.0	59
59	Exercise Stress Testing. Sports Medicine, 1999, 27, 285-312.	6.5	57
60	Clinical usefulness of lipid ratios to identify men and women with metabolic syndrome: a cross-sectional study. Lipids in Health and Disease, 2014, 13, 159.	3.0	57
61	Ethnic Differences in Cardiovascular Disease Risk Factors: A Systematic Review of North American Evidence. Canadian Journal of Cardiology, 2015, 31, 1169-1179.	1.7	56
62	Mobile phone text-messaging interventions aimed to prevent cardiovascular diseases (Text2PreventCVD): systematic review and individual patient data meta-analysis. Open Heart, 2019, 6, e001017.	2.3	56
63	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. BMJ, The, 2021, 372, m4948.	6.0	53
64	Ethnicâ€Specific Differences in Abdominal Subcutaneous Adipose Tissue Compartments. Obesity, 2010, 18, 2177-2183.	3.0	51
65	Elevation in Cardiovascular Disease Risk in South Asians Is Mediated by Differences in Visceral Adipose Tissue. Obesity, 2012, 20, 1293-1300.	3.0	51
66	Ethnic-Specific Differences in Vitamin D Status Is Associated with Adiposity. PLoS ONE, 2012, 7, e43159.	2.5	50
67	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. Heart, 2018, 104, 581-587.	2.9	49
68	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. BMJ Global Health, 2021, 6, e004124.	4.7	48
69	Socio-economic deprivation: a significant determinant affecting stage of oral cancer diagnosis and survival. BMC Cancer, 2016, 16, 569.	2.6	47
70	The association between the built environment and dietary intake - a systematic review. Asia Pacific Journal of Clinical Nutrition, 2014, 23, 183-96.	0.4	47
71	Long-term exposure to traffic-related air pollution and progression of carotid artery atherosclerosis: a prospective cohort study. BMJ Open, 2014, 4, e004743.	1.9	45
72	A Digital Health Intervention to Lower Cardiovascular Risk. JAMA Cardiology, 2016, 1, 601.	6.1	45

#	Article	IF	CITATIONS
73	A scoping review of spatial cluster analysis techniques for point-event data. Geospatial Health, 2013, 7, 183.	0.8	44
74	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. BMJ Open, 2017, 7, e013817.	1.9	44
75	Body fat, caloric intake, and plasma leptin levels in women with anorexia nervosa., 1999, 26, 283-288.		43
76	Risk of myocardial infarction among people living with HIV: an updated systematic review and meta-analysis. BMJ Open, 2019, 9, e025874.	1.9	43
77	The Delivery of Cardiac Rehabilitation Using Communications Technologies: The "Virtual―Cardiac Rehabilitation Program. Canadian Journal of Cardiology, 2018, 34, S278-S283.	1.7	42
78	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. BMJ Global Health, 2020, 5, e002640.	4.7	41
79	Evaluation of Adiposity and Cognitive Function in Adults. JAMA Network Open, 2022, 5, e2146324.	5.9	41
80	Immigration presents a potential increased risk for atherosclerosis. Atherosclerosis, 2009, 205, 584-589.	0.8	40
81	Resting energy expenditure and plasma leptin levels in anorexia nervosa during acute refeeding. International Journal of Eating Disorders, 2000, 28, 231-234.	4.0	38
82	Ethnicity and Metabolic Syndrome: Implications for Assessment, Management and Prevention. Nutrients, 2020, 12, 15.	4.1	38
83	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries. JAMA Network Open, 2021, 4, e2138920.	5.9	37
84	Total and high molecular weight adiponectin and ethnic-specific differences in adiposity and insulin resistance: a cross-sectional study. Cardiovascular Diabetology, 2013, 12, 170.	6.8	35
85	Population-based incidence trends of oropharyngeal and oral cavity cancers by sex among the poorest and underprivileged populations. BMC Cancer, 2014, 14, 316.	2.6	35
86	Body mass index trajectories from ages 1 to 20: Results from two nationally representative canadian longitudinal cohorts. Obesity, 2015, 23, 1703-1711.	3.0	35
87	Study design of the Multicultural Community Health Assessment Trial (M-CHAT): a comparison of body fat distribution in four distinct populations. Ethnicity and Disease, 2006, 16, 96-100.	2.3	35
88	Appropriateness of current thresholds for obesity-related measures among Aboriginal people. Cmaj, 2007, 177, 1499-1505.	2.0	34
89	Body composition, muscle function, and physical performance in fibrotic interstitial lung disease: a prospective cohort study. Respiratory Research, 2019, 20, 56.	3.6	34
90	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. American Journal of Clinical Nutrition, 2020, 112, 208-219.	4.7	33

#	Article	IF	Citations
91	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. Cardiovascular Research, 2021, 117, 1523-1531.	3.8	33
92	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. Diabetes Care, 2020, 43, 3094-3101.	8.6	32
93	Association of supermarket characteristics with the body mass index of their shoppers. Nutrition Journal, 2013, 12, 117.	3.4	31
94	Tobacco use, smoking quit rates, and socioeconomic patterning among men and women: a cross-sectional survey in rural Andhra Pradesh, India. European Journal of Preventive Cardiology, 2014, 21, 1308-1318.	1.8	30
95	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. JAMA Cardiology, 2022, 7, 796.	6.1	30
96	Cardiac rehabilitation: a comprehensive review. Current Controlled Trials in Cardiovascular Medicine, 2001, 2, 221.	1.5	29
97	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. Bulletin of the World Health Organization, 2015, 93, 851-861G.	3.3	29
98	Socioeconomic and Geographic Patterning of Smoking Behaviour in Canada: A Cross-Sectional Multilevel Analysis. PLoS ONE, 2013, 8, e57646.	2.5	28
99	Development and validation of a multi-domain multimorbidity resilience index for an older population: results from the baseline Canadian Longitudinal Study on Aging. BMC Geriatrics, 2018, 18, 170.	2.7	27
100	Shared environments: a multilevel analysis of community context and child nutritional status in Bangladesh. Public Health Nutrition, 2011, 14, 951-959.	2.2	26
101	The Role of Risk Factors in the Development of Atherosclerosis. Critical Reviews in Clinical Laboratory Sciences, 2001, 38, 401-440.	6.1	25
102	The effect of obesity on the association between liver fat and carotid atherosclerosis in a multi-ethnic cohort. Atherosclerosis, 2013, 226, 208-213.	0.8	25
103	Assessment of Dietary Sodium and Potassium in Canadians Using 24-Hour Urinary Collection. Canadian Journal of Cardiology, 2016, 32, 319-326.	1.7	25
104	Using Mobile-Health to Connect Women with Cardiovascular Disease and Improve Self-Management. Telemedicine Journal and E-Health, 2017, 23, 233-239.	2.8	25
105	A Robust Method for Iodine Status Determination in Epidemiological Studies by Capillary Electrophoresis. Analytical Chemistry, 2014, 86, 10010-10015.	6.5	24
106	Incidental Magnetic Resonance Diffusion-Weighted Imaging–Positive Lesions Are Rare in Neurologically Asymptomatic Community-Dwelling Adults. Stroke, 2014, 45, 2115-2117.	2.0	24
107	Perceived Benefits, Facilitators, Disadvantages, and Barriers for Physical Activity Amongst South Asian Adolescents in India and Canada. Journal of Physical Activity and Health, 2015, 12, 931-941.	2.0	24
108	"Nothing is going to change three months from now†A mixed methods characterization of food bank use in Greater Vancouver. Social Science and Medicine, 2018, 200, 129-136.	3.8	24

#	Article	IF	CITATIONS
109	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. JAMA Network Open, 2021, 4, e2113775.	5.9	24
110	The association between "hypertriglyceridemic waist" and sub-clinical atherosclerosis in a multiethnic population: a cross-sectional study. Lipids in Health and Disease, 2014, 13, 38.	3.0	23
111	An Investigation of the Overlap Between the ICECAP-A and Five Preference-Based Health-Related Quality of Life Instruments. Pharmacoeconomics, 2017, 35, 741-753.	3.3	22
112	The Local Food Environment and Obesity: Evidence from Three Cities. Obesity, 2020, 28, 40-45.	3.0	22
113	A randomized controlled trial of an extensive lifestyle management intervention (ELMI) following cardiac rehabilitation: study design and baseline data. Current Controlled Trials in Cardiovascular Medicine, 2002, 3, 9.	1.5	21
114	Internet-Based Support for Cardiovascular Disease Management. International Journal of Telemedicine and Applications, 2011, 2011, 1-9.	2.0	21
115	Smoking in Context. American Journal of Preventive Medicine, 2012, 43, 601-610.	3.0	21
116	Differences in subcutaneous abdominal adiposity regions in four ethnic groups. Obesity, 2013, 21, 2288-2295.	3.0	21
117	Perceptions of healthy eating amongst Indian adolescents in India and Canada. Appetite, 2017, 116, 471-479.	3.7	21
118	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. EClinicalMedicine, 2022, 44, 101284.	7.1	21
119	Development of a Chronic Disease Management Program for Stroke Survivors Using Intervention Mapping. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1195-1202.	0.9	20
120	Strategies for Promotion of a Healthy Lifestyle in Clinical Settings: Pillars of Ideal Cardiovascular Health: A Science Advisory From the American Heart Association. Circulation, 2021, 144, CIR00000000001018.	1.6	19
121	Effectiveness of Exercise on Visceral Adipose Tissue in Older South Asian Women. Medicine and Science in Sports and Exercise, 2016, 48, 1371-1378.	0.4	18
122	Environmental Preferences and Concerns of Recreational Road Runners. International Journal of Environmental Research and Public Health, 2021, 18, 6268.	2.6	18
123	A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. PLoS ONE, 2014, 9, e110042.	2.5	18
124	The experiences of patients undertaking a 'virtual' cardiac rehabilitation program. Studies in Health Technology and Informatics, 2015, 209, 9-14.	0.3	18
125	Associations of the <i>FTO</i> rs9939609 variant with discrete body fat depots and dietary intake in a multi-ethnic cohort. Genetical Research, 2011, 93, 419-426.	0.9	17
126	A Direct Assessment of "Obesogenicâ€Built Environments: Challenges and Recommendations. Journal of Environmental and Public Health, 2011, 2011, 1-8.	0.9	17

#	Article	IF	Citations
127	Carotid Intima Media Thickness in Patients with Obstructive Sleep Apnea: Comparison with a Community-Based Cohort. Lung, 2014, 192, 297-303.	3.3	17
128	Cohort profile: the Comparative Outcomes And Service Utilization Trends (COAST) Study among people living with and without HIV in British Columbia, Canada. BMJ Open, 2018, 8, e019115.	1.9	17
129	Who is in the near market for bicycle sharing? Identifying current, potential, and unlikely users of a public bicycle share program in Vancouver, Canada. BMC Public Health, 2018, 18, 1326.	2.9	17
130	The Role of Tailored Public Health Messaging to Young Adults during COVID-19: "There's a lot of ambiguity around what it means to be safe― PLoS ONE, 2021, 16, e0258121.	2.5	17
131	The relationship of three common definitions of the metabolic syndrome with sub-clinical carotid atherosclerosis. Atherosclerosis, 2008, 198, 228-236.	0.8	16
132	The effect of body fat distribution on ethnic differences in cardiometabolic risk factors of Chinese and Europeans. Applied Physiology, Nutrition and Metabolism, 2013, 38, 701-706.	1.9	16
133	Text2PreventCVD: protocol for a systematic review and individual participant data meta-analysis of text message-based interventions for the prevention of cardiovascular diseases. BMJ Open, 2016, 6, e012723.	1.9	16
134	Longitudinal changes in visceral and subcutaneous adipose tissue and metabolic syndrome: Results from the Multicultural Community Health Assessment Trial (M-CHAT). Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2017, 11, S957-S961.	3.6	16
135	Evaluation of the impact of a public bicycle share program on population bicycling in Vancouver, BC. Preventive Medicine Reports, 2018, 12, 176-181.	1.8	16
136	Socioeconomic disparities in head and neck cancer patients' access to cancer treatment centers. Rural and Remote Health, 2017, 17, 4210.	0.5	16
137	Improving access to cardiac rehabilitation using the internet: a randomized trial. Studies in Health Technology and Informatics, 2015, 209, 58-66.	0.3	16
138	Corrélats subjectifs de la marche et du quartier chez les visiteurs du site Web de Canada en mouvement. Canadian Journal of Public Health, 2006, 97, S39-S44.	2.3	15
139	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. BMJ Global Health, 2017, 2, e000443.	4.7	15
140	Psychological Impact of COVID-19 on People with Pre-Existing Chronic Disease. International Journal of Environmental Research and Public Health, 2021, 18, 5972.	2.6	15
141	Extensive Lifestyle Management Intervention Following Cardiac Rehabilitation: Pilot Study. Rehabilitation Nursing, 2001, 26, 227-232.	0.5	14
142	Prevalence and characteristics of home Internet access in patients with cardiovascular disease from diverse geographical locations. Canadian Journal of Cardiology, 2009, 25, 589-593.	1.7	14
143	Cholesterol ester transfer protein (CETP) Taq1B polymorphism influences the effect of a standardized cardiac rehabilitation program on lipid risk markers. Atherosclerosis, 2005, 181, 363-369.	0.8	13
144	A Cross-Sectional Analysis of the Association between Physical Activity and Visceral Adipose Tissue Accumulation in a Multiethnic Cohort. Journal of Obesity, 2012, 2012, 1-8.	2.7	13

#	Article	IF	Citations
145	A telehealth intervention to promote healthy lifestyles after stroke: The Stroke Coach protocol. International Journal of Stroke, 2018, 13, 217-222.	5.9	13
146	Effect of Cognitive Reserve on the Association of Vascular Brain Injury With Cognition. Neurology, 2021, 97, e1707-e1716.	1.1	13
147	The association between cardiorespiratory fitness and abdominal adiposity in postmenopausal, physically inactive South Asian women. Preventive Medicine Reports, 2015, 2, 783-787.	1.8	12
148	Association between exercise-induced change in body composition and change in cardiometabolic risk factors in postmenopausal South Asian women. Applied Physiology, Nutrition and Metabolism, 2016, 41, 931-937.	1.9	12
149	Examining food insecurity among food bank members in Greater Vancouver. Journal of Hunger and Environmental Nutrition, 2019, 14, 141-154.	1.9	12
150	What Do Patients Talk About? A Qualitative Analysis of Online Chat Sessions with Health Care Specialists During a "Virtual―Cardiac Rehabilitation Program. Telemedicine Journal and E-Health, 2019, 25, 71-78.	2.8	12
151	Family physician access to specialist advice by telephone: Reduction in unnecessary specialist consultations and emergency department visits. Canadian Family Physician, 2016, 62, e668-e676.	0.4	12
152	Old and new risk factors for atherosclerosis and development of treatment recommendations. Clinical and Experimental Pharmacology and Physiology, 2002, 29, 838-842.	1.9	11
153	Adiposity and the relationship between vitamin D and blood pressure. Metabolism: Clinical and Experimental, 2013, 62, 1795-1802.	3.4	11
154	Optic atrophy, cataracts, lipodystrophy/lipoatrophy, and peripheral neuropathy caused by a de novo <i>OPA3</i> mutation. Journal of Physical Education and Sports Management, 2017, 3, a001156.	1.2	11
155	Cardiovascular risk scoring and magnetic resonance imaging detected subclinical cerebrovascular disease. European Heart Journal Cardiovascular Imaging, 2020, 21, 692-700.	1.2	11
156	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. Sleep Medicine, 2021, 80, 265-272.	1.6	11
157	The Use of Text Messaging to Improve the Hospital-to-Community Transition in Acute Coronary Syndrome Patients (Txt2Prevent): Intervention Development and Pilot Randomized Controlled Trial Protocol. JMIR Research Protocols, 2017, 6, e91.	1.0	11
158	Subclinical atherosclerosis in subjects with family history of premature coronary artery disease. American Heart Journal, 2008, 155, 1020-1026.e1.	2.7	10
159	Physical Activity to Prevent Cardiovascular Disease. JAMA Cardiology, 2017, 2, 1358.	6.1	10
160	The Participant Recruitment Outcomes (PRO) study: Exploring contemporary perspectives of telehealth trial non-participation through insights from patients, clinicians, study investigators, and study staff. Contemporary Clinical Trials Communications, 2018, 11, 75-82.	1.1	10
161	Formative Evaluation of Consumer-Grade Activity Monitors Worn by Older Adults: Test-Retest Reliability and Criterion Validity of Step Counts. JMIR Formative Research, 2020, 4, e16537.	1.4	10
162	Assessment of an Interactive Digital Health–Based Self-management Program to Reduce Hospitalizations Among Patients With Multiple Chronic Diseases. JAMA Network Open, 2021, 4, e2140591.	5.9	10

#	Article	IF	CITATIONS
163	Suburbanisation of oral cavity cancers: evidence from a geographically-explicit observational study of incidence trends in British Columbia, Canada, 1981–2010. BMC Public Health, 2015, 15, 758.	2.9	9
164	Adiposity measures and their validity in estimating risk of hypertension in South Asian children: a cross-sectional study. BMJ Open, 2019, 9, e024087.	1.9	9
165	Reduced Cognitive Assessment Scores Among Individuals With Magnetic Resonance Imaging–Detected Vascular Brain Injury. Stroke, 2020, 51, 1158-1165.	2.0	9
166	Portable HEPA filter air cleaner use during pregnancy and children's body mass index at two years of age: The UGAAR randomized controlled trial. Environment International, 2021, 156, 106728.	10.0	9
167	A Review of Obesity and Body Fat Distribution and Its Relationship to Cardio-Metabolic Risk in Men and Women of Chinese Origin. Cardiovascular & Hematological Disorders Drug Targets, 2012, 12, 113-118.	0.7	9
168	Delivery of Peer Support Through a Self-Management mHealth Intervention (Healing Circles) in Patients With Cardiovascular Disease: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e12322.	1.0	9
169	Oxidative stress is associated with visceral adipose tissue and subclinical atherosclerosis in a healthy multi-ethnic population. Applied Physiology, Nutrition and Metabolism, 2012, 37, 1164-1170.	1.9	8
170	The Mood Disorders Association of British Columbia Psychiatric Urgent Care Program: A Preliminary Evaluation of a Suggested Alternative Model of Outpatient Psychiatric Care. Canadian Journal of Psychiatry, 2014, 59, 220-227.	1.9	7
171	Exploring the mediating roles of physical activity and television time on the relationship between the neighbourhood environment and childhood obesity. Canadian Journal of Public Health, 2016, 107, e168-e175.	2.3	7
172	Relationship between diet and acculturation among South Asian children living in Canada. Appetite, 2020, 147, 104524.	3.7	7
173	Developing indicators of age-friendly neighbourhood environments for urban and rural communities across 20 low-, middle-, and high-income countries. BMC Public Health, 2022, 22, 87.	2.9	6
174	Using simple anthropometric measures to predict body fat in South Asians. Applied Physiology, Nutrition and Metabolism, 2009, 34, 40-48.	1.9	5
175	Predictors of Metabolic Syndrome in Participants of a Cardiac Rehabilitation Program. ISRN Cardiology, 2012, 2012, 1-7.	1.6	5
176	Exploring Knowledge and Perspectives of South Asian Children and Their Parents Regarding Healthy Cardiovascular Behaviors: A Qualitative Analysis. Global Pediatric Health, 2020, 7, 2333794X2092450.	0.7	5
177	The Use of SMS Text Messaging to Improve the Hospital-to-Community Transition in Patients With Acute Coronary Syndrome (Txt2Prevent): Results From a Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e24530.	3.7	5
178	Cardiac rehabilitation program: An exploration of patient experiences and perspectives on program dropout. Worldviews on Evidence-Based Nursing, 2022, 19, 56-63.	2.9	5
179	Profil des visiteurs du site Web de Canada en mouvement. Canadian Journal of Public Health, 2006, 97, S30-S38.	2.3	4
180	Mapping Stairwell Accessibility in Vancouver's Downtown Core. Canadian Journal of Public Health, 2006, 97, 118-120.	2.3	4

#	Article	IF	Citations
181	Co-variation in dimensions of smoking behaviour: A multivariate analysis of individuals and communities in Canada. Health and Place, 2013, 22, 29-37.	3.3	4
182	Multifactorial correlates of blood pressure in South Asian children in Canada: a cross-sectional study. BMJ Open, 2019, 9, e027844.	1.9	4
183	Exploring New Models for Cardiovascular Risk Reduction: The Heart Outcomes Prevention and Evaluation 4 (HOPE 4) Canada Pilot Study. CJC Open, 2021, 3, 267-275.	1.5	4
184	Association of "hypertriglyceridemic waist―with increased 5-year risk of subclinical atherosclerosis in a multi-ethnic population: a prospective cohort study. BMC Cardiovascular Disorders, 2021, 21, 63.	1.7	4
185	Rapid Access to Cardiology Expertise: An Innovative Program to Provide Telephone Support for Family Physicians. Healthcare Quarterly, 2010, 13, 56-60.	0.7	4
186	The Hospital at Home Model vs Routine Hospitalization for Acute Heart Failure: A Survey of Patients' Preferences. CJC Open, 2022, 4, 263-270.	1.5	4
187	Age-dependent reference intervals for measured bioavailable testosterone on the Siemens Advia Centaur: Ethnicity-specific values not necessary for South Asians. Clinical Biochemistry, 2009, 42, 922-925.	1.9	3
188	The association between physical activity and liver fat after five years of follow-up in a primary prevention multi-ethnic cohort. Preventive Medicine, 2014, 67, 199-203.	3.4	3
189	Why do we keep asking, do we still need cardiac rehabilitation?. European Journal of Preventive Cardiology, 2021, 28, e20-e22.	1.8	3
190	Relationship of parental feeding practices and diet with children's diet among South Asians in Canada. Appetite, 2022, 173, 105991.	3.7	3
191	Patients in research: one step in a long path. BMJ: British Medical Journal, 2018, 363, k4386.	2.3	2
192	Neighborhood Greenspace and Socioeconomic Risk are Associated with Diabetes Risk at the Sub-neighborhood Scale: Results from the Prospective Urban and Rural Epidemiology (PURE) Study. Journal of Urban Health, 2022, 99, 506-518.	3.6	2
193	The Prevalence and Risk Factors Associated with Iodine Deficiency in Canadian Adults. Nutrients, 2022, 14, 2570.	4.1	2
194	Waist Circumference Is Simpler than Body Mass Index. Clinical Chemistry, 2005, 51, 1082-1084.	3.2	1
195	Effectiveness of Shared Care after Cardiac Rehabilitation. American Journal of Medicine, 2010, 123, 20-21.	1.5	1
196	The predictive relationship between baseline insulin and glucose with subclinical carotid atherosclerosis after 5 years in a multi-ethnic cohort. Atherosclerosis, 2017, 257, 146-151.	0.8	1
197	Deriving Normative Data on 24-Hour Ambulatory Blood Pressure Monitoring for South Asian Children (ASHA): A Clinical Research Protocol. Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812110723.	1.1	1
198	Lifestyle Modifications in the Treatment of Hypertension. Current Hypertension Reviews, 2008, 4, 266-274.	0.9	0

#	Article	IF	CITATIONS
199	Relationship Between Body Mass Index and Perception of Other People's Body Size in The Multi-Cultural Community Health Assessment Trial (M-CHAT). Canadian Journal of Diabetes, 2013, 37, S288.	0.8	0
200	Ethnic Differences in Motivation and Attitudes Toward Physical Activity in The Multi-Cultural Community Health Assessment Trial (M-CHAT). Canadian Journal of Diabetes, 2013, 37, S265.	0.8	0
201	Aerobic Exercise Does Not Significantly Alter Body Composition in A High-Risk Older Population. Canadian Journal of Diabetes, 2013, 37, S228.	0.8	0
202	Ethnic Differences in Beliefs and Attitudes Toward Other People's Body Size from The Multi-cultural Community Health Assessment Trial (M-CHAT). Canadian Journal of Diabetes, 2013, 37, S287-S288.	0.8	0
203	Abdominal Adipose Tissue and Insulin Resistance: The Role of Ethnicity. , 2014, , 125-140.		0
204	Characterization of aerobically fit individuals with cardiovascular disease. European Journal of Sport Science, 2014, 14, 737-742.	2.7	0
205	Developing robust indicators of age-friendly neighborhood environments across urban-rural and socioeconomic gradients in 20 countries from five continents. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
206	The British Columbia Alliance on Telehealth Research and Policy. Healthcare Quarterly, 2008, 11, 52-56.	0.7	0
207	Low Vitamin D Status is Associated with Increased Adiposity and Ethnicity. FASEB Journal, 2011, 25, .	0.5	0
208	Vitamin D Insufficiency is Associated with Greater Obesityâ€Related Insulin Resistance. FASEB Journal, 2013, 27, 112.7.	0.5	0