

Nicole Praschak-rieder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1252971/publications.pdf>

Version: 2024-02-01

72
papers

4,452
citations

109321

35
h-index

102487

66
g-index

77
all docs

77
docs citations

77
times ranked

4730
citing authors

#	ARTICLE	IF	CITATIONS
1	Intravenous esketamine leads to an increase in impulsive and suicidal behaviour in a patient with recurrent major depression and borderline personality disorder. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 715-718.	2.6	6
2	How to prevent and manage hyperammonemic encephalopathies in valproate therapy. <i>Journal of Affective Disorders Reports</i> , 2021, 5, 100186.	1.7	3
3	Neuroimaging in Seasons and Winter Depression. , 2021, , 245-259.		0
4	Association of dopamine D2/3 receptor binding potential measured using PET and [11C]-(+)-PHNO with post-mortem DRD2/3 gene expression in the human brain. <i>NeuroImage</i> , 2020, 223, 117270.	4.2	11
5	On the relationship of first-episode psychosis to the amphetamine-sensitized state: a dopamine D2/3 receptor agonist radioligand study. <i>Translational Psychiatry</i> , 2020, 10, 2.	4.8	25
6	Robust Antidepressant Effect Following Alternating Intravenous Racemic Ketamine and Electroconvulsive Therapy in Treatment-Resistant Depression. <i>Journal of ECT</i> , 2017, 33, e31-e32.	0.6	5
7	Are reprogrammed cells a useful tool for studying dopamine dysfunction in psychotic disorders? A review of the current evidence. <i>European Journal of Neuroscience</i> , 2017, 45, 45-57.	2.6	4
8	Making Sense of: Sensitization in Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 1-10.	2.1	44
9	PM478. Imaging the effects of d-amphetamine in the human brain for modelling dopaminergic alterations in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 74-74.	2.1	1
10	In Vivo Imaging of Dopamine Metabolism and Dopamine Transporter Function in the Human Brain. <i>NeuroMethods</i> , 2016, , 203-220.	0.3	3
11	Oppositional COMT Val158Met effects on resting state functional connectivity in adolescents and adults. <i>Brain Structure and Function</i> , 2016, 221, 103-114.	2.3	31
12	Reduced default mode network suppression during a working memory task in remitted major depression. <i>Journal of Psychiatric Research</i> , 2015, 64, 9-18.	3.1	99
13	Combination of intravenous S-ketamine and oral tranylcypromine in treatment-resistant depression: A report of two cases. <i>European Neuropsychopharmacology</i> , 2015, 25, 2183-2184.	0.7	26
14	Direct Effect of Sunshine on Suicide. <i>JAMA Psychiatry</i> , 2014, 71, 1231.	11.0	117
15	Additive Gene-Environment Effects on Hippocampal Structure in Healthy Humans. <i>Journal of Neuroscience</i> , 2014, 34, 9917-9926.	3.6	59
16	The Impact of Genetic Polymorphisms on Neuroreceptor Imaging. , 2014, , 149-178.		0
17	Neuroimaging in Seasons and Winter Depression. , 2014, , 209-222.		0
18	Is Dopamine Neurotransmission Altered in Prodromal Schizophrenia? A Review of the Evidence. <i>Current Pharmaceutical Design</i> , 2012, 18, 1568-1579.	1.9	24

#	ARTICLE	IF	CITATIONS
19	Effects of sunshine on suicide rates. <i>Comprehensive Psychiatry</i> , 2012, 53, 535-539.	3.1	60
20	Lichttherapie. , 2012, , 823-827.		0
21	Bright-Light Therapy in the Treatment of Mood Disorders. <i>Neuropsychobiology</i> , 2011, 64, 152-162.	1.9	205
22	Lithium in drinking water and suicide mortality. <i>British Journal of Psychiatry</i> , 2011, 198, 346-350.	2.8	142
23	Imaging of Seasonal Affective Disorder and Seasonality Effects on Serotonin and Dopamine Function in the Human Brain. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 11, 149-167.	1.7	22
24	Imaging the effects of genetic polymorphisms on radioligand binding in the living human brain: A review on genetic neuroreceptor imaging of monoaminergic systems in psychiatry. <i>NeuroImage</i> , 2010, 53, 878-892.	4.2	82
25	Psycho-pharmacotherapy for anxiety and obsessive-compulsive disorder: the issue of prolonged barbiturate retention. <i>Current Medical Research and Opinion</i> , 2009, 25, 2281-2285.	1.9	3
26	Therapeutic effects of escitalopram and reboxetine in seasonal affective disorder: A pooled analysis. <i>Journal of Psychiatric Research</i> , 2009, 43, 792-797.	3.1	18
27	Seasonal Variation in Human Brain Serotonin Transporter Binding. <i>Archives of General Psychiatry</i> , 2008, 65, 1072.	12.3	224
28	Enhanced Serotonin Transporter Function during Depression in Seasonal Affective Disorder. <i>Neuropsychopharmacology</i> , 2008, 33, 1503-1513.	5.4	85
29	Treatment of Seasonal Affective Disorder with Duloxetine: An Open-Label Study. <i>Pharmacopsychiatry</i> , 2008, 41, 100-105.	3.3	24
30	Nichtpharmakologische somatische Therapien. , 2008, , 727-750.		0
31	Escitalopram in Seasonal Affective Disorder: Results of an Open Trial. <i>Pharmacopsychiatry</i> , 2007, 40, 20-24.	3.3	28
32	Novel 5-HTTLPR Allele Associates with Higher Serotonin Transporter Binding in Putamen: A [11C] DASB Positron Emission Tomography Study. <i>Biological Psychiatry</i> , 2007, 62, 327-331.	1.3	186
33	Agomelatine in the treatment of seasonal affective disorder. <i>Psychopharmacology</i> , 2007, 190, 575-579.	3.1	99
34	Serum lipid levels in seasonal affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 197-202.	3.2	7
35	Season of birth in siblings of patients with seasonal affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 378-382.	3.2	8
36	Anger attacks in seasonal affective disorder. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 215.	2.1	12

#	ARTICLE	IF	CITATIONS
37	Elevated Monoamine Oxidase A Levels in the Brain. <i>Archives of General Psychiatry</i> , 2006, 63, 1209.	12.3	507
38	A Cys23→Ser23 substitution in the 5-HT receptor gene influences body weight regulation in females with seasonal affective disorder: An Austrian→Canadian collaborative study. <i>Journal of Psychiatric Research</i> , 2005, 39, 561-567.	3.1	8
39	Actigraphy in Patients with Seasonal Affective Disorder and Healthy Control Subjects Treated with Light Therapy. <i>Biological Psychiatry</i> , 2005, 58, 331-336.	1.3	69
40	Effects of Tryptophan Depletion on the Serotonin Transporter in Healthy Humans. <i>Biological Psychiatry</i> , 2005, 58, 825-830.	1.3	92
41	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. <i>European Neuropsychopharmacology</i> , 2004, 14, 53-58.	0.7	17
42	Tryptophan depletion and serotonin loss in selective serotonin reuptake inhibitor→treated depression: An [18F] MPPF positron emission tomography study. <i>Biological Psychiatry</i> , 2004, 56, 587-591.	1.3	40
43	Seasonal affective disorder and the G-protein β -3-subunit C825T polymorphism. <i>Biological Psychiatry</i> , 2004, 55, 317-319.	1.3	26
44	Seasonality of Birth in Seasonal Affective Disorder. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1389-1393.	2.2	29
45	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , 2003, 8, 942-946.	7.9	103
46	C825T polymorphism in the G protein β -3-Subunit gene is associated with seasonal affective disorder. <i>Biological Psychiatry</i> , 2003, 54, 682-686.	1.3	38
47	Circadian Clock-Related Polymorphisms in Seasonal Affective Disorder and their Relevance to Diurnal Preference. <i>Neuropsychopharmacology</i> , 2003, 28, 734-739.	5.4	307
48	Quetiapine in a delusional depressed elderly patient: no EPS and a favourable outcome. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 199-200.	2.1	1
49	The serotonin transporter promoter repeat length polymorphism, seasonal affective disorder and seasonality. <i>Psychological Medicine</i> , 2003, 33, 785-792.	4.5	37
50	Treatment of seasonal affective disorders. <i>Dialogues in Clinical Neuroscience</i> , 2003, 5, 389-398.	3.7	23
51	Association Between Serotonin Transporter Gene Promoter Polymorphism(5HTTLPR) and Behavioral Responses to Tryptophan Depletion in Healthy Women With and Without Family History of Depression. <i>Archives of General Psychiatry</i> , 2002, 59, 613.	12.3	193
52	Receptor and Transporter Imaging Studies in Schizophrenia, Depression, Bulimia and Tourette's Disorder→Implications for Psychopharmacology-. <i>World Journal of Biological Psychiatry</i> , 2002, 3, 133-146.	2.6	80
53	Role of family history and 5-HTTLPR polymorphism in female seasonal affective disorder patients with and without premenstrual dysphoric disorder. <i>European Neuropsychopharmacology</i> , 2002, 12, 129-134.	0.7	38
54	Changes of clinical pattern in seasonal affective disorder (SAD) over time in a German-speaking sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002, 252, 54-62.	3.2	33

#	ARTICLE	IF	CITATIONS
55	Reboxetine in seasonal affective disorder: an open trial. <i>European Neuropsychopharmacology</i> , 2001, 11, 1-5.	0.7	30
56	[123I] Î²-CIT and single photon emission computed tomography reveal reduced brain serotonin transporter availability in bulimia nervosa. <i>Biological Psychiatry</i> , 2001, 49, 326-332.	1.3	134
57	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. <i>Biological Psychiatry</i> , 2001, 50, 8-12.	1.3	117
58	Dopamine transporter availability in symptomatic depressed patients with seasonal affective disorder and healthy controls. <i>Psychological Medicine</i> , 2001, 31, 1467-1473.	4.5	97
59	Monoaminergic function in the pathogenesis of seasonal affective disorder. <i>International Journal of Neuropsychopharmacology</i> , 2001, 4, 409-20.	2.1	63
60	Prevalence of premenstrual dysphoric disorder in female patients with seasonal affective disorder. <i>Journal of Affective Disorders</i> , 2001, 63, 239-242.	4.1	50
61	Seasonal variation of availability of serotonin transporter binding sites in healthy female subjects as measured by [123I]-2Î²-carbomethoxy-3Î²-(4-iodophenyl)tropane and single photon emission computed tomography. <i>Biological Psychiatry</i> , 2000, 47, 158-160.	1.3	70
62	[123I]-Î²-CIT SPECT imaging shows reduced brain serotonin transporter availability in drug-free depressed patients with seasonal affective disorder. <i>Biological Psychiatry</i> , 2000, 47, 482-489.	1.3	185
63	Mirtazapine in seasonal affective disorder (SAD): a preliminary report. <i>Human Psychopharmacology</i> , 1999, 14, 59-62.	1.5	21
64	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. <i>Psychiatry Research</i> , 1999, 85, 241-246.	3.3	34
65	Monoamine Depletion in Non-Pharmacological Treatments for Depression. <i>Advances in Experimental Medicine and Biology</i> , 1999, 467, 29-33.	1.6	8
66	Light Treatment in Depression(SAD, s-SAD & non-SAD). , 1999, , 409-416.		5
67	Effects of Tryptophan Depletion in Drug-Free Depressed Patients Who Responded to Total Sleep Deprivation. <i>Archives of General Psychiatry</i> , 1998, 55, 167.	12.3	58
68	Effects of tryptophan depletion in fully remitted patients with seasonal affective disorder during summer. <i>Psychological Medicine</i> , 1998, 28, 257-264.	4.5	61
69	Rapid tryptophan depletion in drug-free depressed patients with seasonal affective disorder. <i>American Journal of Psychiatry</i> , 1997, 154, 1153-1155.	7.2	46
70	A Risk-Benefit Assessment of Mirtazapine in the Treatment of Depression. <i>Drug Safety</i> , 1997, 17, 251-264.	3.2	60
71	Suicidal Tendencies as a Complication of Light Therapy for Seasonal Affective Disorder. <i>Journal of Clinical Psychiatry</i> , 1997, 58, 389-392.	2.2	56
72	Severe Atypical Symptoms Without Depression in SAD. <i>Journal of Clinical Psychiatry</i> , 1997, 58, 495.	2.2	2