

MarÃ-a-Trinidad Mt Gallegos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1261030/publications.pdf>

Version: 2024-02-01

53
papers

4,418
citations

172457

29
h-index

189892

50
g-index

54
all docs

54
docs citations

54
times ranked

4405
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring the expression and functionality of the <i>rsm</i> sRNAs in <i>Pseudomonas syringae</i> pv. tomato DC3000. <i>RNA Biology</i> , 2021, 18, 1818-1833.	3.1	6
2	Distinctive features of the <i>GacRsm</i> pathway in plant-associated <i>Pseudomonas</i> . <i>Environmental Microbiology</i> , 2021, 23, 5670-5689.	3.8	16
3	Suppression of UV-B stress induced flavonoids by biotic stress: Is there reciprocal crosstalk?. <i>Plant Physiology and Biochemistry</i> , 2019, 134, 53-63.	5.8	28
4	Visualization and characterization of <i>Pseudomonas syringae</i> pv. tomato DC3000 pellicles. <i>Microbial Biotechnology</i> , 2019, 12, 688-702.	4.2	20
5	A novel c-di-GMP binding domain in glycosyltransferase BgsA is responsible for the synthesis of a mixed-linkage β -glucan. <i>Scientific Reports</i> , 2017, 7, 8997.	3.3	12
6	<i>AmrZ</i> regulates cellulose production in <i>Pseudomonas syringae</i> pv. tomato DC3000. <i>Molecular Microbiology</i> , 2016, 99, 960-977.	2.5	41
7	Mini-Tn7 vectors for stable expression of diguanylate cyclase PleD* in Gram-negative bacteria. <i>BMC Microbiology</i> , 2015, 15, 190.	3.3	10
8	Diguanylate cyclase <i>DgcP</i> is involved in plant and human <i>Pseudomonas</i> spp. infections. <i>Environmental Microbiology</i> , 2015, 17, 4332-4351.	3.8	31
9	Novel mixed-linkage β -glucan activated by c-di-GMP in <i>Sinorhizobium meliloti</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E757-65.	7.1	64
10	The <i>GMP</i> phosphodiesterase <i>BifA</i> is involved in the virulence of bacteria from the <i>Pseudomonas syringae</i> complex. <i>Molecular Plant Pathology</i> , 2015, 16, 604-615.	4.2	52
11	Contribution of the non-effector members of the HrpL regulon, <i>iaaL</i> and <i>matE</i> , to the virulence of <i>Pseudomonas syringae</i> pv. tomato DC3000 in tomato plants. <i>BMC Microbiology</i> , 2015, 15, 165.	3.3	29
12	FleQ Coordinates Flagellum-Dependent and -Independent Motilities in <i>Pseudomonas syringae</i> pv. tomato DC3000. <i>Applied and Environmental Microbiology</i> , 2015, 81, 7533-7545.	3.1	44
13	Responses to Elevated c-di-GMP Levels in Mutualistic and Pathogenic Plant-Interacting Bacteria. <i>PLoS ONE</i> , 2014, 9, e91645.	2.5	75
14	Plant flavonoids target <i>Pseudomonas syringae</i> pv. tomato DC3000 flagella and type III secretion system. <i>Environmental Microbiology Reports</i> , 2013, 5, 841-850.	2.4	71
15	Induction of <i>Pseudomonas syringae</i> pv. <i>tomato</i> DC3000 MexAB-OprM Multidrug Efflux Pump by Flavonoids Is Mediated by the Repressor PmeR. <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 1207-1219.	2.6	59
16	Pathogenic and mutualistic plant-bacteria interactions: ever increasing similarities. <i>Open Life Sciences</i> , 2011, 6, 911-917.	1.4	9
17	Crystal structure of TtgV in complex with its DNA operator reveals a general model for cooperative DNA binding of tetrameric gene regulators. <i>Genes and Development</i> , 2010, 24, 2556-2565.	5.9	33
18	TtgV Represses Two Different Promoters by Recognizing Different Sequences. <i>Journal of Bacteriology</i> , 2009, 191, 1901-1909.	2.2	19

#	ARTICLE	IF	CITATIONS
19	Different Modes of Binding of Mono- and Biaromatic Effectors to the Transcriptional Regulator TtGV. <i>Journal of Biological Chemistry</i> , 2007, 282, 16308-16316.	3.4	27
20	Crystal Structures of Multidrug Binding Protein TtgR in Complex with Antibiotics and Plant Antimicrobials. <i>Journal of Molecular Biology</i> , 2007, 369, 829-840.	4.2	116
21	Optimization of the Palindromic Order of the TtgR Operator Enhances Binding Cooperativity. <i>Journal of Molecular Biology</i> , 2007, 369, 1188-1199.	4.2	39
22	Complexity in efflux pump control: cross-regulation by the paralogues TtgV and TtgT. <i>Molecular Microbiology</i> , 2007, 66, 1416-1428.	2.5	31
23	The Use of Microcalorimetry to Study Regulatory Mechanisms in <i>Pseudomonas</i> . , 2007, , 255-277.		2
24	Effector-Repressor Interactions, Binding of a Single Effector Molecule to the Operator-bound TtgR Homodimer Mediates Derepression. <i>Journal of Biological Chemistry</i> , 2006, 281, 7102-7109.	3.4	79
25	Molecular Characterization of Resistance-Nodulation-Division Transporters from Solvent- and Drug-Resistant Bacteria in Petroleum-Contaminated Soil. <i>Applied and Environmental Microbiology</i> , 2005, 71, 580-586.	3.1	28
26	The Multidrug Efflux Regulator TtgV Recognizes a Wide Range of Structurally Different Effectors in Solution and Complexed with Target DNA. <i>Journal of Biological Chemistry</i> , 2005, 280, 20887-20893.	3.4	68
27	The TetR Family of Transcriptional Repressors. <i>Microbiology and Molecular Biology Reviews</i> , 2005, 69, 326-356.	6.6	989
28	TtgV Bound to a Complex Operator Site Represses Transcription of the Promoter for the Multidrug and Solvent Extrusion TtgGHI Pump. <i>Journal of Bacteriology</i> , 2004, 186, 2921-2927.	2.2	46
29	Enzymatic Activation of the cis-Trans Isomerase and Transcriptional Regulation of Efflux Pumps in Solvent Tolerance in <i>Pseudomonas Putida</i> . , 2004, , 479-508.		6
30	Antibiotic-Dependent Induction of <i>Pseudomonas putida</i> DOT-T1E TtgABC Efflux Pump Is Mediated by the Drug Binding Repressor TtgR. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3067-3072.	3.2	134
31	In Vivo and In Vitro Evidence that TtgV Is the Specific Regulator of the TtgGHI Multidrug and Solvent Efflux Pump of <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 2003, 185, 4755-4763.	2.2	88
32	Mechanisms of Solvent Tolerance in Gram-Negative Bacteria. <i>Annual Review of Microbiology</i> , 2002, 56, 743-768.	7.3	705
33	Responses of Gram-negative bacteria to certain environmental stressors. <i>Current Opinion in Microbiology</i> , 2001, 4, 166-171.	5.1	192
34	Binding of transcriptional activators to sigma 54 in the presence of the transition state analog ADP-aluminum fluoride: insights into activator mechanochemical action. <i>Genes and Development</i> , 2001, 15, 2282-2294.	5.9	118
35	Interaction of sigma factor σ^{54} with <i>Escherichia coli</i> RNA polymerase core enzyme. <i>Biochemical Journal</i> , 2000, 352, 539.	3.7	3
36	The Bacterial Enhancer-Dependent σ^{54} (σ^N) Transcription Factor. <i>Journal of Bacteriology</i> , 2000, 182, 4129-4136.	2.2	404

#	ARTICLE	IF	CITATIONS
37	Single amino acid substitution mutants of <i>Klebsiella pneumoniae</i> sigma54 defective in transcription. <i>Nucleic Acids Research</i> , 2000, 28, 4419-4427.	14.5	4
38	Functionality of Purified σ N (σ 54) and a NifA-Like Protein from the Hyperthermophile <i>Aquifex aeolicus</i> . <i>Journal of Bacteriology</i> , 2000, 182, 1616-1623.	2.2	16
39	Sequences in σ 54 region I required for binding to early melted DNA and their involvement in sigma-DNA isomerisation I Edited by J. Karn. <i>Journal of Molecular Biology</i> , 2000, 297, 849-859.	4.2	23
40	Interaction of sigma factor σ N with <i>Escherichia coli</i> RNA polymerase core enzyme. <i>Biochemical Journal</i> , 2000, 352, 539-547.	3.7	7
41	Activation of Transcription by the Sigma-54 RNA Polymerase Holoenzyme. <i>Current Plant Science and Biotechnology in Agriculture</i> , 2000, , 73-77.	0.0	0
42	Functions of the σ 54 Region I in Trans and Implications for Transcription Activation. <i>Journal of Biological Chemistry</i> , 1999, 274, 25285-25290.	3.4	29
43	Critical Nucleotides in the Upstream Region of the XylS-dependent TOL meta-Cleavage Pathway Operon Promoter as Deduced from Analysis of Mutants. <i>Journal of Biological Chemistry</i> , 1999, 274, 2286-2290.	3.4	55
44	The XylS-dependent Pm promoter is transcribed in vivo by RNA polymerase with sigma32 or sigma38 depending on the growth phase. <i>Molecular Microbiology</i> , 1999, 31, 1105-1113.	2.5	77
45	Involvement of the sigmaN DNA-binding domain in open complex formation. <i>Molecular Microbiology</i> , 1999, 33, 873-885.	2.5	15
46	Sequences in σ N determining holoenzyme formation and properties I Edited by J. Karn. <i>Journal of Molecular Biology</i> , 1999, 288, 539-553.	4.2	49
47	Systematic analysis of σ 54 N-terminal sequences identifies regions involved in positive and negative regulation of transcription I Edited by J. Karn. <i>Journal of Molecular Biology</i> , 1999, 292, 229-239.	4.2	33
48	Amino-terminal sequences of sigma N (sigma 54) inhibit RNA polymerase isomerization. <i>Genes and Development</i> , 1999, 13, 357-370.	5.9	70
49	Transcriptional control of the multiple catabolic pathways encoded on the TOL plasmid pWW53 of <i>Pseudomonas putida</i> MT53. <i>Journal of Bacteriology</i> , 1997, 179, 5024-5029.	2.2	23
50	The TACAN4TGCA motif upstream from the -35 region in the sigma70-sigmaS-dependent Pm promoter of the TOL plasmid is the minimum DNA segment required for transcription stimulation by XylS regulators. <i>Journal of Bacteriology</i> , 1996, 178, 6427-6434.	2.2	37
51	Expression of the TOL plasmid xylS gene in <i>Pseudomonas putida</i> occurs from a alpha 70-dependent promoter or from alpha 70- and alpha 54-dependent tandem promoters according to the compound used for growth. <i>Journal of Bacteriology</i> , 1996, 178, 2356-2361.	2.2	62
52	Role of sigmas in transcription from the positively controlled Pm promoter of the TOL plasmid of <i>Pseudomonas putida</i> . <i>Molecular Microbiology</i> , 1995, 18, 851-857.	2.5	43
53	The XylS/AraC family of regulators. <i>Nucleic Acids Research</i> , 1993, 21, 807-810.	14.5	181