

Florian P Schiestl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1262854/publications.pdf>

Version: 2024-02-01

116
papers

9,257
citations

34105

52
h-index

43889

91
g-index

121
all docs

121
docs citations

121
times ranked

5264
citing authors

#	ARTICLE	IF	CITATIONS
1	Hyperbolic odorant mixtures as a basis for more efficient signaling between flowering plants and bees. <i>PLoS ONE</i> , 2022, 17, e0270358.	2.5	3
2	Generalized olfactory detection of floral volatiles in the highly specialized <i>Greya-Lithophragma</i> nursery pollination system. <i>Arthropod-Plant Interactions</i> , 2021, 15, 209-221.	1.1	3
3	Do floral and ecogeographic isolation allow the co-occurrence of two ecotypes of <i>Anacamptis papilionacea</i> (Orchidaceae)? <i>Ecology and Evolution</i> , 2021, 11, 9917-9931.	1.9	4
4	Combining biotechnology and evolution for understanding the mechanisms of pollinator attraction. <i>Current Opinion in Biotechnology</i> , 2021, 70, 213-219.	6.6	9
5	Pollinator behaviour and resource limitation maintain honest floral signalling. <i>Functional Ecology</i> , 2021, 35, 2536-2549.	3.6	8
6	Floral signals evolve in a predictable way under artificial and pollinator selection in <i>Brassica rapa</i> . <i>BMC Evolutionary Biology</i> , 2020, 20, 127.	3.2	5
7	Herbivory and pollination impact on the evolution of herbivore-induced plasticity in defense and floral traits. <i>Evolution Letters</i> , 2020, 4, 556-569.	3.3	6
8	Evolution of Floral Fragrance Is Compromised by Herbivory. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	14
9	Floral Odors Can Interfere With the Foraging Behavior of Parasitoids Searching for Hosts. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	17
10	Chemical and Functional Complexity in Flower Fragrance. <i>Chimia</i> , 2020, 74, 820.	0.6	1
11	The role of volatiles in plant communication. <i>Plant Journal</i> , 2019, 100, 892-907.	5.7	180
12	Rapid plant evolution driven by the interaction of pollination and herbivory. <i>Science</i> , 2019, 364, 193-196.	12.6	122
13	Emergence of a floral colour polymorphism by pollinator-mediated overdominance. <i>Nature Communications</i> , 2019, 10, 63.	12.8	45
14	Trans-generational inheritance of herbivory-induced phenotypic changes in <i>Brassica rapa</i> . <i>Scientific Reports</i> , 2018, 8, 3536.	3.3	15
15	Crab spiders impact floral-signal evolution indirectly through removal of florivores. <i>Nature Communications</i> , 2018, 9, 1367.	12.8	30
16	Covariation and phenotypic integration in chemical communication displays: biosynthetic constraints and eco-evolutionary implications. <i>New Phytologist</i> , 2018, 220, 739-749.	7.3	101
17	Real-time evolution supports a unique trajectory for generalized pollination*. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2653-2668.	2.3	21
18	The effect of pollinators and herbivores on selection for floral signals: a case study in <i>Brassica rapa</i> . <i>Evolutionary Ecology</i> , 2017, 31, 285-304.	1.2	54

#	ARTICLE	IF	CITATIONS
19	The Sexual Advantage of Looking, Smelling, and Tasting Good: The Metabolic Network that Produces Signals for Pollinators. <i>Trends in Plant Science</i> , 2017, 22, 338-350.	8.8	67
20	The effects of becoming taller: direct and pleiotropic effects of artificial selection on plant height in <i>Brassica rapa</i> . <i>Plant Journal</i> , 2017, 89, 1009-1019.	5.7	31
21	Real-time divergent evolution in plants driven by pollinators. <i>Nature Communications</i> , 2017, 8, 14691.	12.8	217
22	Innate Receiver Bias: Its Role in the Ecology and Evolution of Plant-Animal Interactions. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2017, 48, 585-603.	8.3	19
23	Floral scent and species divergence in a pair of sexually deceptive orchids. <i>Ecology and Evolution</i> , 2017, 7, 6023-6034.	1.9	19
24	Herbivore-Induced DNA Demethylation Changes Floral Signalling and Attractiveness to Pollinators in <i>Brassica rapa</i> . <i>PLoS ONE</i> , 2016, 11, e0166646.	2.5	33
25	The molecular bases of floral scent evolution under artificial selection: insights from a transcriptome analysis in <i>Brassica rapa</i> . <i>Scientific Reports</i> , 2016, 6, 36966.	3.3	17
26	Heritability of floral volatiles and pleiotropic responses to artificial selection in <i>Brassica rapa</i> . <i>New Phytologist</i> , 2016, 209, 1208-1219.	7.3	66
27	Why Do Floral Perfumes Become Different? Region-Specific Selection on Floral Scent in a Terrestrial Orchid. <i>PLoS ONE</i> , 2016, 11, e0147975.	2.5	67
28	Herbivory affects male and female reproductive success differently in dioecious <i>Silene latifolia</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2015, 157, 60-67.	1.4	9
29	Floral isolation is the major reproductive barrier between a pair of rewarding orchid sister species. <i>Journal of Evolutionary Biology</i> , 2015, 28, 117-129.	1.7	37
30	Are tetraploids more successful? Floral signals, reproductive success and floral isolation in mixed-ploidy populations of a terrestrial orchid. <i>Annals of Botany</i> , 2015, 115, 263-273.	2.9	44
31	Herbivory Increases Fruit Set in <i>Silene latifolia</i> : A Consequence of Induced Pollinator-Attracting Floral Volatiles?. <i>Journal of Chemical Ecology</i> , 2015, 41, 622-630.	1.8	34
32	Floral volatiles interfere with plant attraction of parasitoids: ontogeny-dependent infochemical dynamics in <i>Brassica rapa</i> . <i>BMC Ecology</i> , 2015, 15, 17.	3.0	41
33	Ecology and evolution of floral volatile-mediated information transfer in plants. <i>New Phytologist</i> , 2015, 206, 571-577.	7.3	150
34	Bees use honest floral signals as indicators of reward when visiting flowers. <i>Ecology Letters</i> , 2015, 18, 135-143.	6.4	165
35	Pollen transfer efficiency and its effect on inflorescence size in deceptive pollination strategies. <i>Plant Biology</i> , 2015, 17, 545-550.	3.8	17
36	How to get the best deal. <i>ELife</i> , 2015, 4, .	6.0	1

#	ARTICLE	IF	CITATIONS
37	Correlation analyses between volatiles and glucosinolates show no evidence for chemical defense signaling in <i>Brassica rapa</i> . <i>Frontiers in Ecology and Evolution</i> , 2014, 2, .	2.2	14
38	Genic rather than genome-wide differences between sexually deceptive <i>Ophrys</i> orchids with different pollinators. <i>Molecular Ecology</i> , 2014, 23, 6192-6205.	3.9	52
39	Eugenol synthase genes in floral scent variation in <i>Gymnadenia</i> species. <i>Functional and Integrative Genomics</i> , 2014, 14, 779-788.	3.5	28
40	Alien interference: disruption of infochemical networks by invasive insect herbivores. <i>Plant, Cell and Environment</i> , 2014, 37, 1854-1865.	5.7	55
41	Herbivory and floral signaling: phenotypic plasticity and tradeoffs between reproduction and indirect defense. <i>New Phytologist</i> , 2014, 203, 257-266.	7.3	139
42	Floral adaptation to local pollinator guilds in a terrestrial orchid. <i>Annals of Botany</i> , 2014, 113, 289-300.	2.9	77
43	Do Flower Color and Floral Scent of <i>Silene</i> Species affect Host Preference of <i>Hadena bicurris</i> , a Seed-Eating Pollinator, under Field Conditions?. <i>PLoS ONE</i> , 2014, 9, e98755.	2.5	15
44	Pollinator shifts between <i>Ophrys sphegodes</i> populations: might adaptation to different pollinators drive population divergence?. <i>Journal of Evolutionary Biology</i> , 2013, 26, 2197-2208.	1.7	36
45	The promise of genomics in the study of plant-pollinator interactions. <i>Genome Biology</i> , 2013, 14, 207.	8.8	29
46	Pollinator-mediated evolution of floral signals. <i>Trends in Ecology and Evolution</i> , 2013, 28, 307-315.	8.7	504
47	Transcriptome and Proteome Data Reveal Candidate Genes for Pollinator Attraction in Sexually Deceptive Orchids. <i>PLoS ONE</i> , 2013, 8, e64621.	2.5	46
48	The Genetic Basis of Pollinator Adaptation in a Sexually Deceptive Orchid. <i>PLoS Genetics</i> , 2012, 8, e1002889.	3.5	46
49	Minority cytotypes in European populations of the <i>Gymnadenia conopsea</i> complex (Orchidaceae) greatly increase intraspecific and intrapopulation diversity. <i>Annals of Botany</i> , 2012, 110, 977-986.	2.9	39
50	Identification of white campion (<i>Silene latifolia</i>) guaiacol O-methyltransferase involved in the biosynthesis of veratrole, a key volatile for pollinator attraction. <i>BMC Plant Biology</i> , 2012, 12, 158.	3.6	20
51	Pollinator-Driven Speciation in Sexually Deceptive Orchids. <i>International Journal of Ecology</i> , 2012, 2012, 1-9.	0.8	42
52	Specific ant-pollination in an alpine orchid and the role of floral scent in attracting pollinating ants. <i>Alpine Botany</i> , 2012, 122, 1-9.	2.4	26
53	THE EVOLUTION OF FLORAL SCENT AND OLFATORY PREFERENCES IN POLLINATORS: COEVOLUTION OR PRE-EXISTING BIAS?. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 2042-2055.	2.3	115
54	Chemical analysis of incense smokes used in Shaxi, Southwest China: A novel methodological approach in ethnobotany. <i>Journal of Ethnopharmacology</i> , 2011, 138, 212-218.	4.1	9

#	ARTICLE	IF	CITATIONS
55	Animal pollination and speciation in plants: general mechanisms and examples from the orchids. , 2011, , 263-278.		2
56	Continuum Between Ritual and Medicinal Use of Plants: Smoke Analysis of Ritual Plants from Southwest China. <i>Chimia</i> , 2011, 65, 438.	0.6	1
57	Production of plant growth modulating volatiles is widespread among rhizosphere bacteria and strongly depends on culture conditions. <i>Environmental Microbiology</i> , 2011, 13, 3047-3058.	3.8	343
58	FLORAL ISOLATION IS THE MAIN REPRODUCTIVE BARRIER AMONG CLOSELY RELATED SEXUALLY DECEPTIVE ORCHIDS. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 2606-2620.	2.3	112
59	Integrating past and present studies on <i>Ophrys</i> pollination - a comment on Bradshaw et al.. <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 329-335.	1.6	48
60	Phenotypic selection on floral scent: trade-off between attraction and deterrence?. <i>Evolutionary Ecology</i> , 2011, 25, 237-248.	1.2	90
61	Stearoyl-acyl carrier protein desaturases are associated with floral isolation in sexually deceptive orchids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 5696-5701.	7.1	84
62	Hybrid floral scent novelty drives pollinator shift in sexually deceptive orchids. <i>BMC Evolutionary Biology</i> , 2010, 10, 103.	3.2	86
63	Pollination: Sexual Mimicry Abounds. <i>Current Biology</i> , 2010, 20, R1020-R1022.	3.9	10
64	Pollinator specificity, floral odour chemistry and the phylogeny of Australian sexually deceptive <i>Chiloglottis</i> orchids: implications for pollinator-driven speciation. <i>New Phytologist</i> , 2010, 188, 437-450.	7.3	188
65	The evolution of floral scent and insect chemical communication. <i>Ecology Letters</i> , 2010, 13, 643-656.	6.4	365
66	Pollination Efficiency and the Evolution of Specialized Deceptive Pollination Systems. <i>American Naturalist</i> , 2010, 175, 98-105.	2.1	91
67	Floral evolution as a figment of the imagination of pollinators. <i>Trends in Ecology and Evolution</i> , 2010, 25, 382-383.	8.7	12
68	On the roles of colour and scent in a specialized floral mimicry system. <i>Annals of Botany</i> , 2009, 104, 1077-1084.	2.9	67
69	The discovery of 2,5-dialkylcyclohexan-1,3-diones as a new class of natural products. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8877-8882.	7.1	70
70	Pollinator convergence and the nature of species' boundaries in sympatric Sardinian <i>Ophrys</i> (Orchidaceae). <i>Annals of Botany</i> , 2009, 104, 497-506.	2.9	70
71	How to be an attractive male: floral dimorphism and attractiveness to pollinators in a dioecious plant. <i>BMC Evolutionary Biology</i> , 2009, 9, 190.	3.2	58
72	The evolution of floral scent: the influence of olfactory learning by insect pollinators on the honest signalling of floral rewards. <i>Functional Ecology</i> , 2009, 23, 841-851.	3.6	306

#	ARTICLE	IF	CITATIONS
73	Pollinator attraction in <i>Anacamptis papilionacea</i> (Orchidaceae): a food or a sex promise?. <i>Plant Species Biology</i> , 2009, 24, 109-114.	1.0	13
74	Floral Isolation, Specialized Pollination, and Pollinator Behavior in Orchids. <i>Annual Review of Entomology</i> , 2009, 54, 425-446.	11.8	206
75	Variation of Insect Attracting Odor in Endophytic <i>Epichloa</i> Fungi: Phylogenetic Constrains Versus Host Influence. <i>Journal of Chemical Ecology</i> , 2008, 34, 772-782.	1.8	20
76	Ecological role of volatiles produced by <i>Epichloa</i> : differences in antifungal toxicity. <i>FEMS Microbiology Ecology</i> , 2008, 64, 307-316.	2.7	34
77	Role of odour compounds in the attraction of gamete vectors in endophytic <i>Epichloa</i> fungi. <i>New Phytologist</i> , 2008, 178, 401-411.	7.3	44
78	Floral odour and reproductive isolation in two species of <i>Silene</i> . <i>Journal of Evolutionary Biology</i> , 2008, 21, 111-121.	1.7	119
79	Evolution of sexual mimicry in the orchid subtribe orchidinae: the role of preadaptations in the attraction of male bees as pollinators. <i>BMC Evolutionary Biology</i> , 2008, 8, 27.	3.2	88
80	Molecular mechanisms of floral mimicry in orchids. <i>Trends in Plant Science</i> , 2008, 13, 228-235.	8.8	60
81	The evolution of imperfect floral mimicry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7484-7488.	7.1	91
82	Variability in Floral Scent in Rewarding and Deceptive Orchids: The Signature of Pollinator-imposed Selection?. <i>Annals of Botany</i> , 2007, 100, 757-765.	2.9	89
83	Floral Scent in Food-Deceptive Orchids: Species Specificity and Sources of Variability. <i>Plant Biology</i> , 2007, 9, 720-729.	3.8	62
84	Population differentiation in female sex pheromone and male preferences in a solitary bee. <i>Behavioral Ecology and Sociobiology</i> , 2007, 61, 811-821.	1.4	54
85	Odour and colour polymorphism in the food-deceptive orchid <i>Dactylorhiza romana</i> . <i>Plant Systematics and Evolution</i> , 2007, 267, 37-45.	0.9	51
86	Evolution of "pollinator"-attracting signals in fungi. <i>Biology Letters</i> , 2006, 2, 401-404.	2.3	65
87	Postpollination Changes in Floral Odor in <i>Silene latifolia</i> : Adaptive Mechanisms for Seed-Predator Avoidance?. <i>Journal of Chemical Ecology</i> , 2006, 32, 1855-1860.	1.8	56
88	Floral Scent Emission and Pollination Syndromes: Evolutionary Changes from Food to Sexual Deception. <i>International Journal of Plant Sciences</i> , 2006, 167, 1197-1204.	1.3	22
89	DOES SELECTION ON FLORAL ODOR PROMOTE DIFFERENTIATION AMONG POPULATIONS AND SPECIES OF THE SEXUALLY DECEPTIVE ORCHID GENUS <i>OPHRYS</i> ?. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1449-1463.	2.3	140
90	On the success of a swindle: pollination by deception in orchids. <i>Die Naturwissenschaften</i> , 2005, 92, 255-264.	1.6	303

#	ARTICLE	IF	CITATIONS
91	Floral scent emission and pollinator attraction in two species of <i>Gymnadenia</i> (Orchidaceae). <i>Oecologia</i> , 2005, 142, 564-575.	2.0	168
92	Floral Odor Variation in Two Heterostylous Species of <i>Primula</i> . <i>Journal of Chemical Ecology</i> , 2005, 31, 1223-1228.	1.8	23
93	Cuticular Hydrocarbons as Sex Pheromone of the Bee <i>Colletes cunicularius</i> and the Key to its Mimicry by the Sexually Deceptive Orchid, <i>Ophrys exaltata</i> . <i>Journal of Chemical Ecology</i> , 2005, 31, 1765-1787.	1.8	113
94	DOES SELECTION ON FLORAL ODOR PROMOTE DIFFERENTIATION AMONG POPULATIONS AND SPECIES OF THE SEXUALLY DECEPTIVE ORCHID GENUS <i>OPHRYS</i> ?. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1449.	2.3	7
95	Evidence for pollinator sharing in Mediterranean nectar-mimic orchids: absence of pre-mating barriers?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 1271-1278.	2.6	88
96	Does selection on floral odor promote differentiation among populations and species of the sexually deceptive orchid genus <i>Ophrys</i> ?. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1449-63.	2.3	44
97	Pollinator attractiveness increases with distance from flowering orchids. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, S212-4.	2.6	21
98	Chemical communication in the sexually deceptive orchid genus <i>Cryptostylis</i> . <i>Botanical Journal of the Linnean Society</i> , 2004, 144, 199-205.	1.6	45
99	Monoterpenes and Epicuticular Waxes Help Female Autumn Gum Moth Differentiate Between Waxy and Glossy <i>Eucalyptus</i> and Leaves of Different Ages. <i>Journal of Chemical Ecology</i> , 2004, 30, 1117-1142.	1.8	56
100	A mark-recapture study of male <i>Colletes cunicularius</i> bees: implications for pollination by sexual deception. <i>Behavioral Ecology and Sociobiology</i> , 2004, 56, 579-584.	1.4	37
101	Identification, synthesis and activity of sex pheromone gland components of the autumn gum moth (Lepidoptera: Geometridae), a defoliator of <i>Eucalyptus</i> . <i>Chemoecology</i> , 2004, 14, 217.	1.1	8
102	Odor compound detection in male euglossine bees. <i>Journal of Chemical Ecology</i> , 2003, 29, 253-257.	1.8	70
103	Floral evolution and pollinator mate choice in a sexually deceptive orchid. <i>Journal of Evolutionary Biology</i> , 2003, 17, 67-75.	1.7	45
104	Pollinator attraction in a sexually deceptive orchid by means of unconventional chemicals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003, 270, 517-522.	2.6	215
105	The Chemistry of Sexual Deception in an Orchid-Wasp Pollination System. <i>Science</i> , 2003, 302, 437-438.	12.6	298
106	A PHYLOGENETIC STUDY OF POLLINATOR CONSERVATISM AMONG SEXUALLY DECEPTIVE ORCHIDS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 888.	2.3	4
107	How an orchid harms its pollinator. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 1529-1532.	2.6	75
108	Do changes in floral odor cause speciation in sexually deceptive orchids?. <i>Plant Systematics and Evolution</i> , 2002, 234, 111-119.	0.9	120

#	ARTICLE	IF	CITATIONS
109	A PHYLOGENETIC STUDY OF POLLINATOR CONSERVATISM AMONG SEXUALLY DECEPTIVE ORCHIDS. Evolution; International Journal of Organic Evolution, 2002, 56, 888-898.	2.3	92
110	Post-pollination emission of a repellent compound in a sexually deceptive orchid: a new mechanism for maximising reproductive success?. Oecologia, 2001, 126, 531-534.	2.0	136
111	EVOLUTION OF REPRODUCTIVE STRATEGIES IN THE SEXUALLY DECEPTIVE ORCHID OPHRYS SPHEGODES: HOW DOES FLOWER-SPECIFIC VARIATION OF ODOR SIGNALS INFLUENCE REPRODUCTIVE SUCCESS?. Evolution; International Journal of Organic Evolution, 2000, 54, 1995-2006.	2.3	191
112	Sex pheromone mimicry in the early spider orchid (<i>Ophrys sphegodes</i>): patterns of hydrocarbons as the key mechanism for pollination by sexual deception. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2000, 186, 567-574.	1.6	164
113	Post-mating odor in females of the solitary bee, <i>Andrena nigroaenea</i> (Apoidea, Andrenidae), inhibits male mating behavior. Behavioral Ecology and Sociobiology, 2000, 48, 303-307.	1.4	70
114	EVOLUTION OF REPRODUCTIVE STRATEGIES IN THE SEXUALLY DECEPTIVE ORCHID OPHRYS SPHEGODES: HOW DOES FLOWER-SPECIFIC VARIATION OF ODOR SIGNALS INFLUENCE REPRODUCTIVE SUCCESS?. Evolution; International Journal of Organic Evolution, 2000, 54, 1995.	2.3	63
115	Orchid pollination by sexual swindle. Nature, 1999, 399, 421-421.	27.8	398
116	Variation of Floral Scent Emission and Postpollination Changes in Individual Flowers of <i>Ophrys sphegodes</i> Subsp. <i>sphogodes</i> . Journal of Chemical Ecology, 1997, 23, 2881-2895.	1.8	118