Miles A Miller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1263446/publications.pdf

Version: 2024-02-01

147801 128289 3,932 67 31 60 h-index citations g-index papers 69 69 69 7075 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Image-guided cancer immunotherapy. , 2022, , 427-467. | | O |
| 2 | ADAM8-Dependent Extracellular Signaling in the Tumor Microenvironment Involves Regulated Release of Lipocalin 2 and MMP-9. International Journal of Molecular Sciences, 2022, 23, 1976. | 4.1 | 10 |
| 3 | Probing immune infiltration dynamics in cancer by inÂvivo imaging. Current Opinion in Chemical Biology, 2022, 67, 102117. | 6.1 | 8 |
| 4 | Confocal Imaging of Single-Cell Signaling in Orthotopic Models of Ovarian Cancer. Methods in Molecular Biology, 2022, 2424, 295-315. | 0.9 | 1 |
| 5 | New and Emerging Research on Solute Carrier and ATP Binding Cassette Transporters in Drug Discovery and Development: Outlook From the International Transporter Consortium. Clinical Pharmacology and Therapeutics, 2022, 112, 540-561. | 4.7 | 16 |
| 6 | Overcoming differential tumor penetration of BRAF inhibitors using computationally guided combination therapy. Science Advances, 2022, 8, eabl6339. | 10.3 | 6 |
| 7 | Vasculopathy and Increased Vascular Congestion in Fatal COVID-19 and Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 857-873. | 5.6 | 19 |
| 8 | Radiation Cleaved Drug-Conjugate Linkers Enable Local Payload Release. Bioconjugate Chemistry, 2022, 33, 1474-1484. | 3.6 | 7 |
| 9 | Macrophage imaging and subset analysis using single-cell RNA sequencing. Nanotheranostics, 2021, 5, 36-56. | 5.2 | 5 |
| 10 | Detecting Immune Response to Therapies Targeting PDL1 and BRAF by Using Ferumoxytol MRI and Macrin in Anaplastic Thyroid Cancer. Radiology, 2021, 298, 123-132. | 7.3 | 19 |
| 11 | Subcellular Drug Depots as Reservoirs for Small-Molecule Drugs. Methods in Pharmacology and Toxicology, 2021, , 397-434. | 0.2 | O |
| 12 | p53 dynamics vary between tissues and are linked with radiation sensitivity. Nature Communications, 2021, 12, 898. | 12.8 | 32 |
| 13 | Therapeutically reprogrammed nutrient signalling enhances nanoparticulate albumin bound drug uptake and efficacy in KRAS-mutant cancer. Nature Nanotechnology, 2021, 16, 830-839. | 31.5 | 55 |
| 14 | Cell–cell communication networks in tissue: Toward quantitatively linking structure with function. Current Opinion in Systems Biology, 2021, 27, 100341. | 2.6 | 2 |
| 15 | Singleâ€Cell Intravital Microscopy of Trastuzumab Quantifies Heterogeneous in vivo Kinetics. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2020, 97, 528-539. | 1.5 | 16 |
| 16 | In vivo microscopy reveals macrophage polarization locally promotes coherent microtubule dynamics in migrating cancer cells. Nature Communications, 2020, 11, 3521. | 12.8 | 17 |
| 17 | Receptor-Driven ERK Pulses Reconfigure MAPK Signaling and Enable Persistence of Drug-Adapted BRAF-Mutant Melanoma Cells. Cell Systems, 2020, 11, 478-494.e9. | 6.2 | 71 |
| 18 | Cell shape, and not 2D migration, predicts extracellular matrix-driven 3D cell invasion in breast cancer. APL Bioengineering, 2020, 4, 026105. | 6.2 | 50 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Improving nanotherapy delivery and action through image-guided systems pharmacology. Theranostics, 2020, 10, 968-997. | 10.0 | 41 |
| 20 | Development of flow cytometry assays for measuring cell-membrane enzyme activity on individual cells. Journal of Cancer, 2020, 11, 702-715. | 2.5 | 7 |
| 21 | Understanding the In Vivo Fate of Advanced Materials by Imaging. Advanced Functional Materials, 2020, 30, 1910369. | 14.9 | 5 |
| 22 | Efficient blockade of locally reciprocated tumor-macrophage signaling using a TAM-avid nanotherapy. Science Advances, 2020, 6, eaaz8521. | 10.3 | 22 |
| 23 | Development and Application of the Metalloprotease Activity Multiplexed Bead-Based Immunoassay (MAMBI). Biochemistry, 2019, 58, 3938-3942. | 2.5 | 7 |
| 24 | Ultrafast Single-Cell Level Enzymatic Tumor Profiling. Analytical Chemistry, 2019, 91, 1277-1285. | 6.5 | 18 |
| 25 | Near infrared imaging of Mer tyrosine kinase (<i>MERTK</i>) using MERi-SiR reveals tumor associated macrophage uptake in metastatic disease. Chemical Communications, 2018, 54, 42-45. | 4.1 | 21 |
| 26 | Site occupancy calibration of taxane pharmacology in live cells and tissues. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11406-E11414. | 7.1 | 22 |
| 27 | Modular Nanoparticulate Prodrug Design Enables Efficient Treatment of Solid Tumors Using Bioorthogonal Activation. ACS Nano, 2018, 12, 12814-12826. | 14.6 | 72 |
| 28 | Quantitative Imaging of Tumor-Associated Macrophages and Their Response to Therapy Using ⁶⁴ Cu-Labeled Macrin. ACS Nano, 2018, 12, 12015-12029. | 14.6 | 117 |
| 29 | ADAM10 Sheddase Activity is a Potential Lung-Cancer Biomarker. Journal of Cancer, 2018, 9, 2559-2570. | 2.5 | 30 |
| 30 | Imaging the pharmacology of nanomaterials by intravital microscopy: Toward understanding their biological behavior. Advanced Drug Delivery Reviews, 2017, 113, 61-86. | 13.7 | 60 |
| 31 | Heterogeneity of macrophage infiltration and therapeutic response in lung carcinoma revealed by 3D organ imaging. Nature Communications, 2017, 8, 14293. | 12.8 | 155 |
| 32 | In vivo imaging reveals a tumor-associated macrophage–mediated resistance pathway in anti–PD-1 therapy. Science Translational Medicine, 2017, 9, . | 12.4 | 466 |
| 33 | Molecular Pathways: Receptor Ectodomain Shedding in Treatment, Resistance, and Monitoring of Cancer. Clinical Cancer Research, 2017, 23, 623-629. | 7.0 | 87 |
| 34 | Imaging of anticancer drug action in single cells. Nature Reviews Cancer, 2017, 17, 399-414. | 28.4 | 80 |
| 35 | Radiation therapy primes tumors for nanotherapeutic delivery via macrophage-mediated vascular bursts. Science Translational Medicine, 2017, 9, . | 12.4 | 178 |
| 36 | Simultaneous Detection of Metalloprotease Activities in Complex Biological Samples Using the PrAMA (Proteolytic Activity Matrix Assay) Method. Methods in Molecular Biology, 2017, 1574, 243-253. | 0.9 | 7 |

| # | Article | IF | Citations |
|----|--|-------------|-----------|
| 37 | Nano-palladium is a cellular catalyst for in vivo chemistry. Nature Communications, 2017, 8, 15906. | 12.8 | 210 |
| 38 | MENA Confers Resistance to Paclitaxel in Triple-Negative Breast Cancer. Molecular Cancer Therapeutics, $2017, 16, 143-155$. | 4.1 | 31 |
| 39 | Prediction of Anti-cancer Nanotherapy Efficacy by Imaging. Nanotheranostics, 2017, 1, 296-312. | 5.2 | 64 |
| 40 | Profiling of metalloprotease activities in cerebrospinal fluids of patients with neoplastic meningitis. Fluids and Barriers of the CNS, 2017, 14, 22. | 5. 0 | 12 |
| 41 | Modification of proteolytic activity matrix analysis (PrAMA) to measure ADAM10 and ADAM17 sheddase activities in cell and tissue lysates. Journal of Cancer, 2017, 8, 3916-3932. | 2.5 | 3 |
| 42 | Nanoparticles improve economic mileage for CARs. Science Translational Medicine, 2017, 9, . | 12.4 | 3 |
| 43 | Richer data with personalized GEMs. Science Translational Medicine, 2017, 9, . | 12.4 | 0 |
| 44 | Less is more for anticancer therapy combinations. Science Translational Medicine, 2017, 9, . | 12.4 | 0 |
| 45 | Fluorescent substrates for ADAM15 useful for assaying and high throughput screening. Analytical Biochemistry, 2016, 514, 42-47. | 2.4 | 6 |
| 46 | Mena ^{INV} mediates synergistic cross-talk between signaling pathways driving chemotaxis and haptotaxis. Molecular Biology of the Cell, 2016, 27, 3085-3094. | 2.1 | 12 |
| 47 | Reduced Proteolytic Shedding of Receptor Tyrosine Kinases Is a Post-Translational Mechanism of Kinase Inhibitor Resistance. Cancer Discovery, 2016, 6, 382-399. | 9.4 | 139 |
| 48 | Single cell multiplexed assay for proteolytic activity using droplet microfluidics. Biosensors and Bioelectronics, 2016, 81, 408-414. | 10.1 | 66 |
| 49 | Abstract B133: In vivo imaging of innate immune cells to measure drug response. , 2016, , . | | 1 |
| 50 | Targeting autocrine HB-EGF signaling with specific ADAM12 inhibition using recombinant ADAM12 prodomain. Scientific Reports, 2015, 5, 15150. | 3.3 | 24 |
| 51 | Advances in measuring single-cell pharmacology in vivo. Drug Discovery Today, 2015, 20, 1087-1092. | 6.4 | 41 |
| 52 | Low-volume multiplexed proteolytic activity assay and inhibitor analysis through a pico-injector array. Lab on A Chip, 2015, 15, 1153-1159. | 6.0 | 34 |
| 53 | ADAM8 as a drug target in pancreatic cancer. Nature Communications, 2015, 6, 6175. | 12.8 | 85 |
| 54 | Tumour-associated macrophages act as a slow-release reservoir of nano-therapeutic Pt(IV) pro-drug. Nature Communications, 2015, 6, 8692. | 12.8 | 353 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Predicting therapeutic nanomedicine efficacy using a companion magnetic resonance imaging nanoparticle. Science Translational Medicine, 2015, 7, 314ra183. | 12.4 | 273 |
| 56 | Platinum Compounds for Highâ€Resolution In Vivo Cancer Imaging. ChemMedChem, 2014, 9, 1131-1135. | 3.2 | 49 |
| 57 | Single-cell pharmacokinetic imaging reveals a therapeutic strategy to overcome drug resistance to the microtubule inhibitor eribulin. Science Translational Medicine, 2014, 6, 261ra152. | 12.4 | 71 |
| 58 | High-throughput screening for directed chemotaxis of retinal progenitor cells in 3D hydrogels. , 2014, , . | | 0 |
| 59 | Single cell imaging of Bruton's Tyrosine Kinase using an irreversible inhibitor. Scientific Reports, 2014, 4, 4782. | 3.3 | 37 |
| 60 | Multiplexed Protease Activity Assay for Low-Volume Clinical Samples Using Droplet-Based Microfluidics and Its Application to Endometriosis. Journal of the American Chemical Society, 2013, 135, 1645-1648. | 13.7 | 76 |
| 61 | Regulated ADAM17-dependent EGF family ligand release by substrate-selecting signaling pathways. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9776-9781. | 7.1 | 74 |
| 62 | ADAM-10 and -17 regulate endometriotic cell migration via concerted ligand and receptor shedding feedback on kinase signaling. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E2074-83. | 7.1 | 80 |
| 63 | The Receptor AXL Diversifies EGFR Signaling and Limits the Response to EGFR-Targeted Inhibitors in Triple-Negative Breast Cancer Cells. Science Signaling, 2013, 6, ra66. | 3.6 | 236 |
| 64 | Identifying Biological Network Structure, Predicting Network Behavior, and Classifying Network State With High Dimensional Model Representation (HDMR). PLoS ONE, 2012, 7, e37664. | 2.5 | 13 |
| 65 | Proteolytic Activity Matrix Analysis (PrAMA) for simultaneous determination of multiple protease activities. Integrative Biology (United Kingdom), 2011, 3, 422-438. | 1.3 | 77 |
| 66 | Enhancing Protease Activity Assay in Droplet-Based Microfluidics Using a Biomolecule Concentrator. Journal of the American Chemical Society, 2011, 133, 10368-10371. | 13.7 | 77 |
| 67 | ADAM9 Inhibition Increases Membrane Activity of ADAM10 and Controls α-Secretase Processing of Amyloid Precursor Protein. Journal of Biological Chemistry, 2011, 286, 40443-40451. | 3.4 | 54 |