

Ray W Shiraishi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1264001/publications.pdf>

Version: 2024-02-01

54
papers

1,767
citations

236925

25
h-index

276875

41
g-index

56
all docs

56
docs citations

56
times ranked

2448
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Evaluation of the WHO global database on blood safety. <i>Vox Sanguinis</i> , 2021, 116, 197-206. | 1.5 | 2 |
| 2 | Early-phase scale-up of isoniazid preventive therapy for people living with HIV in two districts in Malawi (2017). <i>PLoS ONE</i> , 2021, 16, e0248115. | 2.5 | 2 |
| 3 | Assessment of the tuberculosis case-finding and prevention cascade among people living with HIV in Zambia â€” 2018: a cross-sectional cluster survey. <i>BMC Public Health</i> , 2021, 21, 859. | 2.9 | 5 |
| 4 | Naomi: a new modelling tool for estimating HIV epidemic indicators at the district level in sub-Saharan Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25788. | 3.0 | 23 |
| 5 | Derivation and external validation of a risk score for predicting HIV-associated tuberculosis to support case finding and preventive therapy scale-up: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003739. | 8.4 | 4 |
| 6 | New HIV infections from blood transfusions averted in 28 countries supported by PEPFAR blood safety programs, 2004â€”2015. <i>Transfusion</i> , 2021, 61, 851-861. | 1.6 | 2 |
| 7 | Risk scores for predicting early antiretroviral therapy mortality in sub-Saharan Africa to inform who needs intensification of care: a derivation and external validation cohort study. <i>BMC Medicine</i> , 2020, 18, 311. | 5.5 | 0 |
| 8 | A new method for estimating HIV incidence from a single cross-sectional survey. <i>PLoS ONE</i> , 2020, 15, e0237221. | 2.5 | 9 |
| 9 | Mother-To-Child Transmission of HIV in Adolescents and Young Women: Findings From a National Prospective Cohort Survey, Zimbabwe, 2013â€”2014. <i>Journal of Adolescent Health</i> , 2020, 66, 455-463. | 2.5 | 6 |
| 10 | Improving injection safety practices of Cambodian healthcare workers through training. <i>PLoS ONE</i> , 2020, 15, e0241176. | 2.5 | 2 |
| 11 | Factors associated with concurrent heroin use among patients on methadone maintenance treatment in Vietnam: A 24-month retrospective analysis of a nationally representative sample. <i>International Journal of Drug Policy</i> , 2018, 55, 113-120. | 3.3 | 21 |
| 12 | Impact of Timing of Antiretroviral Treatment and Birth Weight on Mother-to-Child Human Immunodeficiency Virus Transmission: Findings From an 18-Month Prospective Cohort of a Nationally Representative Sample of Motherâ€”Infant Pairs During the Transition From Option A to Option B+ in Zimbabwe. <i>Clinical Infectious Diseases</i> , 2018, 66, 576-585. | 5.8 | 28 |
| 13 | National estimates and risk factors associated with early mother-to-child transmission of HIV after implementation of option B+: a cross-sectional analysis. <i>Lancet HIV</i> , 2018, 5, e688-e695. | 4.7 | 40 |
| 14 | Incidence and predictors of tuberculosis among HIV-infected adults after initiation of antiretroviral therapy in Nigeria, 2004-2012. <i>PLoS ONE</i> , 2017, 12, e0173309. | 2.5 | 27 |
| 15 | Knowledge of Human Immunodeficiency Virus Status and Seropositivity After a Recently Negative Test in Malawi. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofw231. | 0.9 | 4 |
| 16 | High rates of loss to follow-up during the first year of pre-antiretroviral therapy for HIV patients at sites providing pre-ART care in Nigeria, 2004â€”2012. <i>PLoS ONE</i> , 2017, 12, e0183823. | 2.5 | 15 |
| 17 | Trends in Prevalence of Advanced HIV Disease at Antiretroviral Therapy Enrollment â€” 10 Countries, 2004â€”2015. <i>Morbidity and Mortality Weekly Report</i> , 2017, 66, 558-563. | 15.1 | 34 |
| 18 | Retention Throughout the HIV Care and Treatment Cascade: From Diagnosis to Antiretroviral Treatment of Adults and Children Living with HIVâ€”Haiti, 1985â€”2015. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 97, 57-70. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Community ART Support Groups in Mozambique: The Potential of Patients as Partners in Care. PLoS ONE, 2016, 11, e0166444. | 2.5 | 40 |
| 20 | A Decade of Antiretroviral Therapy Scale-up in Mozambique: Evaluation of Outcome Trends and New Models of Service Delivery Among More Than 300,000 Patients Enrolled During 2004â€”2013. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 73, e11-e22. | 2.1 | 43 |
| 21 | Comparative Yield of Different Diagnostic Tests for Tuberculosis among People Living with HIV in Western Kenya. PLoS ONE, 2016, 11, e0152364. | 2.5 | 12 |
| 22 | Wide Variations in Compliance with Tuberculosis Screening Guidelines and Tuberculosis Incidence between Antiretroviral Therapy Facilities â€” CÃ¢te dÃ¢Ivoire. PLoS ONE, 2016, 11, e0157059. | 2.5 | 6 |
| 23 | Outcomes of Nigeria's HIV/AIDS Treatment Program for Patients Initiated on Antiretroviral Treatment between 2004-2012. PLoS ONE, 2016, 11, e0165528. | 2.5 | 43 |
| 24 | Performance of Clinical Screening Algorithms for Tuberculosis Intensified Case Finding among People Living with HIV in Western Kenya. PLoS ONE, 2016, 11, e0167685. | 2.5 | 38 |
| 25 | Temporal Trends in Patient Characteristics and Outcomes Among Children Enrolled in Mozambiqueâ€™s National Antiretroviral Therapy Program. Pediatric Infectious Disease Journal, 2015, 34, e191-e199. | 2.0 | 8 |
| 26 | Namibia's transition from whole bloodâ€”derived pooled platelets to singleâ€”donor apheresis platelet collections. Transfusion, 2015, 55, 1685-1692. | 1.6 | 6 |
| 27 | Gender-related differences in outcomes and attrition on antiretroviral treatment among an HIV-infected patient cohort in Zimbabwe: 2007â€”2010. International Journal of Infectious Diseases, 2015, 30, 98-105. | 3.3 | 46 |
| 28 | Prevalence of Rape and Client-Initiated Gender-Based Violence Among Female Sex Workers: Kampala, Uganda, 2012. AIDS and Behavior, 2015, 19, 68-76. | 2.7 | 55 |
| 29 | Lower Levels of Antiretroviral Therapy Enrollment Among Men with HIV Compared with Women â€” 12 Countries, 2002â€”2013. Morbidity and Mortality Weekly Report, 2015, 64, 1281-1286. | 15.1 | 41 |
| 30 | Patient Retention, Clinical Outcomes and Attrition-Associated Factors of HIV-Infected Patients Enrolled in Zimbabwe's National Antiretroviral Therapy Programme, 2007â€”2010. PLoS ONE, 2014, 9, e86305. | 2.5 | 76 |
| 31 | Awareness of HIV Status, Prevention Knowledge and Condom Use among People Living with HIV in Mozambique. PLoS ONE, 2014, 9, e106760. | 2.5 | 36 |
| 32 | Temporal Trends in Mortality and Loss to Follow-up Among Children Enrolled in CÃ¢te dÃ¢Ivoireâ€™s National Antiretroviral Therapy Program. Pediatric Infectious Disease Journal, 2014, 33, 1134-1140. | 2.0 | 20 |
| 33 | Tuberculosis in human immunodeficiency virus-infected children starting antiretroviral therapy in CÃ¢te d'Ivoire. International Journal of Tuberculosis and Lung Disease, 2014, 18, 381-387. | 1.2 | 18 |
| 34 | Temporal Trends in Treatment Outcomes for HIV-1 and HIV-2-Infected Adults Enrolled in CÃ¢te d'Ivoire's National Antiretroviral Therapy Program. PLoS ONE, 2014, 9, e98183. | 2.5 | 21 |
| 35 | Estimation of the prevalence and rate of acute transfusion reactions occurring in Windhoek, Namibia. Blood Transfusion, 2014, 12, 352-61. | 0.4 | 13 |
| 36 | Antiretroviral therapy enrollment characteristics and outcomes among HIV-infected adolescents and young adults compared with older adults--seven African countries, 2004-2013. Morbidity and Mortality Weekly Report, 2014, 63, 1097-103. | 15.1 | 84 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Routine data from prevention of mother-to-child transmission (PMTCT) HIV testing not yet ready for HIV surveillance in Mozambique: a retrospective analysis of matched test results. <i>BMC Infectious Diseases</i> , 2013, 13, 96. | 2.9 | 32 |
| 38 | Reaching Men Who Have Sex with Men: A Comparison of Respondent-Driven Sampling and Time-Location Sampling in Guatemala City. <i>AIDS and Behavior</i> , 2013, 17, 3081-3090. | 2.7 | 44 |
| 39 | Knowledge and barriers related to reporting of acute transfusion reactions among healthcare workers in Namibia. <i>Transfusion Medicine</i> , 2013, 23, 367-369. | 1.1 | 4 |
| 40 | Incidence and Determinants of Tuberculosis among Adults Initiating Antiretroviral Therapy â€” Mozambique, 2004â€”2008. <i>PLoS ONE</i> , 2013, 8, e54665. | 2.5 | 31 |
| 41 | Outcomes of Antiretroviral Therapy in Vietnam: Results from a National Evaluation. <i>PLoS ONE</i> , 2013, 8, e55750. | 2.5 | 45 |
| 42 | Comparison of HIV-1 detection in plasma specimens and dried blood spots using the Roche COBAS Ampliscreen HIV-1 test in Kisumu, Kenya. <i>Journal of Virological Methods</i> , 2012, 179, 21-25. | 2.1 | 9 |
| 43 | Lack of Knowledge of HIV Status a Major Barrier to HIV Prevention, Care and Treatment Efforts in Kenya: Results from a Nationally Representative Study. <i>PLoS ONE</i> , 2012, 7, e36797. | 2.5 | 80 |
| 44 | Four-Year Treatment Outcomes of Adult Patients Enrolled in Mozambique's Rapidly Expanding Antiretroviral Therapy Program. <i>PLoS ONE</i> , 2011, 6, e18453. | 2.5 | 81 |
| 45 | Author response to: letter to the editor HIV safety in subâ€”Saharan Africa. <i>Vox Sanguinis</i> , 2011, 100, 436-437. | 1.5 | 0 |
| 46 | Bridging Populationsâ€”Sexual Risk Behaviors and HIV Prevalence in Clients and Partners of Female Sex Workers, Bangkok, Thailand 2007. <i>Journal of Urban Health</i> , 2011, 88, 533-544. | 3.6 | 18 |
| 47 | Reduced risk of transfusion-transmitted HIV in Kenya through centrally co-ordinated blood centres, stringent donor selection and effective p24 antigen-HIV antibody screening. <i>Vox Sanguinis</i> , 2010, 99, 212-219. | 1.5 | 31 |
| 48 | Knowledge of HIV status, sexual risk behaviors and contraceptive need among people living with HIV in Kenya and Malawi. <i>Aids</i> , 2009, 23, 1565-1573. | 2.2 | 65 |
| 49 | Why Do Older Men Report Low Stress Ratings? Findings from the Veterans Affairs Normative Aging Study. <i>International Journal of Aging and Human Development</i> , 2009, 68, 149-170. | 1.6 | 18 |
| 50 | Site factors may be more important than participant factors in explaining HIV test acceptance in the prevention of motherâ€”toâ€”child HIV transmission programme in Kenya, 2005. <i>Tropical Medicine and International Health</i> , 2009, 14, 1215-1219. | 2.3 | 16 |
| 51 | A Public Health Approach to Rapid Scale-Up of Antiretroviral Treatment in Malawi During 2004-2006. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 49, 287-293. | 2.1 | 48 |
| 52 | Lower Early Mortality Rates Among Patients Receiving Antiretroviral Treatment at Clinics Offering Cotrimoxazole Prophylaxis in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007, 46, 56-61. | 2.1 | 57 |
| 53 | Lower early mortality rates among patients receiving antiretroviral treatment at clinics offering cotrimoxazole prophylaxis in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007, 46, 56-61. | 2.1 | 40 |
| 54 | Self-Transcendence: Conceptualization and Measurement. <i>International Journal of Aging and Human Development</i> , 2005, 60, 127-143. | 1.6 | 302 |