

Magali Giral

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1264509/publications.pdf>

Version: 2024-02-01

39
papers

1,893
citations

394421

19
h-index

302126

39
g-index

41
all docs

41
docs citations

41
times ranked

2838
citing authors

#	ARTICLE	IF	CITATIONS
1	A fourth SARS-CoV-2 mRNA vaccine in strictly seronegative kidney transplant recipients. <i>Kidney International</i> , 2022, 101, 825-826.	5.2	25
2	Urinary metabolomic profiling from spontaneous tolerant kidney transplanted recipients shows enrichment in tryptophan-derived metabolites. <i>EBioMedicine</i> , 2022, 77, 103844.	6.1	4
3	Observations on improving COVID-19 vaccination responses in kidney transplant recipients: heterologous vaccination and immunosuppression modulation. <i>Kidney International</i> , 2022, 101, 642-645.	5.2	20
4	Diagnostic performance of kSORT, a blood-based mRNA assay for noninvasive detection of rejection after kidney transplantation: A retrospective multicenter cohort study. <i>American Journal of Transplantation</i> , 2021, 21, 740-750.	4.7	22
5	Resurgence of BK virus following Covid-19 in kidney transplant recipients. <i>Transplant Infectious Disease</i> , 2021, 23, e13465.	1.7	5
6	Antibiotics versus no therapy in kidney transplant recipients with asymptomatic bacteriuria (BiRT): a pragmatic, multicentre, randomized, controlled trial. <i>Clinical Microbiology and Infection</i> , 2021, 27, 398-405.	6.0	43
7	Preformed T cell alloimmunity and HLA eplet mismatch to guide immunosuppression minimization with tacrolimus monotherapy in kidney transplantation: Results of the CELLIMIN trial. <i>American Journal of Transplantation</i> , 2021, 21, 2833-2845.	4.7	27
8	Clinical utility of C-peptide measurement after pancreas transplantation with especial focus on early graft thrombosis. <i>Transplant International</i> , 2021, 34, 942-953.	1.6	1
9	A third injection of the BNT162b2 mRNA COVID-19 vaccine in kidney transplant recipients improves the humoral immune response. <i>Kidney International</i> , 2021, 100, 1132-1135.	5.2	59
10	Unique and specific Proteobacteria diversity in urinary microbiota of tolerant kidney transplanted recipients. <i>American Journal of Transplantation</i> , 2020, 20, 145-158.	4.7	19
11	Comparison of longitudinal quality of life outcomes in preemptive and dialyzed patients on waiting list for kidney transplantation. <i>Quality of Life Research</i> , 2020, 29, 959-970.	3.1	8
12	Efficient Expansion of Human Granzyme B-Expressing B Cells with Potent Regulatory Properties. <i>Journal of Immunology</i> , 2020, 205, 2391-2401.	0.8	25
13	The weekend effect in kidney transplantation outcomes: a French cohort-based study. <i>Transplant International</i> , 2020, 33, 1030-1039.	1.6	4
14	Terminally Differentiated Effector Memory CD8+ T Cells Identify Kidney Transplant Recipients at High Risk of Graft Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 876-891.	6.1	44
15	Tacrolimus- versus sirolimus-based immunosuppression after simultaneous pancreas and kidney transplantation: 5-year results of a randomized trial. <i>American Journal of Transplantation</i> , 2020, 20, 1679-1690.	4.7	12
16	Comparison of graft and patient survival according to the transplantation centre policy for 1-year screening biopsy among stable kidney recipients: a propensity score-based study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 703-711.	0.7	9
17	CXCR5+PD1+ICOS+ Circulating T Follicular Helpers Are Associated With de novo Donor-Specific Antibodies After Renal Transplantation. <i>Frontiers in Immunology</i> , 2019, 10, 2071.	4.8	23
18	Early Acute Microvascular Kidney Transplant Rejection in the Absence of Anti-HLA Antibodies Is Associated with Preformed IgG Antibodies against Diverse Glomerular Endothelial Cell Antigens. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 692-709.	6.1	81

#	ARTICLE	IF	CITATIONS
19	Poor Patient and Graft Outcome After Induction Treatment by Antithymocyte Globulin in Recipients of a Kidney Graft After Nonrenal Organ Transplantation. <i>Transplantation Direct</i> , 2018, 4, e357.	1.6	12
20	Horizontal mixture model for competing risks: a method used in waitlisted renal transplant candidates. <i>European Journal of Epidemiology</i> , 2018, 33, 275-286.	5.7	4
21	Impact of antiviral prophylaxis in adults Epstein-Barr Virus-seronegative kidney recipients on early and late post-transplantation lymphoproliferative disorder onset: a retrospective cohort study. <i>Transplant International</i> , 2018, 31, 484-494.	1.6	23
22	Analyses of the short- and long-term graft survival after kidney transplantation in Europe between 1986 and 2015. <i>Kidney International</i> , 2018, 94, 964-973.	5.2	198
23	The 1-year Renal Biopsy Index: a scoring system to drive biopsy indication at 1-year post-kidney transplantation. <i>Transplant International</i> , 2018, 31, 947-955.	1.6	5
24	HCMV triggers frequent and persistent UL40-specific unconventional HLA-E-restricted CD8 T-cell responses with potential autologous and allogeneic peptide recognition. <i>PLoS Pathogens</i> , 2018, 14, e1007041.	4.7	31
25	A composite score associated with spontaneous operational tolerance in kidney transplant recipients. <i>Kidney International</i> , 2017, 91, 1473-1481.	5.2	31
26	Is pre-transplant sensitization against angiotensin II type 1 receptor still a risk factor of graft and patient outcome in kidney transplantation in the anti-HLA Luminex era? A retrospective study. <i>Transplant International</i> , 2017, 30, 1150-1160.	1.6	30
27	IL-15 Harnesses Pro-inflammatory Function of TEMRA CD8 in Kidney-Transplant Recipients. <i>Frontiers in Immunology</i> , 2017, 8, 778.	4.8	20
28	Broad Impairment of Natural Killer Cells From Operationally Tolerant Kidney Transplanted Patients. <i>Frontiers in Immunology</i> , 2017, 8, 1721.	4.8	11
29	Vitamin D deficiency is an independent risk factor for PTDM after kidney transplantation. <i>Transplant International</i> , 2016, 29, 207-215.	1.6	18
30	The DESCARTES-Nantes survey of kidney transplant recipients displaying clinical operational tolerance identifies 35 new tolerant patients and 34 almost tolerant patients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1002-1013.	0.7	46
31	A joint model for longitudinal and time-to-event data to better assess the specific role of donor and recipient factors on long-term kidney transplantation outcomes. <i>European Journal of Epidemiology</i> , 2016, 31, 469-479.	5.7	16
32	Sialylation of antibodies in kidney recipients with de novo donor specific antibody, with or without antibody mediated rejection. <i>Human Immunology</i> , 2016, 77, 1076-1083.	2.4	14
33	Tolerant Kidney Transplant Patients Produce B Cells with Regulatory Properties. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2588-2598.	6.1	142
34	Each additional hour of cold ischemia time significantly increases the risk of graft failure and mortality following renal transplantation. <i>Kidney International</i> , 2015, 87, 343-349.	5.2	287
35	MicroRNAs, Major Players in B Cells Homeostasis and Function. <i>Frontiers in Immunology</i> , 2014, 5, 98.	4.8	45
36	A useful scoring system for the prediction and management of delayed graft function following kidney transplantation from cadaveric donors. <i>Kidney International</i> , 2014, 86, 1130-1139.	5.2	82

#	ARTICLE	IF	CITATIONS
37	Expansion of Highly Differentiated Cytotoxic Terminally Differentiated Effector Memory CD8+ T Cells in a Subset of Clinically Stable Kidney Transplant Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1856-1868.	6.1	70
38	Identification of a peripheral blood transcriptional biomarker panel associated with operational renal allograft tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15448-15453.	7.1	332
39	Steroid Avoidance Versus Steroid Withdrawal After Simultaneous Pancreas-Kidney Transplantation. <i>American Journal of Transplantation</i> , 2005, 5, 1332-1338.	4.7	45