

Michael Häfner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1267225/publications.pdf>

Version: 2024-02-01

103
papers

8,867
citations

47006

47
h-index

42399

92
g-index

115
all docs

115
docs citations

115
times ranked

9214
citing authors

#	ARTICLE	IF	CITATIONS
1	Is Childhood Maltreatment Associated with Body Image Disturbances in Adulthood? A Systematic Review and Meta-Analysis. <i>Journal of Child and Adolescent Trauma</i> , 2022, 15, 523-538.	1.9	8
2	Qualitative approximations to causality: Non-randomizable factors in clinical psychology. <i>Clinical Psychology in Europe</i> , 2021, 3, .	1.1	3
3	Impulsive decision-making predicts the course of substance-related and addictive disorders. <i>Psychopharmacology</i> , 2020, 237, 2709-2724.	3.1	21
4	Do lifetime anxiety disorders (anxiety liability) and pregnancy-related anxiety predict complications during pregnancy and delivery?. <i>Early Human Development</i> , 2020, 144, 105022.	1.8	18
5	Epidemiologische Beiträge zur Klinischen Psychologie. , 2020, , 57-112.		2
6	Prevalence, Onset, and Course of Suicidal Behavior Among Adolescents and Young Adults in Germany. <i>JAMA Network Open</i> , 2019, 2, e1914386.	5.9	61
7	Letter to the editor: When does selection generate bias in clinical samples?. <i>Journal of Psychiatric Research</i> , 2019, 116, 189-190.	3.1	1
8	Orexin in the anxiety spectrum: association of a HCRTR1 polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. <i>Translational Psychiatry</i> , 2019, 9, 75.	4.8	29
9	Clinical and Neurofunctional Substrates of Cognitive Behavioral Therapy on Secondary Social Anxiety Disorder in Primary Panic Disorder: A Longitudinal fMRI Study. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 48-51.	8.8	1
10	Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the MAOA gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 161-170.	3.2	4
11	Trauma, attentional dysregulation, and the development of posttraumatic stress: An investigation of risk pathways. <i>Behaviour Research and Therapy</i> , 2018, 102, 60-66.	3.1	20
12	Biological stress indicators as risk markers for increased alcohol use following traumatic experiences. <i>Addiction Biology</i> , 2018, 23, 281-290.	2.6	12
13	Writing a discussion section: how to integrate substantive and statistical expertise. <i>BMC Medical Research Methodology</i> , 2018, 18, 34.	3.1	11
14	Is Cannabis Use Treatment Also Indicated for Patients with Low to Moderate Polysubstance Use. <i>European Addiction Research</i> , 2018, 24, 79-87.	2.4	7
15	Stress-related salivary alpha-amylase (sAA) activity in alcohol dependent patients with and without a history of childhood maltreatment. <i>Psychopharmacology</i> , 2017, 234, 1901-1909.	3.1	6
16	Prediction of incidence and stability of alcohol use disorders by latent internalizing psychopathology risk profiles in adolescence and young adulthood. <i>Drug and Alcohol Dependence</i> , 2017, 179, 32-41.	3.2	7
17	ATTENTIONAL BIAS TEMPORAL DYNAMICS PREDICT POSTTRAUMATIC STRESS SYMPTOMS: A PROSPECTIVE-LONGITUDINAL STUDY AMONG SOLDIERS. <i>Depression and Anxiety</i> , 2016, 33, 630-639.	4.1	44
18	Evidence for two different ICD-11 posttraumatic stress disorders in a community sample of adolescents and young adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 317-328.	3.2	111

#	ARTICLE	IF	CITATIONS
19	Prevalence, incidence, and natural course of anorexia and bulimia nervosa among adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 903-918.	4.7	168
20	Twelve-months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults – Mental Health Module (DEGS1-MH): a methodological addendum and correction. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 305-313.	2.1	110
21	Stress exposure and the risk for the onset of alcohol use disorders and nicotine dependence in deployed military personnel: The role of prior internalizing disorders. <i>Addictive Behaviors</i> , 2015, 43, 89-96.	3.0	9
22	5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 399-406.	3.2	21
23	Associations of anxiety disorders, depressive disorders and body weight with hypertension during pregnancy. <i>Archives of Women's Mental Health</i> , 2015, 18, 473-483.	2.6	26
24	Disturbed sleep as risk factor for the subsequent onset of bipolar disorder – Data from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2015, 68, 76-82.	3.1	71
25	Is trait resilience characterized by specific patterns of attentional bias to emotional stimuli and attentional control?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 133-139.	1.2	29
26	The –Early Developmental Stages of Psychopathology (EDSP) study–™: a 20-year review of methods and findings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 851-866.	3.1	83
27	Risk factors and course patterns of anxiety and depressive disorders during pregnancy and after delivery: A prospective-longitudinal study. <i>Journal of Affective Disorders</i> , 2015, 175, 385-395.	4.1	246
28	Functional Disability and Quality of Life Decrements in Mental Disorders: Results From the Mental Health Module of the German Health Interview and Examination Survey for Adults (Degs1-Mh). <i>European Psychiatry</i> , 2015, 30, 793-800.	0.2	35
29	Population size matters: bias in conventional meta-analysis. <i>International Journal of Social Research Methodology: Theory and Practice</i> , 2014, 17, 585-597.	4.4	3
30	Does help-seeking alter the risk for incident psychopathology in adolescents and young adults with and without fearful spells or panic attacks? Findings from a 10-year prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , 2014, 169, 221-227.	4.1	9
31	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 304-319.	2.1	393
32	Self-reported utilization of mental health services in the adult German population – evidence for unmet needs? Results of the DEGS1-Mental Health Module (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 289-303.	2.1	207
33	Maternal anxiety disorders predict excessive infant crying: a prospective longitudinal study. <i>Archives of Disease in Childhood</i> , 2014, 99, 800-806.	1.9	50
34	Associations of fearful spells and panic attacks with incident anxiety, depressive, and substance use disorders: A 10-year prospective-longitudinal community study of adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2014, 55, 8-14.	3.1	41
35	Characteristics of initial fearful spells and their associations with DSM-IV panic attacks and panic disorder in adolescents and young adults from the community. <i>Journal of Affective Disorders</i> , 2014, 165, 95-102.	4.1	13
36	Long-term stability of cognitive behavioral therapy effects for panic disorder with agoraphobia: A two-year follow-up study. <i>Behaviour Research and Therapy</i> , 2013, 51, 830-839.	3.1	47

#	ARTICLE	IF	CITATIONS
37	Maternal anxiety disorders prior to conception, psychopathology during pregnancy and early infants' development: a prospective-longitudinal study. Archives of Women's Mental Health, 2013, 16, 549-560.	2.6	47
38	Mental disorders and smoking trajectories: A 10-year prospective study among adolescents and young adults in the community. Drug and Alcohol Dependence, 2013, 130, 201-207.	3.2	12
39	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1-MH). International Journal of Methods in Psychiatric Research, 2013, 22, 83-99.	2.1	86
40	The relevance of age at first alcohol and nicotine use for initiation of cannabis use and progression to cannabis use disorders. Drug and Alcohol Dependence, 2012, 123, 48-56.	3.2	52
41	Prevalence, incidence and determinants of PTSD and other mental disorders: design and methods of the PID-PTSD+ study. International Journal of Methods in Psychiatric Research, 2012, 21, 98-116.	2.1	29
42	AVOIDANCE, SAFETY BEHAVIOR, AND REASSURANCE SEEKING IN GENERALIZED ANXIETY DISORDER. Depression and Anxiety, 2012, 29, 948-957.	4.1	108
43	Traumatic Experiences and Posttraumatic Stress Disorder in Soldiers Following Deployment Abroad. Deutsches Ärztblatt International, 2012, 109, 559-68.	0.9	77
44	Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT. Journal of Consulting and Clinical Psychology, 2011, 79, 406-420.	2.0	189
45	The diagnostic threshold of generalized anxiety disorder in the community: A developmental perspective. Journal of Psychiatric Research, 2011, 45, 962-972.	3.1	33
46	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. BMJ: British Medical Journal, 2011, 342, d738-d738.	2.3	241
47	Pain associated with specific anxiety and depressive disorders in a nationally representative population sample. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 89-104.	3.1	88
48	Causal Effects In Psychotherapy: Counterfactuals Counteract Overgeneralization. Psychotherapy Research, 2010, 20, 668-679.	1.8	22
49	Worry Exposure versus Applied Relaxation in the Treatment of Generalized Anxiety Disorder. Psychotherapy and Psychosomatics, 2009, 78, 106-115.	8.8	121
50	The structure of common mental disorders: A replication study in a community sample of adolescents and young adults. International Journal of Methods in Psychiatric Research, 2009, 18, 204-220.	2.1	71
51	The structure of mental disorders re-examined: Is it developmentally stable and robust against additions?. International Journal of Methods in Psychiatric Research, 2009, 18, 189-203.	2.1	49
52	Mood episodes and mood disorders: patterns of incidence and conversion in the first three decades of life. Bipolar Disorders, 2009, 11, 637-649.	1.9	139
53	A typology of cannabis-related problems among individuals with repeated illegal drug use in the first three decades of life: Evidence for heterogeneity and different treatment needs. Drug and Alcohol Dependence, 2009, 102, 151-157.	3.2	35
54	Association between generalized anxiety levels and pain in a community sample: Evidence for diagnostic specificity. Journal of Anxiety Disorders, 2009, 23, 684-693.	3.2	70

#	ARTICLE	IF	CITATIONS
55	Do parental psychopathology and unfavorable family environment predict the persistence of social phobia?. <i>Journal of Anxiety Disorders</i> , 2009, 23, 986-994.	3.2	44
56	Psychometric properties of the Retrospective Self Report of Inhibition (RSRI) in a representative German sample. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 80-88.	2.1	23
57	Risk and speed of transitions to first alcohol dependence symptoms in adolescents: a 10-year longitudinal community study in Germany. <i>Addiction</i> , 2008, 103, 1638-1647.	3.3	50
58	Smoking predicts suicidality: Findings from a prospective community study. <i>Journal of Affective Disorders</i> , 2008, 108, 135-145.	4.1	87
59	Agoraphobia and Panic. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 147-157.	8.8	103
60	Anxiety disorders in mothers and their children: Prospective longitudinal community study. <i>British Journal of Psychiatry</i> , 2008, 192, 308-309.	2.8	77
61	Translocation Relative to Range. <i>Methodology</i> , 2008, 4, 132-138.	1.1	3
62	Incidence of Social Anxiety Disorder and the Consistent Risk for Secondary Depression in the First Three Decades of Life. <i>Archives of General Psychiatry</i> , 2007, 64, 903.	12.3	577
63	Increased 12-Month Prevalence Rates of Mental Disorders in Patients with Chronic Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 354-360.	8.8	220
64	Childhood Separation Anxiety and the Risk of Subsequent Psychopathology: Results from a Community Study. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 47-56.	8.8	145
65	Physical activity and prevalence and incidence of mental disorders in adolescents and young adults. <i>Psychological Medicine</i> , 2007, 37, 1657-1666.	4.5	222
66	Estimating causal effects from observational data with a model for multiple bias. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 77-87.	2.1	13
67	Visualizing Multivariate Dependencies with Association Chain Graphs. <i>Methodology</i> , 2007, 3, 24-34.	1.1	2
68	Where have they been? Service use of regular substance users with and without abuse and dependence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 470-479.	3.1	18
69	Clinical characteristics of Major Depressive Disorder run in families – A community study of 933 mothers and their children. <i>Journal of Psychiatric Research</i> , 2006, 40, 283-292.	3.1	18
70	Re-interpreting conventional interval estimates taking into account bias and extra-variation. <i>BMC Medical Research Methodology</i> , 2006, 6, 51.	3.1	0
71	Different results on tetrachorical correlations in Mplus and Stata - Stata announces modified procedure. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 157-166.	2.1	5
72	Substance Use and Substance Use Disorders in a Community Sample of Adolescents and Young Adults: Incidence, Age Effects and Patterns of Use. <i>European Addiction Research</i> , 2006, 12, 187-196.	2.4	52

#	ARTICLE	IF	CITATIONS
73	High Cholesterol, Triglycerides, and Body-Mass Index in Suicide Attempters. Archives of Suicide Research, 2006, 10, 1-9.	2.3	63
74	The effect of misclassification on the estimation of association: a review. International Journal of Methods in Psychiatric Research, 2005, 14, 92-101.	2.1	77
75	The use of weights to account for non-response and drop-out. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 291-299.	3.1	95
76	Calculating control variables with age at onset data to adjust for conditions prior to exposure. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 731-736.	3.1	7
77	The Bradford Hill considerations on causality: a counterfactual perspective. Emerging Themes in Epidemiology, 2005, 2, 11.	2.7	251
78	Maternal Suicidality and Risk of Suicidality in Offspring: Findings From a Community Study. American Journal of Psychiatry, 2005, 162, 1665-1671.	7.2	79
79	Longitudinal Course of Posttraumatic Stress Disorder and Posttraumatic Stress Disorder Symptoms in a Community Sample of Adolescents and Young Adults. American Journal of Psychiatry, 2005, 162, 1320-1327.	7.2	225
80	Mania, Hypomania, and Suicidality: Findings from a Prospective Community Study. Archives of Suicide Research, 2005, 9, 267-278.	2.3	17
81	Pathways into ecstasy use: The role of prior cannabis use and ecstasy availability. Drug and Alcohol Dependence, 2005, 79, 331-341.	3.2	31
82	HYDRA: possible determinants of unsatisfactory hypertension control in German primary care patients. Blood Pressure, 2004, 13, 80-88.	1.5	26
83	How prevalent is smoking and nicotine dependence in primary care in Germany?. Addiction, 2004, 99, 1586-1598.	3.3	79
84	Correction to the paper "How association chain graphs can model pathways into disorders". International Journal of Methods in Psychiatric Research, 2004, 13, 54-55.	2.1	1
85	What Characteristics of Primary Anxiety Disorders Predict Subsequent Major Depressive Disorder?. Journal of Clinical Psychiatry, 2004, 65, 618-626.	2.2	221
86	Association chain graphs: modelling etiological pathways. International Journal of Methods in Psychiatric Research, 2003, 12, 77-84.	2.1	5
87	Smoking Increases the Risk of Panic. Archives of General Psychiatry, 2003, 60, 692.	12.3	187
88	Parental Major Depression and the Risk of Depression and Other Mental Disorders in Offspring. Archives of General Psychiatry, 2002, 59, 365.	12.3	423
89	The natural course of DSM-IV somatoform disorders and syndromes among adolescents and young adults: a prospective-longitudinal community study. European Psychiatry, 2002, 17, 321-331.	0.2	118
90	Use, abuse and dependence of ecstasy and related drugs in adolescents and young adults—a transient phenomenon? Results from a longitudinal community study. Drug and Alcohol Dependence, 2002, 66, 147-159.	3.2	122

#	ARTICLE	IF	CITATIONS
91	What predicts incident use of cannabis and progression to abuse and dependence?. Drug and Alcohol Dependence, 2002, 68, 49-64.	3.2	253
92	Parental depression and depression in offspring: evidence for familial characteristics and subtypes?. Journal of Psychiatric Research, 2002, 36, 237-246.	3.1	33
93	Estimating the prevalence of mental and somatic disorders in the community: aims and methods of the German National Health Interview and Examination Survey. International Journal of Methods in Psychiatric Research, 2002, 11, 1-18.	2.1	146
94	Patterns of incidence and psychiatric risk factors for traumatic events. International Journal of Methods in Psychiatric Research, 2002, 11, 143-153.	2.1	49
95	The natural course of cannabis use, abuse and dependence over four years: a longitudinal community study of adolescents and young adults. Drug and Alcohol Dependence, 2001, 64, 347-361.	3.2	150
96	Elterliche Alkoholbelastung und die Entwicklung von Suchtproblemen bei ihren Kindern - Ergebnisse der prospektiv-longitudinalen EDSP-Studie1. Suchttherapie, 2001, 2, 125-136.	0.1	4
97	Social Anxiety Disorder and the Risk of Depression. Archives of General Psychiatry, 2001, 58, 251.	12.3	443
98	Why do primary care doctors diagnose depression when diagnostic criteria are not met?. International Journal of Methods in Psychiatric Research, 2000, 9, 110-120.	2.1	23
99	Parental Psychopathology, Parenting Styles, and the Risk of Social Phobia in Offspring. Archives of General Psychiatry, 2000, 57, 859.	12.3	377
100	Patterns of cannabis use, abuse and dependence over time: incidence, progression and stability in a sample of 1228 adolescents. Addiction, 1999, 94, 1663-1678.	3.3	116
101	Covariates of cannabis use progression in a representative population sample of adolescents: a prospective examination of vulnerability and risk factors. Addiction, 1999, 94, 1679-1694.	3.3	86
102	How specific is the association of two disorders with respect to the association with a third disorder?. International Journal of Methods in Psychiatric Research, 1999, 8, 168-174.	2.1	0
103	Toward the Identification of Core Psychopathological Processes?. Archives of General Psychiatry, 1999, 56, 929.	12.3	42