

# Takao Ogawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1268937/publications.pdf>

Version: 2024-02-01

26  
papers

321  
citations

933447

10  
h-index

940533

16  
g-index

26  
all docs

26  
docs citations

26  
times ranked

476  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recovery Over Time and Prognostic Factors in Treated Patients with Post-Infectious Olfactory Dysfunction: A Retrospective Study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020, 129, 977-982.	1.1	13
2	Expressions of ezrin, <scp>ERK</scp>, <scp>STAT3</scp>, and <scp>AKT</scp> in tongue cancer and association with tumor characteristics and patient survival. <i>Clinical and Experimental Dental Research</i> , 2020, 6, 420-427.	1.9	11
3	Clinical practice guidelines for the management of olfactory dysfunction “Secondary publication. <i>Auris Nasus Larynx</i> , 2019, 46, 653-662.	1.2	90
4	Severely infected pneumoceles of the frontal sinus in patients with mental retardation and brain atrophy treated by endoscopic sinus surgery. <i>Auris Nasus Larynx</i> , 2018, 45, 362-366.	1.2	2
5	The epidermal growth factor receptor inhibitor AG1478 inhibits eosinophilic inflammation in upper airways. <i>Clinical Immunology</i> , 2018, 188, 1-6.	3.2	15
6	Taste detection and recognition thresholds in Japanese patients with Alzheimer-type dementia. <i>Auris Nasus Larynx</i> , 2017, 44, 168-173.	1.2	31
7	Taste detection and recognition thresholds in Japanese patients with Alzheimer-type dementia. <i>Journal of Otolaryngology of Japan</i> , 2017, 120, 1208-1209.	0.1	0
8	Group 2 innate lymphoid cells are increased in nasal polyps in patients with eosinophilic chronic rhinosinusitis. <i>Nihon Bika Gakkai Kaishi (Japanese Journal of Rhinology)</i> , 2017, 56, 76-76.	0.0	0
9	Clinical Course of Four Patients with Intractable Recurrent Oropharyngeal Ulcers. <i>Practica Otologica, Supplement</i> , 2017, 148, 46-47.	0.0	0
10	Group 2 innate lymphoid cells are increased in nasal polyps in patients with eosinophilic chronic rhinosinusitis. <i>Clinical Immunology</i> , 2016, 170, 1-8.	3.2	41
11	Local administration of epidermal growth factor receptor tyrosine kinase inhibitor may provide a new therapeutic potential for the treatment of intractable upper airway inflammation. <i>Journal of Japan Society of Immunology &amp; Allergology in Otolaryngology</i> , 2016, 34, 1-7.	0.0	0
12	Clinical Course of Four Patients with Intractable Recurrent Oropharyngeal Ulcers. <i>Practica Otologica</i> , 2016, 109, 643-650.	0.0	0
13	Diagnostic Interview for Olfactory Dysfunction. <i>Practica Otologica</i> , 2016, 109, 288-289.	0.0	0
14	Three Cases of Myeloperoxidase-Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (MPO-ANCA)-positive Otitis Media with ANCA-associated Vasculitis. <i>Practica Otologica, Supplement</i> , 2015, 144, 10-11.	0.0	0
15	Anti-inflammatory effects of a novel non-antibiotic macrolide, EM900, on mucus secretion of airway epithelium. <i>Auris Nasus Larynx</i> , 2015, 42, 332-336.	1.2	20
16	Three Cases of Myeloperoxidase-Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (MPO-ANCA)-positive Otitis Media with ANCA-associated Vasculitis. <i>Practica Otologica</i> , 2015, 108, 101-108.	0.0	0
17	Age-related olfactory dysfunction and congenital anosmia. <i>Journal of Japan Association on Odor Environment</i> , 2014, 45, 287-297.	0.0	2
18	Valproic acid promotes neural regeneration of olfactory epithelium in mice after methimazole-induced damage. <i>Journal of Japan Society of Immunology &amp; Allergology in Otolaryngology</i> , 2014, 32, 191-195.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Valproic Acid Promotes Neural Regeneration of Olfactory Epithelium in Adult Mice after Methimazole-Induced Damage. American Journal of Rhinology and Allergy, 2014, 28, e95-e99.	2.0	23
20	Pro-Resolution Mediator Lipoxin A4 and its Receptor in Upper Airway Inflammation. Annals of Otolaryngology, Rhinology and Laryngology, 2013, 122, 683-689.	1.1	13
21	The Effect of Heparin on Antigen-Induced Mucus Hypersecretion in the Nasal Epithelium of Sensitized Rats. Allergy International, 2013, 62, 77-83.	3.3	11
22	Successful treatment of rhino-orbital mucormycosis by a new combination therapy with liposomal amphotericin B and micafungin. Auris Nasus Larynx, 2012, 39, 224-228.	1.2	25
23	Multicenter Study of Modified Intravenous Olfactometry. Nihon Bika Gakkai Kaishi (Japanese Journal) Tj ETQq1 1 0.784314 rgBT /Overlo	0.0	1
24	Heparin Inhibits Mucus Hypersecretion in Airway Epithelial Cells. American Journal of Rhinology and Allergy, 2011, 25, 69-74.	2.0	20
25	Clinical Analysis of Lymphangioma in the Neck-The Effects of Local OK-432 Injection Therapy-. Practica Otologica, 2010, 103, 249-255.	0.0	3
26	Therapeutic Potential of Valproic Acid for Postviral Olfactory Dysfunction: A Single-Arm Pilot Study. Annals of Otolaryngology, Rhinology and Laryngology, 0, , 000348942211112.	1.1	0