

# Thibault Cantat

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/127224/publications.pdf>

Version: 2024-02-01

112  
papers

7,546  
citations

50276

46  
h-index

54911

84  
g-index

137  
all docs

137  
docs citations

137  
times ranked

5875  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of ( <i>t</i> -Bu)POCOPIr(I) and Iridium(III) Pincer Complexes in the Catalytic Hydrogenolysis of Silyl Triflates into Hydrosilanes. <i>Organometallics</i> , 2022, 41, 1786-1796.	2.3	6
2	Reductive depolymerization of polyesters and polycarbonates with hydroboranes by using a lanthanum(III) tris(amide) catalyst. <i>Chemical Communications</i> , 2022, 58, 2830-2833.	4.1	17
3	Additive-free selective methylation of secondary amines with formic acid over a Pd/In <sub>2</sub> O <sub>3</sub> catalyst. <i>Catalysis Science and Technology</i> , 2022, 12, 57-61.	4.1	6
4	Metal-Free Catalytic Hydrogenolysis of Silyl Triflates and Halides into Hydrosilanes**. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	4
5	Silyl formates as hydrosilane surrogates for the transfer hydrosilylation of ketones. <i>Chemical Communications</i> , 2022, 58, 6308-6311.	4.1	5
6	Selective Reduction of Secondary Amides to Imines Catalysed by Schwartz's Reagent**. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	24
7	Photocatalytic deoxygenation of N=O bonds with rhenium complexes: from the reduction of nitrous oxide to pyridine <i>N</i> -oxides. <i>Chemical Science</i> , 2021, 12, 10266-10272.	7.4	10
8	Catalytic challenges and strategies for the carbonylation of C-F bonds. <i>Green Chemistry</i> , 2021, 23, 723-739.	9.0	14
9	Additive-Free Formic Acid Dehydrogenation Catalyzed by a Cobalt Complex. <i>Organometallics</i> , 2021, 40, 565-569.	2.3	18
10	Coupling Electrocatalytic CO <sub>2</sub> Reduction with Thermocatalysis Enables the Formation of a Lactone Monomer. <i>ChemSusChem</i> , 2021, 14, 2198-2204.	6.8	9
11	Direct Carbon Isotope Exchange of Pharmaceuticals via Reversible Decyanation. <i>Journal of the American Chemical Society</i> , 2021, 143, 5659-5665.	13.7	15
12	Copper-Ligand Cooperativity in H <sub>2</sub> Activation Enables the Synthesis of Copper Hydride Complexes. <i>Organometallics</i> , 2021, 40, 2064-2069.	2.3	11
13	Unlocking the Catalytic Hydrogenolysis of Chlorosilanes into Hydrosilanes with Superbases. <i>ACS Catalysis</i> , 2021, 11, 10855-10861.	11.2	9
14	Uranyl(VI) Triflate as Catalyst for the Meerwein-Ponndorf-Verley Reaction. <i>Inorganic Chemistry</i> , 2021, 60, 16140-16148.	4.0	4
15	A Copper(I)-Catalyzed Sulfonylative Hiyama Cross-Coupling. <i>Chemistry - A European Journal</i> , 2021, 27, 18047-18053.	3.3	12
16	Arene-Bridged Dithorium Complexes: Inverse Sandwiches Supported by a $\delta$ Bonding Interaction. <i>Journal of the American Chemical Society</i> , 2020, 142, 21292-21297.	13.7	27
17	Catalytic Disproportionation of Formic Acid to Methanol by using Recyclable Silylformates. <i>Angewandte Chemie</i> , 2020, 132, 14123-14127.	2.0	3
18	Transition-Metal-Free Carbon Isotope Exchange of Phenyl Acetic Acids. <i>Angewandte Chemie</i> , 2020, 132, 13592-13597.	2.0	3

#	ARTICLE	IF	CITATIONS
19	Transition-Metal-Free Carbon Isotope Exchange of Phenyl Acetic Acids. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13490-13495.	13.8	44
20	Catalytic Disproportionation of Formic Acid to Methanol by using Recyclable Silylformates. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 14019-14023.	13.8	13
21	Breaking C=O Bonds with Uranium: Uranyl Complexes as Selective Catalysts in the Hydrosilylation of Aldehydes. <i>ACS Catalysis</i> , 2019, 9, 9025-9033.	11.2	28
22	Catalytic Metal-Free Deoxygenation of Nitrous Oxide with Disilanes. <i>ACS Catalysis</i> , 2019, 9, 11563-11567.	11.2	11
23	Transition-Metal-Free Acceptorless Decarbonylation of Formic Acid Enabled by a Liquid Chemical-Looping Strategy. <i>Angewandte Chemie</i> , 2019, 131, 17375-17379.	2.0	5
24	Transition-Metal-Free Acceptorless Decarbonylation of Formic Acid Enabled by a Liquid Chemical-Looping Strategy. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17215-17219.	13.8	9
25	Carbonylation of C-N Bonds in Tertiary Amines Catalyzed by Low-Valent Iron Catalysts. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10884-10887.	13.8	27
26	Carbonylation of C-N Bonds in Tertiary Amines Catalyzed by Low-Valent Iron Catalysts. <i>Angewandte Chemie</i> , 2019, 131, 11000-11003.	2.0	10
27	Activation of SO <sub>2</sub> by N/Si <sup>+</sup> and N/B Frustrated Lewis Pairs: Experimental and Theoretical Comparison with CO <sub>2</sub> Activation. <i>Chemistry - A European Journal</i> , 2019, 25, 8118-8126.	3.3	22
28	SO <sub>2</sub> conversion to sulfones: development and mechanistic insights of a sulfonylative Hiyama cross-coupling. <i>Chemical Communications</i> , 2019, 55, 12924-12927.	4.1	18
29	Dynamic Carbon Isotope Exchange of Pharmaceuticals with Labeled CO <sub>2</sub> . <i>Journal of the American Chemical Society</i> , 2019, 141, 780-784.	13.7	44
30	Efficient reductive depolymerization of hardwood and softwood lignins with Brookhart's iridium(iii) catalyst and hydrosilanes. <i>Green Chemistry</i> , 2018, 20, 1981-1986.	9.0	32
31	Metal-Free and Alkali-Metal-Catalyzed Synthesis of Isooureas from Alcohols and Carbodiimides. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3084-3088.	13.8	16
32	Metal-Free and Alkali-Metal-Catalyzed Synthesis of Isooureas from Alcohols and Carbodiimides. <i>Angewandte Chemie</i> , 2018, 130, 3138-3142.	2.0	7
33	Depolymerization of Waste Plastics to Monomers and Chemicals Using a Hydrosilylation Strategy Facilitated by Brookhart's Iridium(III) Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10481-10488.	6.7	106
34	A Viewpoint on Chemical Reductions of Carbon-Oxygen Bonds in Renewable Feedstocks Including CO <sub>2</sub> and Biomass. <i>ACS Catalysis</i> , 2017, 7, 2107-2115.	11.2	75
35	Synthesis of Aromatic Sulfones from SO <sub>2</sub> and Organosilanes Under Metal-Free Conditions. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5616-5619.	13.8	77
36	Synthesis of Aromatic Sulfones from SO <sub>2</sub> and Organosilanes Under Metal-Free Conditions. <i>Angewandte Chemie</i> , 2017, 129, 5708-5711.	2.0	13

#	ARTICLE	IF	CITATIONS
37	Structural Insights into the Nature of Fe <sup>0</sup> and Fe <sup>I</sup> Low-Valent Species Obtained upon the Reduction of Iron Salts by Aryl Grignard Reagents. <i>Inorganic Chemistry</i> , 2017, 56, 3834-3848.	4.0	34
38	Silylation of O-H bonds by catalytic dehydrogenative and decarboxylative coupling of alcohols with silyl formates. <i>Chemical Communications</i> , 2017, 53, 11697-11700.	4.1	18
39	Iron-Catalyzed Silylation of Alcohols by Transfer Hydrosilylation with Silyl Formates. <i>Synlett</i> , 2017, 28, 2473-2477.	1.8	11
40	Reactivity and Structural Diversity in the Reaction of Guanidine 1,5,7-triazabicyclo[4.4.0]decane with CO <sub>2</sub> , CS <sub>2</sub> , and Other Heterocumulenes. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 676-686.	2.4	10
41	Silyl Formates as Surrogates of Hydrosilanes and Their Application in the Transfer Hydrosilylation of Aldehydes. <i>Angewandte Chemie</i> , 2016, 128, 14302-14306.	2.0	9
42	Synergistic effects in ambiphilic phosphino-borane catalysts for the hydroboration of CO <sub>2</sub> . <i>Chemical Communications</i> , 2016, 52, 7553-7555.	4.1	35
43	Silyl Formates as Surrogates of Hydrosilanes and Their Application in the Transfer Hydrosilylation of Aldehydes. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14096-14100.	13.8	29
44	Complexes of the tripodal phosphine ligands PhSi(XPPH <sub>2</sub> ) <sub>3</sub> (X =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td CO <sub>2</sub> . <i>Dalton Transactions</i> , 2016, 45, 14774-14788.	3.3	40
45	CO <sub>2</sub> Conversion into Esters by Fluoride-Mediated Carboxylation of Organosilanes and Halide Derivatives. <i>Chemistry - A European Journal</i> , 2016, 22, 2930-2934.	3.3	29
46	Metal-free disproportionation of formic acid mediated by organoboranes. <i>Chemical Science</i> , 2016, 7, 5680-5685.	7.4	20
47	Synthesis, structure and electrochemical behavior of new RPNOP (R = <i>n</i> -Bu, <i>i</i> Pr) pincer complexes of Fe <sup>2+</sup> , Co <sup>2+</sup> , Ni <sup>2+</sup> , and Zn <sup>2+</sup> ions. <i>Comptes Rendus Chimie</i> , 2016, 19, 57-70.	0.5	8
48	Bridging Amines with CO <sub>2</sub> : Organocatalyzed Reduction of CO <sub>2</sub> to Amines. <i>ACS Catalysis</i> , 2015, 5, 3983-3987.	11.2	115
49	Room Temperature Organocatalyzed Reductive Depolymerization of Waste Polyethers, Polyesters, and Polycarbonates. <i>ChemSusChem</i> , 2015, 8, 980-984.	6.8	92
50	Convergent reductive depolymerization of wood lignin to isolated phenol derivatives by metal-free catalytic hydrosilylation. <i>Energy and Environmental Science</i> , 2015, 8, 2734-2743.	30.8	146
51	Metal-free dehydrogenation of formic acid to H <sub>2</sub> and CO <sub>2</sub> using boron-based catalysts. <i>Chemical Science</i> , 2015, 6, 2938-2942.	7.4	60
52	Reductive functionalization of CO <sub>2</sub> with amines: an entry to formamide, formamidine and methylamine derivatives. <i>Green Chemistry</i> , 2015, 17, 157-168.	9.0	339
53	Bimetallic Cleavage of Aromatic C-H Bonds by Rare-Earth-Metal Complexes. <i>Journal of the American Chemical Society</i> , 2014, 136, 17410-17413.	13.7	26
54	Efficient Disproportionation of Formic Acid to Methanol Using Molecular Ruthenium Catalysts. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10466-10470.	13.8	77

#	ARTICLE	IF	CITATIONS
55	Creating Added Value with a Waste: Methylation of Amines with CO <sub>2</sub> and H <sub>2</sub> . <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2543-2545.	13.8	110
56	Metal-Free Reduction of CO <sub>2</sub> with Hydroboranes: Two Efficient Pathways at Play for the Reduction of CO <sub>2</sub> to Methanol. <i>Chemistry - A European Journal</i> , 2014, 20, 7098-7106.	3.3	145
57	Catalytic hydrosilylation of oxalic acid: chemoselective formation of functionalized C <sub>2</sub> -products. <i>Catalysis Science and Technology</i> , 2014, 4, 2230-2234.	4.1	18
58	Carbon Dioxide Reduction to Methylamines under Metal-Free Conditions. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 12186-12190.	13.8	171
59	Nitrite complexes of the rare earth elements. <i>Dalton Transactions</i> , 2014, 43, 4415-4425.	3.3	8
60	Iron-catalyzed hydrosilylation of CO <sub>2</sub> : CO <sub>2</sub> conversion to formamides and methylamines. <i>Catalysis Science and Technology</i> , 2014, 4, 1529-1533.	4.1	152
61	Efficient metal-free hydrosilylation of tertiary, secondary and primary amides to amines. <i>Chemical Communications</i> , 2014, 50, 9349-9352.	4.1	104
62	Catalytic methylation of aromatic amines with formic acid as the unique carbon and hydrogen source. <i>Chemical Communications</i> , 2014, 50, 14033-14036.	4.1	95
63	Unprecedented organocatalytic reduction of lignin model compounds to phenols and primary alcohols using hydrosilanes. <i>Chemical Communications</i> , 2014, 50, 862-865.	4.1	79
64	Pushing Back the Limits of Hydrosilylation: Unprecedented Catalytic Reduction of Organic Ureas to Formamidines. <i>ChemCatChem</i> , 2013, 5, 3552-3556.	3.7	28
65	Nitrite complexes of uranium and thorium. <i>Chemical Communications</i> , 2013, 49, 2412.	4.1	20
66	A six-carbon 10 $\pi$ -electron aromatic system supported by group 3 metals. <i>Nature Communications</i> , 2013, 4, 1448.	12.8	57
67	Complete Catalytic Deoxygenation of CO <sub>2</sub> into Formamidine Derivatives. <i>ChemCatChem</i> , 2013, 5, 117-120.	3.7	124
68	Revisiting the Chemistry of the Actinocenes [(f <sup>8</sup> -C <sub>8</sub> H <sub>8</sub> ) <sub>2</sub> An] (An = U, Th) with Neutral Lewis Bases. Access to the Bent Sandwich Complexes [(f <sup>8</sup> -C <sub>8</sub> H <sub>8</sub> ) <sub>2</sub> An(L)] with Thorium (L = py, 4,4'-bipy, Tj ETQq) <small>0 0 rgBT /Overlock</small>	13.7	44
69	Synthesis of <i>N</i> -Aryloxy- $\beta$ -diketiminato Ligands and Coordination to Zirconium, Ytterbium, Thorium, and Uranium. <i>Organometallics</i> , 2013, 32, 1328-1340.	2.3	24
70	CO <sub>2</sub> as a C1-building block for the catalytic methylation of amines. <i>Chemical Science</i> , 2013, 4, 2127.	7.4	310
71	Titanium(IV) Trifluoromethyl Complexes: New Perspectives on Bonding from Organometallic Fluorocarbon Chemistry. <i>Organometallics</i> , 2012, 31, 1484-1499.	2.3	37
72	A <i>N</i> -aryloxy- $\beta$ -diketiminato ligand in 4d, 4f and 5f-metals complexes. <i>Dalton Transactions</i> , 2012, 41, 11980.	3.3	28

#	ARTICLE	IF	CITATIONS
73	Recycling of Carbon and Silicon Wastes: Room Temperature Formylation of Nâ€‘H Bonds Using Carbon Dioxide and Polymethylhydrosiloxane. <i>Journal of the American Chemical Society</i> , 2012, 134, 2934-2937.	13.7	337
74	A Diagonal Approach to Chemical Recycling of Carbon Dioxide: Organocatalytic Transformation for the Reductive Functionalization of CO <sub>2</sub> . <i>Angewandte Chemie - International Edition</i> , 2012, 51, 187-190.	13.8	487
75	Cover Picture: A Diagonal Approach to Chemical Recycling of Carbon Dioxide: Organocatalytic Transformation for the Reductive Functionalization of CO <sub>2</sub> ( <i>Angew. Chem. Int. Ed.</i> 1/2012). <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1-1.	13.8	454
76	Redox control of a polymerization catalyst by changing the oxidation state of the metal center. <i>Chemical Communications</i> , 2011, 47, 9897.	4.1	138
77	Exploring the Uranyl Organometallic Chemistry: From Single to Double Uraniumâ‘Carbon Bonds. <i>Journal of the American Chemical Society</i> , 2011, 133, 6162-6165.	13.7	123
78	Uranium(IV) Nucleophilic Carbene Complexes. <i>Organometallics</i> , 2011, 30, 2957-2971.	2.3	77
79	U <sub>4</sub> (1,4-dioxane) <sub>2</sub> , [UCl <sub>4</sub> (1,4-dioxane)] <sub>2</sub> , and U <sub>3</sub> (1,4-dioxane) <sub>1.5</sub> : Stable and Versatile Starting Materials for Low- and High-Valent Uranium Chemistry. <i>Organometallics</i> , 2011, 30, 2031-2038.	2.3	106
80	Coordination Behavior of the S-C-S Monoanion and O-C-O and S-C-S Dianions toward Coll. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2540-2546.	2.0	13
81	Uranium azide photolysis results in Câ‘H bond activation and provides evidence for a terminal uranium nitride. <i>Nature Chemistry</i> , 2010, 2, 723-729.	13.6	202
82	Actinide Redox-Active Ligand Complexes: Reversible Intramolecular Electron-Transfer in U(dpp-BIAN) <sub>2</sub> /U(dpp-BIAN) <sub>2</sub> (THF). <i>Inorganic Chemistry</i> , 2010, 49, 924-933.	4.0	62
83	Convenient access to the anhydrous thorium tetrachloride complexes ThCl <sub>4</sub> (DME) <sub>2</sub> , ThCl <sub>4</sub> (1,4-dioxane) <sub>2</sub> and ThCl <sub>4</sub> (THF) <sub>3.5</sub> using commercially available and inexpensive starting materials. <i>Chemical Communications</i> , 2010, 46, 919.	4.1	107
84	Innentitelbild: Challenging the Metallocene Dominance in Actinide Chemistry with a Soft PNP Pincer Ligand: New Uranium Structures and Reactivity Patterns ( <i>Angew. Chem.</i> 20/2009). <i>Angewandte Chemie</i> , 2009, 121, 3594-3594.	2.0	0
85	Challenging the Metallocene Dominance in Actinide Chemistry with a Soft PNP Pincer Ligand: New Uranium Structures and Reactivity Patterns. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3681-3684.	13.8	76
86	Inside Cover: Challenging the Metallocene Dominance in Actinide Chemistry with a Soft PNP Pincer Ligand: New Uranium Structures and Reactivity Patterns ( <i>Angew. Chem. Int. Ed.</i> 20/2009). <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3542-3542.	13.8	0
87	A Strained Sâ‘/4Câ‘/4S Ir Pincer Complex: Intramolecular Câ‘H Activation of an Aromatic Ring. <i>Organometallics</i> , 2009, 28, 1969-1972.	2.3	15
88	What a Difference a 5f Element Makes: Trivalent and Tetravalent Uranium Halide Complexes Supported by One and Two Bis[2-(diisopropylphosphino)-4-methylphenyl]amido (PNP) Ligands. <i>Inorganic Chemistry</i> , 2009, 48, 2114-2127.	4.0	42
89	The Uâ‘C Double Bond: Synthesis and Study of Uranium Nucleophilic Carbene Complexes. <i>Journal of the American Chemical Society</i> , 2009, 131, 963-972.	13.7	163
90	Bis-phosphorus stabilised carbene complexes. <i>Dalton Transactions</i> , 2008, , 1957.	3.3	117

#	ARTICLE	IF	CITATIONS
91	Synthesis of a stable radical anion via the one electron reduction of a 1,1-bis-phosphinosulfide alkene derivative. <i>Chemical Communications</i> , 2008, , 874-876.	4.1	22
92	A Mild Protocol To Generate Uranium(IV) Mixed-Ligand Metallocene Complexes using Copper(I) Iodide. <i>Organometallics</i> , 2008, 27, 5371-5378.	2.3	63
93	Evidence for the Involvement of 5f Orbitals in the Bonding and Reactivity of Organometallic Actinide Compounds: Thorium(IV) and Uranium(IV) Bis(hydrazonato) Complexes. <i>Journal of the American Chemical Society</i> , 2008, 130, 17537-17551.	13.7	118
94	A Joint Experimental and Theoretical Study of the Palladium-Catalyzed Electrophilic Allylation of Aldehydes. <i>Journal of Organic Chemistry</i> , 2007, 72, 4228-4237.	3.2	47
95	Experimental and theoretical study of phosphinine sulfides. <i>New Journal of Chemistry</i> , 2007, 31, 1493.	2.8	28
96	2,2'-Biphosphinines and 2,2'-Bipyridines in Homoleptic Dianionic Group 4 Complexes and Neutral 2,2'-Biphosphinine Group 6 d <sub>6</sub> Metal Complexes: Octahedral versus Trigonal-Prismatic Geometries. <i>Chemistry - A European Journal</i> , 2007, 13, 2953-2965.	3.3	13
97	From a Stable Dianion to a Stable Carbenoid. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 5947-5950.	13.8	72
98	New anionic and dianionic polydentate systems featuring ancillary phosphinosulfides as ligands in coordination chemistry and catalysis. <i>Comptes Rendus Chimie</i> , 2007, 10, 573-582.	0.5	15
99	Phosphorus-Stabilized Geminal Dianions. <i>Organometallics</i> , 2006, 25, 4965-4976.	2.3	108
100	Synthesis, Reactivity, and DFT Studies of $\sigma$ -C <sup>-</sup> S Zirconium(IV) Complexes. <i>Organometallics</i> , 2006, 25, 6030-6038.	2.3	78
101	Thulium Alkylidene Complexes: A Synthesis, X-ray Structures, and Reactivity. <i>Organometallics</i> , 2006, 25, 1329-1332.	2.3	101
102	EPR and DFT studies of the one-electron reduction product of phospholium cations. <i>Physical Chemistry Chemical Physics</i> , 2006, 8, 862-868.	2.8	27
103	Formation and Structure of a Stable Monoradical Cation by Reduction of a Diphosphafulvenium Salt. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7036-7039.	13.8	24
104	The Effect of Chloride Ions on the Mechanism of the Oxidative Addition of Cyclic Allylic Carbonates to Pd <sup>0</sup> Complexes by Formation of Neutral [( $\eta$ -1-allyl)PdCl <sub>2</sub> ] Complexes. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 4277-4286.	2.4	23
105	New mono- and bis-carbene samarium complexes: synthesis, X-ray crystal structures and reactivity. <i>Chemical Communications</i> , 2005, , 5178.	4.1	130
106	A Bis(thiophosphinoyl)methylene Ruthenium Carbene Complex: Synthesis, X-ray Crystal Structure, and DFT Calculations of Its Thermally Promoted Reverse $\sigma$ -Hydride Migration Process. <i>Organometallics</i> , 2005, 24, 4838-4841.	2.3	77
107	A Bis(thiophosphinoyl)methanediide Palladium Complex: Coordinated Dianion or Nucleophilic Carbene Complex?. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 6382-6385.	13.8	118
108	A Bis(thiophosphinoyl)methanediide Palladium Complex: Coordinated Dianion or Nucleophilic Carbene Complex?. <i>Angewandte Chemie</i> , 2004, 116, 6542-6545.	2.0	27

#	ARTICLE	IF	CITATIONS
109	Titanocene and zirconocene complexes of a phosphorus analog of an Arduengo's carbene: Application in the synthesis of 1,3-diphosphafulvenes. <i>Chemical Communications</i> , 2004, , 1274-1275.	4.1	29
110	Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions. <i>Journal of Organometallic Chemistry</i> , 2003, 687, 365-376.	1.8	125
111	Metal-Free Catalytic Hydrogenolysis of Silyl Triflates and Halides into Hydrosilanes**. <i>Angewandte Chemie</i> , 0, , .	2.0	0
112	Selective Reduction of Secondary Amides to Imines Catalysed by Schwartz's Reagent. <i>Angewandte Chemie</i> , 0, , .	2.0	3