

Takaaki Sano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1276863/publications.pdf>

Version: 2024-02-01

97
papers

2,765
citations

201674

27
h-index

197818

49
g-index

98
all docs

98
docs citations

98
times ranked

2923
citing authors

#	ARTICLE	IF	CITATIONS
1	Nuclear morphology in breast lesions: refining its assessment to improve diagnostic concordance. <i>Histopathology</i> , 2022, 80, 515-528.	2.9	8
2	Salvage thoracoscopic esophagectomy after carbon-ion radiotherapy in a patient with esophageal squamous cell carcinoma: a case report. <i>Surgical Case Reports</i> , 2022, 8, 25.	0.6	0
3	Multimodal immunotherapy ameliorates myasthenia gravis preceded by thymoma-associated multiorgan autoimmunity. <i>Immunologic Research</i> , 2022, , 1.	2.9	0
4	A mucinous cystic neoplasm of the pancreas containing an undifferentiated carcinoma component and harboring the NRAS driver mutation. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 910-917.	0.8	0
5	⁺ tumor infiltrating granulocytic cells can predict recurrence and their depletion is accompanied by good responses to Sâ€1 with oral cancer. <i>Head and Neck</i> , 2021, 43, 2457-2467.	2.0	5
6	Mesenteric phlebosclerosis associated with the oral intake of Japanese traditional (Kampo) medicines containing <i>Gardeniae Fructus</i> . <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1453-1458.	0.8	0
7	Two cases of odontogenic carcinoma with sclerosing features in the mandible: Diagnostic difficulties in a sclerosing odontogenic carcinoma. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2020, 32, 149-155.	0.3	3
8	Adenocarcinoma with intraductal papillary mucinous neoplasm arising in a duodenal heterotopic pancreas: a case report. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 1373-1382.	0.8	4
9	An immunohistochemical and genetic study of BRAF V600E mutation in Japanese patients with ameloblastoma. <i>Pathology International</i> , 2020, 70, 224-230.	1.3	20
10	Diagnostic value of 18F-FDG-PET to predict the tumour immune status defined by tumoural PD-L1 and CD8+tumour-infiltrating lymphocytes in oral squamous cell carcinoma. <i>British Journal of Cancer</i> , 2020, 122, 1686-1694.	6.4	38
11	Liver metastasis from papillary thyroid carcinoma treated by laparoscopic hepatectomy 43â€years after resection of the primary tumor: a case report. <i>Surgical Case Reports</i> , 2020, 6, 142.	0.6	4
12	Histopathological changes in tumor budding between biopsy and resected specimens from patients treated with preoperative Sâ€1 chemotherapy for oral cancer. <i>Journal of Oral Pathology and Medicine</i> , 2019, 48, 880-887.	2.7	10
13	Myeloid sarcoma arising in malignant phyllodes tumour: clonal relationships revealed by comparative genomeâ€wide analyses. <i>British Journal of Haematology</i> , 2018, 181, 255-259.	2.5	1
14	High expression of forkhead box protein C2 is associated with aggressive phenotypes and poor prognosis in clinical hepatocellular carcinoma. <i>BMC Cancer</i> , 2018, 18, 597.	2.6	21
15	A case of Langerhans cell histiocytosis of the thyroid gland. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2018, 57, 177-182.	0.0	1
16	Tumour budding evaluated in biopsy specimens is a useful predictor of prognosis in patients with cNO early stage oral squamous cell carcinoma. <i>Histopathology</i> , 2017, 70, 869-879.	2.9	49
17	Diagnostic pitfalls in malignant effusion cytology. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2017, 56, 289-296.	0.0	0
18	Histologic assessment of tumor budding in preoperative biopsies to predict nodal metastasis in squamous cell carcinoma of the tongue and floor of the mouth. <i>Head and Neck</i> , 2016, 38, E1582-90.	2.0	66

#	ARTICLE	IF	CITATIONS
19	Immunocytochemical analysis of p63 and 34 <i>β</i> E12 in fine needle aspiration cytology specimens for breast lesions: a potentially useful discriminatory marker between intraductal papilloma and ductal carcinoma <i>in situ</i> . <i>Cytopathology</i> , 2016, 27, 108-114.	0.7	8
20	Leu-type amino acid transporter <i>AT1</i> and <i>CD98</i> expression in bone and soft tissue tumors. <i>Pathology International</i> , 2015, 65, 460-467.	1.3	18
21	Co-localization of iron binding on silica with p62/sequestosome1 (SQSTM1) in lung granulomas of mice with acute silicosis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015, 56, 74-83.	1.4	16
22	Spindle cell lipoma of the tongue: Two case reports. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2015, 27, 595-600.	0.3	5
23	Solitary fibrous tumor composing benign and malignant components in the floor of the mouth: A case report. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2015, 27, 267-270.	0.3	4
24	Rock Activation in Lung of Idiopathic Pulmonary Fibrosis with Oxidative Stress. <i>International Journal of Immunopathology and Pharmacology</i> , 2014, 27, 37-44.	2.1	26
25	Detection of human papillomavirus (<i>HPV</i>) in patients with squamous cell carcinoma and the clinical characteristics of <i>HPV</i> -positive cases. <i>British Journal of Dermatology</i> , 2014, 171, 779-785.	1.5	15
26	Stratified mucin-producing intraepithelial lesions (SMILEs) of the uterine cervix are associated with HPV integration. <i>Pathology International</i> , 2014, 64, n/a-n/a.	1.3	7
27	Protein expression, gene amplification, and mutational analysis of EGFR in triple-negative breast cancer. <i>Breast Cancer</i> , 2014, 21, 66-74.	2.9	64
28	Ameloblastic carcinoma developing in preexisting ameloblastoma with a mutation of the p53 gene: a case report. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 118, e146-e150.	0.4	19
29	Immunohistochemical staining patterns of cytokeratins 13, 14, and 17 in oral epithelial dysplasia including orthokeratotic dysplasia. <i>Pathology International</i> , 2014, 64, 20-27.	1.3	27
30	Human Papillomavirus (HPV) Infection and Immunohistochemistry. <i>Kitakanto Medical Journal</i> , 2014, 64, 347-348.	0.0	0
31	A peculiar squamous dysplastic lesion presenting as a ground-glass opacity: a case report. <i>European Respiratory Journal</i> , 2013, 41, 1228-1230.	6.7	1
32	Bizarre parosteal osteochondromatous proliferation of the maxilla: a case report. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 114, e20-e24.	0.4	12
33	Usefulness of CINtec [®] PLUS p16 ^{INK4a} /Ki-67 Double-Staining in Cytological Screening of Cervical Cancer. <i>Acta Cytologica</i> , 2011, 55, 413-420.	1.3	26
34	Paget's disease of bone resembling bone metastasis from gastric cancer. <i>Clinical Journal of Gastroenterology</i> , 2011, 4, 207-211.	0.8	4
35	Comparison of Self-Collected and Clinician-Collected Materials for Cervical Cytology and Human Papillomavirus Genotyping: Analysis by Linear Array Assay. <i>Acta Cytologica</i> , 2011, 55, 106-112.	1.3	10
36	Clinicopathological and Therapeutic Significance of CXCL12 Expression in Lung Cancer. <i>International Journal of Immunopathology and Pharmacology</i> , 2010, 23, 153-164.	2.1	28

#	ARTICLE	IF	CITATIONS
37	Immunohistological analysis of HPV L1 capsid protein and p16 protein in low-grade dysplastic lesions of the uterine cervix. <i>Pathology Research and Practice</i> , 2010, 206, 816-820.	2.3	11
38	Decreased Interstitial FOXP3 ⁺ Lymphocytes in Usual Interstitial Pneumonia with Discrepancy of CXCL12/CXCR4 Axis. <i>International Journal of Immunopathology and Pharmacology</i> , 2010, 23, 449-461.	2.1	27
39	A Case of Squamous Cell Carcinoma Spreading Along the Alveolar Walls with a Ground Glass Opacity on High Resolution Computed Tomography (HRCT). <i>Japanese Journal of Lung Cancer</i> , 2010, 50, 379-380.	0.1	5
40	CXCR4+FOXP3+CD25+ Lymphocytes Accumulate in CXCL12-Expressing Malignant Pleural Mesothelioma. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 43-51.	2.1	27
41	High-grade neuroendocrine carcinoma of the lung: Comparative clinicopathological study of large cell neuroendocrine carcinoma and small cell lung carcinoma. <i>Pathology International</i> , 2009, 59, 522-529.	1.3	49
42	Prevalence, viral load, and physical status of HPV 16 and 18 in cervical adenosquamous carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 253-259.	2.8	36
43	Aggressive Angiomyxoma Extending Largely into the Pelvis. <i>Kitakanto Medical Journal</i> , 2009, 59, 157-160.	0.0	0
44	Clinicopathological and immunohistochemical characteristics of esophageal carcinosarcoma. <i>Anticancer Research</i> , 2009, 29, 3375-80.	1.1	22
45	Expression of an activated mammalian target of rapamycin in adenocarcinoma of the cervix: A potential biomarker and molecular target therapy. <i>Molecular Carcinogenesis</i> , 2008, 47, 446-457.	2.7	54
46	Immunochemical analysis of HPV L1 capsid protein and p16 protein in liquid-based cytology samples from uterine cervical lesions. <i>Cancer</i> , 2008, 114, 83-88.	4.1	50
47	Absence of the <i>AKT1</i> pleckstrin homology domain mutation in Japanese gastrointestinal and liver cancer patients. <i>Apmis</i> , 2008, 116, 931-933.	2.0	1
48	Quantitative real-time polymerase chain reaction analysis of the type distribution, viral load, and physical status of human papillomavirus in liquid-based cytology samples from cervical lesions. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 121-127.	2.5	28
49	Aberrant methylation status of known methylation-sensitive CpG islands in gastrointestinal stromal tumors without any correlation to the state of <i>Kit</i> and <i>PDGFRA</i> gene mutations and their malignancy. <i>Cancer Science</i> , 2008, 99, 253-259.	3.9	23
50	In-Air Micro-Particle Induced X-ray Emission Analysis of Asbestos and Metals in Lung Tissue. <i>International Journal of Immunopathology and Pharmacology</i> , 2008, 21, 567-576.	2.1	20
51	Clear cell carcinoid tumor of the distal common bile duct. <i>World Journal of Surgical Oncology</i> , 2007, 5, 6.	1.9	26
52	Primary omental Gastrointestinal stromal tumor (GIST). <i>World Journal of Surgical Oncology</i> , 2007, 5, 66.	1.9	32
53	CDX2 as a useful marker of colorectal adenocarcinoma metastases to lung in pre-operative biopsy specimens. <i>Oncology Reports</i> , 2007, , .	2.6	1
54	Comparative study using rabbit-derived polyclonal, mouse-derived monoclonal, and rabbit-derived monoclonal antibodies for KIT immunostaining in GIST and other tumors. <i>Pathology International</i> , 2007, 57, 200-204.	1.3	7

#	ARTICLE	IF	CITATIONS
55	Immunohistopathological reevaluation of adenocarcinoma of the lung with mixed subtypes using a tissue microarray technique and hierarchical clustering analysis. <i>Pathology International</i> , 2007, 57, 765-774.	1.3	5
56	Predictive and prognostic role of activated mammalian target of rapamycin in cervical cancer treated with cisplatin-based neoadjuvant chemotherapy. <i>Oncology Reports</i> , 2006, 16, 57.	2.6	20
57	Prognostic Model of Stage II Non-Small Cell Lung Cancer by a Discriminant Analysis of the Immunohistochemical Protein Expression. <i>Surgery Today</i> , 2006, 36, 1039-1046.	1.5	4
58	Unique case of pulmonary bronchial gland type tumor with broad spectrum of cell differentiation from the terminal duct-acinar unit to excretory duct. <i>Pathology International</i> , 2006, 56, 217-221.	1.3	2
59	PKC theta, a novel immunohistochemical marker for gastrointestinal stromal tumors (GIST), especially useful for identifying KIT-negative tumors. <i>Pathology International</i> , 2005, 55, 106-112.	1.3	87
60	Papillary adenocarcinoma of the lung is a more advanced adenocarcinoma than bronchioloalveolar carcinoma that is composed of two distinct histological subtypes. <i>Pathology International</i> , 2005, 55, 619-625.	1.3	29
61	Increasing 14-3-3 sigma expression with declining estrogen receptor alpha and estrogen-responsive finger protein expression defines malignant progression of endometrial carcinoma. <i>Pathology International</i> , 2005, 55, 707-715.	1.3	45
62	Pulmonary pleomorphic liposarcoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2005, 53, 443-447.	0.4	11
63	P-677 Usefulness of CDX2 in distinguishing primary lung adenocarcinoma from metastatic colorectal adenocarcinoma. <i>Lung Cancer</i> , 2005, 49, S296.	2.0	0
64	Large cell neuroendocrine carcinoma of the lung: a comparison with large cell carcinoma with neuroendocrine morphology and small cell carcinoma. <i>Lung Cancer</i> , 2005, 47, 225-233.	2.0	37
65	Immunohistochemical analysis of 14-3-3 sigma and related proteins in hyperplastic and neoplastic breast lesions, with particular reference to early carcinogenesis. <i>Pathology International</i> , 2004, 54, 595-602.	1.3	38
66	Immunohistochemical expression of 14-3-3 sigma protein in various histological subtypes of uterine cervical cancers. <i>Pathology International</i> , 2004, 54, 743-750.	1.3	24
67	Usefulness of liquid-based cytology specimens for the immunocytochemical study of p16 expression and human papillomavirus testing. <i>Cancer</i> , 2004, 102, 100-108.	4.1	82
68	Immunohistochemical demonstration of 14-3-3 sigma protein in normal human tissues and lung cancers, and the preponderance of its strong expression in epithelial cells of squamous cell lineage. <i>Pathology International</i> , 2003, 53, 353-360.	1.3	36
69	Synergistic decline in expressions of p73 and p21 with invasion in esophageal cancers. <i>Cancer Science</i> , 2003, 94, 612-617.	3.9	16
70	Statistical Analysis of Lung Cancer Cases Autopsied From 1947 to 1999 in Gunma University Hospital. <i>Japanese Journal of Lung Cancer</i> , 2003, 43, 265-271.	0.1	0
71	Aberrant expression of pRb, p16, p14ARF, MDM2, p21 and p53 in stage I adenocarcinomas of the lung. <i>Pathology International</i> , 2002, 52, 103-109.	1.3	20
72	Overexpression of p16 and p14ARF is associated with human papillomavirus infection in cervical squamous cell carcinoma and dysplasia. <i>Pathology International</i> , 2002, 52, 375-383.	1.3	98

#	ARTICLE	IF	CITATIONS
73	Microcalcifications of breast cancer and atypical cystic lobules associated with infiltration of foam cells expressing osteopontin. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002, 440, 267-273.	2.8	26
74	Ileal Perforation Caused by Cytomegalovirus Infection in a Patient with Recurrent Gastric Cancer: Report of a Case. <i>Surgery Today</i> , 2002, 32, 1088-1090.	1.5	20
75	Reduced C-terminal Src kinase activity is correlated inversely with pp60c-src activity in colorectal carcinoma. <i>Cancer</i> , 2001, 92, 61-70.	4.1	35
76	Relationship between grade of microsatellite instability and target genes of mismatch repair pathways in sporadic colorectal carcinoma. <i>Digestive Diseases and Sciences</i> , 2001, 46, 1615-1622.	2.3	8
77	Activation of cyclin E-dependent kinase activity in colorectal cancer. <i>Digestive Diseases and Sciences</i> , 2001, 46, 2187-2198.	2.3	21
78	A Case of Esophageal Sarcomatoid Carcinoma with Molecular Evidence of a Monoclonal Origin. <i>Pathology Research and Practice</i> , 2001, 197, 41-46.	2.3	34
79	Aberrant Expression of pRb, p16, p14ARF, MDM2, p21 and p53 in Squamous Cell Carcinomas of Lung. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 285-292.	1.7	14
80	Gastrointestinal stromal tumors and KIT-positive mesenchymal cells in the omentum. <i>Pathology International</i> , 2001, 51, 524-531.	1.3	124
81	Mucinous Adenocarcinoma of Bartholin Gland Treated with Radiation Therapy: a Case Report. <i>Japanese Journal of Clinical Oncology</i> , 2001, 31, 226-230.	1.3	17
82	Immunohistochemical inactivation of p14ARF concomitant with MDM2 overexpression inversely correlates with p53 overexpression in oral squamous cell carcinoma. <i>Pathology International</i> , 2000, 50, 709-716.	1.3	17
83	Does mutation of transforming growth factor-beta type II receptor gene play an important role in colorectal polyps?. <i>Digestive Diseases and Sciences</i> , 1999, 44, 1803-1809.	2.3	8
84	A Case who Developed Toxoplasma Encephalitis as the Initial Manifestation of AIDS.. <i>Kitakanto Medical Journal</i> , 1999, 49, 127-130.	0.0	0
85	Transitional Cell Papilloma in the Fossa Navicularis Is Positive for Human Papillomavirus. <i>International Journal of Urology</i> , 1998, 5, 296-298.	1.0	2
86	Coexpression of HGF and c-Met/HGF receptor in human bone and soft tissue tumors. <i>Pathology International</i> , 1998, 48, 757-762.	1.3	54
87	c-Met expression of thyroid tissue with special reference to papillary carcinoma. <i>Pathology International</i> , 1998, 48, 763-768.	1.3	31
88	Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia. <i>Pathology International</i> , 1998, 48, 580-585.	1.3	130
89	Correlation between methylation status of the p16/CDKN2 gene and the expression of p16 and Rb proteins in primary non-small cell lung cancers. , 1998, 79, 215-220.		69
90	Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions. <i>American Journal of Pathology</i> , 1998, 153, 1741-1748.	3.8	522

#	ARTICLE	IF	CITATIONS
91	Why is cyclooxygenase-2 expressed in neuroendocrine cells of the human alimentary tract?. Pathology International, 1997, 47, 889-891.	1.3	21
92	Clinicopathological and molecular biological studies of gastric adenomas with special reference to p53 abnormality. Pathology International, 1995, 45, 51-57.	1.3	31
93	Formalin fixation by boiling: Is it suitable for the TUNEL staining?. Pathology International, 1995, 45, 971-972.	1.3	10
94	Primary malignant lymphoma of the intestine: Clinicopathologic and immunohistochemical studies of 39 cases. Pathology International, 1995, 45, 123-130.	1.3	20
95	Unsuccessful effort to detect human papillomavirus DNA in urinary bladder cancers by the polymerase chain reaction and <i>in situ</i> hybridization. Pathology International, 1995, 45, 506-512.	1.3	27
96	Gastric adenoma ? carcinoma sequence with special reference to p53 and Ki-ras gene alterations. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1995, 427, 119-24.	2.8	30
97	Anaplastic large cell lymphoma with histiocytic phenotypes. Pathology International, 1993, 43, 142-145.	1.3	1