

# Jun-ichi Nishimura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12792/publications.pdf>

Version: 2024-02-01

23  
papers

1,639  
citations

1040056

9  
h-index

752698

20  
g-index

23  
all docs

23  
docs citations

23  
times ranked

1520  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Tesidolumab (LFG316) for treatment of C5-variant patients with paroxysmal nocturnal hemoglobinuria. <i>Haematologica</i> , 2022, 107, 1483-1488.  | 3.5  | 5         |
| 2  | Lactate dehydrogenase versus haemoglobin: which one is the better marker in paroxysmal nocturnal haemoglobinuria?. <i>British Journal of Haematology</i> , 2022, 196, 264-265.  | 2.5  | 7         |
| 3  | The importance of terminal complement inhibition in paroxysmal nocturnal hemoglobinuria. <i>Therapeutic Advances in Hematology</i> , 2022, 13, 204062072210910.   | 2.5  | 10        |
| 4  | Crovalimab for treatment of patients with paroxysmal nocturnal haemoglobinuria and complement <scp>C5</scp> polymorphism: Subanalysis of the phase 1/2 <scp>COMPOSER</scp> study. <i>British Journal of Haematology</i> , 2022, 198, .  | 2.5  | 4         |
| 5  | Pegcetacoplan versus Eculizumab in PNH. <i>New England Journal of Medicine</i> , 2021, 385, 1723-1726.  | 27.0 | 15        |
| 6  | The complement C5 inhibitor crovalimab in paroxysmal nocturnal hemoglobinuria. <i>Blood</i> , 2020, 135, 912-920.   | 1.4  | 73        |
| 7  | Trial in Progress: The Phase III, Randomized, Open-Label, Multicenter COMMODORE 1 Study Evaluating the Efficacy and Safety of Crovalimab Versus Eculizumab in Adult and Adolescent Patients with Paroxysmal Nocturnal Hemoglobinuria Currently Treated with Complement Inhibitors. <i>Blood</i> , 2020, 136, 43-44. | 1.4  | 3         |
| 8  | Comparative study on baseline clinical characteristics of Asian versus non-Asian patients with paroxysmal nocturnal hemoglobinuria. <i>International Journal of Hematology</i> , 2019, 110, 411-418.  | 1.6  | 9         |
| 9  | Complement and inflammasome overactivation mediates paroxysmal nocturnal hemoglobinuria with autoinflammation. <i>Journal of Clinical Investigation</i> , 2019, 129, 5123-5136.   | 8.2  | 36        |
| 10 | The SMART Anti-hC5 Antibody (SKY59/RO7112689) Shows Good Safety and Efficacy in Patients with Paroxysmal Nocturnal Hemoglobinuria (PNH). <i>Blood</i> , 2018, 132, 535-535.   | 1.4  | 8         |
| 11 | Interim analysis of post-marketing surveillance of eculizumab for paroxysmal nocturnal hemoglobinuria in Japan. <i>International Journal of Hematology</i> , 2016, 104, 548-558.  | 1.6  | 27        |
| 12 | C5 Polymorphism in a Dutch Patient with Paroxysmal Nocturnal Hemoglobinuria (PNH) and No Asian Ancestry, Resistant to Eculizumab, but in Vitro Sensitive to Coversin. <i>Blood</i> , 2015, 126, 1209-1209.  | 1.4  | 4         |
| 13 | Genetic Variants in C5 and Poor Response to Eculizumab. <i>New England Journal of Medicine</i> , 2014, 370, 632-639.  | 27.0 | 322       |
| 14 | A Rare Genetic Polymorphism in C5 Confers Poor Response to the Anti-C5 Monoclonal Antibody Eculizumab by Nine Japanese Patients with PNH. <i>Blood</i> , 2012, 120, 3197-3197.  | 1.4  | 3         |
| 15 | Crucial Role of Complement Receptor Type 1 On the Accumulation of Complement Component 3 On Erythrocytes in Patients with PNH Treated with Eculizumab. <i>Blood</i> , 2012, 120, 988-988.   | 1.4  | 0         |
| 16 | Expression of HMGA2 In Blood Cells From Patients with Paroxysmal Nocturnal Hemoglobinuria. <i>Blood</i> , 2010, 116, 4242-4242.   | 1.4  | 0         |
| 17 | Chronic Renal Insufficiency in Japanese Patients with Paroxysmal Nocturnal Hemoglobinuria (PNH): Improvement with Eculizumab Treatment in the Long-Term Follow-up of the AEGIS Study.. <i>Blood</i> , 2009, 114, 1980-1980.   | 1.4  | 3         |
| 18 | Wnt Pathway Is Upregulated in Blood Cells From Patients with Paroxysmal Nocturnal Hemoglobinuria.. <i>Blood</i> , 2009, 114, 1987-1987.   | 1.4  | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Expression of HMGA2 in Blood Cells from Patients with Paroxysmal Nocturnal Hemoglobinuria.. Blood, 2008, 112, 3439-3439.  | 1.4 | 0         |
| 20 | Molecular basis of clonal expansion of hematopoiesis in 2 patients with paroxysmal nocturnal hemoglobinuria (PNH). Blood, 2006, 108, 4232-4236.                   | 1.4 | 147       |
| 21 | Diagnosis and management of paroxysmal nocturnal hemoglobinuria. Blood, 2005, 106, 3699-3709.   | 1.4 | 652       |
| 22 | Clinical Course and Flow Cytometric Analysis of Paroxysmal Nocturnal Hemoglobinuria in the United States and Japan. Medicine (United States), 2004, 83, 193-207.  | 1.0 | 199       |
| 23 | Human PIG-U and Yeast Cdc91p Are the Fifth Subunit of GPI Transamidase That Attaches GPI-Anchors to Proteins. Molecular Biology of the Cell, 2003, 14, 1780-1789. | 2.1 | 109       |