Jani Raitanen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1280333/publications.pdf

Version: 2024-02-01

101543 149698 4,374 161 36 56 h-index citations g-index papers 167 167 167 5990 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------|
| 1 | Incidence of gliomas by anatomic location. Neuro-Oncology, 2007, 9, 319-325. | 1.2 | 250 |
| 2 | Primary Prevention of Gestational Diabetes Mellitus and Large-for-Gestational-Age Newborns by Lifestyle Counseling: A Cluster-Randomized Controlled Trial. PLoS Medicine, 2011, 8, e1001036. | 8.4 | 189 |
| 3 | Mobile phone use and risk of acoustic neuroma: results of the Interphone case–control study in five North European countries. British Journal of Cancer, 2005, 93, 842-848. | 6.4 | 181 |
| 4 | Effectiveness and cost-effectiveness of neuromuscular exercise and back care counseling in female healthcare workers with recurrent non-specific low back pain: a blinded four-arm randomized controlled trial. BMC Public Health, 2018, 18, 1376. | 2.9 | 173 |
| 5 | Infertility, mental disorders and wellâ€being – a nationwide survey. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 677-682. | 2.8 | 159 |
| 6 | Mobile phone use and risk of glioma in 5 North European countries. International Journal of Cancer, 2007, 120, 1769-1775. | 5.1 | 148 |
| 7 | Epilepsy-related clinical characteristics and mortality. Neurology, 2014, 83, 1968-1977. | 1.1 | 131 |
| 8 | Prevalence of menopause symptoms and their association with lifestyle among Finnish middle-aged women. Maturitas, 2010, 67, 368-374. | 2.4 | 130 |
| 9 | Female predominance in meningiomas can not be explained by differences in progesterone, estrogen, or androgen receptor expression. Journal of Neuro-Oncology, 2006, 80, 1-7. | 2.9 | 116 |
| 10 | Health and life style among infertile men and women. Sexual and Reproductive Healthcare, 2010, 1, 91-98. | 1,2 | 78 |
| 11 | Effect of aerobic training on hot flushes and quality of life—a randomized controlled trial. Annals of Medicine, 2012, 44, 616-626. | 3.8 | 76 |
| 12 | Birth Rate among Patients with Epilepsy: A Nationwide Population-based Cohort Study in Finland. American Journal of Epidemiology, 2004, 159, 1057-1063. | 3 . 4 | 67 |
| 13 | Panel discussion does not improve reliability of peer review for medical research grant proposals. Journal of Clinical Epidemiology, 2012, 65, 47-52. | 5.0 | 66 |
| 14 | Physical activity and change in quality of life during menopause -an 8-year follow-up study. Health and Quality of Life Outcomes, 2012, 10, 8. | 2.4 | 64 |
| 15 | Meningioma and mobile phone usea collaborative case-control study in five North European countries. International Journal of Epidemiology, 2008, 37, 1304-1313. | 1.9 | 59 |
| 16 | Iron intake, haemoglobin and risk of gestational diabetes: a prospective cohort study. BMJ Open, 2012, 2, e001730. | 1.9 | 53 |
| 17 | Sleep quality and aerobic training among menopausal womenâ€"A randomized controlled trial. Maturitas, 2012, 72, 339-345. | 2.4 | 53 |
| 18 | Local Complications After Cosmetic Breast Implant Surgery in Finland. Annals of Plastic Surgery, 2004, 53, 413-419. | 0.9 | 50 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Physical activity and menopause-related quality of life – A population-based cross-sectional study. Maturitas, 2015, 80, 69-74. | 2.4 | 49 |
| 20 | The production of IL-6 in acute epileptic seizure: A video-EEG study. Journal of Neuroimmunology, 2018, 316, 50-55. | 2.3 | 49 |
| 21 | Effect of hysterectomy on incidence trends of endometrial and cervical cancer in Finland 1953–2010. British Journal of Cancer, 2004, 90, 1756-1759. | 6.4 | 48 |
| 22 | Health care costs associated with gestational diabetes mellitus among high-risk women – results from a randomised trial. BMC Pregnancy and Childbirth, 2012, 12, 71. | 2.4 | 48 |
| 23 | Self-rated health in individuals with and without disease is associated with multiple biomarkers representing multiple biological domains. Scientific Reports, 2021, 11, 6139. | 3.3 | 48 |
| 24 | Exogenous sex hormone use and risk of meningioma: a population-based case–control study in Finland. Cancer Causes and Control, 2010, 21, 2149-2156. | 1.8 | 47 |
| 25 | Burdensome Transitions at the End of Life Among Long-Term Care Residents With Dementia. Journal of the American Medical Directors Association, 2014, 15, 643-648. | 2.5 | 47 |
| 26 | Effectiveness of a 12-month Exercise Intervention on Physical Activity and Quality of Life of Breast Cancer Survivors; Five-year Results of the BREX-study. In Vivo, 2019, 33, 881-888. | 1.3 | 43 |
| 27 | Physical Activity and Health-Related Quality of Life During Pregnancy: A Secondary Analysis of a Cluster-Randomised Trial. Maternal and Child Health Journal, 2014, 18, 2098-2105. | 1.5 | 42 |
| 28 | Physical Activity During Pregnancy: Predictors of Change, Perceived Support and Barriers Among Women at Increased Risk of Gestational Diabetes. Maternal and Child Health Journal, 2014, 18, 2158-2166. | 1.5 | 42 |
| 29 | Anticardiolipin and antinuclear antibodies in epilepsy—a population-based cross-sectional study. Epilepsy Research, 2004, 58, 13-18. | 1.6 | 41 |
| 30 | Mortality by clinical characteristics in a tertiary care cohort of adult patients with chronic epilepsy. Epilepsia, 2012, 53, e212-4. | 5.1 | 39 |
| 31 | Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. American Journal of Epidemiology, 2011, 174, 2-11. | 3.4 | 38 |
| 32 | Do Socioeconomic Health Differences Persist in Nonagenarians?. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2013, 68, 837-847. | 3.9 | 38 |
| 33 | Celiac disease-related antibodies in an epilepsy cohort and matched reference population. Epilepsy and Behavior, 2005, 6, 388-392. | 1.7 | 37 |
| 34 | Ten-Year Change in the Association Between Obesity and Parity: Results From the National FINRISK Population Study. Gender Medicine, 2011, 8, 399-406. | 1.4 | 37 |
| 35 | Effect of aerobic training on menopausal symptoms—a randomized controlled trial. Menopause, 2012, 19, 691-696. | 2.0 | 37 |
| 36 | Background radiation and childhood leukemia: A nationwide registerâ€based caseâ€control study. International Journal of Cancer, 2016, 139, 1975-1982. | 5.1 | 37 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | <p>Charlson Comorbidity Index Based On Hospital Episode Statistics Performs Adequately In Predicting Mortality, But Its Discriminative Ability Diminishes Over Time</p> . Clinical Epidemiology, 2019, Volume 11, 923-932. | 3.0 | 37 |
| 38 | The impact of dementia on care transitions during the last two years of life. Age and Ageing, 2012, 41, 52-57. | 1.6 | 36 |
| 39 | Long-term mortality risk by cause of death in newly diagnosed patients with epilepsy in Finland: a nationwide register-based study. European Journal of Epidemiology, 2013, 28, 981-990. | 5.7 | 36 |
| 40 | Prostate Cancer and Socioeconomic Status in the Finnish Randomized Study of Screening for Prostate Cancer. American Journal of Epidemiology, 2016, 184, 720-731. | 3.4 | 36 |
| 41 | Age and closeness of death as determinants of health and social care utilization: a case-control study. European Journal of Public Health, 2009, 19, 313-318. | 0.3 | 34 |
| 42 | Chronic conditions and multimorbidity in population aged 90 years and over: associations with mortality and long-term care admission. Age and Ageing, 2019, 48, 564-570. | 1.6 | 31 |
| 43 | Radiation exposure from computerized tomography and risk of childhood leukemia: Finnish register-based case-control study of childhood leukemia (FRECCLE). Haematologica, 2018, 103, 1873-1880. | 3.5 | 30 |
| 44 | Secular trend in the menopausal age in Finland 1997–2007 and correlation with socioeconomic, reproductive and lifestyle factors. Maturitas, 2010, 66, 417-422. | 2.4 | 28 |
| 45 | Pragmatic controlled trial to prevent childhood obesity in maternity and child health care clinics: pregnancy and infant weight outcomes (The VACOPP Study). BMC Pediatrics, 2013, 13, 80. | 1.7 | 28 |
| 46 | Association of Body Mass Index and Waist Circumference With Physical Functioning: The Vitality 90+ Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 885-891. | 3.6 | 28 |
| 47 | Cost-effectiveness of vitamin D supplementation and exercise in preventing injurious falls among older home-dwelling women: findings from an RCT. Osteoporosis International, 2016, 27, 193-201. | 3.1 | 28 |
| 48 | Is intensive counseling in maternity care feasible and effective in promoting physical activity among women at risk for gestational diabetes? Secondary analysis of a cluster randomized NELLI study in Finland. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 104. | 4.6 | 27 |
| 49 | Effects of dietary counselling on food habits and dietary intake of Finnish pregnant women at increased risk for gestational diabetes – a secondary analysis of a clusterâ€randomized controlled trial. Maternal and Child Nutrition, 2014, 10, 184-197. | 3.0 | 27 |
| 50 | Lifestyle counselling targeting infant's mother during the child's first year and offspring weight development until 4â€years of age: a follow-up study of a cluster RCT. BMJ Open, 2012, 2, e000624. | 1.9 | 25 |
| 51 | Serum IgA, IgG, and IgM concentrations in patients with epilepsy and matched controls: a cohort-based cross-sectional study. Epilepsy and Behavior, 2005, 6, 191-195. | 1.7 | 24 |
| 52 | Health and social service use among old people in the last 2Âyears of life. European Journal of Ageing, 2007, 4, 145-154. | 2.8 | 24 |
| 53 | Transitions in health and social service system at the end of life. European Journal of Ageing, 2010, 7, 91-100. | 2.8 | 24 |
| 54 | Prevalence and regional differences of gestational diabetes mellitus and oral glucose tolerance tests in Finland. European Journal of Public Health, 2012, 22, 278-280. | 0.3 | 24 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Estimate of Opportunistic Prostate Specific Antigen Testing in the Finnish Randomized Study of Screening for Prostate Cancer. Journal of Urology, 2017, 198, 50-57. | 0.4 | 24 |
| 56 | Effectiveness and Cost-Effectiveness of a Cluster-Randomized Prenatal Lifestyle Counseling Trial: A Seven-Year Follow-Up. PLoS ONE, 2016, 11, e0167759. | 2.5 | 23 |
| 57 | Women treated for epilepsy during pregnancy: outcomes from a nationwide populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 812-820. | 2.8 | 22 |
| 58 | Changes in older people's care profiles during the last 2 years of life, 1996–1998 and 2011–2013: a retrospective nationwide study in Finland. BMJ Open, 2017, 7, e015130. | 1.9 | 22 |
| 59 | Long-term care is increasingly concentrated in the last years of life: a change from 2000 to 2011. European Journal of Public Health, 2017, 27, 665-669. | 0.3 | 22 |
| 60 | Epilepsy, excess deaths and years of life lost from external causes. European Journal of Epidemiology, 2016, 31, 445-453. | 5.7 | 21 |
| 61 | Postpartum Weight Retention is Associated with Elevated Ratio of Oxidized LDL Lipids to HDLâ€Cholesterol. Lipids, 2013, 48, 1227-1235. | 1.7 | 20 |
| 62 | Family history in the <scp>F</scp> innish <scp>P</scp> rostate <scp>C</scp> ancer <scp>S</scp> creening <scp>T</scp> rial. International Journal of Cancer, 2015, 136, 2172-2177. | 5.1 | 20 |
| 63 | Metabolic syndrome in Finnish women 7â€years after a gestational diabetes prevention trial. BMJ Open, 2017, 7, e014565. | 1.9 | 20 |
| 64 | Patient-specific computer-based decision support in primary healthcare—a randomized trial. Implementation Science, 2014, 9, 15. | 6.9 | 19 |
| 65 | Quality of life, psychological distress and violence among women in close relationships: a population-based study in Finland. BMC Women's Health, 2020, 20, 85. | 2.0 | 19 |
| 66 | Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. Acta Neurologica Scandinavica, 2009, 119, 55-60. | 2.1 | 18 |
| 67 | Prevalence of Metabolic Syndrome One Year after Delivery in Finnish Women at Increased Risk for Gestational Diabetes Mellitus during Pregnancy. Journal of Pregnancy, 2013, 2013, 1-7. | 2.4 | 18 |
| 68 | Data management and data analysis techniques in pharmacoepidemiological studies using a preâ€planned multiâ€database approach: a systematic literature review. Pharmacoepidemiology and Drug Safety, 2015, 24, 897-905. | 1.9 | 18 |
| 69 | Chronically reduced IL-10 plasma levels are associated with hippocampal sclerosis in temporal lobe epilepsy patients. BMC Neurology, 2020, 20, 241. | 1.8 | 18 |
| 70 | Lifestyle counseling during pregnancy and offspring weight development until four years of age: follow-up study of a controlled trial. Journal of Negative Results in BioMedicine, 2012, 11, 11. | 1.4 | 17 |
| 71 | The concentration of cell-free DNA in focal epilepsy. Epilepsy Research, 2013, 105, 292-298. | 1.6 | 17 |
| 72 | Cost-Effectiveness of Lifestyle Counselling as Primary Prevention of Gestational Diabetes Mellitus: Findings from a Cluster-Randomised Trial. PLoS ONE, 2013, 8, e56392. | 2.5 | 17 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------|
| 73 | Identification of a prognostic signature for old-age mortality by integrating genome-wide transcriptomic data with the conventional predictors: the Vitality 90+ Study. BMC Medical Genomics, 2014, 7, 54. | 1.5 | 17 |
| 74 | Is socioeconomic status a predictor of mortality in nonagenarians? The vitality 90+ study. Age and Ageing, 2015, 44, 123-129. | 1.6 | 17 |
| 75 | Comparative effectiveness of eight antiepileptic drugs in adults with focal refractory epilepsy: the influence of age, gender, and the sequence in which drugs were introduced onto the market. Journal of Neurology, 2017, 264, 1345-1353. | 3 . 6 | 17 |
| 76 | Do Successful Agers Live Longer? The Vitality 90+ Study. Journal of Aging and Health, 2015, 27, 35-53. | 1.7 | 16 |
| 77 | The effect of newer antiepileptic drugs in combination therapy. Epilepsy Research, 2017, 132, 15-20. | 1.6 | 16 |
| 78 | Device-Based Measures of Sedentary Time and Physical Activity Are Associated With Physical Fitness and Body Fat Content. Frontiers in Sports and Active Living, 2020, 2, 587789. | 1.8 | 16 |
| 79 | 6-mo aerobic exercise intervention enhances the lipid peroxide transport function of HDL. Free Radical Research, 2016, 50, 1279-1285. | 3. 3 | 15 |
| 80 | Clinical management of elderly patients with epilepsy; the use of lacosamide in a single center setting. Epilepsy and Behavior, 2017, 75, 86-89. | 1.7 | 15 |
| 81 | Preventing excessive gestational weight gainâ€"a secondary analysis of a cluster-randomised controlled trial. European Journal of Clinical Nutrition, 2012, 66, 1344-1350. | 2.9 | 14 |
| 82 | Effect of physical exercise on work ability and daily strain in symptomatic menopausal women: A randomized controlled trial. Work, 2014, 47, 281-286. | 1.1 | 14 |
| 83 | Effects of incomplete residential histories on studies of environmental exposure with application to childhood leukaemia and background radiation. Environmental Research, 2018, 166, 466-472. | 7.5 | 14 |
| 84 | Longitudinal change in physical functioning and dropout due to death among the oldest old: a comparison of three methods of analysis. European Journal of Ageing, 2020, 17, 207-216. | 2.8 | 14 |
| 85 | Seizure-freedom with combination therapy in localization-related epilepsy. Seizure: the Journal of the British Epilepsy Association, 2008, 17, 276-280. | 2.0 | 13 |
| 86 | Systolic Hypertension in Pregnancy and Cardiovascular Mortality: A 44-Year Follow-up Study. Hypertension in Pregnancy, 2008, 27, 87-94. | 1.1 | 13 |
| 87 | Dementia as a determinant of social and health service use in the last two years of life 1996-2003. BMC Geriatrics, 2011, 11, 14. | 2.7 | 13 |
| 88 | Short- and Long-term Effects of a Physical Exercise Intervention on Work Ability and Work Strain in Symptomatic Menopausal Women. Safety and Health at Work, 2014, 5, 186-190. | 0.6 | 13 |
| 89 | Ethnic Differences in Gestational Weight Gain: A Population-Based Cohort Study in Norway. Maternal and Child Health Journal, 2016, 20, 1485-1496. | 1.5 | 13 |
| 90 | The effect of a movement-to-music video program on the objectively measured sedentary time and physical activity of preschool-aged children and their mothers: A randomized controlled trial. PLoS ONE, 2017, 12, e0183317. | 2.5 | 13 |

| # | Article | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Trends of Physical Functioning, Morbidity, and Disability-Free Life Expectancy Among the Oldest Old: Six Repeated Cross-Sectional Surveys Between 2001 and 2018 in the Vitality 90+ Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1227-1233. | 3.6 | 13 |
| 92 | Populationâ€based randomized trial of screening for clinically significant prostate cancer ProScreen: a pilot study. BJU International, 2022, 130, 193-199. | 2.5 | 13 |
| 93 | Antimitochondrial antibodies in patients with epilepsy. Epilepsy and Behavior, 2005, 7, 95-97. | 1.7 | 12 |
| 94 | The concentration of cell-free DNA in video-EEG patients is dependent on the epilepsy syndrome and duration of epilepsy. Neurological Research, 2016, 38, 45-50. | 1.3 | 12 |
| 95 | Body Mass Index and Waist Circumference as Predictors of Disability in Nonagenarians: The Vitality 90+ Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1569-1574. | 3.6 | 12 |
| 96 | Changes in place of death among people with dementia in Finland between 1998 and 2013: A register study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 86-93. | 2.4 | 12 |
| 97 | Predicting residential radon concentrations in Finland: Model development, validation, and application to childhood leukemia. Scandinavian Journal of Work, Environment and Health, 2020, 46, 278-292. | 3.4 | 12 |
| 98 | Long-term effect of physical activity on health-related quality of life among menopausal women: a 4-year follow-up study to a randomised controlled trial. BMJ Open, 2015, 5, e008232. | 1.9 | 11 |
| 99 | Prognostic factors of prostate cancer mortality in a Finnish randomized screening trial. International Journal of Urology, 2018, 25, 270-276. | 1.0 | 11 |
| 100 | Incidence trends of adult malignant brain tumors in Finland, 1990–2016. Acta Oncológica, 2019, 58, 990-996. | 1.8 | 11 |
| 101 | Test Sensitivity in the European Prostate Cancer Screening Trial: Results from Finland, Sweden, and the Netherlands. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2000-2005. | 2.5 | 10 |
| 102 | Trends in the use and costs of round-the-clock long-term care in the last two years of life among old people between 2002 and 2013 in Finland. BMC Health Services Research, 2017, 17, 668. | 2.2 | 10 |
| 103 | A pragmatic controlled trial to prevent childhood obesity within a risk group at maternity and child health-care clinics: results up to six years of age (the VACOPP study). BMC Pediatrics, 2018, 18, 89. | 1.7 | 10 |
| 104 | Predictors of long-term care among nonagenarians: the Vitality 90 + Study with linked data of the care registers. Aging Clinical and Experimental Research, 2018, 30, 913-919. | 2.9 | 10 |
| 105 | Place of death among older people in Finland and Norway. Scandinavian Journal of Public Health, 2020, 48, 817-824. | 2.3 | 10 |
| 106 | Differences in sedentary time and physical activity among mothers and children using a movement-to-music video program in the home environment: a pilot study. SpringerPlus, 2016, 5, 93. | 1.2 | 9 |
| 107 | Educational Differences in Decline in Maximum Gait Speed in Older Adults Over an 11-Year Follow-up. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 703-709. | 3.6 | 9 |
| 108 | Methylomic predictors demonstrate the role of NF-κB in old-age mortality and are unrelated to the aging-associated epigenetic drift. Oncotarget, 2016, 7, 19228-19241. | 1.8 | 9 |

| # | Article | IF | Citations |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Economic burden of low physical activity and high sedentary behaviour in Finland. Journal of Epidemiology and Community Health, 2022, 76, 677-684. | 3.7 | 9 |
| 110 | Longitudinal changes in mobility among nonagenarians: the Vitality 90+ Study. BMC Geriatrics, 2015, 15, 124. | 2.7 | 8 |
| 111 | Digital rectal examination in prostate cancer screening at PSA level 3.0-3.9 ng/ml: long-term results from a randomized trial. Scandinavian Journal of Urology, 2021, 55, 348-353. | 1.0 | 8 |
| 112 | Effect of dietary intervention on serum lignan levels in pregnant women - a controlled trial. Reproductive Health, 2010, 7, 26. | 3.1 | 7 |
| 113 | Overlaps and accumulation in the use of rehabilitation services. International Journal of Rehabilitation Research, 2011, 34, 255-260. | 1.3 | 7 |
| 114 | Rationale and methods for a randomized controlled trial of a movement-to-music video program for decreasing sedentary time among mother-child pairs. BMC Public Health, 2015, 15, 1016. | 2.9 | 7 |
| 115 | Pituitary tumor risk in relation to mobile phone use: A case-control study. Acta Oncol $	ilde{A}^3$ gica, 2015, 54, 1159-1165. | 1.8 | 7 |
| 116 | Hot flushes among aging women: A 4-year follow-up study to a randomised controlled exercise trial. Maturitas, 2016, 88, 84-89. | 2.4 | 7 |
| 117 | The Number of Screening Cycles Needed to Reduce Prostate Cancer Mortality in the Finnish Section of the European Randomized Study of Prostate Cancer (ERSPC). Clinical Cancer Research, 2019, 25, 839-843. | 7.0 | 7 |
| 118 | Successful Aging as a Predictor of Long-Term Care Among Oldest Old: The Vitality 90+ Study. Journal of Applied Gerontology, 2019, 38, 553-571. | 2.0 | 7 |
| 119 | Differences in Training Adaptations of Endurance Performance during Combined Strength and Endurance Training in a 6-Month Crisis Management Operation. International Journal of Environmental Research and Public Health, 2020, 17, 1688. | 2.6 | 7 |
| 120 | Cost of gestational diabetes-related antenatal visits in health care based on the Finnish Medical Birth Register. Primary Care Diabetes, 2011, 5, 139-141. | 1.8 | 6 |
| 121 | Use and distribution of rehabilitation services. International Journal of Rehabilitation Research, 2011, 34, 160-166. | 1.3 | 6 |
| 122 | Municipal variation in health and social service use in the last 2 years of life among old people. Scandinavian Journal of Public Health, 2011, 39, 361-370. | 2.3 | 6 |
| 123 | Number of Screening Rounds and Postscreening Prostate Cancer Incidence: Results from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer Study. European Urology, 2016, 70, 499-505. | 1.9 | 6 |
| 124 | Residential mobility and the risk of childhood leukemia. Cancer Causes and Control, 2016, 27, 433-443. | 1.8 | 6 |
| 125 | Does use of long-term care differ between occupational classes among the oldest old? Vitality 90Â+ Study. European Journal of Ageing, 2018, 15, 143-153. | 2.8 | 6 |
| 126 | The Joint Impact of Age at Death and Dementia on Long-Term Care Use in the Last Years of Life: Changes From 1996 to 2013 in Finland. Gerontology and Geriatric Medicine, 2019, 5, 233372141987062. | 1.5 | 6 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|
| 127 | Patients' education level and treatment modality for prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer. European Journal of Cancer, 2020, 130, 204-210. | 2.8 | 6 |
| 128 | Response to first antiseizure medication in patients diagnosed with epilepsy. Acta Neurologica Scandinavica, 2021, 144, 67-75. | 2.1 | 6 |
| 129 | Comorbidities in dementia during the last years of life: a register study of patterns and time differences in Finland. Aging Clinical and Experimental Research, 2021, 33, 3285-3292. | 2.9 | 6 |
| 130 | Outcomes of Screening for Prostate Cancer Among Men Who Use Statins. JAMA Oncology, 2022, 8, 61. | 7.1 | 6 |
| 131 | Effects of municipality factors on care transitions. Scandinavian Journal of Public Health, 2013, 41, 604-615. | 2.3 | 5 |
| 132 | Long-term care use among old people in their last 2Âyears of life: variations across Finland. Health and Social Care in the Community, 2016, 24, 439-449. | 1.6 | 5 |
| 133 | Cost-Effectiveness of Physical Activity among Women with Menopause Symptoms: Findings from a Randomised Controlled Trial. PLoS ONE, 2015, 10, e0135099. | 2.5 | 5 |
| 134 | Incidence of myelodysplastic syndromes in Finland 1997–2016. Leukemia Research, 2022, 116, 106839. | 0.8 | 5 |
| 135 | Autoimmunity-related immunological serum markers and survival in a tertiary care cohort of adult patients with epilepsy. Epilepsy Research, 2014, 108, 1675-1679. | 1.6 | 4 |
| 136 | Cardiometabolic and Inflammatory Biomarkers as Mediators Between Educational Attainment and Functioning at the Age of 90 Years. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 412-419. | 3.6 | 4 |
| 137 | Discontinuation of carbamazepine due to concerns of longâ€term consequences of enzyme induction. Epilepsia Open, 2018, 3, 340-347. | 2.4 | 4 |
| 138 | Trends in the use of care among people aged 65–85 with cognitive impairment in the Netherlands. Ageing and Society, 2020, 40, 43-72. | 1.7 | 4 |
| 139 | Females Sustain more Ankle Injuries than Males in Youth Football. International Journal of Sports Medicine, 2020, 41, 1017-1023. | 1.7 | 4 |
| 140 | Number of screening rounds attended and incidence of highâ€risk prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer (FinRSPC). Cancer, 2021, 127, 188-192. | 4.1 | 4 |
| 141 | Prognostic Index for Predicting Prostate Cancer Survival in a Randomized Screening Trial: Development and Validation. Cancers, 2021, 13, 435. | 3.7 | 3 |
| 142 | Higher number of steps and breaks during sedentary behaviour are associated with better lipid profiles. BMC Public Health, 2021, 21, 629. | 2.9 | 3 |
| 143 | A 1-year follow-up study on immunological changes following deep brain stimulation in patients with epilepsy. Scientific Reports, 2021, 11, 13765. | 3. 3 | 3 |
| 144 | Incidence trends of childhood central nervous system tumors in Finland 1990–2017. BMC Cancer, 2022, 22, . | 2.6 | 3 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Care service use in 2 years preceding suicide among older adults: comparison with those who died a natural death and those who lived longer. European Journal of Ageing, 2017, 14, 143-153. | 2.8 | 2 |
| 146 | Physical Activity and Body Composition in Children and Their Mothers According to Mother's Gestational Diabetes Risk: A Seven-Year Follow-Up Study. Medicina (Lithuania), 2019, 55, 635. | 2.0 | 2 |
| 147 | Purchases of medicines among community-dwelling older people: comparing people in the last 2Âyears of life and those who lived at least 2Âyears longer. European Journal of Ageing, 2020, 17, 361-369. | 2.8 | 2 |
| 148 | Relationship between mothers' enjoyment and sedentary behavior and physical activity of mother–child dyads using a movement-to-music video program: a secondary analysis of a randomized controlled trial. BMC Public Health, 2020, 20, 1659. | 2.9 | 2 |
| 149 | Type 2 Diabetes as a Predictor of Muscle Strength Decline over 11 years among Men and Women Aged 55 Years and Older. Gerontology, 2022, 68, 635-643. | 2.8 | 2 |
| 150 | Treatment outcomes in women with idiopathic generalized epilepsy. Acta Neurologica Scandinavica, 2022, 145, 423-433. | 2.1 | 2 |
| 151 | LONGER LIVES MEAN HIGHER NEED FOR LONG-TERM CARE AT THE END-OF-LIFE. Innovation in Aging, 2017, 1, 65-65. | 0.1 | 1 |
| 152 | The effects of mothers' musical background on sedentary behavior, physical activity, and exercise adherence in their 5-6-years-old children using movement-to-music video program. PLoS ONE, 2018, 13, e0195837. | 2.5 | 1 |
| 153 | The Test–Retest Repeatability of a Rhythm Coordination Test Procedure in 4- to 6-Year-Old Children: A Pilot Study. Music & Science, 2020, 3, 205920432096228. | 1.0 | 1 |
| 154 | The effect of music mat exercises on the device-measured sedentary time and physical activity among 4-6-year-old Finnish children and their parents: a pilot study. Music and Medicine, 2021, 13, 57-67. | 0.4 | 1 |
| 155 | Socioeconomic mortality inequalities among the 90+-year-olds. European Journal of Public Health, 2014, 24, . | 0.3 | 0 |
| 156 | CHANGE OVER TIME IN THE USE OF CARE IN THE LAST 5 YEARS AMONG PEOPLE WITH DEMENTIA. Innovation in Aging, $2017, 1, 542-543$. | 0.1 | 0 |
| 157 | Loss of productivity due to diabetes in Finland between 2002 - 2011. European Journal of Public Health, 2017, 27, . | 0.3 | 0 |
| 158 | MAILED SURVEYS WITH NONAGENARIANS - CHALLENGES AND LESSONS FROM THE VITALITY 90+ STUDY. Innovation in Aging, 2019, 3, S868-S868. | 0.1 | 0 |
| 159 | Effects of Dietary and Physical Activity Intervention during Pregnancy on Circulating Leptin and Adiponectin Levels. Food and Nutrition Sciences (Print), 2012, 03, 556-567. | 0.4 | 0 |
| 160 | Spatio-Temporal Clustering of Childhood Leukemia Relative to Population Mixing in Finland: A Nationwide Register-Based Study. Blood, 2019, 134, 5070-5070. | 1.4 | 0 |
| 161 | Physical exercise adherence in Finnish children using a music mat: a pilot study. Music and Medicine, 2020, 12, 100. | 0.4 | 0 |