

Jani Raitanen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1280333/publications.pdf>

Version: 2024-02-01

161
papers

4,374
citations

101543

36
h-index

149698

56
g-index

167
all docs

167
docs citations

167
times ranked

5990
citing authors

#	ARTICLE	IF	CITATIONS
1	Type 2 Diabetes as a Predictor of Muscle Strength Decline over 11 years among Men and Women Aged 55 Years and Older. <i>Gerontology</i> , 2022, 68, 635-643.	2.8	2
2	Outcomes of Screening for Prostate Cancer Among Men Who Use Statins. <i>JAMA Oncology</i> , 2022, 8, 61.	7.1	6
3	Treatment outcomes in women with idiopathic generalized epilepsy. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 423-433.	2.1	2
4	Population-based randomized trial of screening for clinically significant prostate cancer ProScreen: a pilot study. <i>BJU International</i> , 2022, 130, 193-199.	2.5	13
5	Incidence of myelodysplastic syndromes in Finland 1997–2016. <i>Leukemia Research</i> , 2022, 116, 106839.	0.8	5
6	Economic burden of low physical activity and high sedentary behaviour in Finland. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 677-684.	3.7	9
7	Incidence trends of childhood central nervous system tumors in Finland 1990–2017. <i>BMC Cancer</i> , 2022, 22, .	2.6	3
8	Trends of Physical Functioning, Morbidity, and Disability-Free Life Expectancy Among the Oldest Old: Six Repeated Cross-Sectional Surveys Between 2001 and 2018 in the Vitality 90+ Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1227-1233.	3.6	13
9	Educational Differences in Decline in Maximum Gait Speed in Older Adults Over an 11-Year Follow-up. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 703-709.	3.6	9
10	Number of screening rounds attended and incidence of high-risk prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer (FinRSPC). <i>Cancer</i> , 2021, 127, 188-192.	4.1	4
11	Prognostic Index for Predicting Prostate Cancer Survival in a Randomized Screening Trial: Development and Validation. <i>Cancers</i> , 2021, 13, 435.	3.7	3
12	The effect of music mat exercises on the device-measured sedentary time and physical activity among 4-6-year-old Finnish children and their parents: a pilot study. <i>Music and Medicine</i> , 2021, 13, 57-67.	0.4	1
13	Self-rated health in individuals with and without disease is associated with multiple biomarkers representing multiple biological domains. <i>Scientific Reports</i> , 2021, 11, 6139.	3.3	48
14	Higher number of steps and breaks during sedentary behaviour are associated with better lipid profiles. <i>BMC Public Health</i> , 2021, 21, 629.	2.9	3
15	Response to first antiseizure medication in patients diagnosed with epilepsy. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 67-75.	2.1	6
16	Comorbidities in dementia during the last years of life: a register study of patterns and time differences in Finland. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3285-3292.	2.9	6
17	A 1-year follow-up study on immunological changes following deep brain stimulation in patients with epilepsy. <i>Scientific Reports</i> , 2021, 11, 13765.	3.3	3
18	Digital rectal examination in prostate cancer screening at PSA level 3.0-3.9 ng/ml: long-term results from a randomized trial. <i>Scandinavian Journal of Urology</i> , 2021, 55, 348-353.	1.0	8

#	ARTICLE	IF	CITATIONS
19	Trends in the use of care among people aged 65–85 with cognitive impairment in the Netherlands. <i>Ageing and Society</i> , 2020, 40, 43-72.	1.7	4
20	Longitudinal change in physical functioning and dropout due to death among the oldest old: a comparison of three methods of analysis. <i>European Journal of Ageing</i> , 2020, 17, 207-216.	2.8	14
21	Purchases of medicines among community-dwelling older people: comparing people in the last 2 years of life and those who lived at least 2 years longer. <i>European Journal of Ageing</i> , 2020, 17, 361-369.	2.8	2
22	Place of death among older people in Finland and Norway. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 817-824.	2.3	10
23	Relationship between mothers' enjoyment and sedentary behavior and physical activity of mother-child dyads using a movement-to-music video program: a secondary analysis of a randomized controlled trial. <i>BMC Public Health</i> , 2020, 20, 1659.	2.9	2
24	Females Sustain more Ankle Injuries than Males in Youth Football. <i>International Journal of Sports Medicine</i> , 2020, 41, 1017-1023.	1.7	4
25	The Test-Retest Repeatability of a Rhythm Coordination Test Procedure in 4- to 6-Year-Old Children: A Pilot Study. <i>Music & Science</i> , 2020, 3, 205920432096228.	1.0	1
26	Chronically reduced IL-10 plasma levels are associated with hippocampal sclerosis in temporal lobe epilepsy patients. <i>BMC Neurology</i> , 2020, 20, 241.	1.8	18
27	Differences in Training Adaptations of Endurance Performance during Combined Strength and Endurance Training in a 6-Month Crisis Management Operation. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1688.	2.6	7
28	Quality of life, psychological distress and violence among women in close relationships: a population-based study in Finland. <i>BMC Women's Health</i> , 2020, 20, 85.	2.0	19
29	Patients' education level and treatment modality for prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2020, 130, 204-210.	2.8	6
30	Device-Based Measures of Sedentary Time and Physical Activity Are Associated With Physical Fitness and Body Fat Content. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 587789.	1.8	16
31	Predicting residential radon concentrations in Finland: Model development, validation, and application to childhood leukemia. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 278-292.	3.4	12
32	Physical exercise adherence in Finnish children using a music mat: a pilot study. <i>Music and Medicine</i> , 2020, 12, 100.	0.4	0
33	The Joint Impact of Age at Death and Dementia on Long-Term Care Use in the Last Years of Life: Changes From 1996 to 2013 in Finland. <i>Gerontology and Geriatric Medicine</i> , 2019, 5, 233372141987062.	1.5	6
34	<p>>Charlson Comorbidity Index Based On Hospital Episode Statistics Performs Adequately In Predicting Mortality, But Its Discriminative Ability Diminishes Over Time</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 923-932.	3.0	37
35	Physical Activity and Body Composition in Children and Their Mothers According to Mother's Gestational Diabetes Risk: A Seven-Year Follow-Up Study. <i>Medicina (Lithuania)</i> , 2019, 55, 635.	2.0	2
36	Incidence trends of adult malignant brain tumors in Finland, 1990–2016. <i>Acta Oncologica</i> , 2019, 58, 990-996.	1.8	11

#	ARTICLE	IF	CITATIONS
37	Effectiveness of a 12-month Exercise Intervention on Physical Activity and Quality of Life of Breast Cancer Survivors; Five-year Results of the BREX-study. <i>In Vivo</i> , 2019, 33, 881-888.	1.3	43
38	Chronic conditions and multimorbidity in population aged 90 years and over: associations with mortality and long-term care admission. <i>Age and Ageing</i> , 2019, 48, 564-570.	1.6	31
39	MAILED SURVEYS WITH NONAGENARIANS - CHALLENGES AND LESSONS FROM THE VITALITY 90+ STUDY. <i>Innovation in Aging</i> , 2019, 3, S868-S868.	0.1	0
40	The Number of Screening Cycles Needed to Reduce Prostate Cancer Mortality in the Finnish Section of the European Randomized Study of Prostate Cancer (ERSPC). <i>Clinical Cancer Research</i> , 2019, 25, 839-843.	7.0	7
41	Successful Aging as a Predictor of Long-Term Care Among Oldest Old: The Vitality 90+ Study. <i>Journal of Applied Gerontology</i> , 2019, 38, 553-571.	2.0	7
42	Spatio-Temporal Clustering of Childhood Leukemia Relative to Population Mixing in Finland: A Nationwide Register-Based Study. <i>Blood</i> , 2019, 134, 5070-5070.	1.4	0
43	The production of IL-6 in acute epileptic seizure: A video-EEG study. <i>Journal of Neuroimmunology</i> , 2018, 316, 50-55.	2.3	49
44	A pragmatic controlled trial to prevent childhood obesity within a risk group at maternity and child health-care clinics: results up to six years of age (the VACOPP study). <i>BMC Pediatrics</i> , 2018, 18, 89.	1.7	10
45	Does use of long-term care differ between occupational classes among the oldest old? Vitality 90+ Study. <i>European Journal of Ageing</i> , 2018, 15, 143-153.	2.8	6
46	Predictors of long-term care among nonagenarians: the Vitality 90+ Study with linked data of the care registers. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 913-919.	2.9	10
47	Prognostic factors of prostate cancer mortality in a Finnish randomized screening trial. <i>International Journal of Urology</i> , 2018, 25, 270-276.	1.0	11
48	Changes in place of death among people with dementia in Finland between 1998 and 2013: A register study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 86-93.	2.4	12
49	Effectiveness and cost-effectiveness of neuromuscular exercise and back care counseling in female healthcare workers with recurrent non-specific low back pain: a blinded four-arm randomized controlled trial. <i>BMC Public Health</i> , 2018, 18, 1376.	2.9	173
50	The effects of mothers' musical background on sedentary behavior, physical activity, and exercise adherence in their 5-6-years-old children using movement-to-music video program. <i>PLoS ONE</i> , 2018, 13, e0195837.	2.5	1
51	Effects of incomplete residential histories on studies of environmental exposure with application to childhood leukaemia and background radiation. <i>Environmental Research</i> , 2018, 166, 466-472.	7.5	14
52	Radiation exposure from computerized tomography and risk of childhood leukemia: Finnish register-based case-control study of childhood leukemia (FRECCLE). <i>Haematologica</i> , 2018, 103, 1873-1880.	3.5	30
53	Discontinuation of carbamazepine due to concerns of long-term consequences of enzyme induction. <i>Epilepsia Open</i> , 2018, 3, 340-347.	2.4	4
54	Estimate of Opportunistic Prostate Specific Antigen Testing in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Journal of Urology</i> , 2017, 198, 50-57.	0.4	24

#	ARTICLE	IF	CITATIONS
55	Women treated for epilepsy during pregnancy: outcomes from a nationwide population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 812-820.	2.8	22
56	The effect of newer antiepileptic drugs in combination therapy. <i>Epilepsy Research</i> , 2017, 132, 15-20.	1.6	16
57	Body Mass Index and Waist Circumference as Predictors of Disability in Nonagenarians: The Vitality 90+ Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 1569-1574.	3.6	12
58	Comparative effectiveness of eight antiepileptic drugs in adults with focal refractory epilepsy: the influence of age, gender, and the sequence in which drugs were introduced onto the market. <i>Journal of Neurology</i> , 2017, 264, 1345-1353.	3.6	17
59	Clinical management of elderly patients with epilepsy; the use of lacosamide in a single center setting. <i>Epilepsy and Behavior</i> , 2017, 75, 86-89.	1.7	15
60	Metabolic syndrome in Finnish women 7â€¦years after a gestational diabetes prevention trial. <i>BMJ Open</i> , 2017, 7, e014565.	1.9	20
61	Care service use in 2 years preceding suicide among older adults: comparison with those who died a natural death and those who lived longer. <i>European Journal of Ageing</i> , 2017, 14, 143-153.	2.8	2
62	Changes in older peopleâ€™s care profiles during the last 2 years of life, 1996â€“1998 and 2011â€“2013: a retrospective nationwide study in Finland. <i>BMJ Open</i> , 2017, 7, e015130.	1.9	22
63	CHANGE OVER TIME IN THE USE OF CARE IN THE LAST 5 YEARS AMONG PEOPLE WITH DEMENTIA. <i>Innovation in Aging</i> , 2017, 1, 542-543.	0.1	0
64	LONGER LIVES MEAN HIGHER NEED FOR LONG-TERM CARE AT THE END-OF-LIFE. <i>Innovation in Aging</i> , 2017, 1, 65-65.	0.1	1
65	Loss of productivity due to diabetes in Finland between 2002 - 2011. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
66	The effect of a movement-to-music video program on the objectively measured sedentary time and physical activity of preschool-aged children and their mothers: A randomized controlled trial. <i>PLoS ONE</i> , 2017, 12, e0183317.	2.5	13
67	Trends in the use and costs of round-the-clock long-term care in the last two years of life among old people between 2002 and 2013 in Finland. <i>BMC Health Services Research</i> , 2017, 17, 668.	2.2	10
68	Long-term care is increasingly concentrated in the last years of life: a change from 2000 to 2011. <i>European Journal of Public Health</i> , 2017, 27, 665-669.	0.3	22
69	Effectiveness and Cost-Effectiveness of a Cluster-Randomized Prenatal Lifestyle Counseling Trial: A Seven-Year Follow-Up. <i>PLoS ONE</i> , 2016, 11, e0167759.	2.5	23
70	Long-term care use among old people in their last 2Â¥years of life: variations across Finland. <i>Health and Social Care in the Community</i> , 2016, 24, 439-449.	1.6	5
71	Hot flushes among aging women: A 4-year follow-up study to a randomised controlled exercise trial. <i>Maturitas</i> , 2016, 88, 84-89.	2.4	7
72	The concentration of cell-free DNA in video-EEG patients is dependent on the epilepsy syndrome and duration of epilepsy. <i>Neurological Research</i> , 2016, 38, 45-50.	1.3	12

#	ARTICLE	IF	CITATIONS
73	Number of Screening Rounds and Postscreening Prostate Cancer Incidence: Results from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer Study. <i>European Urology</i> , 2016, 70, 499-505.	1.9	6
74	Background radiation and childhood leukemia: A nationwide register-based case-control study. <i>International Journal of Cancer</i> , 2016, 139, 1975-1982.	5.1	37
75	6-mo aerobic exercise intervention enhances the lipid peroxide transport function of HDL. <i>Free Radical Research</i> , 2016, 50, 1279-1285.	3.3	15
76	Prostate Cancer and Socioeconomic Status in the Finnish Randomized Study of Screening for Prostate Cancer. <i>American Journal of Epidemiology</i> , 2016, 184, 720-731.	3.4	36
77	Differences in sedentary time and physical activity among mothers and children using a movement-to-music video program in the home environment: a pilot study. <i>SpringerPlus</i> , 2016, 5, 93.	1.2	9
78	Residential mobility and the risk of childhood leukemia. <i>Cancer Causes and Control</i> , 2016, 27, 433-443.	1.8	6
79	Ethnic Differences in Gestational Weight Gain: A Population-Based Cohort Study in Norway. <i>Maternal and Child Health Journal</i> , 2016, 20, 1485-1496.	1.5	13
80	Cardiometabolic and Inflammatory Biomarkers as Mediators Between Educational Attainment and Functioning at the Age of 90 Years. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 412-419.	3.6	4
81	Epilepsy, excess deaths and years of life lost from external causes. <i>European Journal of Epidemiology</i> , 2016, 31, 445-453.	5.7	21
82	Cost-effectiveness of vitamin D supplementation and exercise in preventing injurious falls among older home-dwelling women: findings from an RCT. <i>Osteoporosis International</i> , 2016, 27, 193-201.	3.1	28
83	Methylomic predictors demonstrate the role of NF- κ B in old-age mortality and are unrelated to the aging-associated epigenetic drift. <i>Oncotarget</i> , 2016, 7, 19228-19241.	1.8	9
84	Family history in the Finnish Prostate Cancer Screening Trial. <i>International Journal of Cancer</i> , 2015, 136, 2172-2177.	5.1	20
85	Data management and data analysis techniques in pharmacoepidemiological studies using a preplanned multi-database approach: a systematic literature review. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 897-905.	1.9	18
86	Long-term effect of physical activity on health-related quality of life among menopausal women: a 4-year follow-up study to a randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e008232.	1.9	11
87	Longitudinal changes in mobility among nonagenarians: the Vitality 90+ Study. <i>BMC Geriatrics</i> , 2015, 15, 124.	2.7	8
88	Rationale and methods for a randomized controlled trial of a movement-to-music video program for decreasing sedentary time among mother-child pairs. <i>BMC Public Health</i> , 2015, 15, 1016.	2.9	7
89	Physical activity and menopause-related quality of life – A population-based cross-sectional study. <i>Maturitas</i> , 2015, 80, 69-74.	2.4	49
90	Pituitary tumor risk in relation to mobile phone use: A case-control study. <i>Acta Oncologica</i> , 2015, 54, 1159-1165.	1.8	7

#	ARTICLE	IF	CITATIONS
91	Association of Body Mass Index and Waist Circumference With Physical Functioning: The Vitality 90+ Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 885-891.	3.6	28
92	Do Successful Agers Live Longer? The Vitality 90+ Study. <i>Journal of Aging and Health</i> , 2015, 27, 35-53.	1.7	16
93	Is socioeconomic status a predictor of mortality in nonagenarians? The vitality 90+ study. <i>Age and Ageing</i> , 2015, 44, 123-129.	1.6	17
94	Cost-Effectiveness of Physical Activity among Women with Menopause Symptoms: Findings from a Randomised Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0135099.	2.5	5
95	Socioeconomic mortality inequalities among the 90+-year-olds. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
96	Short- and Long-term Effects of a Physical Exercise Intervention on Work Ability and Work Strain in Symptomatic Menopausal Women. <i>Safety and Health at Work</i> , 2014, 5, 186-190.	0.6	13
97	Epilepsy-related clinical characteristics and mortality. <i>Neurology</i> , 2014, 83, 1968-1977.	1.1	131
98	Identification of a prognostic signature for old-age mortality by integrating genome-wide transcriptomic data with the conventional predictors: the Vitality 90+ Study. <i>BMC Medical Genomics</i> , 2014, 7, 54.	1.5	17
99	Effects of dietary counselling on food habits and dietary intake of Finnish pregnant women at increased risk for gestational diabetes – a secondary analysis of a cluster-randomized controlled trial. <i>Maternal and Child Nutrition</i> , 2014, 10, 184-197.	3.0	27
100	Physical Activity and Health-Related Quality of Life During Pregnancy: A Secondary Analysis of a Cluster-Randomised Trial. <i>Maternal and Child Health Journal</i> , 2014, 18, 2098-2105.	1.5	42
101	Patient-specific computer-based decision support in primary healthcare – a randomized trial. <i>Implementation Science</i> , 2014, 9, 15.	6.9	19
102	Autoimmunity-related immunological serum markers and survival in a tertiary care cohort of adult patients with epilepsy. <i>Epilepsy Research</i> , 2014, 108, 1675-1679.	1.6	4
103	Physical Activity During Pregnancy: Predictors of Change, Perceived Support and Barriers Among Women at Increased Risk of Gestational Diabetes. <i>Maternal and Child Health Journal</i> , 2014, 18, 2158-2166.	1.5	42
104	Burdensome Transitions at the End of Life Among Long-Term Care Residents With Dementia. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 643-648.	2.5	47
105	Effect of physical exercise on work ability and daily strain in symptomatic menopausal women: A randomized controlled trial. <i>Work</i> , 2014, 47, 281-286.	1.1	14
106	Pragmatic controlled trial to prevent childhood obesity in maternity and child health care clinics: pregnancy and infant weight outcomes (The VACOPP Study). <i>BMC Pediatrics</i> , 2013, 13, 80.	1.7	28
107	The concentration of cell-free DNA in focal epilepsy. <i>Epilepsy Research</i> , 2013, 105, 292-298.	1.6	17
108	Long-term mortality risk by cause of death in newly diagnosed patients with epilepsy in Finland: a nationwide register-based study. <i>European Journal of Epidemiology</i> , 2013, 28, 981-990.	5.7	36

#	ARTICLE	IF	CITATIONS
109	Postpartum Weight Retention is Associated with Elevated Ratio of Oxidized LDL Lipids to HDLâ€Cholesterol. <i>Lipids</i> , 2013, 48, 1227-1235.	1.7	20
110	Effects of municipality factors on care transitions. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 604-615.	2.3	5
111	Do Socioeconomic Health Differences Persist in Nonagenarians?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2013, 68, 837-847.	3.9	38
112	Prevalence of Metabolic Syndrome One Year after Delivery in Finnish Women at Increased Risk for Gestational Diabetes Mellitus during Pregnancy. <i>Journal of Pregnancy</i> , 2013, 2013, 1-7.	2.4	18
113	Cost-Effectiveness of Lifestyle Counselling as Primary Prevention of Gestational Diabetes Mellitus: Findings from a Cluster-Randomised Trial. <i>PLoS ONE</i> , 2013, 8, e56392.	2.5	17
114	The impact of dementia on care transitions during the last two years of life. <i>Age and Ageing</i> , 2012, 41, 52-57.	1.6	36
115	Effect of aerobic training on hot flushes and quality of lifeâ€”a randomized controlled trial. <i>Annals of Medicine</i> , 2012, 44, 616-626.	3.8	76
116	Preventing excessive gestational weight gainâ€”a secondary analysis of a cluster-randomised controlled trial. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 1344-1350.	2.9	14
117	Lifestyle counselling targeting infant's mother during the child's first year and offspring weight development until 4â€..years of age: a follow-up study of a cluster RCT. <i>BMJ Open</i> , 2012, 2, e000624.	1.9	25
118	Prevalence and regional differences of gestational diabetes mellitus and oral glucose tolerance tests in Finland. <i>European Journal of Public Health</i> , 2012, 22, 278-280.	0.3	24
119	Effect of aerobic training on menopausal symptomsâ€”a randomized controlled trial. <i>Menopause</i> , 2012, 19, 691-696.	2.0	37
120	Iron intake, haemoglobin and risk of gestational diabetes: a prospective cohort study. <i>BMJ Open</i> , 2012, 2, e001730.	1.9	53
121	Sleep quality and aerobic training among menopausal womenâ€”A randomized controlled trial. <i>Maturitas</i> , 2012, 72, 339-345.	2.4	53
122	Panel discussion does not improve reliability of peer review for medical research grant proposals. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 47-52.	5.0	66
123	Is intensive counseling in maternity care feasible and effective in promoting physical activity among women at risk for gestational diabetes? Secondary analysis of a cluster randomized NELLI study in Finland. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 104.	4.6	27
124	Mortality by clinical characteristics in a tertiary care cohort of adult patients with chronic epilepsy. <i>Epilepsia</i> , 2012, 53, e212-4.	5.1	39
125	Health care costs associated with gestational diabetes mellitus among high-risk women â€” results from a randomised trial. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 71.	2.4	48
126	Lifestyle counseling during pregnancy and offspring weight development until four years of age: follow-up study of a controlled trial. <i>Journal of Negative Results in BioMedicine</i> , 2012, 11, 11.	1.4	17

#	ARTICLE	IF	CITATIONS
127	Physical activity and change in quality of life during menopause -an 8-year follow-up study. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 8.	2.4	64
128	Effects of Dietary and Physical Activity Intervention during Pregnancy on Circulating Leptin and Adiponectin Levels. <i>Food and Nutrition Sciences (Print)</i> , 2012, 03, 556-567.	0.4	0
129	Cost of gestational diabetes-related antenatal visits in health care based on the Finnish Medical Birth Register. <i>Primary Care Diabetes</i> , 2011, 5, 139-141.	1.8	6
130	Ten-Year Change in the Association Between Obesity and Parity: Results From the National FINRISK Population Study. <i>Gender Medicine</i> , 2011, 8, 399-406.	1.4	37
131	Dementia as a determinant of social and health service use in the last two years of life 1996-2003. <i>BMC Geriatrics</i> , 2011, 11, 14.	2.7	13
132	Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. <i>American Journal of Epidemiology</i> , 2011, 174, 2-11.	3.4	38
133	Use and distribution of rehabilitation services. <i>International Journal of Rehabilitation Research</i> , 2011, 34, 160-166.	1.3	6
134	Municipal variation in health and social service use in the last 2 years of life among old people. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 361-370.	2.3	6
135	Overlaps and accumulation in the use of rehabilitation services. <i>International Journal of Rehabilitation Research</i> , 2011, 34, 255-260.	1.3	7
136	Primary Prevention of Gestational Diabetes Mellitus and Large-for-Gestational-Age Newborns by Lifestyle Counseling: A Cluster-Randomized Controlled Trial. <i>PLoS Medicine</i> , 2011, 8, e1001036.	8.4	189
137	Infertility, mental disorders and well-being – a nationwide survey. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 677-682.	2.8	159
138	Transitions in health and social service system at the end of life. <i>European Journal of Ageing</i> , 2010, 7, 91-100.	2.8	24
139	Exogenous sex hormone use and risk of meningioma: a population-based case-control study in Finland. <i>Cancer Causes and Control</i> , 2010, 21, 2149-2156.	1.8	47
140	Effect of dietary intervention on serum lignan levels in pregnant women - a controlled trial. <i>Reproductive Health</i> , 2010, 7, 26.	3.1	7
141	Health and life style among infertile men and women. <i>Sexual and Reproductive Healthcare</i> , 2010, 1, 91-98.	1.2	78
142	Secular trend in the menopausal age in Finland 1997-2007 and correlation with socioeconomic, reproductive and lifestyle factors. <i>Maturitas</i> , 2010, 66, 417-422.	2.4	28
143	Prevalence of menopause symptoms and their association with lifestyle among Finnish middle-aged women. <i>Maturitas</i> , 2010, 67, 368-374.	2.4	130
144	Age and closeness of death as determinants of health and social care utilization: a case-control study. <i>European Journal of Public Health</i> , 2009, 19, 313-318.	0.3	34

#	ARTICLE	IF	CITATIONS
145	Test Sensitivity in the European Prostate Cancer Screening Trial: Results from Finland, Sweden, and the Netherlands. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2000-2005.	2.5	10
146	Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2009, 119, 55-60.	2.1	18
147	Seizure-freedom with combination therapy in localization-related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2008, 17, 276-280.	2.0	13
148	Meningioma and mobile phone use--a collaborative case-control study in five North European countries. <i>International Journal of Epidemiology</i> , 2008, 37, 1304-1313.	1.9	59
149	Systolic Hypertension in Pregnancy and Cardiovascular Mortality: A 44-Year Follow-up Study. <i>Hypertension in Pregnancy</i> , 2008, 27, 87-94.	1.1	13
150	Incidence of gliomas by anatomic location. <i>Neuro-Oncology</i> , 2007, 9, 319-325.	1.2	250
151	Mobile phone use and risk of glioma in 5 North European countries. <i>International Journal of Cancer</i> , 2007, 120, 1769-1775.	5.1	148
152	Health and social service use among old people in the last 2 years of life. <i>European Journal of Ageing</i> , 2007, 4, 145-154.	2.8	24
153	Female predominance in meningiomas can not be explained by differences in progesterone, estrogen, or androgen receptor expression. <i>Journal of Neuro-Oncology</i> , 2006, 80, 1-7.	2.9	116
154	Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. <i>British Journal of Cancer</i> , 2005, 93, 842-848.	6.4	181
155	Serum IgA, IgG, and IgM concentrations in patients with epilepsy and matched controls: a cohort-based cross-sectional study. <i>Epilepsy and Behavior</i> , 2005, 6, 191-195.	1.7	24
156	Celiac disease-related antibodies in an epilepsy cohort and matched reference population. <i>Epilepsy and Behavior</i> , 2005, 6, 388-392.	1.7	37
157	Antimitochondrial antibodies in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2005, 7, 95-97.	1.7	12
158	Birth Rate among Patients with Epilepsy: A Nationwide Population-based Cohort Study in Finland. <i>American Journal of Epidemiology</i> , 2004, 159, 1057-1063.	3.4	67
159	Effect of hysterectomy on incidence trends of endometrial and cervical cancer in Finland 1953-2010. <i>British Journal of Cancer</i> , 2004, 90, 1756-1759.	6.4	48
160	Anticardiolipin and antinuclear antibodies in epilepsy--a population-based cross-sectional study. <i>Epilepsy Research</i> , 2004, 58, 13-18.	1.6	41
161	Local Complications After Cosmetic Breast Implant Surgery in Finland. <i>Annals of Plastic Surgery</i> , 2004, 53, 413-419.	0.9	50