

HervÃ© Chneiweiss

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1280993/publications.pdf>

Version: 2024-02-01

112
papers

5,295
citations

66343

42
h-index

88630

70
g-index

137
all docs

137
docs citations

137
times ranked

6769
citing authors

#	ARTICLE	IF	CITATIONS
1	Spinocerebellar ataxia 3 and machado-joseph disease: Clinical, molecular, and neuropathological features. <i>Annals of Neurology</i> , 1996, 39, 490-499.	5.3	401
2	PEA-15 Mediates Cytoplasmic Sequestration of ERK MAP Kinase. <i>Developmental Cell</i> , 2001, 1, 239-250.	7.0	302
3	Chromosomal assignment of the second locus for autosomal dominant cerebellar ataxia (SCA2) to chromosome 12q23-q24.1. <i>Nature Genetics</i> , 1993, 4, 295-299.	21.4	298
4	Molecular and Clinical Correlations in Spinocerebellar Ataxia 2: A Study of 32 Families. <i>Human Molecular Genetics</i> , 1997, 6, 709-715.	2.9	270
5	Autosomal dominant cerebellar ataxia type I in Martinique (French West Indies). <i>Brain</i> , 1995, 118, 1573-1581.	7.6	211
6	The miR 302-367 cluster drastically affects self-renewal and infiltration properties of glioma-initiating cells through CXCR4 repression and consequent disruption of the SHH-GLI-NANOG network. <i>Cell Death and Differentiation</i> , 2012, 19, 232-244.	11.2	165
7	NG2 ⁺ /Olig2 ⁺ Cells are the Major Cycle-Related Cell Population of the Adult Human Normal Brain. <i>Brain Pathology</i> , 2010, 20, 399-411.	4.1	127
8	Glut3 Addiction Is a Druggable Vulnerability for a Molecularly Defined Subpopulation of Glioblastoma. <i>Cancer Cell</i> , 2017, 32, 856-868.e5.	16.8	121
9	Vasoactive Intestinal Polypeptide Receptors Linked to an Adenylate Cyclase, and Their Relationship with Biogenic Amine- and Somatostatin-Sensitive Adenylate Cyclases on Central Neuronal and Glial Cells in Primary Cultures. <i>Journal of Neurochemistry</i> , 1985, 44, 779-786.	3.9	117
10	Secreted factors from brain endothelial cells maintain glioblastoma stem-like cell expansion through the mTOR pathway. <i>EMBO Reports</i> , 2011, 12, 470-476.	4.5	114
11	The oncolytic virus Delta-24-RGD elicits an antitumor effect in pediatric glioma and DIPG mouse models. <i>Nature Communications</i> , 2019, 10, 2235.	12.8	96
12	New Variants of Malignant Glioneuronal Tumors: A Clinicopathological Study of 40 Cases. <i>Neurosurgery</i> , 2004, 55, 1377-1392.	1.1	87
13	CD133, CD15/SSEA-1, CD34 or side populations do not resume tumor-initiating properties of long-term cultured cancer stem cells from human malignant glioma-neuronal tumors. <i>BMC Cancer</i> , 2010, 10, 66.	2.6	87
14	Modulation by Monoamines of Somatostatin-Sensitive Adenylate Cyclase on Neuronal and Glial Cells from the Mouse Brain in Primary Cultures. <i>Journal of Neurochemistry</i> , 1985, 44, 1825-1831.	3.9	83
15	Expanded polyglutamine peptides disrupt EGF receptor signaling and glutamate transporter expression in <i>Drosophila</i> . <i>Human Molecular Genetics</i> , 2005, 14, 713-724.	2.9	83
16	Transforming growth factor β promotes sequential conversion of mature astrocytes into neural progenitors and stem cells. <i>Oncogene</i> , 2007, 26, 2695-2706.	5.9	83
17	Analysis of the SCA1 CAG repeat in a large number of families with dominant ataxia: Clinical and molecular correlations. <i>Annals of Neurology</i> , 1995, 37, 176-180.	5.3	79
18	Differential Proteomic Analysis of Human Glioblastoma and Neural Stem Cells Reveals HDGF as a Novel Angiogenic Secreted Factor. <i>Stem Cells</i> , 2012, 30, 845-853.	3.2	71

#	ARTICLE	IF	CITATIONS
19	Functional analysis of HOXD9 in human gliomas and glioma cancer stem cells. <i>Molecular Cancer</i> , 2011, 10, 60.	19.2	69
20	The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes. <i>Biochemical Pharmacology</i> , 2003, 66, 1581-1588.	4.4	68
21	Flavonoids suppress human glioblastoma cell growth by inhibiting cell metabolism, migration, and by regulating extracellular matrix proteins and metalloproteinases expression. <i>Chemico-Biological Interactions</i> , 2015, 242, 123-138.	4.0	68
22	Radiosensitization Effect of Talazoparib, a Parp Inhibitor, on Glioblastoma Stem Cells Exposed to Low and High Linear Energy Transfer Radiation. <i>Scientific Reports</i> , 2018, 8, 3664.	3.3	68
23	Death Effector Domain Protein PEA-15 Potentiates Ras Activation of Extracellular Signal Receptor-activated Kinase by an Adhesion-independent Mechanism. <i>Molecular Biology of the Cell</i> , 2000, 11, 2863-2872.	2.1	66
24	Semaphorin 3A elevates endothelial cell permeability through PP2A inactivation. <i>Journal of Cell Science</i> , 2012, 125, 4137-46.	2.0	66
25	Stathmin Is a Major Phosphoprotein and Cyclic AMP-Dependent Protein Kinase Substrate in Mouse Brain Neurons but Not in Astrocytes in Culture: Regulation During Ontogenesis. <i>Journal of Neurochemistry</i> , 1989, 53, 856-863.	3.9	65
26	The flavonoid rutin and its aglycone quercetin modulate the microglia inflammatory profile improving anti-glioma activity. <i>Brain, Behavior, and Immunity</i> , 2020, 85, 170-185.	4.1	65
27	The Major Astrocytic Phosphoprotein PEA-15 Is Encoded by Two mRNAs Conserved on Their Full Length in Mouse and Human. <i>Journal of Biological Chemistry</i> , 1996, 271, 14800-14806.	3.4	63
28	Alternative Lengthening of Telomeres in Human Glioma Stem Cells. <i>Stem Cells</i> , 2011, 29, 440-451.	3.2	61
29	Calcium signaling orchestrates glioblastoma development: Facts and conjunctures. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 1447-1459.	4.1	60
30	Clinical Relevance of Tumor Cells with Stem-Like Properties in Pediatric Brain Tumors. <i>PLoS ONE</i> , 2011, 6, e16375.	2.5	57
31	Regulation of Expression of Phospholipase D1 and D2 by PEA-15, a Novel Protein That Interacts with Them. <i>Journal of Biological Chemistry</i> , 2000, 275, 35224-35232.	3.4	56
32	Phosphoprotein Enriched in Astrocytes-15 kDa Expression Inhibits Astrocyte Migration by a Protein Kinase C β -dependent Mechanism. <i>Molecular Biology of the Cell</i> , 2006, 17, 5141-5152.	2.1	56
33	A cell-penetrating peptide based on the interaction between c-Src and connexin43 reverses glioma stem cell phenotype. <i>Cell Death and Disease</i> , 2014, 5, e1023-e1023.	6.3	55
34	Cell-based therapy using miR-302-367 expressing cells represses glioblastoma growth. <i>Cell Death and Disease</i> , 2017, 8, e2713-e2713.	6.3	55
35	Stathmin Phosphorylation Is Regulated in Striatal Neurons by Vasoactive Intestinal Peptide and Monoamines via Multiple Intracellular Pathways. <i>Journal of Neurochemistry</i> , 1992, 58, 282-289.	3.9	53
36	A driver role for GABA metabolism in controlling stem and proliferative cell state through GHB production in glioma. <i>Acta Neuropathologica</i> , 2017, 133, 645-660.	7.7	53

#	ARTICLE	IF	CITATIONS
37	Retinoblastoma protein regulates the crosstalk between autophagy and apoptosis, and favors glioblastoma resistance to etoposide. <i>Cell Death and Disease</i> , 2013, 4, e767-e767.	6.3	52
38	The PEA-15/PED protein protects glioblastoma cells from glucose deprivation-induced apoptosis via the ERK/MAP kinase pathway. <i>Oncogene</i> , 2008, 27, 1155-1166.	5.9	51
39	The expression of PEA-15 (phosphoprotein enriched in astrocytes of 15 kDa) defines subpopulations of astrocytes and neurons throughout the adult mouse brain. <i>Neuroscience</i> , 2004, 126, 263-275.	2.3	47
40	Sirtuin-2 Activity is Required for Glioma Stem Cell Proliferation Arrest but not Necrosis Induced by Resveratrol. <i>Stem Cell Reviews and Reports</i> , 2014, 10, 103-113.	5.6	47
41	Phenotypic variability in autosomal dominant cerebellar ataxia type I is unrelated to genetic heterogeneity. <i>Brain</i> , 1993, 116, 1497-1508.	7.6	45
42	p38/SAPK2 controls gap junction closure in astrocytes. <i>Glia</i> , 2004, 46, 323-333.	4.9	45
43	Polyneuropathy in autosomal dominant cerebellar ataxias: Phenotype-genotype correlation. , 1999, 22, 712-717.		41
44	Tumorigenic Potential of miR-18A* in Glioma Initiating Cells Requires NOTCH-1 Signaling. <i>Stem Cells</i> , 2013, 31, 1252-1265.	3.2	40
45	The anti-hypertensive drug prazosin inhibits glioblastoma growth via the PKC-dependent inhibition of the AKT pathway. <i>EMBO Molecular Medicine</i> , 2016, 8, 511-526.	6.9	40
46	Astrocytes Reverted to a Neural Progenitor-like State with Transforming Growth Factor Alpha Are Sensitized to Cancerous Transformation. <i>Stem Cells</i> , 2009, 27, 2373-2382.	3.2	39
47	Akt Down-Regulates ERK1/2 Nuclear Localization and Angiotensin II-induced Cell Proliferation through PEA-15. <i>Molecular Biology of the Cell</i> , 2006, 17, 3940-3951.	2.1	37
48	An ANOCEF genomic and transcriptomic microarray study of the response to radiotherapy or to alkylating first-line chemotherapy in glioblastoma patients. <i>Molecular Cancer</i> , 2010, 9, 234.	19.2	37
49	A Positive Feed-forward Loop Associating EGR1 and PDGFA Promotes Proliferation and Self-renewal in Glioblastoma Stem Cells. <i>Journal of Biological Chemistry</i> , 2016, 291, 10684-10699.	3.4	36
50	Fostering responsible research with genome editing technologies: a European perspective. <i>Transgenic Research</i> , 2017, 26, 709-713.	2.4	36
51	Development of Human Nervous Tissue upon Differentiation of Embryonic Stem Cells in Three-Dimensional Culture. <i>Stem Cells</i> , 2009, 27, 509-520.	3.2	34
52	Could Failure in Preimplantation Genetic Diagnosis Justify Editing the Human Embryo Genome?. <i>Cell Stem Cell</i> , 2018, 22, 481-482.	11.1	33
53	Connective-Tissue Growth Factor (CTGF/CCN2) Induces Astrogenesis and Fibronectin Expression of Embryonic Neural Cells In Vitro. <i>PLoS ONE</i> , 2015, 10, e0133689.	2.5	30
54	Transforming growth factor alpha acts as a gliatrophin for mouse and human astrocytes. <i>Oncogene</i> , 2006, 25, 4076-4085.	5.9	29

#	ARTICLE	IF	CITATIONS
55	PED/PEA-15 Regulates Glucose-Induced Insulin Secretion by Restraining Potassium Channel Expression in Pancreatic β -Cells. <i>Diabetes</i> , 2007, 56, 622-633.	0.6	29
56	Biogenic amine-sensitive adenylate cyclases in primary culture of neuronal or glial cells from mesencephalon. <i>Brain Research</i> , 1984, 302, 363-370.	2.2	28
57	Comparative Expression Study of the Endo β G Protein Coupled Receptor (GPCR) Repertoire in Human Glioblastoma Cancer Stem-like Cells, U87-MG Cells and Non Malignant Cells of Neural Origin Unveils New Potential Therapeutic Targets. <i>PLoS ONE</i> , 2014, 9, e91519.	2.5	28
58	CHD7 promotes proliferation of neural stem cells mediated by MIF. <i>Molecular Brain</i> , 2016, 9, 96.	2.6	28
59	Somatostatin receptors on cortical neurones and adenohypophysis: comparison between specific binding and adenylate cyclase inhibition. <i>European Journal of Pharmacology</i> , 1987, 138, 249-255.	3.5	25
60	GFAP β immunostaining improves visualization of normal and pathologic astrocytic heterogeneity. <i>Neuropathology</i> , 2009, 29, 31-39.	1.2	25
61	PEA-15 Modulates TNF β Intracellular Signaling in Astrocytes. <i>Annals of the New York Academy of Sciences</i> , 2003, 1010, 43-50.	3.8	24
62	DOCK4 promotes loss of proliferation in glioblastoma progenitor cells through nuclear beta-catenin accumulation and subsequent miR-302-367 cluster expression. <i>Oncogene</i> , 2018, 37, 241-254.	5.9	24
63	A preclinical mouse model of glioma with an alternative mechanism of telomere maintenance (ALT). <i>International Journal of Cancer</i> , 2015, 136, 1546-1558.	5.1	23
64	Cyclic AMP Accumulation Induces a Rapid Desensitization of the Cyclic AMP-Dependent Protein Kinase in Mouse Striatal Neurons. <i>Journal of Neurochemistry</i> , 1991, 57, 1708-1715.	3.9	21
65	Expression of transfected stathmin cDNA reveals novel phosphorylated forms associated with developmental and functional cell regulation. <i>Biochemical Journal</i> , 1992, 287, 549-554.	3.7	21
66	Capture at the single cell level of metabolic modules distinguishing aggressive and indolent glioblastoma cells. <i>Acta Neuropathologica Communications</i> , 2019, 7, 155.	5.2	21
67	The relationship between brain tumor cell invasion of engineered neural tissues and in β vivo features of glioblastoma. <i>Biomaterials</i> , 2013, 34, 8279-8290.	11.4	20
68	Stathmin phosphorylation patterns discriminate between distinct transduction pathways of human T lymphocyte activation through CD2 triggering. <i>FEBS Letters</i> , 1991, 287, 80-84.	2.8	19
69	Changes in chromatin state reveal ARNT2 at a node of a tumorigenic transcription factor signature driving glioblastoma cell aggressiveness. <i>Acta Neuropathologica</i> , 2018, 135, 267-283.	7.7	19
70	Chemical Library Screening and Structure-Function Relationship Studies Identify Bisacodyl as a Potent and Selective Cytotoxic Agent Towards Quiescent Human Glioblastoma Tumor Stem-Like Cells. <i>PLoS ONE</i> , 2015, 10, e0134793.	2.5	19
71	ERK-Mediated Loss of miR-199a-3p and Induction of EGR1 Act as a β Toggle Switch β of GBM Cell Dedifferentiation into NANOG- and OCT4-Positive Cells. <i>Cancer Research</i> , 2020, 80, 3236-3250.	0.9	18
72	Cyclic-amp dependent protein kinase in mouse striatal neurones and astrocytes in primary culture: development, subcellular distribution and stimulation of endogenous phosphorylation. <i>Neurochemistry International</i> , 1989, 14, 25-34.	3.8	16

#	ARTICLE	IF	CITATIONS
73	DLG1/SAP97 modulates transforming growth factor β bioavailability. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 264-272.	4.1	15
74	Alkaloids from Rutaceae: activities of canthin-6-one alkaloids and synthetic analogues on glioblastoma stems cells. <i>MedChemComm</i> , 2012, 3, 771.	3.4	15
75	Endothelial Secreted Factors Suppress Mitogen Deprivation-Induced Autophagy and Apoptosis in Glioblastoma Stem-Like Cells. <i>PLoS ONE</i> , 2014, 9, e93505.	2.5	15
76	A European position on genome editing. <i>Nature</i> , 2017, 541, 30-30.	27.8	15
77	Dopamine-induced homologous and heterologous desensitizations of adenylate cyclase-coupled receptors on striatal neurons. <i>European Journal of Pharmacology</i> , 1990, 189, 287-292.	2.6	14
78	Calcium fingerprints induced by Calmodulin interactors in eukaryotic cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 1068-1077.	4.1	14
79	Bisacodyl and its cytotoxic activity on human glioblastoma stem-like cells. Implication of inositol 1,4,5-triphosphate receptor dependent calcium signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 1018-1027.	4.1	14
80	Proteomic analysis of oligodendrogliomas expressing a mutant isocitrate dehydrogenase α 1. <i>Proteomics</i> , 2011, 11, 4139-4154.	2.2	12
81	Autosomal dominant cerebellar ataxia type I in Martinique (French West Indies): Genetic analysis of three unrelated SCA2 families. <i>Human Genetics</i> , 1996, 97, 671-676.	3.8	11
82	Antiproliferative Activity of <i>trans-Avicennol</i> from <i>Zanthoxylum chiloperone</i> var. <i>angustifolium</i> against Human Cancer Stem Cells. <i>Journal of Natural Products</i> , 2012, 75, 257-261.	3.0	11
83	Metabolic reprogramming in transformed mouse cortical astrocytes: A proteomic study. <i>Journal of Proteomics</i> , 2015, 113, 292-314.	2.4	11
84	Development of a DIPG Orthotopic Model in Mice Using an Implantable Guide-Screw System. <i>PLoS ONE</i> , 2017, 12, e0170501.	2.5	11
85	Opposite effects of GCN5 and PCAF knockdowns on the alternative mechanism of telomere maintenance. <i>Oncotarget</i> , 2017, 8, 26269-26280.	1.8	11
86	Is DRPLA also linked to 14q?. <i>Nature Genetics</i> , 1994, 6, 8-8.	21.4	10
87	SCA2 is not a major locus for ADCA type I in French families. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 382-385.	2.4	9
88	Critical multiple angiogenic factors secreted by glioblastoma stem-like cells underline the need for combinatorial anti-angiogenic therapeutic strategies. <i>Proteomics - Clinical Applications</i> , 2013, 7, 79-90.	1.6	7
89	Absence of the Adaptor Protein PEA-15 Is Associated with Altered Pattern of Th Cytokines Production by Activated CD4+ T Lymphocytes In Vitro, and Defective Red Blood Cell Alloimmune Response In Vivo. <i>PLoS ONE</i> , 2015, 10, e0136885.	2.5	7
90	Gender equality in Machado-Joseph disease. <i>Nature Genetics</i> , 1995, 11, 118-118.	21.4	5

#	ARTICLE	IF	CITATIONS
91	The HIF1 β /MY pathway promotes glioblastoma stem-like cell invasiveness after irradiation. Scientific Reports, 2020, 10, 18742.	3.3	5
92	WNK1 kinase and its partners Akt, SGK1 and NBC-family Na ⁺ /HCO ₃ ⁻ cotransporters are potential therapeutic targets for glioblastoma stem-like cells linked to Bisacodyl signaling. Oncotarget, 2018, 9, 27197-27219.	1.8	5
93	ALT cancer cells are specifically sensitive to lysine acetyl transferase inhibition. Oncotarget, 2019, 10, 773-784.	1.8	5
94	Cyclic AMP reduces adhesion of isolated neuronal growth cones from developing rat forebrain to an astrocytic cell line from embryonic mouse striatum. Neuroscience, 1989, 28, 443-454.	2.3	4
95	Dans les grandes plaines de la g�nomique. Medecine/Sciences, 2003, 19, 501-504.	0.2	3
96	Genome Editing: Promoting Responsible Research. Pharmaceutical Medicine, 2019, 33, 187-191.	1.9	2
97	Les astrocytes contr�lent la neurogen�se dans le syst�me nerveux central adulte. Medecine/Sciences, 2002, 18, 1065-1066.	0.2	2
98	<i>M�decine/sciences</i>2011. Medecine/Sciences, 2011, 27, 3-4.	0.2	2
99	HG-51DELTA-24-RDG IN COMBINATION WITH RADIOTHERAPY FOR DIPG: OPENING NEW THERAPEUTIC AVENUES. Neuro-Oncology, 2016, 18, iii58.4-iii59.	1.2	1
100	EXTH-09. LOOKING FOR A�CURE: DELTA-24-RDG AND RADIOTHERAPY FOR DIPG TREATMENT. Neuro-Oncology, 2016, 18, vi61-vi61.	1.2	1
101	Clut3 addiction is a druggable vulnerability for a molecularly defined subpopulation of glioblastoma. Annals of Oncology, 2017, 28, vii24.	1.2	1
102	Trop court trait� de l�me :Court Trait� de l�me(Philippe Lazar). Medecine/Sciences, 2008, 24, 1107-1108.	0	0
103	<i>Dans la lumi�re et les ombres</i>. Medecine/Sciences, 2008, 24, 1109-1110.	0.2	0
104	Des v�ux qui ne peuvent rester pieux. Medecine/Sciences, 2008, 24, 3-3.	0.2	0
105	Voyage autour du monde dans le regard de l�autre :<i>L�homme pluriel</i>. Medecine/Sciences, 2008, 24, 1111-1111.	0.2	0
106	Cerveau pr�serv�, r�par�, am�lior�. Medecine Et Droit, 2011, 2011, 48-50.	0.1	0
107	IM-04 * DELTA-24-RDG AS AN ALTERNATIVE THERAPEUTIC TOOL FOR pHGG/DIPG. Neuro-Oncology, 2015, 17, iii15-iii15.	1.2	0
108	Data in support of metabolic reprogramming in transformed mouse cortical astrocytes: A proteomic study. Data in Brief, 2015, 2, 1-5.	1.0	0

#	ARTICLE	IF	CITATIONS
109	Commentary: Just Say "No" Cambridge Quarterly of Healthcare Ethics, 2017, 26, 701-704.	0.8	0
110	The tsunami named CRISPR/Cas9. Revue Neurologique, 2018, 174, 487-488.	1.5	0
111	Quand l'art rencontre la science. Medecine/Sciences, 2007, 23, 1169-1169.	0.2	0
112	Percevoir n'est pas voir.. Medecine/Sciences, 1997, 13, 243.	0.2	0