Arjang Djamali

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1281052/publications.pdf

Version: 2024-02-01

179 papers 5,825 citations

38 h-index 70 g-index

179 all docs

179 docs citations

179 times ranked

6418 citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | Nephrogenic Systemic Fibrosis: Risk Factors and Incidence Estimation. Radiology, 2007, 243, 148-157. | 7.3 | 1,273 |
| 2 | Heat shock protein 27 (HSP27): biomarker of disease and therapeutic target. Fibrogenesis and Tissue Repair, 2012, 5, 7. | 3.4 | 229 |
| 3 | Biopsy transcriptome expression profiling to identify kidney transplants at risk of chronic injury: a multicentre, prospective study. Lancet, The, 2016, 388, 983-993. | 13.7 | 148 |
| 4 | Assessment of Acute Renal Transplant Rejection with Blood Oxygen Level–Dependent MR Imaging: Initial Experience. Radiology, 2005, 236, 911-919. | 7. 3 | 130 |
| 5 | Oxidative stress as a common pathway to chronic tubulointerstitial injury in kidney allografts. American Journal of Physiology - Renal Physiology, 2007, 293, F445-F455. | 2.7 | 112 |
| 6 | C1q Binding Activity of De Novo Donor-specific HLA Antibodies in Renal Transplant Recipients With and Without Antibody-mediated Rejection. Transplantation, 2015, 99, 1151-1155. | 1.0 | 111 |
| 7 | BOLD-MRI assessment of intrarenal oxygenation and oxidative stress in patients with chronic kidney allograft dysfunction. American Journal of Physiology - Renal Physiology, 2007, 292, F513-F522. | 2.7 | 109 |
| 8 | The Influence of Immunosuppressive Agents on the Risk of De Novo Donor-Specific HLA Antibody Production in Solid Organ Transplant Recipients. Transplantation, 2016, 100, 39-53. | 1.0 | 105 |
| 9 | Epithelial-to-Mesenchymal Transition and Oxidative Stress in Chronic Allograft Nephropathy. American Journal of Transplantation, 2005, 5, 500-509. | 4.7 | 100 |
| 10 | Predictors and outcomes of delayed graft function after living-donor kidney transplantation. Transplant International, 2016, 29, 81-87. | 1.6 | 90 |
| 11 | Medical Care of Kidney Transplant Recipients after the First Posttransplant Year. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 623-640. | 4.5 | 81 |
| 12 | Arterial spin labeling MRI for assessment of perfusion in native and transplanted kidneys. Magnetic Resonance Imaging, 2011, 29, 74-82. | 1.8 | 79 |
| 13 | Blood oxygen level-dependent and perfusion magnetic resonance imaging: detecting differences in oxygen bioavailability and blood flow in transplanted kidneys. Magnetic Resonance Imaging, 2010, 28, 56-64. | 1.8 | 78 |
| 14 | Subclinical Antibody-mediated Rejection After Kidney Transplantation: Treatment Outcomes. Transplantation, 2019, 103, 1722-1729. | 1.0 | 76 |
| 15 | Current outcomes of chronic active antibody mediated rejection – A large single center retrospective review using the updated BANFF 2013 criteria. Human Immunology, 2016, 77, 346-352. | 2.4 | 70 |
| 16 | Nature, timing, and severity of complications from ultrasound-guided percutaneous renal transplant biopsy. Transplant International, 2016, 29, 167-172. | 1.6 | 68 |
| 17 | Noninvasive Assessment of Early Kidney Allograft Dysfunction by Blood Oxygen Level-Dependent Magnetic Resonance Imaging. Transplantation, 2006, 82, 621-628. | 1.0 | 67 |
| 18 | Antithymocyte Globulin Is Associated With a Lower Incidence of De Novo Donor-Specific Antibodies in Moderately Sensitized Renal Transplant Recipients. Transplantation, 2014, 97, 612-617. | 1.0 | 67 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 19 | A Peripheral Blood Gene Expression Signature to Diagnose Subclinical Acute Rejection. Journal of the American Society of Nephrology: JASN, 2019, 30, 1481-1494. | 6.1 | 67 |
| 20 | Disease progression and outcomes in chronic kidney disease and renal transplantation. Kidney International, 2003, 64, 1800-1807. | 5 . 2 | 66 |
| 21 | The mode of sensitization and its influence on allograft outcomes in highly sensitized kidney transplant recipients. Nephrology Dialysis Transplantation, 2016, 31, 1746-1753. | 0.7 | 63 |
| 22 | Pretransplant Donor-Specific Antibodies Detected by Single-Antigen Bead Flow Cytometry Are Associated With Inferior Kidney Transplant Outcomes. Transplantation, 2010, 90, 1079-1084. | 1.0 | 62 |
| 23 | Intronic locus determines SHROOM3 expression and potentiates renal allograft fibrosis. Journal of Clinical Investigation, 2015, 125, 208-221. | 8.2 | 62 |
| 24 | LOW DOSE ANTITHYMOCYTE GLOBULINS IN RENAL TRANSPLANTATION. Transplantation, 2000, 69, 799-805. | 1.0 | 57 |
| 25 | Outcomes in kidney transplantation. Seminars in Nephrology, 2003, 23, 306-316. | 1.6 | 56 |
| 26 | Low serum magnesium is associated with decreased graft survival in patients with chronic cyclosporin nephrotoxicity. Nephrology Dialysis Transplantation, 2005, 20, 1456-1462. | 0.7 | 54 |
| 27 | Drug Insight: maintenance immunosuppression in kidney transplant recipients. Nature Clinical Practice Nephrology, 2006, 2, 688-699. | 2.0 | 54 |
| 28 | Reproducibility of renal perfusion MR imaging in native and transplanted kidneys using nonâ€contrast arterial spin labeling. Journal of Magnetic Resonance Imaging, 2011, 33, 1414-1421. | 3.4 | 54 |
| 29 | Increasing hematocrit reduces early posttransplant cardiovascular risk in diabetic transplant recipients 1. Transplantation, 2003, 76, 816-820. | 1.0 | 52 |
| 30 | Comparing Kidney Perfusion Using Noncontrast Arterial Spin Labeling MRI and Microsphere Methods in an Interventional Swine Model. Investigative Radiology, 2011, 46, 124-131. | 6.2 | 47 |
| 31 | Alemtuzumab Induction and Antibody-Mediated Kidney Rejection After Simultaneous Pancreas-Kidney Transplantation. Transplantation, 2009, 87, 125-132. | 1.0 | 46 |
| 32 | CKD stage-to-stage progression in native and transplant kidney disease. Nephrology Dialysis Transplantation, 2007, 23, 693-700. | 0.7 | 45 |
| 33 | Heat Shock Protein 27 in Chronic Allograft Nephropathy: A Local Stress Response. Transplantation, 2005, 79, 1645-1657. | 1.0 | 44 |
| 34 | The Pin 1 inhibitor juglone attenuates kidney fibrogenesis via Pin 1 -independent mechanisms in the unilateral ureteral occlusion model. Fibrogenesis and Tissue Repair, 2010, 3, 1. | 3.4 | 44 |
| 35 | Incidence of Nephrogenic Systemic Fibrosis Using Gadobenate Dimeglumine in 1423 Patients With Renal Insufficiency Compared With Gadodiamide. Investigative Radiology, 2016, 51, 701-705. | 6.2 | 41 |
| 36 | Conversion from Calcineurin Inhibitor– to Belatacept-Based Maintenance Immunosuppression in Renal Transplant Recipients: A Randomized Phase 3b Trial. Journal of the American Society of Nephrology: JASN, 2021, 32, 3252-3264. | 6.1 | 41 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Luminex-Based Desensitization Protocols: The University of Wisconsin Initial Experience. Transplantation, 2011, 92, 12-17. | 1.0 | 40 |
| 38 | Measurement and comparison of T1 relaxation times in native and transplanted kidney cortex and medulla. Journal of Magnetic Resonance Imaging, 2011, 33, 1241-1247. | 3.4 | 40 |
| 39 | Utility of protocol kidney biopsies for de novo donor-specific antibodies. American Journal of Transplantation, 2017, 17, 3210-3218. | 4.7 | 40 |
| 40 | Chronic Kidney Disease Stage Progression in Liver Transplant Recipients. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1851-1857. | 4.5 | 38 |
| 41 | Tacrolimus Trough Level at Discharge Predicts Acute Rejection in Moderately Sensitized Renal Transplant Recipients. Transplantation, 2014, 97, 986-991. | 1.0 | 38 |
| 42 | Longitudinal Assessment of Renal Perfusion and Oxygenation in Transplant Donor-Recipient Pairs Using Arterial Spin Labeling and Blood Oxygen Level-Dependent Magnetic Resonance Imaging. Investigative Radiology, 2016, 51, 113-120. | 6.2 | 38 |
| 43 | The impact of hepatitis C virus donor and recipient status on longâ€ŧerm kidney transplant outcomes: University of Wisconsin experience. Clinical Transplantation, 2012, 26, 684-693. | 1.6 | 37 |
| 44 | Alemtuzumab Induction and Recurrence of Glomerular Disease After Kidney Transplantation. Transplantation, 2007, 83, 1429-1434. | 1.0 | 35 |
| 45 | Quantitative MR Measures of Intrarenal Perfusion in the Assessment of Transplanted Kidneys. Academic Radiology, 2009, 16, 1077-1085. | 2.5 | 34 |
| 46 | Fibrogenesis in Kidney Transplantation: Potential Targets for Prevention and Therapy. Transplantation, 2009, 88, 1149-1156. | 1.0 | 34 |
| 47 | Rituximab and Monitoring Strategies for Late Antibody-Mediated Rejection After Kidney Transplantation. Transplantation Direct, 2017, 3, e227. | 1.6 | 34 |
| 48 | Increased C4d in post-reperfusion biopsies and increased donor specific antibodies at one-week post transplant are risk factors for acute rejection in mild to moderately sensitized kidney transplant recipients. Kidney International, 2013, 83, 1185-1192. | 5.2 | 33 |
| 49 | Markers of Endothelial-to-Mesenchymal Transition. Journal of the American Society of Nephrology: JASN, 2016, 27, 324-332. | 6.1 | 33 |
| 50 | Rabbit antithymocyte globulin and donor-specific antibodies in kidney transplantation $\hat{a} \in \text{``A review}$. Transplantation Reviews, 2016, 30, 85-91. | 2.9 | 32 |
| 51 | Renal Function and Transplantation in Liver Disease. Transplantation, 2015, 99, 1756-1764. | 1.0 | 31 |
| 52 | Recurrent Atypical Hemolytic Uremic Syndrome Associated With Factor I Mutation in a Living Related Renal Transplant Recipient. American Journal of Kidney Diseases, 2009, 53, 321-326. | 1.9 | 29 |
| 53 | Donor-Specific Antibodies in the Absence ofÂRejection Are Not a Risk Factor for Allograft Failure. Kidney International Reports, 2019, 4, 1057-1065. | 0.8 | 29 |
| 54 | Clinical Significance of Microvascular Inflammation in the Absence of Anti-HLA DSA in Kidney Transplantation. Transplantation, 2019, 103, 1468-1476. | 1.0 | 29 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 55 | AT1R blockade reduces IFN- \hat{l}^3 production in lymphocytes in vivo and in vitro. Kidney International, 2005, 67, 2134-2142. | 5 . 2 | 28 |
| 56 | Antibody-Mediated Rejection of the Kidney after Simultaneous Pancreas-Kidney Transplantation. Journal of the American Society of Nephrology: JASN, 2008, 19, 812-824. | 6.1 | 28 |
| 57 | Posttransplant anemia: the role of sirolimus. Kidney International, 2009, 76, 376-382. | 5. 2 | 27 |
| 58 | Concurrent biopsies of both grafts in recipients of simultaneous pancreas and kidney demonstrate high rates of discordance for rejection as well as discordance in type of rejection - a retrospective study. Transplant International, 2018, 31, 32-37. | 1.6 | 27 |
| 59 | Histopathological characteristics and causes of kidney graft failure in the current era of immunosuppression. World Journal of Transplantation, 2019, 9, 123-133. | 1.6 | 27 |
| 60 | Left Atrial Volume Is Associated with Inflammation and Atherosclerosis in Patients with Kidney Disease. Echocardiography, 2008, 25, 264-269. | 0.9 | 26 |
| 61 | Mycophenolic Acid May Delay Allograft Fibrosis by Inhibiting Transforming Growth Factor-β1-Induced Activation of Nox-2 Through the Nuclear Factor-κB Pathway. Transplantation, 2010, 90, 387-393. | 1.0 | 26 |
| 62 | Metabolic Acidosis 1 Year Following Kidney Transplantation and Subsequent Cardiovascular Events and Mortality: An Observational Cohort Study. American Journal of Kidney Diseases, 2019, 73, 476-485. | 1.9 | 26 |
| 63 | Pretransplant transcriptomic signature in peripheral blood predicts early acute rejection. JCI Insight, 2019, 4, . | 5.0 | 26 |
| 64 | Role of novel biomarkers in kidney transplantation. World Journal of Transplantation, 2020, 10, 230-255. | 1.6 | 26 |
| 65 | Tubular expression of heat-shock protein 27 inhibits fibrogenesis in obstructive nephropathy. Kidney International, 2013, 83, 84-92. | 5.2 | 25 |
| 66 | Targeted donor complement blockade after brain death prevents delayed graft function in a nonhuman primate model of kidney transplantation. American Journal of Transplantation, 2020, 20, 1513-1526. | 4.7 | 25 |
| 67 | Serum \hat{l}^2 2 -microglobulin at discharge predicts mortality and graft loss following kidney transplantation. Kidney International, 2013, 84, 810-817. | 5 . 2 | 24 |
| 68 | Harald C. Ott: Clinician-scientist, Cardiothoracic Surgeon, Massachusetts General Hospital, Harvard Medical School. Transplantation, 2019, 103, 862-863. | 1.0 | 24 |
| 69 | Is Kidney Transplantation a Better State of CKD? Impact on Diagnosis and Management. Advances in Chronic Kidney Disease, 2016, 23, 287-294. | 1.4 | 23 |
| 70 | Chronic allograft injury: Mechanisms and potential treatment targets. Transplantation Reviews, 2017, 31, 1-9. | 2.9 | 23 |
| 71 | Update on nephrogenic systemic fibrosis: are we making progress?. International Journal of Dermatology, 2011, 50, 659-666. | 1.0 | 22 |
| 72 | Which is more nephrotoxic for kidney transplants: <scp>BK</scp> nephropathy or rejection?. Clinical Transplantation, 2018, 32, e13216. | 1.6 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Change in Estimated GFR and Risk of Allograft Failure in Patients Diagnosed With Late Active Antibody-mediated Rejection Following Kidney Transplantation. Transplantation, 2021, 105, 648-659. | 1.0 | 22 |
| 74 | Defining the phenotype of antibody-mediated rejection in kidney transplantation: Advances in diagnosis of antibody injury. Transplantation Reviews, 2017, 31, 257-267. | 2.9 | 21 |
| 75 | Early Report on Published Outcomes in Kidney Transplant Recipients Compared to Nontransplant Patients Infected With Coronavirus Disease 2019. Transplantation Proceedings, 2020, 52, 2659-2662. | 0.6 | 21 |
| 76 | Unusually high rates of acute rejection during the COVID-19 pandemic: cause for concern?. Kidney International, 2020, 98, 513-514. | 5.2 | 20 |
| 77 | MR measures of renal perfusion, oxygen bioavailability and total renal blood flow in a porcine model: noninvasive regional assessment of renal function. Nephrology Dialysis Transplantation, 2012, 27, 128-135. | 0.7 | 19 |
| 78 | Hypertension guidelines: How do they apply to kidney transplant recipients. Transplantation Reviews, 2018, 32, 225-233. | 2.9 | 19 |
| 79 | FAS-MEDIATED CYTOTOXICITY IS NOT REQUIRED FOR REJECTION OF MURINE NONVASCULARIZED HETEROTOPIC CARDIAC ALLOGRAFTS1,2,3. Transplantation, 1998, 66, 1793-1801. | 1.0 | 19 |
| 80 | Mitral Annular Calcification is Associated with Reduced Left Ventricular Function and Inflammation in Patients with Chronic Kidney Disease. Journal of the American Society of Echocardiography, 2008, 21, 747-750. | 2.8 | 18 |
| 81 | Native kidney function following liver transplantation using calcineurin inhibitors: singleâ€center analysis with 20Âyears of followâ€up. Clinical Transplantation, 2013, 27, 193-202. | 1.6 | 18 |
| 82 | One-Year Serum Albumin is an Independent Predictor of Outcomes in Kidney Transplant Recipients., 2010, 20, 392-397. | | 17 |
| 83 | Challenges in diagnosing acute calcineurin-inhibitor induced nephrotoxicity: From toxicogenomics to emerging biomarkers. Pharmacological Research, 2011, 64, 25-30. | 7.1 | 17 |
| 84 | Outcomes after simultaneous kidneyâ€pancreas versus pancreas after kidney transplantation in the current era. Clinical Transplantation, 2019, 33, e13732. | 1.6 | 17 |
| 85 | How Should Pancreas Transplant Rejection Be Treated?. Transplantation, 2019, 103, 1928-1934. | 1.0 | 17 |
| 86 | The Association Between Renin-Angiotensin System Blockade and Long-term Outcomes in Renal Transplant Recipients. Transplantation, 2016, 100, 1541-1549. | 1.0 | 16 |
| 87 | Evaluation of renal metabolic response to partial ureteral obstruction with hyperpolarized ¹³ C MRI. NMR in Biomedicine, 2018, 31, e3846. | 2.8 | 16 |
| 88 | Pneumocystis jiroveci pneumonia in kidney and simultaneous pancreas kidney transplant recipients in the present era of routine post-transplant prophylaxis: risk factors and outcomes. BMC Nephrology, 2018, 19, 332. | 1.8 | 15 |
| 89 | The feared five fungal infections in kidney transplant recipients: A singleâ€center 20â€year experience. Clinical Transplantation, 2018, 32, e13289. | 1.6 | 15 |
| 90 | Increase in proteinuria $\>200 \text{ mg/g}$ after late rejection is associated with poor graft survival. Nephrology Dialysis Transplantation, 2010, 25, 1300-1306. | 0.7 | 14 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Characteristics and Outcomes of Kidney Transplant Recipients with a Functioning Graft for More than 25 Years. Kidney Diseases (Basel, Switzerland), 2018, 4, 255-261. | 2.5 | 14 |
| 92 | Sleep disorders: Serious threats among kidney transplant recipients. Transplantation Reviews, 2019, 33, 9-16. | 2.9 | 14 |
| 93 | Obesity: An Independent Predictor of Morbidity and Graft Loss after Kidney Transplantation. American Journal of Nephrology, 2020, 51, 615-623. | 3.1 | 14 |
| 94 | Desensitization and treatment with APRIL/BLyS blockade in rodent kidney transplant model. PLoS ONE, 2019, 14, e0211865. | 2.5 | 13 |
| 95 | Sexual concerns among kidney transplant recipients. Clinical Transplantation, 2014, 28, 1294-1302. | 1.6 | 12 |
| 96 | In Kidney Transplant Recipients With a Positive Virtual Crossmatch, High PRA was Associated With Lower Incidence of Viral Infections. Transplantation, 2016, 100, 655-661. | 1.0 | 12 |
| 97 | More Than 25 Years of Pancreas Graft Survival After Simultaneous Pancreas and Kidney Transplantation: Experience From the World's Largest Series of Long-term Survivors. Transplantation, 2020, 104, 1287-1293. | 1.0 | 12 |
| 98 | Clinical Validation of an Immune Quiescence Gene Expression Signature in Kidney Transplantation. Kidney360, 2021, 2, 1998-2009. | 2.1 | 12 |
| 99 | Lymphocyte-depleting induction and steroid minimization after kidney transplantation: A review. Nefrologia, 2016, 36, 469-480. | 0.4 | 11 |
| 100 | Delayed graft function and acute rejection following HLA-incompatible living donor kidney transplantation. American Journal of Transplantation, 2021, 21, 1612-1621. | 4.7 | 11 |
| 101 | Calcineurin Inhibitor Minimization With Ixazomib, an Investigational Proteasome Inhibitor, for the Prevention of Antibody Mediated Rejection in a Preclinical Model. Transplantation, 2015, 99, 1785-1795. | 1.0 | 10 |
| 102 | Single-Dose Basiliximab Induction in Low-Risk Renal Transplant Recipients. Pharmacotherapy, 2016, 36, 823-829. | 2.6 | 10 |
| 103 | Outcomes in the highest panel reactive antibody recipients of deceased donor kidneys under the new kidney allocation system. Clinical Transplantation, 2017, 31, e12895. | 1.6 | 10 |
| 104 | Incidence and Indications for Late Allograft Pancreatectomy While on Continued Immunosuppression. Transplantation, 2017, 101, 2228-2234. | 1.0 | 10 |
| 105 | <scp>BK</scp> viremia is not associated with adverse outcomes in the absence of <scp>BK</scp> nephropathy. Clinical Transplantation, 2018, 32, e13283. | 1.6 | 10 |
| 106 | Glomerular C3 Deposition Is an Independent Risk Factor for Allograft Failure in Kidney Transplant Recipients With Transplant Glomerulopathy. Kidney International Reports, 2019, 4, 582-593. | 0.8 | 10 |
| 107 | Outcomes of Delayed Graft Function in Kidney Transplant Recipients Stratified by Histologic Biopsy Findings. Transplantation Proceedings, 2021, 53, 1462-1469. | 0.6 | 10 |
| 108 | Nox2 and Cyclosporine-Induced Renal Hypoxia. Transplantation, 2016, 100, 1198-1210. | 1.0 | 9 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | The care of kidney transplant recipients during a global pandemic: Challenges and strategies for success. Transplantation Reviews, 2020, 34, 100567. | 2.9 | 9 |
| 110 | The clinical value of donor-derived cell-free DNA measurements in kidney transplantation. Transplantation Reviews, 2021, 35, 100649. | 2.9 | 9 |
| 111 | Higher Pretransplantation Hemoglobin A1c Is Associated With Greater Risk of Posttransplant Diabetes Mellitus. Kidney International Reports, 2017, 2, 1076-1087. | 0.8 | 8 |
| 112 | Seasonality of mortality and graft failure among kidney transplant recipients in the US - a retrospective study. Transplant International, 2018, 31, 293-301. | 1.6 | 8 |
| 113 | <i>Nocardia</i> infection in kidney transplant recipients: A singleâ€eenter experience. Transplant Infectious Disease, 2019, 21, e13192. | 1.7 | 8 |
| 114 | Proton Pump Inhibitors, But Not H2-receptor Antagonists, Are Associated With Incident Fractures Among Kidney Transplant Recipients. Transplantation, 2020, 104, 2609-2615. | 1.0 | 8 |
| 115 | Outcomes of simultaneous pancreas and kidney transplants based on preemptive transplant compared to those who were on dialysis before transplant $\hat{a}\in$ a retrospective study. Transplant International, 2020, 33, 1106-1115. | 1.6 | 8 |
| 116 | Delayed kidney graft function in simultaneous pancreas-kidney transplant recipients is associated with early pancreas allograft failure. American Journal of Transplantation, 2020, 20, 2822-2831. | 4.7 | 8 |
| 117 | Role of Virus-Specific T Cell Therapy for Cytomegalovirus and BK Infections in Kidney Transplant Recipients. Kidney360, 2021, 2, 905-915. | 2.1 | 8 |
| 118 | Serum HSP27 is associated with medullary perfusion in kidney allografts. Journal of Nephrology, 2012, 25, 1075-1080. | 2.0 | 7 |
| 119 | The Association of 25-Hydroxyvitamin D Levels with Late Cytomegalovirus Infection in Kidney Transplant Recipients: the Wisconsin Allograft Recipient Database. Transplantation, 2019, 103, 1683-1688. | 1.0 | 7 |
| 120 | Pancreas Retransplant After Pancreas Graft Failure in Simultaneous Pancreas-kidney Transplants Is Associated With Better Kidney Graft Survival. Transplantation Direct, 2019, 5, e473. | 1.6 | 7 |
| 121 | Incidence, risk factors, and outcomes of postâ€transplant erythrocytosis after kidney transplantation. Clinical Transplantation, 2021, 35, e14166. | 1.6 | 7 |
| 122 | Successful management of Tâ€cell mediated rejection in a recent kidney transplant recipient with COVIDâ€19 associated severe acute respiratory syndrome. Transplant Infectious Disease, 2021, 23, e13598. | 1.7 | 7 |
| 123 | Potential of emerging immunosuppressive strategies to improve the posttransplant cardiovascular risk profile. Kidney International, 2010, 78, S15-S21. | 5.2 | 6 |
| 124 | Kidney Transplant Recipients With Primary Membranous Glomerulonephritis Have a Higher Risk of Acute Rejection Compared With Other Primary Glomerulonephritides. Transplantation Direct, 2017, 3, e223. | 1.6 | 6 |
| 125 | Use of Donor-Derived Cell-Free DNA for Assessment of Allograft Injury in Kidney Transplant Recipients During the Time of the Coronavirus Disease 2019 Pandemic. Transplantation Proceedings, 2020, 52, 2592-2595. | 0.6 | 6 |
| 126 | Polyomavirus and cytomegalovirus infections are risk factors for grafts loss in simultaneous pancreas and kidney transplant. Transplant Infectious Disease, 2020, 22, e13272. | 1.7 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Continuation of Peritoneal Dialysis in Adult Kidney Transplant Recipients With Delayed Graft Function. Kidney International Reports, 2021, 6, 1634-1641. | 0.8 | 6 |
| 128 | Transplant kidney biopsy for proteinuria with stable creatinine: Findings and outcomes. Clinical Transplantation, 2021, 35, e14436. | 1.6 | 6 |
| 129 | Long-Term Outcomes and Prognostic Factors in Kidney Transplant Recipients with Polycystic Kidney Disease. Kidney360, 2021, 2, 312-324. | 2.1 | 6 |
| 130 | Disease Progression and Outcomes in Type 1 Diabetic Kidney Transplant Recipients Based on Posttransplantation CKD Staging. American Journal of Kidney Diseases, 2007, 50, 631-640. | 1.9 | 5 |
| 131 | Older kidney transplant patients experience less antibodyâ€mediated rejection: a retrospective study of patients with mild to moderate sensitization. Clinical Transplantation, 2015, 29, 1090-1097. | 1.6 | 5 |
| 132 | Cause of End-Stage Renal Disease Is Not a Risk Factor for Cytomegalovirus Infection After Kidney Transplant. Transplantation Proceedings, 2019, 51, 1810-1815. | 0.6 | 5 |
| 133 | Hospitalization Trends for Acute Kidney Injury in Kidney Transplant Recipients in the United States, $2004\hat{a}\in "2014$. Transplantation, $2019,103,2405-2412$. | 1.0 | 5 |
| 134 | Risk factors for progression from low level BK dnaemia to unfavorable outcomes after BK management via immunosuppressive reduction. Transplant Infectious Disease, 2021, 23, e13561. | 1.7 | 5 |
| 135 | Cytomegalovirus nephritis in kidney transplant recipients: Epidemiology and outcomes of an uncommon diagnosis. Transplant Infectious Disease, 2021, 23, e13702. | 1.7 | 5 |
| 136 | Short-Term Immunopathological Changes Associated with Pulse Steroids/IVIG/Rituximab Therapy in Late Kidney Allograft Antibody Mediated Rejection. Kidney360, 2020, 1, 389-398. | 2.1 | 5 |
| 137 | How Should Acute T-cell Mediated Rejection of Kidney Transplants Be Treated: Importance of Follow-up Biopsy. Transplantation Direct, 2022, 8, e1305. | 1.6 | 5 |
| 138 | Induction and Donor Specific Antibodies in Low Immunologic Risk Kidney Transplant Recipients. Kidney360, 2020, 1, 1407-1418. | 2.1 | 4 |
| 139 | Prevalence of primary aldosteronism in hypertensive kidney transplant recipients: A crossâ€sectional study. Clinical Transplantation, 2020, 34, e13999. | 1.6 | 4 |
| 140 | Postâ€kidney transplant serum magnesium exhibits a Uâ€shaped association with subsequent mortality: an observational cohort study. Transplant International, 2021, 34, 1853-1861. | 1.6 | 4 |
| 141 | Non-obstructive coronary angiogram findings prior to kidney transplantation do not predict post-transplant cardiac events. Clinical Nephrology, 2020, 94, 273-280. | 0.7 | 4 |
| 142 | Contributing factors to complications and surgical success in mouse kidney transplantation. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2012, 38, 395-404. | 1.5 | 3 |
| 143 | Autologous Mesenchymal Stromal Cells Prevent Transfusion-elicited Sensitization and Upregulate Transitional and Regulatory B Cells. Transplantation Direct, 2018, 4, e387. | 1.6 | 3 |
| 144 | A Single-Center Assessment of Delayed Graft Function in Recipients of Simultaneous Liver and Kidney Transplant. Progress in Transplantation, 2020, 30, 342-348. | 0.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Third-party vessel allografts in kidney and pancreas transplantation: Utilization, de novo DSAs, and outcomes. American Journal of Transplantation, 2020, 20, 3443-3450. | 4.7 | 3 |
| 146 | Incidence and Outcomes of Significant Weight Changes After Pancreas Transplant Alone. Transplantation Direct, 2020, 6, e539. | 1.6 | 3 |
| 147 | Center-level Variation in HLA-incompatible Living Donor Kidney Transplantation Outcomes. Transplantation, 2021, 105, 436-442. | 1.0 | 3 |
| 148 | Post-Transplant CMV Glomerulitis. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 957-959. | 4.5 | 3 |
| 149 | Association of Human Leukocyte Antigen Mismatches Between Donorâ€recipient And Donorâ€donor in Pancreas after Kidney Transplant Recipients. Transplant International, 2021, , . | 1.6 | 3 |
| 150 | Treatment of Chronic Active Antibody-mediated Rejection With Pulse Steroids, IVIG, With or Without Rituximab is Associated With Increased Risk of Pneumonia. Transplantation Direct, 2021, 7, e644. | 1.6 | 3 |
| 151 | Kidney complications following COVID-19 vaccination; a review of the literature. Journal of Nephropharmacology, 2022, 11, e1-e1. | 0.4 | 3 |
| 152 | New Approaches to Cardiovascular Disease and its Management in Kidney Transplant Recipients. Transplantation, 2021, Publish Ahead of Print, . | 1.0 | 3 |
| 153 | Risk factors and outcomes of BK viremia among deceased donor kidney transplant recipients based on donor characteristics. Transplant Infectious Disease, 2022, 24, e13768. | 1.7 | 3 |
| 154 | Factors affecting sensitization following kidney allograft failure. Clinical Transplantation, 2022, 36, e14558. | 1.6 | 3 |
| 155 | The Presence of Donor-specific Antibodies Around the Time of Pancreas Graft Biopsy With Rejection Is Associated With an Increased Risk of Graft Failure. Transplantation, 2022, 106, e289-e296. | 1.0 | 3 |
| 156 | Intrathymic injection of anti-Fas monoclonal antibody prolongs murine non-vascularized cardiac allograft survival. Transplant International, 2004, 17, 301-9. | 1.6 | 2 |
| 157 | Donor-specific antibodies in kidney transplantation: the University of Wisconsin experience. Current Opinion in Organ Transplantation, 2020, 25, 543-548. | 1.6 | 2 |
| 158 | Graft Function Variability and Slope and Kidney Transplantation Outcomes. Kidney International Reports, 2021, 6, 1642-1652. | 0.8 | 2 |
| 159 | Sodium zirconium cyclosilicate use in kidney transplant recipients. Nephrology Dialysis Transplantation, 2021, 36, 2151-2153. | 0.7 | 2 |
| 160 | Preâ€transplant bariatric surgery is not associated with an increased risk of infection after kidney transplant. Transplant International, 2021, 34, 1989-1991. | 1.6 | 2 |
| 161 | Risk factors for graft loss in kidney transplant recipients with g3 glomerulitis: A single-center experience. Clinical Nephrology, 2019, 91, 95-100. | 0.7 | 2 |
| 162 | Pre-transplant AT1R antibodies and long-term outcomes in kidney transplant recipients with a functioning graft for more than 5 years. Clinical Nephrology, 2020, 94, 245-251. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Kidney transplant outcomes among recipients with postâ€transplant hip or knee joint replacement surgery. Clinical Transplantation, 2021, , e14564. | 1.6 | 2 |
| 164 | Do statins delay the incidence of ESRD in diabetic patients with moderate CKD?. Journal of Nephrology, 2010, 23, 321-7. | 2.0 | 2 |
| 165 | Lipid lowering in dialysis patients with cardiovascular disease who are awaiting kidney transplantation. Clinical Transplantation, 2019, 33, e13452. | 1.6 | 1 |
| 166 | Modest Improvements in Refractory Antibody-Mediated Rejection After Prolonged Treatment. Kidney International Reports, 2021, 6, 1397-1401. | 0.8 | 1 |
| 167 | Significance of Asymptomatic Pyelonephritis Found on Kidney Transplant Biopsy. Transplantation Direct, 2021, 7, e764. | 1.6 | 1 |
| 168 | Oxidized-ATP Attenuates Kidney Allograft Rejection By Inhibiting T-Cell, B-Cell, and Macrophage Activity. Kidney 360, 2020, $1,106-114$. | 2.1 | 1 |
| 169 | A single center kidney transplant experience among ten Caucasian females with end-stage renal disease due to scleroderma. Clinical Nephrology, 2017, 88, 40-44. | 0.7 | 1 |
| 170 | Dysregulation of the sensory and regulatory pathways controlling cellular iron metabolism in unilateral obstructive nephropathy. American Journal of Physiology - Renal Physiology, 2022, 322, F89-F103. | 2.7 | 1 |
| 171 | Development and Psychometric Testing of a Sexual Concerns Questionnaire for Kidney Transplant Recipients. Journal of Nursing Measurement, 2015, 23, 499-518. | 0.3 | 0 |
| 172 | B-Lymphocyte Stimulator-Deficient Rats Prevent Donor-Specific Antibody Production and Proliferation in Rodent Model. Journal of the American College of Surgeons, 2018, 227, S251. | 0.5 | 0 |
| 173 | Mycophenolate Monotherapy in HLA-Matched Kidney Transplant Recipients: A Case Series of 20 Patients. Transplantation Direct, 2020, 6, e526. | 1.6 | 0 |
| 174 | Kidney transplantation for primary glomerulonephritis: Recurrence risk and graft outcomes with related versus unrelated donors. Transplantation Reviews, 2021, 35, 100584. | 2.9 | 0 |
| 175 | FAS AND FAS-L MEDIATED CYTOTOXICITY IN ALLOGRAFT REJECTION. Transplantation, 1998, 66, S38. | 1.0 | 0 |
| 176 | COVID-19-associated glomerulopathy and high-risk APOL1 genotype; Basis for a two-hit mechanism of injury? A narrative review on recent findings. Journal of Nephropathology, 2021, 10, e11-e11. | 0.2 | 0 |
| 177 | P.131: Persistent Low Blood Pressure After Simultaneous Pancreas and Kidney Transplant Is not Associated With an Increased Risk of Allograft Loss. Transplantation, 2021, 105, S51-S51. | 1.0 | 0 |
| 178 | Acute Rejection in 6-Antigen HLA-Matched Kidney Transplant Recipients: Risk Factors and Outcomes from the Wisconsin Allograft Recipient Database (WisARD). Clinical Transplants, 2016, 32, 135-141. | 0.2 | 0 |
| 179 | Recurrent Podocytopathy after Kidney Transplantation. Clinical Journal of the American Society of Nephrology: CJASN, 2022, , CJN.15891221. | 4.5 | 0 |