

Arjang Djamali

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1281052/publications.pdf>

Version: 2024-02-01

179
papers

5,825
citations

87888

38
h-index

88630

70
g-index

179
all docs

179
docs citations

179
times ranked

6418
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney complications following COVID-19 vaccination; a review of the literature. <i>Journal of Nephro pharmacology</i> , 2022, 11, e1-e1.	0.4	3
2	Dysregulation of the sensory and regulatory pathways controlling cellular iron metabolism in unilateral obstructive nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, F89-F103.	2.7	1
3	Risk factors and outcomes of BK viremia among deceased donor kidney transplant recipients based on donor characteristics. <i>Transplant Infectious Disease</i> , 2022, 24, e13768.	1.7	3
4	Factors affecting sensitization following kidney allograft failure. <i>Clinical Transplantation</i> , 2022, 36, e14558.	1.6	3
5	How Should Acute T-cell Mediated Rejection of Kidney Transplants Be Treated: Importance of Follow-up Biopsy. <i>Transplantation Direct</i> , 2022, 8, e1305.	1.6	5
6	Recurrent Podocytopathy after Kidney Transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, , CJN.15891221.	4.5	0
7	The Presence of Donor-specific Antibodies Around the Time of Pancreas Graft Biopsy With Rejection Is Associated With an Increased Risk of Graft Failure. <i>Transplantation</i> , 2022, 106, e289-e296.	1.0	3
8	Center-level Variation in HLA-incompatible Living Donor Kidney Transplantation Outcomes. <i>Transplantation</i> , 2021, 105, 436-442.	1.0	3
9	Kidney transplantation for primary glomerulonephritis: Recurrence risk and graft outcomes with related versus unrelated donors. <i>Transplantation Reviews</i> , 2021, 35, 100584.	2.9	0
10	Incidence, risk factors, and outcomes of post-transplant erythrocytosis after kidney transplantation. <i>Clinical Transplantation</i> , 2021, 35, e14166.	1.6	7
11	Risk factors for progression from low level BK dnaemia to unfavorable outcomes after BK management via immunosuppressive reduction. <i>Transplant Infectious Disease</i> , 2021, 23, e13561.	1.7	5
12	Post-Transplant CMV Glomerulitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 957-959.	4.5	3
13	Delayed graft function and acute rejection following HLA-incompatible living donor kidney transplantation. <i>American Journal of Transplantation</i> , 2021, 21, 1612-1621.	4.7	11
14	Change in Estimated GFR and Risk of Allograft Failure in Patients Diagnosed With Late Active Antibody-mediated Rejection Following Kidney Transplantation. <i>Transplantation</i> , 2021, 105, 648-659.	1.0	22
15	Role of Virus-Specific T Cell Therapy for Cytomegalovirus and BK Infections in Kidney Transplant Recipients. <i>Kidney360</i> , 2021, 2, 905-915.	2.1	8
16	Graft Function Variability and Slope and Kidney Transplantation Outcomes. <i>Kidney International Reports</i> , 2021, 6, 1642-1652.	0.8	2
17	Sodium zirconium cyclosilicate use in kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 2151-2153.	0.7	2
18	Continuation of Peritoneal Dialysis in Adult Kidney Transplant Recipients With Delayed Graft Function. <i>Kidney International Reports</i> , 2021, 6, 1634-1641.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Successful management of Tâ€cell mediated rejection in a recent kidney transplant recipient with COVIDâ€19 associated severe acute respiratory syndrome. <i>Transplant Infectious Disease</i> , 2021, 23, e13598.	1.7	7
20	Modest Improvements in Refractory Antibody-Mediated Rejection After Prolonged Treatment. <i>Kidney International Reports</i> , 2021, 6, 1397-1401.	0.8	1
21	Outcomes of Delayed Graft Function in Kidney Transplant Recipients Stratified by Histologic Biopsy Findings. <i>Transplantation Proceedings</i> , 2021, 53, 1462-1469.	0.6	10
22	Postâ€kidney transplant serum magnesium exhibits a Uâ€shaped association with subsequent mortality: an observational cohort study. <i>Transplant International</i> , 2021, 34, 1853-1861.	1.6	4
23	Transplant kidney biopsy for proteinuria with stable creatinine: Findings and outcomes. <i>Clinical Transplantation</i> , 2021, 35, e14436.	1.6	6
24	Preâ€transplant bariatric surgery is not associated with an increased risk of infection after kidney transplant. <i>Transplant International</i> , 2021, 34, 1989-1991.	1.6	2
25	Cytomegalovirus nephritis in kidney transplant recipients: Epidemiology and outcomes of an uncommon diagnosis. <i>Transplant Infectious Disease</i> , 2021, 23, e13702.	1.7	5
26	Significance of Asymptomatic Pyelonephritis Found on Kidney Transplant Biopsy. <i>Transplantation Direct</i> , 2021, 7, e764.	1.6	1
27	Clinical Validation of an Immune Quiescence Gene Expression Signature in Kidney Transplantation. <i>Kidney360</i> , 2021, 2, 1998-2009.	2.1	12
28	The clinical value of donor-derived cell-free DNA measurements in kidney transplantation. <i>Transplantation Reviews</i> , 2021, 35, 100649.	2.9	9
29	Association of Human Leukocyte Antigen Mismatches Between Donorâ€recipient And Donorâ€donor in Pancreas after Kidney Transplant Recipients. <i>Transplant International</i> , 2021, , .	1.6	3
30	COVID-19-associated glomerulopathy and high-risk APOL1 genotype; Basis for a two-hit mechanism of injury? A narrative review on recent findings. <i>Journal of Nephropathology</i> , 2021, 10, e11-e11.	0.2	0
31	Long-Term Outcomes and Prognostic Factors in Kidney Transplant Recipients with Polycystic Kidney Disease. <i>Kidney360</i> , 2021, 2, 312-324.	2.1	6
32	Treatment of Chronic Active Antibody-mediated Rejection With Pulse Steroids, IVIG, With or Without Rituximab is Associated With Increased Risk of Pneumonia. <i>Transplantation Direct</i> , 2021, 7, e644.	1.6	3
33	Conversion from Calcineurin Inhibitorâ€ to Belatacept-Based Maintenance Immunosuppression in Renal Transplant Recipients: A Randomized Phase 3b Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3252-3264.	6.1	41
34	P.131: Persistent Low Blood Pressure After Simultaneous Pancreas and Kidney Transplant Is not Associated With an Increased Risk of Allograft Loss. <i>Transplantation</i> , 2021, 105, S51-S51.	1.0	0
35	New Approaches to Cardiovascular Disease and its Management in Kidney Transplant Recipients. <i>Transplantation</i> , 2021, Publish Ahead of Print, .	1.0	3
36	Kidney transplant outcomes among recipients with postâ€transplant hip or knee joint replacement surgery. <i>Clinical Transplantation</i> , 2021, , e14564.	1.6	2

#	ARTICLE	IF	CITATIONS
37	More Than 25 Years of Pancreas Graft Survival After Simultaneous Pancreas and Kidney Transplantation: Experience From the World's Largest Series of Long-term Survivors. <i>Transplantation</i> , 2020, 104, 1287-1293.	1.0	12
38	Induction and Donor Specific Antibodies in Low Immunologic Risk Kidney Transplant Recipients. <i>Kidney360</i> , 2020, 1, 1407-1418.	2.1	4
39	A Single-Center Assessment of Delayed Graft Function in Recipients of Simultaneous Liver and Kidney Transplant. <i>Progress in Transplantation</i> , 2020, 30, 342-348.	0.7	3
40	Use of Donor-Derived Cell-Free DNA for Assessment of Allograft Injury in Kidney Transplant Recipients During the Time of the Coronavirus Disease 2019 Pandemic. <i>Transplantation Proceedings</i> , 2020, 52, 2592-2595.	0.6	6
41	The care of kidney transplant recipients during a global pandemic: Challenges and strategies for success. <i>Transplantation Reviews</i> , 2020, 34, 100567.	2.9	9
42	Proton Pump Inhibitors, But Not H2-receptor Antagonists, Are Associated With Incident Fractures Among Kidney Transplant Recipients. <i>Transplantation</i> , 2020, 104, 2609-2615.	1.0	8
43	Early Report on Published Outcomes in Kidney Transplant Recipients Compared to Nontransplant Patients Infected With Coronavirus Disease 2019. <i>Transplantation Proceedings</i> , 2020, 52, 2659-2662.	0.6	21
44	Donor-specific antibodies in kidney transplantation: the University of Wisconsin experience. <i>Current Opinion in Organ Transplantation</i> , 2020, 25, 543-548.	1.6	2
45	Obesity: An Independent Predictor of Morbidity and Graft Loss after Kidney Transplantation. <i>American Journal of Nephrology</i> , 2020, 51, 615-623.	3.1	14
46	Third-party vessel allografts in kidney and pancreas transplantation: Utilization, de novo DSAs, and outcomes. <i>American Journal of Transplantation</i> , 2020, 20, 3443-3450.	4.7	3
47	Outcomes of simultaneous pancreas and kidney transplants based on preemptive transplant compared to those who were on dialysis before transplant – a retrospective study. <i>Transplant International</i> , 2020, 33, 1106-1115.	1.6	8
48	Prevalence of primary aldosteronism in hypertensive kidney transplant recipients: A cross-sectional study. <i>Clinical Transplantation</i> , 2020, 34, e13999.	1.6	4
49	Mycophenolate Monotherapy in HLA-Matched Kidney Transplant Recipients: A Case Series of 20 Patients. <i>Transplantation Direct</i> , 2020, 6, e526.	1.6	0
50	Incidence and Outcomes of Significant Weight Changes After Pancreas Transplant Alone. <i>Transplantation Direct</i> , 2020, 6, e539.	1.6	3
51	Polyomavirus and cytomegalovirus infections are risk factors for grafts loss in simultaneous pancreas and kidney transplant. <i>Transplant Infectious Disease</i> , 2020, 22, e13272.	1.7	6
52	Unusually high rates of acute rejection during the COVID-19 pandemic: cause for concern?. <i>Kidney International</i> , 2020, 98, 513-514.	5.2	20
53	Targeted donor complement blockade after brain death prevents delayed graft function in a nonhuman primate model of kidney transplantation. <i>American Journal of Transplantation</i> , 2020, 20, 1513-1526.	4.7	25
54	Delayed kidney graft function in simultaneous pancreas-kidney transplant recipients is associated with early pancreas allograft failure. <i>American Journal of Transplantation</i> , 2020, 20, 2822-2831.	4.7	8

#	ARTICLE	IF	CITATIONS
55	Oxidized-ATP Attenuates Kidney Allograft Rejection By Inhibiting T-Cell, B-Cell, and Macrophage Activity. <i>Kidney360</i> , 2020, 1, 106-114.	2.1	1
56	Short-Term Immunopathological Changes Associated with Pulse Steroids/IVIg/Rituximab Therapy in Late Kidney Allograft Antibody Mediated Rejection. <i>Kidney360</i> , 2020, 1, 389-398.	2.1	5
57	Non-obstructive coronary angiogram findings prior to kidney transplantation do not predict post-transplant cardiac events. <i>Clinical Nephrology</i> , 2020, 94, 273-280.	0.7	4
58	Role of novel biomarkers in kidney transplantation. <i>World Journal of Transplantation</i> , 2020, 10, 230-255.	1.6	26
59	Pre-transplant AT1R antibodies and long-term outcomes in kidney transplant recipients with a functioning graft for more than 5 years. <i>Clinical Nephrology</i> , 2020, 94, 245-251.	0.7	2
60	Lipid lowering in dialysis patients with cardiovascular disease who are awaiting kidney transplantation. <i>Clinical Transplantation</i> , 2019, 33, e13452.	1.6	1
61	Cause of End-Stage Renal Disease Is Not a Risk Factor for Cytomegalovirus Infection After Kidney Transplant. <i>Transplantation Proceedings</i> , 2019, 51, 1810-1815.	0.6	5
62	A Peripheral Blood Gene Expression Signature to Diagnose Subclinical Acute Rejection. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1481-1494.	6.1	67
63	Outcomes after simultaneous kidney&pancreas versus pancreas after kidney transplantation in the current era. <i>Clinical Transplantation</i> , 2019, 33, e13732.	1.6	17
64	<i>Nocardia</i> infection in kidney transplant recipients: A single-center experience. <i>Transplant Infectious Disease</i> , 2019, 21, e13192.	1.7	8
65	Donor-Specific Antibodies in the Absence of Rejection Are Not a Risk Factor for Allograft Failure. <i>Kidney International Reports</i> , 2019, 4, 1057-1065.	0.8	29
66	Clinical Significance of Microvascular Inflammation in the Absence of Anti-HLA DSA in Kidney Transplantation. <i>Transplantation</i> , 2019, 103, 1468-1476.	1.0	29
67	Glomerular C3 Deposition Is an Independent Risk Factor for Allograft Failure in Kidney Transplant Recipients With Transplant Glomerulopathy. <i>Kidney International Reports</i> , 2019, 4, 582-593.	0.8	10
68	Subclinical Antibody-mediated Rejection After Kidney Transplantation: Treatment Outcomes. <i>Transplantation</i> , 2019, 103, 1722-1729.	1.0	76
69	Desensitization and treatment with APRIL/BlyS blockade in rodent kidney transplant model. <i>PLoS ONE</i> , 2019, 14, e0211865.	2.5	13
70	The Association of 25-Hydroxyvitamin D Levels with Late Cytomegalovirus Infection in Kidney Transplant Recipients: the Wisconsin Allograft Recipient Database. <i>Transplantation</i> , 2019, 103, 1683-1688.	1.0	7
71	Harald C. Ott: Clinician-scientist, Cardiothoracic Surgeon, Massachusetts General Hospital, Harvard Medical School. <i>Transplantation</i> , 2019, 103, 862-863.	1.0	24
72	Pancreas Retransplant After Pancreas Graft Failure in Simultaneous Pancreas-kidney Transplants Is Associated With Better Kidney Graft Survival. <i>Transplantation Direct</i> , 2019, 5, e473.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Hospitalization Trends for Acute Kidney Injury in Kidney Transplant Recipients in the United States, 2004–2014. <i>Transplantation</i> , 2019, 103, 2405-2412.	1.0	5
74	How Should Pancreas Transplant Rejection Be Treated?. <i>Transplantation</i> , 2019, 103, 1928-1934.	1.0	17
75	Sleep disorders: Serious threats among kidney transplant recipients. <i>Transplantation Reviews</i> , 2019, 33, 9-16.	2.9	14
76	Metabolic Acidosis 1 Year Following Kidney Transplantation and Subsequent Cardiovascular Events and Mortality: An Observational Cohort Study. <i>American Journal of Kidney Diseases</i> , 2019, 73, 476-485.	1.9	26
77	Pretransplant transcriptomic signature in peripheral blood predicts early acute rejection. <i>JCI Insight</i> , 2019, 4, .	5.0	26
78	Histopathological characteristics and causes of kidney graft failure in the current era of immunosuppression. <i>World Journal of Transplantation</i> , 2019, 9, 123-133.	1.6	27
79	Risk factors for graft loss in kidney transplant recipients with g3 glomerulitis: A single-center experience. <i>Clinical Nephrology</i> , 2019, 91, 95-100.	0.7	2
80	Which is more nephrotoxic for kidney transplants: <sc>BK</sc> nephropathy or rejection?. <i>Clinical Transplantation</i> , 2018, 32, e13216.	1.6	22
81	Evaluation of renal metabolic response to partial ureteral obstruction with hyperpolarized ¹³C MRI. <i>NMR in Biomedicine</i> , 2018, 31, e3846.	2.8	16
82	Concurrent biopsies of both grafts in recipients of simultaneous pancreas and kidney demonstrate high rates of discordance for rejection as well as discordance in type of rejection - a retrospective study. <i>Transplant International</i> , 2018, 31, 32-37.	1.6	27
83	Seasonality of mortality and graft failure among kidney transplant recipients in the US - a retrospective study. <i>Transplant International</i> , 2018, 31, 293-301.	1.6	8
84	B-Lymphocyte Stimulator-Deficient Rats Prevent Donor-Specific Antibody Production and Proliferation in Rodent Model. <i>Journal of the American College of Surgeons</i> , 2018, 227, S251.	0.5	0
85	Autologous Mesenchymal Stromal Cells Prevent Transfusion-elicited Sensitization and Upregulate Transitional and Regulatory B Cells. <i>Transplantation Direct</i> , 2018, 4, e387.	1.6	3
86	Pneumocystis jiroveci pneumonia in kidney and simultaneous pancreas kidney transplant recipients in the present era of routine post-transplant prophylaxis: risk factors and outcomes. <i>BMC Nephrology</i> , 2018, 19, 332.	1.8	15
87	The feared five fungal infections in kidney transplant recipients: A single-center 20-year experience. <i>Clinical Transplantation</i> , 2018, 32, e13289.	1.6	15
88	<sc>BK</sc> viremia is not associated with adverse outcomes in the absence of <sc>BK</sc> nephropathy. <i>Clinical Transplantation</i> , 2018, 32, e13283.	1.6	10
89	Hypertension guidelines: How do they apply to kidney transplant recipients. <i>Transplantation Reviews</i> , 2018, 32, 225-233.	2.9	19
90	Characteristics and Outcomes of Kidney Transplant Recipients with a Functioning Graft for More than 25 Years. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 255-261.	2.5	14

#	ARTICLE	IF	CITATIONS
91	Outcomes in the highest panel reactive antibody recipients of deceased donor kidneys under the new kidney allocation system. <i>Clinical Transplantation</i> , 2017, 31, e12895.	1.6	10
92	Defining the phenotype of antibody-mediated rejection in kidney transplantation: Advances in diagnosis of antibody injury. <i>Transplantation Reviews</i> , 2017, 31, 257-267.	2.9	21
93	Higher Pretransplantation Hemoglobin A1c Is Associated With Greater Risk of Posttransplant Diabetes Mellitus. <i>Kidney International Reports</i> , 2017, 2, 1076-1087.	0.8	8
94	Incidence and Indications for Late Allograft Pancreatectomy While on Continued Immunosuppression. <i>Transplantation</i> , 2017, 101, 2228-2234.	1.0	10
95	Utility of protocol kidney biopsies for de novo donor-specific antibodies. <i>American Journal of Transplantation</i> , 2017, 17, 3210-3218.	4.7	40
96	Rituximab and Monitoring Strategies for Late Antibody-Mediated Rejection After Kidney Transplantation. <i>Transplantation Direct</i> , 2017, 3, e227.	1.6	34
97	Kidney Transplant Recipients With Primary Membranous Glomerulonephritis Have a Higher Risk of Acute Rejection Compared With Other Primary Glomerulonephritides. <i>Transplantation Direct</i> , 2017, 3, e223.	1.6	6
98	Chronic allograft injury: Mechanisms and potential treatment targets. <i>Transplantation Reviews</i> , 2017, 31, 1-9.	2.9	23
99	A single center kidney transplant experience among ten Caucasian females with end-stage renal disease due to scleroderma. <i>Clinical Nephrology</i> , 2017, 88, 40-44.	0.7	1
100	The mode of sensitization and its influence on allograft outcomes in highly sensitized kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1746-1753.	0.7	63
101	Nox2 and Cyclosporine-Induced Renal Hypoxia. <i>Transplantation</i> , 2016, 100, 1198-1210.	1.0	9
102	Longitudinal Assessment of Renal Perfusion and Oxygenation in Transplant Donor-Recipient Pairs Using Arterial Spin Labeling and Blood Oxygen Level-Dependent Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2016, 51, 113-120.	6.2	38
103	Single-Dose Basiliximab Induction in Low-Risk Renal Transplant Recipients. <i>Pharmacotherapy</i> , 2016, 36, 823-829.	2.6	10
104	In Kidney Transplant Recipients With a Positive Virtual Crossmatch, High PRA was Associated With Lower Incidence of Viral Infections. <i>Transplantation</i> , 2016, 100, 655-661.	1.0	12
105	The Influence of Immunosuppressive Agents on the Risk of De Novo Donor-Specific HLA Antibody Production in Solid Organ Transplant Recipients. <i>Transplantation</i> , 2016, 100, 39-53.	1.0	105
106	Is Kidney Transplantation a Better State of CKD? Impact on Diagnosis and Management. <i>Advances in Chronic Kidney Disease</i> , 2016, 23, 287-294.	1.4	23
107	Biopsy transcriptome expression profiling to identify kidney transplants at risk of chronic injury: a multicentre, prospective study. <i>Lancet, The</i> , 2016, 388, 983-993.	13.7	148
108	Incidence of Nephrogenic Systemic Fibrosis Using Gadobenate Dimeglumine in 1423 Patients With Renal Insufficiency Compared With Gadodiamide. <i>Investigative Radiology</i> , 2016, 51, 701-705.	6.2	41

#	ARTICLE	IF	CITATIONS
109	Lymphocyte-depleting induction and steroid minimization after kidney transplantation: A review. <i>Nefrologia</i> , 2016, 36, 469-480.	0.4	11
110	Nature, timing, and severity of complications from ultrasound-guided percutaneous renal transplant biopsy. <i>Transplant International</i> , 2016, 29, 167-172.	1.6	68
111	Markers of Endothelial-to-Mesenchymal Transition. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 324-332.	6.1	33
112	Predictors and outcomes of delayed graft function after living-donor kidney transplantation. <i>Transplant International</i> , 2016, 29, 81-87.	1.6	90
113	Current outcomes of chronic active antibody mediated rejection â€” A large single center retrospective review using the updated BANFF 2013 criteria. <i>Human Immunology</i> , 2016, 77, 346-352.	2.4	70
114	The Association Between Renin-Angiotensin System Blockade and Long-term Outcomes in Renal Transplant Recipients. <i>Transplantation</i> , 2016, 100, 1541-1549.	1.0	16
115	Rabbit antithymocyte globulin and donor-specific antibodies in kidney transplantation â€” A review. <i>Transplantation Reviews</i> , 2016, 30, 85-91.	2.9	32
116	Acute Rejection in 6-Antigen HLA-Matched Kidney Transplant Recipients: Risk Factors and Outcomes from the Wisconsin Allograft Recipient Database (WisARD). <i>Clinical Transplants</i> , 2016, 32, 135-141.	0.2	0
117	Calcineurin Inhibitor Minimization With Ixazomib, an Investigational Proteasome Inhibitor, for the Prevention of Antibody Mediated Rejection in a Preclinical Model. <i>Transplantation</i> , 2015, 99, 1785-1795.	1.0	10
118	Development and Psychometric Testing of a Sexual Concerns Questionnaire for Kidney Transplant Recipients. <i>Journal of Nursing Measurement</i> , 2015, 23, 499-518.	0.3	0
119	C1q Binding Activity of De Novo Donor-specific HLA Antibodies in Renal Transplant Recipients With and Without Antibody-mediated Rejection. <i>Transplantation</i> , 2015, 99, 1151-1155.	1.0	111
120	Renal Function and Transplantation in Liver Disease. <i>Transplantation</i> , 2015, 99, 1756-1764.	1.0	31
121	Older kidney transplant patients experience less antibody-mediated rejection: a retrospective study of patients with mild to moderate sensitization. <i>Clinical Transplantation</i> , 2015, 29, 1090-1097.	1.6	5
122	Intronic locus determines SHROOM3 expression and potentiates renal allograft fibrosis. <i>Journal of Clinical Investigation</i> , 2015, 125, 208-221.	8.2	62
123	Tacrolimus Trough Level at Discharge Predicts Acute Rejection in Moderately Sensitized Renal Transplant Recipients. <i>Transplantation</i> , 2014, 97, 986-991.	1.0	38
124	Sexual concerns among kidney transplant recipients. <i>Clinical Transplantation</i> , 2014, 28, 1294-1302.	1.6	12
125	Antithymocyte Globulin Is Associated With a Lower Incidence of De Novo Donor-Specific Antibodies in Moderately Sensitized Renal Transplant Recipients. <i>Transplantation</i> , 2014, 97, 612-617.	1.0	67
126	Increased C4d in post-reperfusion biopsies and increased donor specific antibodies at one-week post transplant are risk factors for acute rejection in mild to moderately sensitized kidney transplant recipients. <i>Kidney International</i> , 2013, 83, 1185-1192.	5.2	33

#	ARTICLE	IF	CITATIONS
127	Serum β_2 -microglobulin at discharge predicts mortality and graft loss following kidney transplantation. <i>Kidney International</i> , 2013, 84, 810-817.	5.2	24
128	Native kidney function following liver transplantation using calcineurin inhibitors: single-center analysis with 20 years of follow-up. <i>Clinical Transplantation</i> , 2013, 27, 193-202.	1.6	18
129	Tubular expression of heat-shock protein 27 inhibits fibrogenesis in obstructive nephropathy. <i>Kidney International</i> , 2013, 83, 84-92.	5.2	25
130	MR measures of renal perfusion, oxygen bioavailability and total renal blood flow in a porcine model: noninvasive regional assessment of renal function. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 128-135.	0.7	19
131	Heat shock protein 27 (HSP27): biomarker of disease and therapeutic target. <i>Fibrogenesis and Tissue Repair</i> , 2012, 5, 7.	3.4	229
132	Serum HSP27 is associated with medullary perfusion in kidney allografts. <i>Journal of Nephrology</i> , 2012, 25, 1075-1080.	2.0	7
133	Contributing factors to complications and surgical success in mouse kidney transplantation. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012, 38, 395-404.	1.5	3
134	The impact of hepatitis C virus donor and recipient status on long-term kidney transplant outcomes: University of Wisconsin experience. <i>Clinical Transplantation</i> , 2012, 26, 684-693.	1.6	37
135	Challenges in diagnosing acute calcineurin-inhibitor induced nephrotoxicity: From toxicogenomics to emerging biomarkers. <i>Pharmacological Research</i> , 2011, 64, 25-30.	7.1	17
136	Reproducibility of renal perfusion MR imaging in native and transplanted kidneys using non-contrast arterial spin labeling. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1414-1421.	3.4	54
137	Comparing Kidney Perfusion Using Noncontrast Arterial Spin Labeling MRI and Microsphere Methods in an Interventional Swine Model. <i>Investigative Radiology</i> , 2011, 46, 124-131.	6.2	47
138	Luminex-Based Desensitization Protocols: The University of Wisconsin Initial Experience. <i>Transplantation</i> , 2011, 92, 12-17.	1.0	40
139	Update on nephrogenic systemic fibrosis: are we making progress?. <i>International Journal of Dermatology</i> , 2011, 50, 659-666.	1.0	22
140	Measurement and comparison of T1 relaxation times in native and transplanted kidney cortex and medulla. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1241-1247.	3.4	40
141	Arterial spin labeling MRI for assessment of perfusion in native and transplanted kidneys. <i>Magnetic Resonance Imaging</i> , 2011, 29, 74-82.	1.8	79
142	Chronic Kidney Disease Stage Progression in Liver Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1851-1857.	4.5	38
143	Mycophenolic Acid May Delay Allograft Fibrosis by Inhibiting Transforming Growth Factor- β 1-Induced Activation of Nox-2 Through the Nuclear Factor- κ B Pathway. <i>Transplantation</i> , 2010, 90, 387-393.	1.0	26
144	Pretransplant Donor-Specific Antibodies Detected by Single-Antigen Bead Flow Cytometry Are Associated With Inferior Kidney Transplant Outcomes. <i>Transplantation</i> , 2010, 90, 1079-1084.	1.0	62

#	ARTICLE	IF	CITATIONS
145	Blood oxygen level-dependent and perfusion magnetic resonance imaging: detecting differences in oxygen bioavailability and blood flow in transplanted kidneys. <i>Magnetic Resonance Imaging</i> , 2010, 28, 56-64.	1.8	78
146	The Pin 1 inhibitor juglone attenuates kidney fibrogenesis via Pin 1-independent mechanisms in the unilateral ureteral occlusion model. <i>Fibrogenesis and Tissue Repair</i> , 2010, 3, 1.	3.4	44
147	Increase in proteinuria >200 mg/g after late rejection is associated with poor graft survival. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1300-1306.	0.7	14
148	Potential of emerging immunosuppressive strategies to improve the posttransplant cardiovascular risk profile. <i>Kidney International</i> , 2010, 78, S15-S21.	5.2	6
149	One-Year Serum Albumin is an Independent Predictor of Outcomes in Kidney Transplant Recipients. , 2010, 20, 392-397.		17
150	Do statins delay the incidence of ESRD in diabetic patients with moderate CKD?. <i>Journal of Nephrology</i> , 2010, 23, 321-7.	2.0	2
151	Posttransplant anemia: the role of sirolimus. <i>Kidney International</i> , 2009, 76, 376-382.	5.2	27
152	Recurrent Atypical Hemolytic Uremic Syndrome Associated With Factor I Mutation in a Living Related Renal Transplant Recipient. <i>American Journal of Kidney Diseases</i> , 2009, 53, 321-326.	1.9	29
153	Quantitative MR Measures of Intrarenal Perfusion in the Assessment of Transplanted Kidneys. <i>Academic Radiology</i> , 2009, 16, 1077-1085.	2.5	34
154	Fibrogenesis in Kidney Transplantation: Potential Targets for Prevention and Therapy. <i>Transplantation</i> , 2009, 88, 1149-1156.	1.0	34
155	Alemtuzumab Induction and Antibody-Mediated Kidney Rejection After Simultaneous Pancreas-Kidney Transplantation. <i>Transplantation</i> , 2009, 87, 125-132.	1.0	46
156	Left Atrial Volume Is Associated with Inflammation and Atherosclerosis in Patients with Kidney Disease. <i>Echocardiography</i> , 2008, 25, 264-269.	0.9	26
157	Mitral Annular Calcification is Associated with Reduced Left Ventricular Function and Inflammation in Patients with Chronic Kidney Disease. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 747-750.	2.8	18
158	Antibody-Mediated Rejection of the Kidney after Simultaneous Pancreas-Kidney Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 812-824.	6.1	28
159	Oxidative stress as a common pathway to chronic tubulointerstitial injury in kidney allografts. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F445-F455.	2.7	112
160	BOLD-MRI assessment of intrarenal oxygenation and oxidative stress in patients with chronic kidney allograft dysfunction. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F513-F522.	2.7	109
161	Nephrogenic Systemic Fibrosis: Risk Factors and Incidence Estimation. <i>Radiology</i> , 2007, 243, 148-157.	7.3	1,273
162	CKD stage-to-stage progression in native and transplant kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 693-700.	0.7	45

#	ARTICLE	IF	CITATIONS
163	Alemtuzumab Induction and Recurrence of Glomerular Disease After Kidney Transplantation. Transplantation, 2007, 83, 1429-1434.	1.0	35
164	Disease Progression and Outcomes in Type 1 Diabetic Kidney Transplant Recipients Based on Posttransplantation CKD Staging. American Journal of Kidney Diseases, 2007, 50, 631-640.	1.9	5
165	Drug Insight: maintenance immunosuppression in kidney transplant recipients. Nature Clinical Practice Nephrology, 2006, 2, 688-699.	2.0	54
166	Noninvasive Assessment of Early Kidney Allograft Dysfunction by Blood Oxygen Level-Dependent Magnetic Resonance Imaging. Transplantation, 2006, 82, 621-628.	1.0	67
167	Medical Care of Kidney Transplant Recipients after the First Posttransplant Year. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 623-640.	4.5	81
168	Heat Shock Protein 27 in Chronic Allograft Nephropathy: A Local Stress Response. Transplantation, 2005, 79, 1645-1657.	1.0	44
169	AT1R blockade reduces IFN- γ production in lymphocytes in vivo and in vitro. Kidney International, 2005, 67, 2134-2142.	5.2	28
170	Epithelial-to-Mesenchymal Transition and Oxidative Stress in Chronic Allograft Nephropathy. American Journal of Transplantation, 2005, 5, 500-509.	4.7	100
171	Assessment of Acute Renal Transplant Rejection with Blood Oxygen Level-Dependent MR Imaging: Initial Experience. Radiology, 2005, 236, 911-919.	7.3	130
172	Low serum magnesium is associated with decreased graft survival in patients with chronic cyclosporin nephrotoxicity. Nephrology Dialysis Transplantation, 2005, 20, 1456-1462.	0.7	54
173	Intrathymic injection of anti-Fas monoclonal antibody prolongs murine non-vascularized cardiac allograft survival. Transplant International, 2004, 17, 301-9.	1.6	2
174	Disease progression and outcomes in chronic kidney disease and renal transplantation. Kidney International, 2003, 64, 1800-1807.	5.2	66
175	Outcomes in kidney transplantation. Seminars in Nephrology, 2003, 23, 306-316.	1.6	56
176	Increasing hematocrit reduces early posttransplant cardiovascular risk in diabetic transplant recipients ¹ . Transplantation, 2003, 76, 816-820.	1.0	52
177	LOW DOSE ANTITHYMOCYTE GLOBULINS IN RENAL TRANSPLANTATION. Transplantation, 2000, 69, 799-805.	1.0	57
178	FAS-MEDIATED CYTOTOXICITY IS NOT REQUIRED FOR REJECTION OF MURINE NONVASCULARIZED HETEROTOPIC CARDIAC ALLOGRAFTS ^{1,2,3} . Transplantation, 1998, 66, 1793-1801.	1.0	19
179	FAS AND FAS-L MEDIATED CYTOTOXICITY IN ALLOGRAFT REJECTION. Transplantation, 1998, 66, S38.	1.0	0