

Eckhard Jankowsky

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1282105/publications.pdf>

Version: 2024-02-01

87
papers

8,234
citations

71102

41
h-index

58581

82
g-index

91
all docs

91
docs citations

91
times ranked

8255
citing authors

#	ARTICLE	IF	CITATIONS
1	From unwinding to clamping – the DEAD box RNA helicase family. <i>Nature Reviews Molecular Cell Biology</i> , 2011, 12, 505-516.	37.0	886
2	SF1 and SF2 helicases: family matters. <i>Current Opinion in Structural Biology</i> , 2010, 20, 313-324.	5.7	756
3	<i>mda-5</i> : An interferon-inducible putative RNA helicase with double-stranded RNA-dependent ATPase activity and melanoma growth-suppressive properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 637-642.	7.1	577
4	RNA helicases at work: binding and rearranging. <i>Trends in Biochemical Sciences</i> , 2011, 36, 19-29.	7.5	449
5	Inherited and Somatic Defects in DDX41 in Myeloid Neoplasms. <i>Cancer Cell</i> , 2015, 27, 658-670.	16.8	341
6	Angiogenin-Cleaved tRNA Halves Interact with Cytochrome <i>c</i> , Protecting Cells from Apoptosis during Osmotic Stress. <i>Molecular and Cellular Biology</i> , 2014, 34, 2450-2463.	2.3	236
7	RNA helicases – one fold for many functions. <i>Current Opinion in Structural Biology</i> , 2007, 17, 316-324.	5.7	224
8	Protein Displacement by DExH/D "RNA Helicases" Without Duplex Unwinding. <i>Science</i> , 2004, 304, 730-734.	12.6	218
9	Specificity and nonspecificity in RNA-protein interactions. <i>Nature Reviews Molecular Cell Biology</i> , 2015, 16, 533-544.	37.0	216
10	ATP hydrolysis is required for DEAD-box protein recycling but not for duplex unwinding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 20209-20214.	7.1	213
11	The DExH protein NPH-II is a processive and directional motor for unwinding RNA. <i>Nature</i> , 2000, 403, 447-451.	27.8	209
12	Stimulation of mammalian translation initiation factor eIF4A activity by a small molecule inhibitor of eukaryotic translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10460-10465.	7.1	209
13	The DEAD-Box Protein Ded1 Modulates Translation by the Formation and Resolution of an eIF4F-mRNA Complex. <i>Molecular Cell</i> , 2011, 43, 962-972.	9.7	203
14	The hepatitis C viral NS3 protein is a processive DNA helicase with cofactor enhanced RNA unwinding. <i>EMBO Journal</i> , 2002, 21, 1168-1176.	7.8	191
15	ATP- and ADP-Dependent Modulation of RNA Unwinding and Strand Annealing Activities by the DEAD-Box Protein DED1. <i>Biochemistry</i> , 2005, 44, 13591-13601.	2.5	165
16	DEAD-box helicases as integrators of RNA, nucleotide and protein binding. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 884-893.	1.9	164
17	Involvement of DEAD-box Proteins in Group I and Group II Intron Splicing. Biochemical Characterization of Mss116p, ATP Hydrolysis-dependent and -independent Mechanisms, and General RNA Chaperone Activity. <i>Journal of Molecular Biology</i> , 2007, 365, 835-855.	4.2	149
18	The Ded1/DDX3 subfamily of DEAD-box RNA helicases. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2014, 49, 343-360.	5.2	147

#	ARTICLE	IF	CITATIONS
19	The helicase Ded1p controls use of near-cognate translation initiation codons in 5' UTRs. <i>Nature</i> , 2018, 559, 130-134.	27.8	143
20	DEAD-Box Proteins Unwind Duplexes by Local Strand Separation. <i>Molecular Cell</i> , 2007, 28, 253-263.	9.7	141
21	The DEAD-box protein Ded1 unwinds RNA duplexes by a mode distinct from translocating helicases. <i>Nature Structural and Molecular Biology</i> , 2006, 13, 981-986.	8.2	132
22	Dynamic Regulation of Alternative Splicing by Silencers that Modulate 5' Splice Site Competition. <i>Cell</i> , 2008, 135, 1224-1236.	28.9	118
23	Remodeling of ribonucleoprotein complexes with DExH/D RNA helicases. <i>Nucleic Acids Research</i> , 2006, 34, 4181-4188.	14.5	116
24	Discovery of Antivirulence Agents against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 3645-3652.	3.2	116
25	Small molecules as potent biphasic modulators of protein liquid-liquid phase separation. <i>Nature Communications</i> , 2020, 11, 5574.	12.8	96
26	The RNA Helicase Mtr4p Modulates Polyadenylation in the TRAMP Complex. <i>Cell</i> , 2011, 145, 890-901.	28.9	92
27	Hidden specificity in an apparently nonspecific RNA-binding protein. <i>Nature</i> , 2013, 502, 385-388.	27.8	85
28	Degradation of hypomodified tRNA ^{Met} in vivo involves RNA-dependent ATPase activity of the DExH helicase Mtr4p. <i>Rna</i> , 2008, 14, 107-116.	3.5	84
29	Unwinding by Local Strand Separation Is Critical for the Function of DEAD-Box Proteins as RNA Chaperones. <i>Journal of Molecular Biology</i> , 2009, 389, 674-693.	4.2	76
30	Function of the C-terminal Domain of the DEAD-box Protein Mss116p Analyzed in Vivo and in Vitro. <i>Journal of Molecular Biology</i> , 2008, 375, 1344-1364.	4.2	74
31	Autoinhibitory Interdomain Interactions and Subfamily-specific Extensions Redefine the Catalytic Core of the Human DEAD-box Protein DDX3. <i>Journal of Biological Chemistry</i> , 2016, 291, 2412-2421.	3.4	71
32	Backbone tracking by the SF2 helicase NPH-II. <i>Nature Structural and Molecular Biology</i> , 2004, 11, 526-530.	8.2	69
33	RNA unwinding by the Trf4/Air2/Mtr4 polyadenylation (TRAMP) complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7292-7297.	7.1	65
34	Discriminatory RNP remodeling by the DEAD-box protein DED1. <i>Rna</i> , 2006, 12, 903-912.	3.5	61
35	Do DEAD-Box Proteins Promote Group II Intron Splicing without Unwinding RNA?. <i>Molecular Cell</i> , 2007, 28, 159-166.	9.7	61
36	The RNA helicase database. <i>Nucleic Acids Research</i> , 2011, 39, D338-D341.	14.5	61

#	ARTICLE	IF	CITATIONS
37	Division of Labor in an Oligomer of the DEAD-Box RNA Helicase Ded1p. <i>Molecular Cell</i> , 2015, 59, 541-552.	9.7	60
38	Coupling between the DEAD-box RNA helicases Ded1p and eIF4A. <i>ELife</i> , 2016, 5, .	6.0	55
39	The kinetic landscape of an RNA-binding protein in cells. <i>Nature</i> , 2021, 591, 152-156.	27.8	50
40	[10] Using DNazylines to cut, process, and map RNA molecules for structural studies or modification. <i>Methods in Enzymology</i> , 2000, 317, 140-146.	1.0	49
41	Robust Translocation Along a Molecular Monorail: the NS3 Helicase from Hepatitis C Virus Traverses Unusually Large Disruptions in its Track. <i>Journal of Molecular Biology</i> , 2006, 358, 974-982.	4.2	45
42	The DExH/D protein family database. <i>Nucleic Acids Research</i> , 2000, 28, 333-334.	14.5	44
43	DEAD-Box Helicases Form Nucleotide-Dependent, Long-Lived Complexes with RNA. <i>Biochemistry</i> , 2014, 53, 423-433.	2.5	43
44	Biochemical Differences and Similarities between the DEAD-Box Helicase Orthologs DDX3X and Ded1p. <i>Journal of Molecular Biology</i> , 2017, 429, 3730-3742.	4.2	36
45	DEAD-box-protein-assisted RNA Structure Conversion Towards and Against Thermodynamic Equilibrium Values. <i>Journal of Molecular Biology</i> , 2007, 368, 1087-1100.	4.2	35
46	RNA Unwinding Activity of the Hepatitis C Virus NS3 Helicase Is Modulated by the NS5B Polymerase. <i>Biochemistry</i> , 2008, 47, 1126-1135.	2.5	35
47	Intrinsic RNA Binding by the Eukaryotic Initiation Factor 4F Depends on a Minimal RNA Length but Not on the m7G Cap. <i>Journal of Biological Chemistry</i> , 2009, 284, 17742-17750.	3.4	34
48	Duplex Unwinding with DEAD-Box Proteins. <i>Methods in Molecular Biology</i> , 2009, 587, 245-264.	0.9	34
49	Small-molecule AgrA inhibitors F12 and F19 act as antivirulence agents against Gram-positive pathogens. <i>Scientific Reports</i> , 2018, 8, 14578.	3.3	32
50	Approaches for measuring the dynamics of RNA-protein interactions. <i>Wiley Interdisciplinary Reviews RNA</i> , 2020, 11, e1565.	6.4	32
51	Efficient Improvement of Hammerhead Ribozyme Mediated Cleavage of Long Substrates by Oligonucleotide Facilitators. <i>Biochemistry</i> , 1996, 35, 15313-15321.	2.5	28
52	AMP Sensing by DEAD-Box RNA Helicases. <i>Journal of Molecular Biology</i> , 2013, 425, 3839-3845.	4.2	28
53	A comparative study of small molecules targeting eIF4A. <i>Rna</i> , 2020, 26, 541-549.	3.5	27
54	DEAD-box RNA helicases Dbp2, Ded1 and Mss116 bind to G-quadruplex nucleic acids and destabilize G-quadruplex RNA. <i>Chemical Communications</i> , 2019, 55, 4467-4470.	4.1	26

#	ARTICLE	IF	CITATIONS
55	An Arabidopsis ATP-Dependent, DEAD-Box RNA Helicase Loses Activity upon IsoAsp Formation but Is Restored by PROTEIN ISOASPARTYL METHYLTRANSFERASE. <i>Plant Cell</i> , 2013, 25, 2573-2586.	6.6	25
56	The RNA helicase Mtr4p is a duplex-sensing translocase. <i>Nature Chemical Biology</i> , 2017, 13, 99-104.	8.0	23
57	The DEAD-box protein Dbp2p is linked to noncoding RNAs, the helicase Sen1p, and R-loops. <i>Rna</i> , 2018, 24, 1693-1705.	3.5	23
58	Mutational analysis of the yeast RNA helicase Sub2p reveals conserved domains required for growth, mRNA export, and genomic stability. <i>Rna</i> , 2013, 19, 1363-1371.	3.5	21
59	Analysis of the RNA Binding Specificity Landscape of C5 Protein Reveals Structure and Sequence Preferences that Direct RNase P Specificity. <i>Cell Chemical Biology</i> , 2016, 23, 1271-1281.	5.2	21
60	Unwinding Initiation by the Viral RNA Helicase NPH-II. <i>Journal of Molecular Biology</i> , 2012, 415, 819-832.	4.2	19
61	Adaptive translational pausing is a hallmark of the cellular response to severe environmental stress. <i>Molecular Cell</i> , 2021, 81, 4191-4208.e8.	9.7	18
62	Oligonucleotide facilitators enable a hammerhead ribozyme to cleave long RNA substrates with multiple-turnover activity. <i>FEBS Journal</i> , 1998, 254, 129-134.	0.2	16
63	RNA Helicases: Versatile ATP-Driven Nanomotors. <i>Journal of Nanoscience and Nanotechnology</i> , 2005, 5, 1983-1989.	0.9	15
64	Duplex Unwinding and RNP Remodeling With RNA Helicases. <i>Methods in Molecular Biology</i> , 2008, 488, 343-355.	0.9	14
65	The contribution of the C5 protein subunit of <i>Escherichia coli</i> ribonuclease P to specificity for precursor tRNA is modulated by proximal 5' leader sequences. <i>Rna</i> , 2017, 23, 1502-1511.	3.5	12
66	Mapping specificity landscapes of RNA-protein interactions by high throughput sequencing. <i>Methods</i> , 2017, 118-119, 111-118.	3.8	11
67	Function of Auxiliary Domains of the DEAH/RHA Helicase DHX36 in RNA Remodeling. <i>Journal of Molecular Biology</i> , 2020, 432, 2217-2231.	4.2	11
68	Optimization of high-throughput sequencing kinetics for determining enzymatic rate constants of thousands of RNA substrates. <i>Analytical Biochemistry</i> , 2016, 510, 1-10.	2.4	10
69	Determination of the Specificity Landscape for Ribonuclease P Processing of Precursor tRNA 5' Leader Sequences. <i>ACS Chemical Biology</i> , 2016, 11, 2285-2292.	3.4	10
70	Binding of a viral IRES to the 40S subunit occurs in two successive steps mediated by eS25. <i>Nucleic Acids Research</i> , 2020, 48, 8063-8073.	14.5	9
71	G-quadruplex DNA inhibits unwinding activity but promotes liquid-liquid phase separation by the DEAD-box helicase Ded1p. <i>Chemical Communications</i> , 2021, 57, 7445-7448.	4.1	9
72	Analysis of Duplex Unwinding by RNA Helicases Using Stopped-Flow Fluorescence Spectroscopy. <i>Methods in Enzymology</i> , 2012, 511, 1-27.	1.0	8

#	ARTICLE	IF	CITATIONS
73	A helicase links upstream ORFs and RNA structure. <i>Current Genetics</i> , 2019, 65, 453-456.	1.7	8
74	Substrate selectivity by the exonuclease Rrp6p. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 982-992.	7.1	8
75	Active and Passive Destabilization of G-Quadruplex DNA by the Telomere POT1-TPP1 Complex. <i>Journal of Molecular Biology</i> , 2021, 433, 166846.	4.2	7
76	Helicase Multitasking in Ribosome Assembly. <i>Molecular Cell</i> , 2009, 36, 537-538.	9.7	6
77	Indifferent chaperones. <i>Nature</i> , 2007, 449, 999-1000.	27.8	5
78	High throughput approaches to study RNA-protein interactions in vitro. <i>Methods</i> , 2020, 178, 3-10.	3.8	5
79	Helicase snaps back. <i>Nature</i> , 2005, 437, 1245-1245.	27.8	4
80	Alternative RNA degradation pathways by the exonuclease Pop2p from <i>Saccharomyces cerevisiae</i> . <i>Rna</i> , 2021, 27, 465-476.	3.5	3
81	Measuring the impact of cofactors on RNA helicase activities. <i>Methods</i> , 2022, 204, 376-385.	3.8	3
82	DDX41 Is a Tumor Suppressor Gene Associated with Inherited and Acquired Mutations. <i>Blood</i> , 2014, 124, 125-125.	1.4	1
83	From exotic to exciting. <i>Rna</i> , 2015, 21, 655-656.	3.5	0
84	Kinetics of RNA-protein interactions in cells. <i>Trends in Biochemical Sciences</i> , 2021, 46, 861-862.	7.5	0
85	Effect of pre-miRNA 5' leader sequence variation on the thermodynamic coupling and shared molecular recognition between RNA and protein components of RNase P. <i>FASEB Journal</i> , 2013, 27, 777.2.	0.5	0
86	STEM-08. PLATELETS DRIVES GLIOBLASTOMA ONCOGENESIS BY ENHANCING THE GLIOMA STEM CELL PHENOTYPE. <i>Neuro-Oncology</i> , 2020, 22, ii198-ii198.	1.2	0
87	STEM-04. PLATELETS DRIVE GLIOBLASTOMA ONCOGENESIS BY ENHANCING THE GLIOMA STEM CELL PHENOTYPE. <i>Neuro-Oncology</i> , 2020, 22, ii197-ii197.	1.2	0