

Caroline Saucier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1282704/publications.pdf>

Version: 2024-02-01

39
papers

1,293
citations

394421

19
h-index

361022

35
g-index

39
all docs

39
docs citations

39
times ranked

2001
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypoxia Downregulates LPP3 and Promotes the Spatial Segregation of ATX and LPP1 During Cancer Cell Invasion. <i>Cancers</i> , 2019, 11, 1403.	3.7	11
2	Dissecting Oncogenic RTK Pathways in Colorectal Cancer Initiation and Progression. <i>Methods in Molecular Biology</i> , 2018, 1765, 27-42.	0.9	4
3	Radiation-induced lung metastasis development is MT1-MMP-dependent in a triple-negative breast cancer mouse model. <i>British Journal of Cancer</i> , 2017, 116, 479-488.	6.4	16
4	Caspase-mediated proteolysis of the sorting nexin 2 disrupts retromer assembly and potentiates Met/hepatocyte growth factor receptor signaling. <i>Cell Death Discovery</i> , 2017, 3, 16100.	4.7	12
5	Induction of interleukin-1 β by mouse mammary tumor irradiation promotes triple negative breast cancer cells invasion and metastasis development. <i>International Journal of Radiation Biology</i> , 2017, 93, 507-516.	1.8	14
6	Caspases play in traffic. <i>Cell Death and Disease</i> , 2017, 8, e2636-e2636.	6.3	3
7	Expression of SOCS1 and the downstream targets of its putative tumor suppressor functions in prostate cancer. <i>BMC Cancer</i> , 2017, 17, 157.	2.6	17
8	SOCS1 inhibits migration and invasion of prostate cancer cells, attenuates tumor growth and modulates the tumor stroma. <i>Prostate Cancer and Prostatic Diseases</i> , 2017, 20, 36-47.	3.9	11
9	Attenuation of MET-mediated migration and invasion in hepatocellular carcinoma cells by SOCS1. <i>World Journal of Gastroenterology</i> , 2017, 23, 6639-6649.	3.3	19
10	Abstract LB-018: Cleavage of SNX2 protein by initiator caspases promotes hepatocyte growth factor (MET) receptor tyrosine kinase signaling. , 2017, , .		0
11	Stimulation of triple negative breast cancer cell migration and metastases formation is prevented by chloroquine in a pre-irradiated mouse model. <i>BMC Cancer</i> , 2016, 16, 361.	2.6	21
12	Non-canonical dynamic mechanisms of interaction between the p66Shc protein and Met receptor. <i>Biochemical Journal</i> , 2016, 473, 1617-1627.	3.7	3
13	NLRC5 elicits antitumor immunity by enhancing processing and presentation of tumor antigens to CD8 ⁺ T lymphocytes. <i>Oncoimmunology</i> , 2016, 5, e1151593.	4.6	62
14	SOCS1 in cancer: An oncogene and a tumor suppressor. <i>Cytokine</i> , 2016, 82, 87-94.	3.2	47
15	Suppressor of cytokine signaling 1-dependent regulation of the expression and oncogenic functions of p21CIP1/WAF1 in the liver. <i>Oncogene</i> , 2016, 35, 4200-4211.	5.9	46
16	Tumour-promoting role of SOCS1 in colorectal cancer cells. <i>Scientific Reports</i> , 2015, 5, 14301.	3.3	28
17	Regulation of MET receptor tyrosine kinase signaling by suppressor of cytokine signaling 1 in hepatocellular carcinoma. <i>Oncogene</i> , 2015, 34, 5718-5728.	5.9	43
18	Met receptor-induced Grb2 or Shc signals both promote transformation of intestinal epithelial cells, albeit they are required for distinct oncogenic functions. <i>BMC Cancer</i> , 2014, 14, 240.	2.6	18

#	ARTICLE	IF	CITATIONS
19	The Adaptor Proteins p66Shc and Grb2 Regulate the Activation of the GTPases ARF1 and ARF6 in Invasive Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 5687-5703.	3.4	50
20	Regulation of MET Receptor Signaling by SOCS1 and its Implications for Hepatocellular Carcinoma. <i>Current Pharmaceutical Design</i> , 2014, 20, 2922-2933.	1.9	10
21	Pre-irradiation of mouse mammary gland stimulates cancer cell migration and development of lung metastases. <i>British Journal of Cancer</i> , 2013, 109, 1829-1838.	6.4	45
22	1052 SOCS1 PROTECTS AGAINST THE ONCOGENIC POTENTIAL OF p21Cip1WAF IN THE LIVER. <i>Journal of Hepatology</i> , 2013, 58, S432.	3.7	0
23	65 SOCS1 NEGATIVELY REGULATES THE HEPATOCYTE GROWTH FACTOR RECEPTOR MET VIA UBIQUITINATION AND PROTEASOMAL DEGRADATION. <i>Journal of Hepatology</i> , 2012, 56, S29.	3.7	0
24	SOCS1 controls liver regeneration by regulating HGF signaling in hepatocytes. <i>Journal of Hepatology</i> , 2011, 55, 1300-1308.	3.7	50
25	The PTEN Phosphatase Controls Intestinal Epithelial Cell Polarity and Barrier Function: Role in Colorectal Cancer Progression. <i>PLoS ONE</i> , 2010, 5, e15742.	2.5	59
26	Oncogenic engagement of the Met receptor is sufficient to evoke angiogenic, tumorigenic, and metastatic activities in rat intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, G677-G686.	3.4	10
27	Epithelial Cell Signalling in Colorectal Cancer Metastasis. <i>Cancer Metastasis - Biology and Treatment</i> , 2010, , 205-241.	0.1	5
28	Constitutively active MEK1 is sufficient to induce epithelial to mesenchymal transition in intestinal epithelial cells and to promote tumor invasion and metastasis. <i>International Journal of Cancer</i> , 2009, 125, 1575-1586.	5.1	74
29	Gab1 but not Grb2 mediates tumor progression in Met overexpressing colorectal cancer cells. <i>Carcinogenesis</i> , 2008, 29, 647-655.	2.8	53
30	Oncogenic Met receptor induces ectopic structures in <i>Xenopus</i> embryos. <i>Oncogene</i> , 2006, 25, 4286-4299.	5.9	11
31	Oncogenic met receptor induces cell-cycle progression in <i>Xenopus</i> oocytes independent of direct Grb2 and Shc binding or mos synthesis, but requires phosphatidylinositol 3-kinase and raf signaling. <i>Journal of Cellular Physiology</i> , 2006, 207, 271-285.	4.1	7
32	Gab1 Is Required for Cell Cycle Transition, Cell Proliferation, and Transformation Induced by an Oncogenic Met Receptor. <i>Molecular Biology of the Cell</i> , 2006, 17, 3717-3728.	2.1	32
33	Met/Hepatocyte Growth Factor Receptor Ubiquitination Suppresses Transformation and Is Required for Hrs Phosphorylation. <i>Molecular and Cellular Biology</i> , 2005, 25, 9632-9645.	2.3	173
34	The Shc adaptor protein is critical for VEGF induction by Met/HGF and ErbB2 receptors and for early onset of tumor angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 2345-2350.	7.1	69
35	Grb2-independent Recruitment of Gab1 Requires the C-terminal Lobe and Structural Integrity of the Met Receptor Kinase Domain. <i>Journal of Biological Chemistry</i> , 2003, 278, 30083-30090.	3.4	45
36	Identification of an Endogenous 5-Hydroxytryptamine _{2A} Receptor in NIH-3T3 Cells: Agonist-Induced Down-Regulation Involves Decreases in Receptor RNA and Number. <i>Journal of Neurochemistry</i> , 2002, 68, 1998-2011.	3.9	22

#	ARTICLE	IF	CITATIONS
37	Use of signal specific receptor tyrosine kinase oncoproteins reveals that pathways downstream from Grb2 or Shc are sufficient for cell transformation and metastasis. <i>Oncogene</i> , 2002, 21, 1800-1811.	5.9	59
38	Endogenous serotonin-2A and -2C receptors in Balb/c-3T3 cells revealed in serotonin-free medium. <i>Biochemical Pharmacology</i> , 1998, 56, 1347-1357.	4.4	36
39	The 5-HT1A receptor: Signaling, desensitization, and gene transcription. <i>Neuropsychopharmacology</i> , 1996, 14, 19-25.	5.4	108