

Jee-Suk Chang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1285856/publications.pdf>

Version: 2024-02-01

122
papers

1,747
citations

304743

22
h-index

414414

32
g-index

127
all docs

127
docs citations

127
times ranked

2504
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of Lymphedema Following Contemporary Treatment for Breast Cancer. <i>Annals of Surgery</i> , 2021, 274, 170-178.	4.2	67
2	Long-term Survival Outcomes Following Internal Mammary Node Irradiation in Stage II-III Breast Cancer: Results of a Large Retrospective Study With 12-Year Follow-up. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 867-872.	0.8	58
3	Three-dimensional analysis of patterns of locoregional recurrence after treatment in breast cancer patients: Validation of the ESTRO consensus guideline on target volume. <i>Radiotherapy and Oncology</i> , 2017, 122, 24-29.	0.6	53
4	Clinical evaluation of atlas- and deep learning-based automatic segmentation of multiple organs and clinical target volumes for breast cancer. <i>Radiotherapy and Oncology</i> , 2020, 153, 139-145.	0.6	53
5	The deep inspiration breath hold technique using Abches reduces cardiac dose in patients undergoing left-sided breast irradiation. <i>Radiation Oncology Journal</i> , 2013, 31, 239.	1.5	52
6	Does Radiotherapy for the Primary Tumor Benefit Prostate Cancer Patients with Distant Metastasis at Initial Diagnosis?. <i>PLoS ONE</i> , 2016, 11, e0147191.	2.5	50
7	Patterns of regional recurrence after curative D2 resection for stage III (N3) gastric cancer: Implications for postoperative radiotherapy. <i>Radiotherapy and Oncology</i> , 2012, 104, 367-373.	0.6	48
8	Dose escalation in locally advanced pancreatic cancer patients receiving chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2017, 123, 438-445.	0.6	48
9	Preoperative Chemoradiotherapy Effects on Anastomotic Leakage After Rectal Cancer Resection. <i>Annals of Surgery</i> , 2014, 259, 516-521.	4.2	45
10	The Neutrophil-Lymphocyte Ratio and Platelet-Lymphocyte Ratio Are Prognostic Factors in Patients with Locally Advanced Pancreatic Cancer Treated with Chemoradiotherapy. <i>Gut and Liver</i> , 2018, 12, 342-352.	2.9	43
11	Mapping patterns of locoregional recurrence following contemporary treatment with radiation therapy for breast cancer: A multi-institutional validation study of the ESTRO consensus guideline on clinical target volume. <i>Radiotherapy and Oncology</i> , 2018, 126, 139-147.	0.6	42
12	Clinical Usefulness of 18F-Fluorodeoxyglucose-Positron Emission Tomography in Patients With Locally Advanced Pancreatic Cancer Planned to Undergo Concurrent Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 126-133.	0.8	41
13	Clinical Evaluation of Commercial Atlas-Based Auto-Segmentation in the Head and Neck Region. <i>Frontiers in Oncology</i> , 2019, 9, 239.	2.8	36
14	Hypofractionated Radiotherapy Dose Scheme and Application of New Techniques Are Associated to a Lower Incidence of Radiation Pneumonitis in Breast Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 124.	2.8	35
15	Clinical feasibility of deep learning-based auto-segmentation of target volumes and organs-at-risk in breast cancer patients after breast-conserving surgery. <i>Radiation Oncology</i> , 2021, 16, 44.	2.7	33
16	Effect of Radiotherapy Combined With Pembrolizumab on Local Tumor Control in Mucosal Melanoma Patients. <i>Frontiers in Oncology</i> , 2019, 9, 835.	2.8	32
17	Risk of Cardiac Disease in Patients With Breast Cancer: Impact of Patient-Specific Factors and Individual Heart Dose From Three-Dimensional Radiation Therapy Planning. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 473-481.	0.8	30
18	Therapeutic benefit of radiotherapy in huge (â‰¥10Âcm) unresectable hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 784-794.	3.9	26

#	ARTICLE	IF	CITATIONS
19	Atlas-based auto-segmentation for postoperative radiotherapy planning in endometrial and cervical cancers. <i>Radiation Oncology</i> , 2020, 15, 106.	2.7	26
20	Involved-field radiation therapy for recurrent ovarian cancer: Results of a multi-institutional prospective phase II trial. <i>Gynecologic Oncology</i> , 2018, 151, 39-45.	1.4	25
21	Incorporation of Radiotherapy in the Multidisciplinary Treatment of Isolated Retroperitoneal Lymph Node Recurrence from Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1520-1526.	1.5	24
22	Radiotherapy is a safe and effective salvage treatment for recurrent cervical cancer. <i>Gynecologic Oncology</i> , 2018, 151, 208-214.	1.4	24
23	Impact of Including Peritumoral Edema in Radiotherapy Target Volume on Patterns of Failure in Glioblastoma following Temozolomide-based Chemoradiotherapy. <i>Scientific Reports</i> , 2017, 7, 42148.	3.3	23
24	Bladder filling variations during concurrent chemotherapy and pelvic radiotherapy in rectal cancer patients: early experience of bladder volume assessment using ultrasound scanner. <i>Radiation Oncology Journal</i> , 2013, 31, 41.	1.5	23
25	Radiation-related heart disease after breast cancer radiation therapy in Korean women. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 249-257.	2.5	22
26	Does internal mammary node irradiation affect treatment outcome in clinical stage IIâ€“III breast cancer patients receiving neoadjuvant chemotherapy?. <i>Breast Cancer Research and Treatment</i> , 2015, 152, 589-599.	2.5	21
27	Influence of Radiation Dose to Reconstructed Breast Following Mastectomy on Complication in Breast Cancer Patients Undergoing Two-Stage Prosthetic Breast Reconstruction. <i>Frontiers in Oncology</i> , 2019, 9, 243.	2.8	21
28	Feasibility of Continual Deep Learning-Based Segmentation for Personalized Adaptive Radiation Therapy in Head and Neck Area. <i>Cancers</i> , 2021, 13, 702.	3.7	20
29	Evaluation of deep learning-based autosegmentation in breast cancer radiotherapy. <i>Radiation Oncology</i> , 2021, 16, 203.	2.7	20
30	Risk of cardiac disease after adjuvant radiation therapy among breast cancer survivors. <i>Breast</i> , 2019, 43, 48-54.	2.2	19
31	Defining the target volume for post-operative radiotherapy after D2 dissection in gastric cancer by CT-based vessel-guided delineation. <i>Radiotherapy and Oncology</i> , 2013, 108, 72-77.	0.6	18
32	Evaluating Variations of Bladder Volume Using an Ultrasound Scanner in Rectal Cancer Patients during Chemoradiation: Is Protocol-Based Full Bladder Maintenance Using a Bladder Scanner Useful to Maintain the Bladder Volume?. <i>PLoS ONE</i> , 2015, 10, e0128791.	2.5	18
33	Outcome of breast-conserving treatment for axillary lymph node metastasis from occult breast cancer with negative breast MRI. <i>Breast</i> , 2020, 49, 63-69.	2.2	18
34	Quantification of Risk Factors for Cervical Ossification of the Posterior Longitudinal Ligament in Korean Populations. <i>Spine</i> , 2019, 44, E957-E964.	2.0	17
35	Risk of Hypothyroidism in Women After Radiation Therapy for Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 462-472.	0.8	17
36	Do Recent Advances in Diagnostic and Therapeutic Procedures Negate the Benefit of Postmastectomy Radiotherapy in N1 Patients With a Low Risk of Locoregional Recurrence?. <i>Medicine (United States)</i> , 2015, 94, e1259.	1.0	16

#	ARTICLE	IF	CITATIONS
37	Survival outcomes of breast cancer patients with brain metastases: A multicenter retrospective study in Korea (KROC 16â€“12). <i>Breast</i> , 2020, 49, 41-47.	2.2	16
38	High-dose Helical Tomotherapy With Concurrent Full-dose Chemotherapy for Locally Advanced Pancreatic Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 1448-1454.	0.8	15
39	The Magnetic Resonance Imaging-Based Approach for Identification of High-Risk Patients With Upper Rectal Cancer. <i>Annals of Surgery</i> , 2014, 260, 293-298.	4.2	15
40	Validation and optimization of a web-based nomogram for predicting survival of patients with newly diagnosed glioblastoma. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 58-69.	2.0	14
41	Impact of radiation dose on complications among women with breast cancer who underwent breast reconstruction and post-mastectomy radiotherapy: A multi-institutional validation study. <i>Breast</i> , 2021, 56, 7-13.	2.2	14
42	Optimal Adjuvant Treatment for Curatively Resected Thoracic Esophageal Squamous Cell Carcinoma: A Radiotherapy Perspective. <i>Cancer Research and Treatment</i> , 2017, 49, 168-177.	3.0	14
43	Recursive partition analysis of peritoneal and systemic recurrence in patients with gastric cancer who underwent D2 gastrectomy: Implications for neoadjuvant therapy consideration. <i>Journal of Surgical Oncology</i> , 2016, 114, 859-864.	1.7	13
44	Evaluation of predictive factors of vertebral compression fracture after conventional palliative radiotherapy for spinal metastasis from colorectal cancer. <i>Journal of Neurosurgery: Spine</i> , 2018, 28, 333-340.	1.7	13
45	Treatment Outcomes of Re-irradiation in Locoregionally Recurrent Rectal Cancer and Clinical Significance of Proper Patient Selection. <i>Frontiers in Oncology</i> , 2019, 9, 529.	2.8	13
46	Use of bevacizumab before or after radiotherapy increases the risk of fistula formation in patients with cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 59-65.	2.5	13
47	Radiotherapy for initial clinically positive internal mammary nodes in breast cancer. <i>Radiation Oncology Journal</i> , 2019, 37, 91-100.	1.5	13
48	Medical student education through flipped learning and virtual rotations in radiation oncology during the COVID-19 pandemic: a cross sectional research. <i>Radiation Oncology</i> , 2021, 16, 204.	2.7	13
49	Tumor immune microenvironment in cancer patients with leukocytosis. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1265-1277.	4.2	12
50	&sup>18</sup>F-FDG/PET May Help to Identify a Subgroup of Patients with T1-T2 Breast Cancer and 1-3 Positive Lymph Nodes Who Are at a High Risk of Recurrence after Mastectomy. <i>Cancer Research and Treatment</i> , 2016, 48, 508-517.	3.0	12
51	¹⁸F-FDGâ€“PET predicts outcomes of treated bone metastasis following palliative radiotherapy in patients with hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 1118-1125.	3.9	11
52	Prognostic value of FDGâ€“PET volumetric parameters in patients with p16â€“positive oropharyngeal squamous cell carcinoma who received curative resection followed by postoperative radiotherapy or chemoradiotherapy. <i>Head and Neck</i> , 2016, 38, 1515-1524.	2.0	11
53	Differential Prognostic Impact of Strong PD-L1 Expression and 18F-FDG Uptake in Triple-negative Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018, 41, 1049-1057.	1.3	11
54	Hypofractionated volumetricâ€“modulated arc therapy for breast cancer: A propensityâ€“scoreâ€“weighted comparison of radiationâ€“related toxicity. <i>International Journal of Cancer</i> , 2021, 149, 149-157.	5.1	11

#	ARTICLE	IF	CITATIONS
55	Increased Radiosensitivity of Solid Tumors Harboring ATM and BRCA1/2 Mutations. <i>Cancer Research and Treatment</i> , 2022, 54, 54-64.	3.0	11
56	Male sex and Breslow thickness are important risk factors for recurrence of localized melanoma in Korean populations. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1071-1079.	1.2	10
57	A Retrospective Dosimetric Analysis of the New ESTRO-ACROP Target Volume Delineation Guidelines for Postmastectomy Volumetric Modulated Arc Therapy After Implant-Based Immediate Breast Reconstruction. <i>Frontiers in Oncology</i> , 2020, 10, 578921.	2.8	10
58	First Experience in Korea of Stereotactic Partial Breast Irradiation for Low-Risk Early-Stage Breast Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 672.	2.8	10
59	Dosimetric Comparison of Radiation Techniques for Comprehensive Regional Nodal Radiation Therapy for Left-Sided Breast Cancer: A Treatment Planning Study. <i>Frontiers in Oncology</i> , 2021, 11, 645328.	2.8	10
60	Involved-field radiation therapy for selected cases of recurrent ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e67.	2.2	10
61	Diabetic polyneuropathy and the risk of developing carpal tunnel syndrome: A nationwide, population-based study. <i>Muscle and Nerve</i> , 2020, 62, 208-213.	2.2	9
62	Irritable bowel syndrome and subsequent risk of Parkinson's disease: a nationwide population-based matched-cohort study. <i>Journal of Neurology</i> , 2022, 269, 1404-1412.	3.6	9
63	Re-irradiation Using Intensity-modulated Radiotherapy for Recurrent and Second Primary Head and Neck Cancer. <i>Anticancer Research</i> , 2018, 38, 3165-3173.	1.1	9
64	Chemoradiotherapy in squamous cell carcinoma of the anal canal: a single institution experience. <i>Radiation Oncology Journal</i> , 2013, 31, 25.	1.5	9
65	Cervical Lymph Node Involvement above the Supraclavicular Fossa in Breast Cancer: Comparison with Stage IIIC (KROG 18-02). <i>Journal of Breast Cancer</i> , 2020, 23, 194.	1.9	9
66	Ruthenium-106 Brachytherapy with or without Additional Local Therapy Shows Favorable Outcome for Variable-Sized Choroidal Melanomas in Korean Patients. <i>Cancer Research and Treatment</i> , 2018, 50, 138-147.	3.0	9
67	Prognosis of patients with axillary lymph node metastases from occult breast cancer: analysis of multicenter data. <i>Radiation Oncology Journal</i> , 2021, 39, 107-112.	1.5	8
68	Internal mammary node irradiation in node-positive breast cancer treated with mastectomy and taxane-based chemotherapy. <i>Breast</i> , 2021, 59, 37-43.	2.2	8
69	Kallikrein 5 overexpression is associated with poor prognosis in uterine cervical cancer. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e78.	2.2	8
70	Validation of a nomogram for predicting the risk of lymphedema following contemporary treatment for breast cancer: a large multi-institutional study (KROG 20-05). <i>Breast Cancer Research and Treatment</i> , 2022, 192, 553-561.	2.5	8
71	Impact of p16 expression in oropharyngeal cancer in the postoperative setting: the necessity of re-evaluating traditional risk stratification. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 911-918.	1.3	7
72	Mapping of lateral pelvic lymph node recurrences in rectal cancer: a radiation oncologist's perspective. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1119-1128.	2.5	7

#	ARTICLE	IF	CITATIONS
73	Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019, 140, 143-149.	0.6	7
74	Postoperative adjuvant chemoradiotherapy in D2-dissected gastric cancer: Is radiotherapy necessary after D2-dissection?. <i>World Journal of Gastroenterology</i> , 2014, 20, 12900.	3.3	7
75	Post-mastectomy radiation therapy in breast reconstruction: a patterns of care study of the Korean Radiation Oncology Group. <i>Radiation Oncology Journal</i> , 2020, 38, 236-243.	1.5	7
76	Clinical Outcomes of Immune Checkpoint Blocker Therapy for Malignant Melanoma in Korean Patients: Potential Clinical Implications for a Combination Strategy Involving Radiotherapy. <i>Cancer Research and Treatment</i> , 2020, 52, 730-738.	3.0	7
77	Comparison of clinical outcomes between carbon ion radiotherapy and X-ray radiotherapy for reirradiation in locoregional recurrence of rectal cancer. <i>Scientific Reports</i> , 2022, 12, 1845.	3.3	7
78	Association of neutrophil-to-lymphocyte ratio, radiotherapy fractionation/technique, and risk of development of distant metastasis among patients with locally advanced rectal cancer. <i>Radiation Oncology</i> , 2022, 17, .	2.7	7
79	Automated coronary artery calcium scoring in patients with breast cancer to assess the risk of heart disease following adjuvant radiation therapy. <i>Breast</i> , 2022, 65, 77-83.	2.2	7
80	Risk stratification of abdominopelvic failure for FIGO stage III epithelial ovarian cancer patients: implications for adjuvant radiotherapy. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 146.	2.2	6
81	The mortality rate of Parkinson's disease and related comorbidities: a nationwide population-based matched cohort study in Korea. <i>Age and Ageing</i> , 2021, 50, 1182-1188.	1.6	6
82	Effects of socioeconomic status on mortality after Parkinson's disease: A nationwide population-based matched cohort study in Korean populations. <i>Parkinsonism and Related Disorders</i> , 2020, 80, 206-211.	2.2	6
83	Hip Fracture in Patients with Parkinson's Disease and Related Mortality: A Population-Based Study in Korea. <i>Gerontology</i> , 2021, 67, 544-553.	2.8	6
84	Abscopal effect after palliative five-fraction radiation therapy on bone and lymph node metastases from luminal B breast cancer: a case report and clinical implications for palliative radiation therapy. <i>Radiation Oncology Journal</i> , 2021, 39, 139-144.	1.5	6
85	Prediction of Immune-Checkpoint Blockade Monotherapy Response in Patients With Melanoma Based on Easily Accessible Clinical Indicators. <i>Frontiers in Oncology</i> , 2021, 11, 659754.	2.8	6
86	Prognostic impact of neutrophilia and lymphopenia on survival in anal cancer treated with definitive concurrent chemoradiotherapy: a retrospective multicenter study. <i>International Journal of Clinical Oncology</i> , 2022, 27, 553-562.	2.2	6
87	Full-Dose Gemcitabine Is a More Effective Chemotherapeutic Agent Than 5-Fluorouracil for Concurrent Chemoradiotherapy as First-Line Treatment in Locally Advanced Pancreatic Cancer. <i>Chemotherapy</i> , 2014, 60, 191-199.	1.6	5
88	Trends in the Application of Postmastectomy Radiotherapy for Breast Cancer With 1 to 3 Positive Axillary Nodes and Tumors ≥ 5 cm in the Modern Treatment Era. <i>Medicine (United States)</i> , 2016, 95, e3592.	1.0	5
89	Upfront radical surgery with total mesorectal excision followed by adjuvant FOLFOX chemotherapy for locally advanced rectal cancer (TME-FOLFOX): an open-label, multicenter, phase II randomized controlled trial. <i>Trials</i> , 2020, 21, 320.	1.6	5
90	New brain metastases after whole-brain radiotherapy of initial brain metastases in breast cancer patients: the significance of molecular subtypes (KROG 16-12). <i>Breast Cancer Research and Treatment</i> , 2021, 186, 453-462.	2.5	5

#	ARTICLE	IF	CITATIONS
91	Outcome of radiotherapy for clinically overt metastasis to the internal mammary lymph node in patients receiving neoadjuvant chemotherapy and breast cancer surgery. <i>Breast</i> , 2021, 55, 112-118.	2.2	5
92	External validation of IBTR! 2.0 nomogram for prediction of ipsilateral breast tumor recurrence. <i>Radiation Oncology Journal</i> , 2018, 36, 139-146.	1.5	5
93	Patterns of Care for Radiotherapy in the Neoadjuvant and Adjuvant Treatment of Gastric Cancer: A Twelve-Year Nationwide Cohort Study in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 118-128.	3.0	5
94	A novel gene signature associated with poor response to chemoradiotherapy in patients with locally advanced cervical cancer. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	2.2	5
95	Synthetic contrast-enhanced computed tomography generation using a deep convolutional neural network for cardiac substructure delineation in breast cancer radiation therapy: a feasibility study. <i>Radiation Oncology</i> , 2022, 17, 83.	2.7	5
96	Reduced pelvic field sparing anastomosis for postoperative radiotherapy in selected patients with midâ€“upper rectal cancer. <i>Journal of Radiation Research</i> , 2017, 58, 559-566.	1.6	4
97	Effects of diabetes mellitus on the rate of carpal tunnel release in patients with carpal tunnel syndrome. <i>Scientific Reports</i> , 2021, 11, 15858.	3.3	4
98	Role of Preoperative Chemoradiotherapy in Clinical Stage II/III Rectal Cancer Patients Undergoing Total Mesorectal Excision: A Retrospective Propensity Score Analysis. <i>Frontiers in Oncology</i> , 2020, 10, 609313.	2.8	4
99	Impact of Oncotype DX Recurrence Score on the Patterns of Locoregional Recurrence in Breast Cancer (Korean Radiation Oncology Group 19-06). <i>Journal of Breast Cancer</i> , 2020, 23, 314.	1.9	4
100	Cancer Therapy-Related Cardiac Dysfunction in Patients Treated with a Combination of an Immune Checkpoint Inhibitor and Doxorubicin. <i>Cancers</i> , 2022, 14, 2320.	3.7	4
101	Hypofractionated Radiotherapy With Volumetric Modulated Arc Therapy Decreases Postoperative Complications in Prosthetic Breast Reconstructions: A Clinicopathologic Study. <i>Frontiers in Oncology</i> , 2020, 10, 577136.	2.8	3
102	Postmastectomy Radiation Therapy for Node-Negative Breast Cancer of 5 cm or Larger Tumors: A Multicenter Retrospective Analysis (KROG 20-03). <i>Cancer Research and Treatment</i> , 2022, 54, 497-504.	3.0	3
103	Vertebral compression fractures after spine irradiation using conventional fractionation in patients with metastatic colorectal cancer. <i>Radiation Oncology Journal</i> , 2014, 32, 221.	1.5	3
104	Simple calculation using anatomical features on pre-treatment verification CT for bladder volume estimation during radiation therapy for rectal cancer. <i>BMC Cancer</i> , 2020, 20, 942.	2.6	3
105	Metastasis-Directed Radiotherapy for Oligopersistent or Oligopersistent Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2022, 21, e78-e86.	2.3	3
106	Feasibility and Outcomes of Hypofractionated Simultaneous Integrated Boost-Intensity Modulated Radiotherapy for Malignant Gliomas: A Preliminary Report. <i>Yonsei Medical Journal</i> , 2014, 55, 70.	2.2	2
107	In Regard to Cahlon etÂal. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 1298-1299.	0.8	2
108	Comparison of Dose Distribution in Regional Lymph Nodes in Whole-Breast Radiotherapy vs. Whole-Breast Plus Regional Lymph Node Irradiation: An In Silico Planning Study in Participating Institutions of the Phase III Randomized Trial (KROG 1701). <i>Cancers</i> , 2020, 12, 3261.	3.7	2

#	ARTICLE	IF	CITATIONS
109	Upfront chemotherapy and short-course radiotherapy with delayed surgery for locally advanced rectal cancer with synchronous liver metastases. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2814-2820.	1.0	2
110	Reply to the Letter to the Editor by Vargo et al.. <i>Radiotherapy and Oncology</i> , 2017, 123, 485.	0.6	1
111	In Regard to Borm etÂal. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 778-779.	0.8	1
112	In Regard to Naoum etÂal. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 223.	0.8	1
113	A prospective comparative study of radiotherapy effect upon scar quality. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, 74, 1801-1806.	1.0	1
114	Morphologic change of rectosigmoid colon using belly board and distended bladder protocol. <i>Radiation Oncology Journal</i> , 2015, 33, 134.	1.5	1
115	Need to Pay More Attention to Attendance at Follow-Up Consultation after Cancer Screening in Smokers and Drinkers. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 109-117.	1.2	1
116	Novel prognostic classification predicts overall survival of patients receiving salvage whole-brain radiotherapy for recurrent brain metastasis from breast cancer: A recursive partitioning analysis (KROG 16-12). <i>Breast</i> , 2021, 60, 272-278.	2.2	1
117	Heart-Sparing Capability and Positional Reproducibility of Continuous Positive Airway Pressure in Left-Sided Breast Radiation Therapy. <i>Practical Radiation Oncology</i> , 2022, 12, e368-e375.	2.1	1
118	The Pattern of Care for Brain Metastasis from Breast Cancer over the Past 10 Years in Korea: A Multicenter Retrospective Study (KROG 16-12). <i>Cancer Research and Treatment</i> , 2022, 54, 1121-1129.	3.0	1
119	Multicenter study for brain metastasis from breast cancer in Korea: The significance of molecular subtype (Korean Radiation Oncology Group 1612).. <i>Journal of Clinical Oncology</i> , 2021, 39, e14008-e14008.	1.6	0
120	Chondroradionecrosis of the trachea after definitive radiotherapy for cervical esophageal cancer: A case report. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04622.	0.5	0
121	Development of a Margin Determination Framework for Tumor-Tracking Radiation Therapy With Intraoperatively Implanted Fiducial Markers. <i>Frontiers in Oncology</i> , 2021, 11, 753246.	2.8	0
122	Abstract P1-21-01: Multicenter study for brain metastasis from breast cancer in Korea: The significance of molecular subtype (KROG 1612). <i>Cancer Research</i> , 2022, 82, P1-21-01-P1-21-01.	0.9	0