Cheol Keun Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1287640/publications.pdf

Version: 2024-02-01

567281 610901 32 630 15 24 citations h-index g-index papers 32 32 32 1294 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	In-depth <i>N</i> -glycome profiling of paired colorectal cancer and non-tumorigenic tissues reveals cancer-, stage- and EGFR-specific protein N-glycosylation. Glycobiology, 2015, 25, 1064-1078.	2.5	74
2	External validation of chemotherapy response score system for histopathological assessment of tumor regression after neoadjuvant chemotherapy in tubo-ovarian high-grade serous carcinoma. Journal of Gynecologic Oncology, 2017, 28, e73.	2.2	58
3	Expression of cancer-associated fibroblast-related proteins differs between invasive lobular carcinoma and invasive ductal carcinoma. Breast Cancer Research and Treatment, 2016, 159, 55-69.	2.5	49
4	NADPH Oxidase 1 Activity and ROS Generation Are Regulated by Grb2/Cbl-Mediated Proteasomal Degradation of NoxO1 in Colon Cancer Cells. Cancer Research, 2016, 76, 855-865.	0.9	42
5	Clinicopathological significance of intratumoral and peritumoral lymphocytes and lymphocyte score based on the histologic subtypes of cutaneous melanoma. Oncotarget, 2017, 8, 14759-14769.	1.8	39
6	Role of LOXL2 in the epithelial-mesenchymal transition and colorectal cancer metastasis. Oncotarget, 2017, 8, 80325-80335.	1.8	36
7	Quantitative proteomic analysis of paired colorectal cancer and non-tumorigenic tissues reveals signature proteins and perturbed pathways involved in CRC progression and metastasis. Journal of Proteomics, 2015, 126, 54-67.	2.4	34
8	Histologic purity of signet ring cell carcinoma is a favorable risk factor for lymph node metastasis in poorly cohesive, submucosa-invasive early gastric carcinoma. Gastric Cancer, 2017, 20, 583-590.	5.3	34
9	Pathologic Evaluation of Breast Cancer after Neoadjuvant Therapy. Journal of Pathology and Translational Medicine, 2016, 50, 173-180.	1.1	33
10	Clinicopathologic Features and Molecular Characteristics of Glucose Metabolism Contributing to $\hat{A}^1\hat{a}_{\uparrow}$ F-fluorodeoxyglucose Uptake in Gastrointestinal Stromal Tumors. PLoS ONE, 2015, 10, e0141413.	2.5	25
11	Relationship Between the Size of Metastatic Lymph Nodes and Positron Emission Tomographic/Computer Tomographic Findings in Patients with Esophageal Squamous Cell Carcinoma. World Journal of Surgery, 2015, 39, 2948-2954.	1.6	21
12	Comprehensive Immunoprofiles of Renal Cell Carcinoma Subtypes. Cancers, 2020, 12, 602.	3.7	21
13	Hyalinizing trabecular tumor of the thyroid: diagnosis of a rare tumor using ultrasonography, cytology, and intraoperative frozen sections. Ultrasonography, 2016, 35, 131-139.	2.3	19
14	Stromal p16 expression is significantly increased in malignant ovarian neoplasms. Oncotarget, 2016, 7, 64665-64673.	1.8	19
15	Clinicopathological and immunohistochemical characterization of papillary proliferation of the endometrium: A single institutional experience. Oncotarget, 2016, 7, 39197-39206.	1.8	16
16	Receptor tyrosine kinase amplified gastric cancer: Clinicopathologic characteristics and proposed screening algorithm. Oncotarget, 2016, 7, 72099-72112.	1.8	16
17	Clinicopathological Characteristics of Ovarian Sclerosing Stromal Tumor with an Emphasis on TFE3 Overexpression., 2017, 37, 5441-5447.		14
18	Malignant lymphoma arising in cardiac myxoma, presenting with peripheral arterial emboli. Cardiovascular Pathology, 2018, 32, 26-29.	1.6	13

#	Article	IF	Citations
19	Sustained Mutant KIT Activation in the Golgi Complex Is Mediated by PKC-Î, in Gastrointestinal Stromal Tumors. Clinical Cancer Research, 2017, 23, 845-856.	7.0	12
20	Clinicopathological Characteristics of Squamous Cell Carcinoma and High-grade Squamous Intraepithelial Lesions Involving Endocervical Polyps. In Vivo, 2020, 34, 2613-2621.	1.3	10
21	HoxB13 expression in ductal type adenocarcinoma of prostate: clinicopathologic characteristics and its utility as potential diagnostic marker. Scientific Reports, 2019, 9, 20205.	3.3	9
22	Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 305-312.	2.8	8
23	Clinicopathological characteristics of KIT and protein kinase $C\hat{a}\in \hat{f}'$ expression in adenoid cystic carcinoma: comparison with chromophobe renal cell carcinoma and gastrointestinal stromal tumour. Histopathology, 2017, 71, 529-542.	2.9	6
24	Diagnostic algorithm for determining primary tumor sites using peritoneal fluid. PLoS ONE, 2018, 13, e0199715.	2.5	6
25	A Case of Paradoxical Reaction after Treatment of Eyelid Tuberculosis. Korean Journal of Ophthalmology: KJO, 2014, 28, 493.	1.1	5
26	Revisiting extraprostatic extension based on invasion depth and number for new algorithm for substaging of pT3a prostate cancer. Scientific Reports, 2021, 11, 13952.	3.3	5
27	Ferroportin and FBXL5 as Prognostic Markers in Advanced Stage Clear Cell Renal Cell Carcinoma. Cancer Research and Treatment, 2021, 53, 1174-1183.	3.0	2
28	Differences in genomic profile of high-grade urothelial carcinoma according to tumor location. Urologic Oncology: Seminars and Original Investigations, 2022, 40, 109.e1-109.e9.	1.6	2
29	Lipid cell variant of urothelial carcinoma of the kidney with synchronous metastasis to tubular adenoma. Pathology, 2016, 48, 388-390.	0.6	1
30	HNF- $1\hat{l}^2$ as an immunohistochemical marker for distinguishing chromophobe renal cell carcinoma and hybrid oncocytic tumors from renal oncocytoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 478, 459-470.	2.8	1
31	A Case of Surgical Management for Orbital Organizing Hematoma from Orbital Varix. Journal of Korean Ophthalmological Society, 2015, 56, 1640.	0.2	O
32	Soft Tissue Roasi-Dorfman Disease with Features of IgG4-Related Disease in a Patient with a History of Acute Myeloid Leukemia. Journal of Pathology and Translational Medicine, 2016, 50, 246-249.	1.1	0