

Juergen Geist

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1292022/publications.pdf>

Version: 2024-02-01

245
papers

8,965
citations

50276

46
h-index

69250

77
g-index

257
all docs

257
docs citations

257
times ranked

7305
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydropeaking impairs upstream salmonid spawning habitats in a restored Danube tributary. <i>River Research and Applications</i> , 2023, 39, 389-400.	1.7	6
2	Water level induced changes of habitat quality determine fish community composition in restored and modified riverbanks of a large alpine river. <i>International Review of Hydrobiology</i> , 2022, 107, 46-59.	0.9	8
3	Ecological Indicators for Surface Water Quality - Methodological Approaches to Fish Community Assessments in China and Germany. <i>Terrestrial Environmental Sciences</i> , 2022, , 47-67.	0.5	0
4	Genome-Wide Reconstruction of Rediploidization Following Autopolyploidization across One Hundred Million Years of Salmonid Evolution. <i>Molecular Biology and Evolution</i> , 2022, 39, .	8.9	24
5	Nutrient and fine sediment loading from fish pond drainage to pearl mussel streams – Management implications for highly valuable stream ecosystems. <i>Journal of Environmental Management</i> , 2022, 302, 113987.	7.8	9
6	Impacts of native and invasive crayfish on three native and one invasive freshwater mussel species. <i>Freshwater Biology</i> , 2022, 67, 389-403.	2.4	9
7	A global agenda for advancing freshwater biodiversity research. <i>Ecology Letters</i> , 2022, 25, 255-263.	6.4	95
8	Comparative assessment of hydropower risks for fishes using the novel European fish hazard Index. <i>Sustainable Energy Technologies and Assessments</i> , 2022, 51, 101906.	2.7	0
9	Assessment of Aquatic Reed Stands from Airborne Photogrammetric 3K Data. <i>Remote Sensing</i> , 2022, 14, 337.	4.0	0
10	Distribution and potential impacts of non-native Chinese pond mussels <i>Sinanodonta woodiana</i> (Lea.) Tj ETQq0 0 0 rgeBT /Overlock 10 Tf	2.4	9
11	Restoring Rivers and Floodplains for Habitat and Flood Risk Reduction: Experiences in Multi-Benefit Floodplain Management From California and Germany. <i>Frontiers in Environmental Science</i> , 2022, 9, .	3.3	37
12	Signs of the times: Isotopic signature changes in several fish species following invasion of Lake Constance by quagga mussels. <i>Journal of Great Lakes Research</i> , 2022, 48, 746-755.	1.9	4
13	Immunohistochemical Detection of Various Proteoglycans in the Extracellular Matrix of Zebra Mussels. <i>Fishes</i> , 2022, 7, 74.	1.7	1
14	Disrupted biomineralization in zebra mussels after exposure to bisphenol-A: Potential implications for molar-incisor hypomineralization. <i>Dental Materials</i> , 2022, 38, 689-699.	3.5	1
15	Effects of Stream Thermal Variability on Macroinvertebrate Community: Emphasis on Native Versus Non-Native Gammarid Species. <i>Frontiers in Environmental Science</i> , 2022, 10, .	3.3	6
16	Dietary exposure to four sizes of spherical polystyrene, polylactide and silica nanoparticles does not affect mortality, behaviour, feeding and energy assimilation of <i>Gammarus roeseli</i> . <i>Ecotoxicology and Environmental Safety</i> , 2022, 238, 113581.	6.0	2
17	Diatom Red List Species Reveal High Conservation Value and Vulnerability of Mountain Lakes. <i>Diversity</i> , 2022, 14, 389.	1.7	3
18	Spatio-Temporal Monitoring of Benthic Anatoxin-a-Producing <i>Tychonema</i> sp. in the River Lech, Germany. <i>Toxins</i> , 2022, 14, 357.	3.4	5

#	ARTICLE	IF	CITATIONS
19	Experimental comparison of fish mortality and injuries at innovative and conventional small hydropower plants. <i>Journal of Applied Ecology</i> , 2022, 59, 2360-2372.	4.0	14
20	Impacts and Risks of Hydropower. , 2022, , 41-60.		3
21	Influence of stream characteristics and population size on downstream transport of freshwater mollusk environmental DNA. <i>Freshwater Science</i> , 2021, 40, 191-201.	1.8	19
22	Cryptic alternative male mating strategies in invasive alien round goby (<i>Neogobius melanostomus</i>) of the upper Danube River. <i>Biological Invasions</i> , 2021, 23, 381-385.	2.4	6
23	Sneaker, Dweller and Commuter: Evaluating Fish Behavior in Net-Based Monitoring at Hydropower Plantsâ€”A Case Study on Brown Trout (<i>Salmo trutta</i>). <i>Sustainability</i> , 2021, 13, 669.	3.2	0
24	The Crown Pearl: a draft genome assembly of the European freshwater pearl mussel <i>Margaritifera margaritifera</i> (Linnaeus, 1758). <i>DNA Research</i> , 2021, 28, .	3.4	15
25	The role of anthropogenic habitats in freshwater mussel conservation. <i>Global Change Biology</i> , 2021, 27, 2298-2314.	9.5	24
26	Moving Toward Standardized Toxicity Testing Procedures with Particulates by Dietary Exposure of Gammarids. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 1463-1476.	4.3	3
27	Effect of fish pond drainage on turbidity, suspended solids, fine sediment deposition and nutrient concentration in receiving pearl mussel streams. <i>Environmental Pollution</i> , 2021, 274, 116520.	7.5	11
28	Integration of Constructed Floodplain Ponds into Nature-Like Fish Passes Supports Fish Diversity in a Heavily Modified Water Body. <i>Water (Switzerland)</i> , 2021, 13, 1018.	2.7	7
29	Assessing Stream Thermal Heterogeneity and Cold-Water Patches from UAV-Based Imagery: A Matter of Classification Methods and Metrics. <i>Remote Sensing</i> , 2021, 13, 1379.	4.0	20
30	The <i>HydroEcoSedimentary</i> tool: An integrated approach to characterise interstitial hydro-sedimentary and associated ecological processes. <i>River Research and Applications</i> , 2021, 37, 988-1002.	1.7	4
31	Algal Community Change in Mountain Lakes of the Alps Reveals Effects of Climate Warming and Shifting Treelines ¹ . <i>Journal of Phycology</i> , 2021, 57, 1266-1283.	2.3	11
32	Effects of water temperature on glochidium viability of <i>Unio crassus</i> and <i>Sinanodonta woodiana</i> : implications for conservation, management and captive breeding. <i>Journal of Molluscan Studies</i> , 2021, 87, .	1.2	13
33	Unravelling climate change impacts from other anthropogenic influences in a subalpine lake: a multi-proxy sediment study from Oberer Soiernsee (Northern Alps, Germany). <i>Hydrobiologia</i> , 2021, 848, 4285-4309.	2.0	6
34	Lake-stream transition zones support hotspots of freshwater ecosystem services: Evidence from a 35-year study on unionid mussels. <i>Science of the Total Environment</i> , 2021, 774, 145114.	8.0	9
35	SEM images reveal intraspecific differences in egg surface properties of common nase (<i>Barbus haasi</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1 0.7		2
36	Editorial: Green or red: Challenges for fish and freshwater biodiversity conservation related to hydropower. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 1551-1558.	2.0	41

#	ARTICLE	IF	CITATIONS
37	Feeding Ecology of Invasive Three-Spined Stickleback (<i>Gasterosteus aculeatus</i>) in Relation to Native Juvenile Eurasian Perch (<i>Perca fluviatilis</i>) in the Pelagic Zone of Upper Lake Constance. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	8
38	Going with the flow: Spatio-temporal drift patterns of larval fish in a large alpine river. <i>Freshwater Biology</i> , 2021, 66, 1765-1781.	2.4	16
39	Securing genetic integrity in freshwater pearl mussel propagation and captive breeding. <i>Scientific Reports</i> , 2021, 11, 16019.	3.3	11
40	Environmental threats and conservation implications for Atlantic salmon and brown trout during their critical freshwater phases of spawning, egg development and juvenile emergence. <i>Fisheries Management and Ecology</i> , 2021, 28, 437-467.	2.0	19
41	The hunter and the hunted – A 3D analysis of predator-prey interactions between three-spined sticklebacks (<i>Gasterosteus aculeatus</i>) and larvae of different prey fishes. <i>PLoS ONE</i> , 2021, 16, e0256427.	2.5	3
42	What evidence exists for evaluating the effectiveness of conservation-oriented captive breeding and release programs for imperilled freshwater fishes and mussels? ¹ . <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2021, 78, 1332-1346.	1.4	14
43	Transfer and transformations of oxygen in rivers as catchment reflectors of continental landscapes: A review. <i>Earth-Science Reviews</i> , 2021, 220, 103729.	9.1	16
44	Wasted effort or promising approach – Does it make sense to build an engineered spawning ground for rheophilic fish in reservoir cascades?. <i>Ecological Engineering</i> , 2021, 173, 106434.	3.6	5
45	Revisiting global trends in freshwater insect biodiversity. <i>Wiley Interdisciplinary Reviews: Water</i> , 2021, 8, e1506.	6.5	34
46	Negative effects of parasite exposure and variable thermal stress on brown trout (<i>Salmo trutta</i>) under future climatic and hydropower production scenarios. <i>Climate Change Ecology</i> , 2021, 2, 100039.	1.9	4
47	Assessment of Neural Networks for Stream-Water-Temperature Prediction. , 2021, , .		2
48	Seasonal and diurnal variation of downstream fish movement at four small-scale hydropower plants. <i>Ecology of Freshwater Fish</i> , 2020, 29, 74-88.	1.4	21
49	Substrate composition determines emergence success and development of European nase larvae (<i>Chondrostoma nasus</i> L.). <i>Ecology of Freshwater Fish</i> , 2020, 29, 121-131.	1.4	19
50	Shape characteristics of suspended solids and implications in different salmonid aquaculture production systems. <i>Aquaculture</i> , 2020, 516, 734631.	3.5	12
51	Effects of multiple stressors on the distribution of fish communities in 203 headwater streams of Rhine, Elbe and Danube. <i>Science of the Total Environment</i> , 2020, 703, 134523.	8.0	34
52	Need for routine tracking of biological invasions. <i>Conservation Biology</i> , 2020, 34, 1311-1314.	4.7	36
53	Making up the bed: Gravel cleaning as a contribution to nase (<i>Chondrostoma nasus</i> L.) spawning and recruitment success. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 2269-2283.	2.0	16
54	Spatiotemporal variation of streambed quality and fine sediment deposition in five freshwater pearl mussel streams, in relation to extreme drought, strong rain and snow melt. <i>Limnologica</i> , 2020, 85, 125833.	1.5	20

#	ARTICLE	IF	CITATIONS
55	Depth-distribution of lake benthic diatom assemblages in relation to light availability and substrate: implications for paleolimnological studies. <i>Journal of Paleolimnology</i> , 2020, 64, 315-334.	1.6	25
56	Identification of the ecological preferences of <i>Cyclotella comensis</i> in mountain lakes of the northern European Alps. <i>Arctic, Antarctic, and Alpine Research</i> , 2020, 52, 512-523.	1.1	7
57	Evaluating Cost Trade-Offs between Hydropower and Fish Passage Mitigation. <i>Sustainability</i> , 2020, 12, 8520.	3.2	17
58	Unmanned Aerial Vehicle (UAV)-Based Thermal Infra-Red (TIR) and Optical Imagery Reveals Multi-Spatial Scale Controls of Cold-Water Areas Over a Groundwater-Dominated Riverscape. <i>Frontiers in Environmental Science</i> , 2020, 8, .	3.3	28
59	Composition of highly diverse diatom community shifts as response to climate change: A down-core study of 23 central European mountain lakes. <i>Ecological Indicators</i> , 2020, 117, 106590.	6.3	13
60	Invasive zebra mussel (<i>Dreissena polymorpha</i>) threatens an exceptionally large population of the depressed river mussel (<i>Pseudanodonta complanata</i>) in a postglacial lake. <i>Ecology and Evolution</i> , 2020, 10, 4918-4927.	1.9	15
61	<i>Phacotus lenticularis</i> content in carbonate sediments and epilimnion in four German hard water lakes. <i>Journal of Limnology</i> , 2020, 79, .	1.1	1
62	Representative monitoring of the calcifying alga &Phacotus lenticularis& (Chlamydomphyceae) in lentic ecosystems. <i>Journal of Limnology</i> , 2020, 79, .	1.1	1
63	The silicification value: a novel diatom-based indicator to assess climate change in freshwater habitats. <i>Diatom Research</i> , 2020, 35, 1-16.	1.2	11
64	A proposed unified framework to describe the management of biological invasions. <i>Biological Invasions</i> , 2020, 22, 2633-2645.	2.4	80
65	Conservation status of two endangered freshwater mussel species in Bavaria, Germany: Habitat quality, threats, and implications for conservation management. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 647-661.	2.0	21
66	Modulation of PAH toxicity on the freshwater organism <i>G.Âroeseli</i> by microparticles. <i>Environmental Pollution</i> , 2020, 260, 113999.	7.5	43
67	Evaluating climate change impacts on mountain lakes by applying the new silicification value to paleolimnological samples. <i>Science of the Total Environment</i> , 2020, 715, 136913.	8.0	9
68	Assessing turbine passage effects on internal fish injury and delayed mortality using X-ray imaging. <i>PeerJ</i> , 2020, 8, e9977.	2.0	22
69	Reproduction success of the invasive <i>Sinanodonta woodiana</i> (Lea 1834) in relation to native mussel species. <i>Biological Invasions</i> , 2019, 21, 3451-3465.	2.4	23
70	Taxonomic and geographical representation of freshwater environmental DNA research in aquatic conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 1996-2009.	2.0	67
71	Do We Know Enough to Save European Riverine Fish?â€”A Systematic Review on Autecological Requirements During Critical Life Stages of 10 Rheophilic Species at Risk. <i>Sustainability</i> , 2019, 11, 5011.	3.2	14
72	Developing a standard approach for monitoring freshwater pearl mussel (<i>Margaritifera</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 <i>Freshwater Ecosystems</i> , 2019, 29, 1365-1379.	2.0	52

#	ARTICLE	IF	CITATIONS
73	Essay: Making the most of recent advances in freshwater mussel propagation and restoration. <i>Conservation Science and Practice</i> , 2019, 1, e53.	2.0	27
74	HESS Opinions: Socio-economic and ecological trade-offs of flood management – benefits of a transdisciplinary approach. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 1035-1044.	4.9	40
75	Host (<i>Salmo trutta</i>) age influences resistance to infestation by freshwater pearl mussel (<i>Margaritifera margaritifera</i>) glochidia. <i>Parasitology Research</i> , 2019, 118, 1519-1532.	1.6	15
76	Effects of environmental flows in a restored floodplain system on the community composition of fish, macroinvertebrates and macrophytes. <i>Ecological Engineering</i> , 2019, 132, 75-86.	3.6	28
77	Effectiveness of the electric fish fence as a behavioural barrier at a pumping station. <i>Marine and Freshwater Research</i> , 2019, 70, 1459.	1.3	9
78	Does environmental stress affect cortisol biodistribution in freshwater mussels?. , 2019, 7, coz101.		3
79	Fish Passage and Injury Risk at a Surface Bypass of a Small-Scale Hydropower Plant. <i>Sustainability</i> , 2019, 11, 6037.	3.2	17
80	Effectiveness of catchment erosion protection measures and scale-dependent response of stream biota. <i>Hydrobiologia</i> , 2019, 830, 77-92.	2.0	31
81	Host fish status of native and invasive species for the freshwater mussel <i>Anodonta anatina</i> (Linnaeus.) Tj ETQq1 1 0,784314 rgBT /Ov	4.1	18
82	A spatially explicit approach to prioritize protection areas for endangered freshwater mussels. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 12-23.	2.0	16
83	Phenotypic variation disguises genetic differences among <i>Najas major</i> and <i>N. marina</i> , and their hybrids. <i>Aquatic Botany</i> , 2019, 153, 15-23.	1.6	7
84	Sentinel-2 for mapping the spatio-temporal development of submerged aquatic vegetation at Lake Starnberg (Germany). <i>Journal of Limnology</i> , 2019, 78, .	1.1	15
85	Fish injury and mortality at pumping stations: a comparison of conventional and fish-friendly pumps. <i>Marine and Freshwater Research</i> , 2019, 70, 449.	1.3	17
86	Impact of catchment land use on fish community composition in the headwater areas of Elbe, Danube and Main. <i>Science of the Total Environment</i> , 2019, 652, 66-74.	8.0	45
87	Developmental exposure to environmentally relevant concentrations of bifenthrin alters transcription of mTOR and ryanodine receptor-dependent signaling molecules and impairs predator avoidance behavior across early life stages in inland silversides (<i>Menidia beryllina</i>). <i>Aquatic Toxicology</i> , 2019, 206, 1-13.	4.0	46
88	Life cycle assessment of common carp (<i>Cyprinus carpio</i> L.) – A comparison of the environmental impacts of conventional and organic carp aquaculture in Germany. <i>Aquaculture</i> , 2019, 501, 404-415.	3.5	43
89	Effects of unionized ammonia and suspended solids on rainbow trout (<i>Oncorhynchus mykiss</i>) in recirculating aquaculture systems. <i>Aquaculture</i> , 2019, 499, 348-357.	3.5	25
90	High genetic diversity and low differentiation in North American <i>Margaritifera margaritifera</i> (Bivalvia: Unionida: Margaritiferidae). <i>Biological Journal of the Linnean Society</i> , 2018, 123, 850-863.	1.6	16

#	ARTICLE	IF	CITATIONS
91	The importance of stream interstitial conditions for the early life-stage development of the European nase (<i>Chondrostoma nasus</i> L.). <i>Ecology of Freshwater Fish</i> , 2018, 27, 920-932.	1.4	26
92	Exposure of zebra mussels to extracorporeal shock waves demonstrates formation of new mineralized tissue inside and outside the focus zone. <i>Biology Open</i> , 2018, 7, .	1.2	8
93	Influence of cyanobacteria, mixotrophic flagellates, and virioplankton size fraction on transcription of microcystin synthesis genes in the toxic cyanobacterium <i>Microcystis aeruginosa</i> . <i>MicrobiologyOpen</i> , 2018, 7, e00538.	3.0	3
94	Foraging habits of invasive three-spined sticklebacks (<i>Gasterosteus aculeatus</i>) – impacts on fisheries yield in Upper Lake Constance. <i>Fisheries Research</i> , 2018, 204, 172-180.	1.7	22
95	Catch-related fish injury and catch efficiency of stow-net-based fish recovery installations for fish monitoring at hydropower plants. <i>Fisheries Management and Ecology</i> , 2018, 25, 31-43.	2.0	16
96	Glacial perturbations shaped the genetic population structure of the endangered thick-shelled river mussel (<i>Unio crassus</i> , Philipsson 1788) in Central and Northern Europe. <i>Hydrobiologia</i> , 2018, 810, 177-189.	2.0	8
97	Habitat diversity and connectivity govern the conservation value of restored aquatic floodplain habitats. <i>Biological Conservation</i> , 2018, 217, 1-10.	4.1	58
98	Spatio-temporal distribution pattern of the picocyanobacterium <i>Synechococcus</i> in lakes of different trophic states: a comparison of flow cytometry and sequencing approaches. <i>Hydrobiologia</i> , 2018, 811, 77-92.	2.0	20
99	Physiological consequences of chronic exposure of rainbow trout (<i>Oncorhynchus mykiss</i>) to suspended solid load in recirculating aquaculture systems. <i>Aquaculture</i> , 2018, 484, 228-241.	3.5	23
100	Extent and Causes of Siltation in a Headwater Stream Bed: Catchment Soil Erosion is Less Important than Internal Stream Processes. <i>Land Degradation and Development</i> , 2018, 29, 737-748.	3.9	43
101	Quantification of Extent, Density, and Status of Aquatic Reed Beds Using Point Clouds Derived from UAV RGB Imagery. <i>Remote Sensing</i> , 2018, 10, 1869.	4.0	16
102	Identification of a piscine reovirus-related pathogen in proliferative darkening syndrome (PDS) infected brown trout (<i>Salmo trutta fario</i>) using a next-generation technology detection pipeline. <i>PLoS ONE</i> , 2018, 13, e0206164.	2.5	20
103	Calcite production by the calcifying green alga <i>Phacotus lenticularis</i> . <i>Journal of Limnology</i> , 2018, 77, .	1.1	5
104	The Contribution of Different Restored Habitats to Fish Diversity and Population Development in a Highly Modified River: A Case Study from the River GÄnz. <i>Water (Switzerland)</i> , 2018, 10, 1202.	2.7	22
105	Physical and hydraulic forces experienced by fish passing through three different low-head hydropower turbines. <i>Marine and Freshwater Research</i> , 2018, 69, 1934.	1.3	32
106	Comparison of sonar-, camera- and net-based methods in detecting riverine fish-movement patterns. <i>Marine and Freshwater Research</i> , 2018, 69, 1905.	1.3	25
107	Comprehensive analysis of >30 years of data on stream fish population trends and conservation status in Bavaria, Germany. <i>Biological Conservation</i> , 2018, 226, 311-320.	4.1	50
108	Leaching behavior and ecotoxicological effects of different game shot materials in freshwater. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2018, , 24.	1.1	4

#	ARTICLE	IF	CITATIONS
109	Genetic structure of Irish freshwater pearl mussels (<i>Margaritifera margaritifera</i>) implications. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 923-933.	2.0	21
110	Bifenthrin causes transcriptomic alterations in mTOR and ryanodine receptor-dependent signaling and delayed hyperactivity in developing zebrafish (<i>Danio rerio</i>). <i>Aquatic Toxicology</i> , 2018, 200, 50-61.	4.0	41
111	Modelling heights of sparse aquatic reed (<i>Phragmites australis</i>) using Structure from Motion point clouds derived from Rotary- and Fixed-Wing Unmanned Aerial Vehicle (UAV) data. <i>Limnologica</i> , 2018, 72, 10-21.	1.5	20
112	Invasion strategies in round goby (<i>Neogobius melanostomus</i>): Is bigger really better?. <i>PLoS ONE</i> , 2018, 13, e0190777.	2.5	21
113	Population trends of invasive alien gobies in the upper Danube River: 10 years after first detection of the globally invasive round goby (<i>Neogobius melanostomus</i>). <i>Aquatic Invasions</i> , 2018, 13, 525-535.	1.6	20
114	Conservation status of freshwater mussels in Europe: state of the art and future challenges. <i>Biological Reviews</i> , 2017, 92, 572-607.	10.4	400
115	Joint species models reveal the effects of environment on community assemblage of freshwater mussels and fishes in European rivers. <i>Diversity and Distributions</i> , 2017, 23, 284-296.	4.1	33
116	Duration of the parasitic phase determines subsequent performance in juvenile freshwater pearl mussels (<i>Margaritifera margaritifera</i>). <i>Ecology and Evolution</i> , 2017, 7, 1375-1383.	1.9	25
117	Comparison of body composition and sensory quality of wild and farmed whitefish (<i>Coregonus</i>)	0.7	2
118	Glochidial development of the freshwater swan mussel (<i>Anodonta cygnea</i> , Linnaeus 1758) on native and invasive fish species. <i>Biological Conservation</i> , 2017, 209, 230-238.	4.1	19
119	Physicochemical and microbiological indicators of surface water body contamination with different sources of digestate from biogas plants. <i>Ecological Indicators</i> , 2017, 77, 314-322.	6.3	11
120	The relationship between the freshwater pearl mussel (<i>Margaritifera margaritifera</i>) and its hosts. <i>Biology Bulletin</i> , 2017, 44, 67-73.	0.5	36
121	Little association of biological trait values with environmental variables in invasive alien round goby (<i>Neogobius melanostomus</i>). <i>Ecology and Evolution</i> , 2017, 7, 4076-4085.	1.9	13
122	Comparison of nine different methods to assess fish communities in lentic floodplain habitats. <i>Journal of Fish Biology</i> , 2017, 91, 144-174.	1.6	21
123	Effects of temperature and rearing density on growth of juvenile European whitefish (<i>Coregonus</i>)	0.7	7
124	Evaluation of external fish injury caused by hydropower plants based on a novel field-based protocol. <i>Fisheries Management and Ecology</i> , 2017, 24, 240-255.	2.0	40
125	Transcriptomic screening of the innate immune response in delta smelt during an <i>Ichthyophthirius multifiliis</i> infection. <i>Aquaculture</i> , 2017, 473, 80-88.	3.5	3
126	Is it Worth the Money? The Functionality of Engineered Shallow Stream Banks as Habitat for Juvenile Fishes in Heavily Modified Water Bodies. <i>River Research and Applications</i> , 2017, 33, 63-72.	1.7	26

#	ARTICLE	IF	CITATIONS
127	Incorporating ecological functions in conservation decision making. <i>Ecology and Evolution</i> , 2017, 7, 8273-8281.	1.9	28
128	Boom& bust dynamics in biological invasions: towards an improved application of the concept. <i>Ecology Letters</i> , 2017, 20, 1337-1350.	6.4	143
129	Improving European Silver Eel (<i>Anguilla anguilla</i>) downstream migration by undershot sluice gate management at a small-scale hydropower plant. <i>Ecological Engineering</i> , 2017, 106, 349-357.	3.6	40
130	The freshwater pearl mussel <i>Margaritifera margaritifera</i> in Bavaria, Germany"Population status, conservation efforts and challenges. <i>Biology Bulletin</i> , 2017, 44, 61-66.	0.5	7
131	Influence of temperature, mixing, and addition of microcystin-LR on microcystin gene expression in <i>Microcystis aeruginosa</i> . <i>MicrobiologyOpen</i> , 2017, 6, e00393.	3.0	27
132	Strong genetic differentiation and low genetic diversity of the freshwater pearl mussel (<i>Margaritifera margaritifera</i> L.) in the southwestern European distribution range. <i>Conservation Genetics</i> , 2017, 18, 147-157.	1.5	15
133	Evaluation of Green-LiDAR Data for Mapping Extent, Density and Height of Aquatic Reed Beds at Lake Chiemsee, Bavaria"Germany. <i>Remote Sensing</i> , 2017, 9, 1308.	4.0	12
134	Mapping Submerged Aquatic Vegetation Using RapidEye Satellite Data: The Example of Lake Kummerow (Germany). <i>Water (Switzerland)</i> , 2017, 9, 510.	2.7	21
135	Temporal Dynamics of the Microbial Community Composition with a Focus on Toxic Cyanobacteria and Toxin Presence during Harmful Algal Blooms in Two South German Lakes. <i>Frontiers in Microbiology</i> , 2017, 8, 2387.	3.5	62
136	Genetic species identification in weatherfish and first molecular confirmation of Oriental Weatherfish <i>Misgurnus anguillicaudatus</i> (Cantor, 1842) in Central Europe. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2017, , 31.	1.1	7
137	Combined Impact of Acute Exposure to Ammonia and Temperature Stress on the Freshwater Mussel <i>Unio pictorum</i> . <i>Water (Switzerland)</i> , 2017, 9, 455.	2.7	21
138	A systematic approach to evaluate the influence of environmental conditions on eDNA detection success in aquatic ecosystems. <i>PLoS ONE</i> , 2017, 12, e0189119.	2.5	91
139	Seasonal Variation in Spectral Response of Submerged Aquatic Macrophytes: A Case Study at Lake Starnberg (Germany). <i>Water (Switzerland)</i> , 2017, 9, 527.	2.7	10
140	Transcriptomic profiling of mTOR and ryanodine receptor signaling molecules in developing zebrafish in the absence and presence of PCB 95. <i>PeerJ</i> , 2017, 5, e4106.	2.0	7
141	The characteristics of the infection of juvenile Atlantic salmon with glochidia of the freshwater pearl mussel in rivers of Northwest Russia. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2016, , 6.	1.1	15
142	Conceptual guidelines for the implementation of the ecosystem approach in biodiversity monitoring. <i>Ecosphere</i> , 2016, 7, e01305.	2.2	26
143	Miniature circulatory systems: A new exposure system for ecotoxicological effect assessments in riverine organisms. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 2827-2833.	4.3	3
144	Synergistic impacts by an invasive amphipod and an invasive fish explain native gammarid extinction. <i>BMC Ecology</i> , 2016, 16, 32.	3.0	41

#	ARTICLE	IF	CITATIONS
145	Subcutaneous injection of visible implant elastomer in sterlet (<i>Acipenser ruthenus</i> Linnaeus, 1758): a study on compatibility and retention. <i>Journal of Applied Ichthyology</i> , 2016, 32, 1161-1170.	0.7	3
146	A long-term assessment of pesticide mixture effects on aquatic invertebrate communities. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 218-232.	4.3	38
147	Physicochemical characteristics, community assemblages, and food web structure in anchialine pools along the Kona Coast on the Island of Hawaii, USA. <i>Hydrobiologia</i> , 2016, 770, 225-241.	2.0	4
148	Determination of the most suitable adhesive for tagging freshwater mussels and its use in an experimental study of filtration behaviour and biological rhythm. <i>Journal of Molluscan Studies</i> , 2016, 82, 415-421.	1.2	22
149	The role of life history traits and habitat characteristics in the colonisation of a secondary floodplain by neobiota and indigenous macroinvertebrate species. <i>Hydrobiologia</i> , 2016, 772, 229-245.	2.0	18
150	Association between the occurrence of the Thick-shelled River Mussel (<i>Unio crassus</i>) and macroinvertebrate, microbial, and diatom communities. <i>Freshwater Science</i> , 2016, 35, 922-933.	1.8	23
151	Fine sediment as environmental stressor affecting freshwater mussel behavior and ecosystem services. <i>Science of the Total Environment</i> , 2016, 571, 1340-1348.	8.0	70
152	Habitat recovery and restoration in aquatic ecosystems: current progress and future challenges. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 942-962.	2.0	203
153	Environmental DNA as a monitoring tool for the endangered freshwater pearl mussel (<i>Margaritifera</i>) <i>Freshwater Ecosystems</i> , 2016, 26, 1120-1129.	2.0	61
154	Assessments at multiple levels of biological organization allow for an integrative determination of physiological tolerances to turbidity in an endangered fish species. , 2016, 4, cow004.		21
155	Alteration of physico-chemical and microbial properties in freshwater substrates by burrowing invertebrates. <i>Limnologia</i> , 2016, 59, 131-139.	1.5	51
156	Lampreys as ecosystem engineers: burrows of <i>Eudontomyzon</i> sp. and their impact on physical, chemical, and microbial properties in freshwater substrates. <i>Hydrobiologia</i> , 2016, 777, 171-181.	2.0	18
157	Hydrological and substrate requirements of the thick-shelled river mussel <i>Unio crassus</i> (Philipsson 1788). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 456-469.	2.0	25
158	Can fish habitat restoration for rheophilic species in highly modified rivers be sustainable in the long run?. <i>Ecological Engineering</i> , 2016, 88, 28-38.	3.6	32
159	Physiological stress biomarkers reveal stocking density effects in late larval Delta Smelt (<i>Hypomesus</i>) <i>Freshwater Ecosystems</i> , 2016, 26, 1120-1129.	3.5	29
160	Establishing mussel behavior as a biomarker in ecotoxicology. <i>Aquatic Toxicology</i> , 2016, 170, 279-288.	4.0	86
161	<i>Synechococcus</i> diversity along a trophic gradient in the Osterseen Lake District, Bavaria. <i>Microbiology (United Kingdom)</i> , 2016, 162, 2053-2063.	1.8	26
162	Seven steps towards improving freshwater conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2015, 25, 447-453.	2.0	95

#	ARTICLE	IF	CITATIONS
163	Seasonal and spatial patterns of microbial diversity along a trophic gradient in the interconnected lakes of the Osterseen Lake District, Bavaria. <i>Frontiers in Microbiology</i> , 2015, 6, 1168.	3.5	48
164	Effects of invasive and indigenous amphipods on physico-chemical and microbial properties in freshwater substrates. <i>Aquatic Ecology</i> , 2015, 49, 467-480.	1.5	16
165	Fish species composition and host fish density in streams of the thick-shelled river mussel (<i>Unio</i>). <i>Ecological Applications</i> , 2015, 25, 276-287.	2.0	35
166	The use of growth and behavioral endpoints to assess the effects of pesticide mixtures upon aquatic organisms. <i>Ecotoxicology</i> , 2015, 24, 746-759.	2.4	36
167	A Comparison of Four Stream Substratum Restoration Techniques Concerning Interstitial Conditions and Downstream Effects. <i>River Research and Applications</i> , 2015, 31, 239-255.	1.7	56
168	Isotope evidence for preferential dispersal of fast-spreading invasive gobies along man-made river bank structures. <i>Isotopes in Environmental and Health Studies</i> , 2015, 51, 80-92.	1.0	22
169	Trophic relationships between the larvae of two freshwater mussels and their fish hosts. <i>Invertebrate Biology</i> , 2015, 134, 129-135.	0.9	29
170	A comparison of the sublethal and lethal toxicity of four pesticides in <i>Hyalella azteca</i> and <i>Chironomus dilutus</i> . <i>Environmental Science and Pollution Research</i> , 2015, 22, 11327-11339.	5.3	25
171	Linking Stream Sediment Deposition and Aquatic Habitat Quality in Pearl Mussel Streams: Implications for Conservation. <i>River Research and Applications</i> , 2015, 31, 943-952.	1.7	71
172	Increased RO concentrate toxicity following application of antiscalants – Acute toxicity tests with the amphipods <i>Gammarus pulex</i> and <i>Gammarus roeseli</i> . <i>Environmental Pollution</i> , 2015, 197, 309-312.	7.5	19
173	Succession of fish diversity after reconnecting a large floodplain to the upper Danube River. <i>Ecological Engineering</i> , 2015, 75, 41-50.	3.6	43
174	Influence of stock origin and environmental conditions on the survival and growth of juvenile freshwater pearl mussels (<i>Margaritifera margaritifera</i>) in a cross-exposure experiment. <i>Limnologica</i> , 2015, 50, 67-74.	1.5	27
175	Acute effects of salinity exposure on glochidia viability and host infection of the freshwater mussel <i>Anodonta anatina</i> (Linnaeus, 1758). <i>Science of the Total Environment</i> , 2015, 502, 659-665.	8.0	38
176	Shell morphological versus genetic identification of quagga mussel (<i>Dreissena bugensis</i>) and zebra mussel (<i>Dreissena polymorpha</i>). <i>Aquatic Invasions</i> , 2015, 10, 93-99.	1.6	26
177	Revision of the genus <i>Tanycypris</i> (Ostracoda, Cypricerinae) with the description of <i>Tanycypris alfonsi</i> n. sp., and an identification key to the genus. <i>Zootaxa</i> , 2014, 3821, 401-24.	0.5	14
178	Sublethal effects of the beta-blocker sotalol at environmentally relevant concentrations on the New Zealand mudsnail (<i>Potamopyrgus antipodarum</i>). <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 2510-2515.	4.3	9
179	Trends and Directions in Water Quality and Habitat Management in the Context of the European Water Framework Directive. <i>Fisheries</i> , 2014, 39, 219-220.	0.8	31
180	Timing matters: species-specific interactions between spawning time, substrate quality, and recruitment success in three salmonid species. <i>Ecology and Evolution</i> , 2014, 4, 2749-2758.	1.9	34

#	ARTICLE	IF	CITATIONS
181	Effects of water temperature on the larval parasitic stage of the thick-shelled river mussel (<i>Unio</i>) Tj ETQq1 1 0,784314 rgBT /Ove	2.0	37
182	Function of the crystalline style and first detection of laminarinase activity in freshwater mussels of the genus <i>Anodonta</i> . <i>Journal of Molluscan Studies</i> , 2014, 80, 198-200.	1.2	3
183	A new tool for assessment and monitoring of community and ecosystem change based on multivariate abundance data integration from different taxonomic groups. <i>Environmental Systems Research</i> , 2014, 3, .	3.7	23
184	Genetic diversity of upper Lake Constance whitefish (<i>Coregonus</i>) spp. under the influence of fisheries: a DNA study based on archived scale samples from 1932, 1975 and 2006. <i>Journal of Fish Biology</i> , 2014, 84, 1721-1739.	1.6	6
185	Spatio-temporal distribution patterns of three stream-dwelling freshwater mussel species: towards a strategy for representative surveys. <i>Hydrobiologia</i> , 2014, 735, 123-136.	2.0	23
186	The ecological value of stream restoration measures: An evaluation on ecosystem and target species scales. <i>Ecological Engineering</i> , 2014, 62, 129-139.	3.6	73
187	Phenotypic differentiation of Ponto-Caspian gobies during a contemporary invasion of the upper Danube River. <i>Hydrobiologia</i> , 2014, 721, 269-284.	2.0	20
188	Physicochemical assessment of <i>Unio crassus</i> habitat quality in a small upland stream and implications for conservation. <i>Hydrobiologia</i> , 2014, 735, 111-122.	2.0	36
189	Transcriptomic profiling permits the identification of pollutant sources and effects in ambient water samples. <i>Science of the Total Environment</i> , 2014, 468-469, 688-698.	8.0	17
190	Strong versus weak population genetic differentiation after a recent invasion of gobiid fishes (<i>Neogobius melanostomus</i> and <i>Ponticola kessleri</i>) in the upper Danube. <i>Aquatic Invasions</i> , 2014, 9, 71-86.	1.6	15
191	ECOLOGICAL FUNCTIONS OF FISH BYPASS CHANNELS IN STREAMS: MIGRATION CORRIDOR AND HABITAT FOR RHEOPHILIC SPECIES. <i>River Research and Applications</i> , 2013, 29, 441-450.	1.7	47
192	Ecological indicators for stream restoration success. <i>Ecological Indicators</i> , 2013, 30, 106-118.	6.3	176
193	Critical swimming speed of brown trout (<i>Salmo trutta</i>) infested with freshwater pearl mussel (<i>Margaritifera margaritifera</i>) glochidia and implications for artificial breeding of an endangered mussel species. <i>Parasitology Research</i> , 2013, 112, 1607-1613.	1.6	39
194	Microsatellite markers reveal clear geographic structuring among threatened noble crayfish (<i>Astacus astacus</i>) populations in Northern and Central Europe. <i>Conservation Genetics</i> , 2013, 14, 809-821.	1.5	28
195	Variable development and excystment of freshwater pearl mussel (<i>Margaritifera margaritifera</i> L.) at constant temperature. <i>Limnologica</i> , 2013, 43, 319-322.	1.5	28
196	Effects of substratum restoration on salmonid habitat quality in a subalpine stream. <i>Environmental Biology of Fishes</i> , 2013, 96, 1341-1351.	1.0	48
197	Comparative feeding ecology of invasive Ponto-Caspian gobies. <i>Hydrobiologia</i> , 2013, 703, 113-131.	2.0	88
198	The effects of stream substratum texture on interstitial conditions and bacterial biofilms: Methodological strategies. <i>Limnologica</i> , 2013, 43, 106-113.	1.5	30

#	ARTICLE	IF	CITATIONS
199	Turbidity and Salinity Affect Feeding Performance and Physiological Stress in the Endangered Delta Smelt. <i>Integrative and Comparative Biology</i> , 2013, 53, 620-634.	2.0	46
200	Taxonomic sufficiency in freshwater ecosystems: effects of taxonomic resolution, functional traits, and data transformation. <i>Freshwater Science</i> , 2013, 32, 762-778.	1.8	83
201	Sex- and size-specific migration patterns and habitat preferences of invasive signal crayfish (<i>Pacifastacus leniusculus</i> Dana). <i>Limnologica</i> , 2013, 43, 59-66.	1.5	26
202	Effects of sampling techniques on population assessment of invasive round goby <i>Neogobius melanostomus</i> . <i>Journal of Fish Biology</i> , 2013, 82, 2063-2079.	1.6	41
203	First evidence for interspecific hybridization between invasive goby species <i>Neogobius fluviatilis</i> and <i>Neogobius melanostomus</i> (Teleostei: Gobiidae: Benthophilinae). <i>Journal of Fish Biology</i> , 2013, 82, 2128-2134.	1.6	28
204	Towards standardization of studies into host relationships of freshwater mussels. <i>Biological Conservation</i> , 2013, 159, 550-551.	4.1	10
205	Factors influencing the success of salmonid egg development in river substratum. <i>Ecology of Freshwater Fish</i> , 2013, 22, 322-333.	1.4	41
206	Bigger Is Better: Characteristics of Round Gobies Forming an Invasion Front in the Danube River. <i>PLoS ONE</i> , 2013, 8, e73036.	2.5	101
207	Floodplain restoration on the Upper Danube (Germany) by re-establishing water and sediment dynamics: a scientific monitoring as part of the implementation. <i>River Systems</i> , 2012, 20, 55-70.	0.2	38
208	Esfenvalerate toxicity to the cladoceran <i>Ceriodaphnia dubia</i> in the presence of green algae, <i>Pseudokirchneriella subcapitata</i> . <i>Ecotoxicology</i> , 2012, 21, 2409-2418.	2.4	17
209	The relationship between endangered thick-shelled river mussel (<i>Unio crassus</i>) and its host fishes. <i>Biological Conservation</i> , 2012, 155, 94-103.	4.1	46
210	Effect-Based Tools for Monitoring and Predicting the Ecotoxicological Effects of Chemicals in the Aquatic Environment. <i>Sensors</i> , 2012, 12, 12741-12771.	3.8	209
211	Identifying freshwater mussels (Unionoida) and parasitic glochidia larvae from host fish gills: a molecular key to the North and Central European species. <i>Ecology and Evolution</i> , 2012, 2, 740-750.	1.9	39
212	Impacts of the phenylpyrazole insecticide fipronil on larval fish: Time-series gene transcription responses in fathead minnow (<i>Pimephales promelas</i>) following short-term exposure. <i>Science of the Total Environment</i> , 2012, 426, 160-165.	8.0	62
213	Host-specificity of the endangered thick-shelled river mussel (<i>Unio crassus</i> , Philipsson 1788) and implications for conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2012, 22, 36-46.	2.0	56
214	Drivers and Spatio-Temporal Extent of Hyporheic Patch Variation: Implications for Sampling. <i>PLoS ONE</i> , 2012, 7, e42046.	2.5	41
215	Changes in gene transcription and whole organism responses in larval fathead minnow (<i>Pimephales</i>) Tj ETQq1 1 0.784314 rgBT /Over 2011, 105, 180-188.	4.0	59
216	Integrative freshwater ecology and biodiversity conservation. <i>Ecological Indicators</i> , 2011, 11, 1507-1516.	6.3	329

#	ARTICLE	IF	CITATIONS
217	The effects of weirs on structural stream habitat and biological communities. <i>Journal of Applied Ecology</i> , 2011, 48, 1450-1461.	4.0	154
218	Invasive species in Europe: ecology, status, and policy. <i>Environmental Sciences Europe</i> , 2011, 23, .	11.0	295
219	Linking molecular biomarkers with higher level condition indicators to identify effects of copper exposures on the endangered delta smelt (<i>Hypomesus transpacificus</i>). <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 290-300.	4.3	34
220	A critical reflection on the success of rearing and culturing juvenile freshwater mussels with a focus on the endangered freshwater pearl mussel (<i>Margaritifera margaritifera</i> L.). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011, 21, 743-751.	2.0	97
221	Habitat suitability analysis for lacustrine brown trout (<i>Salmo trutta</i>) in Lake Walchensee, Germany: implications for the conservation of an endangered flagship species. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 9-17.	2.0	11
222	Isolation and characterization of the first microsatellite markers for the endangered swan mussel <i>Anodonta cygnea</i> L. (Bivalvia: Unionoidea). <i>Conservation Genetics</i> , 2010, 11, 1103-1106.	1.5	14
223	Drainage-independent genetic structure and high genetic diversity of endangered freshwater pearl mussels (<i>Margaritifera margaritifera</i>) in northern Europe. <i>Conservation Genetics</i> , 2010, 11, 1339-1350.	1.5	43
224	Strategies for the conservation of endangered freshwater pearl mussels (<i>Margaritifera margaritifera</i>)	2.0	308
225	Sublethal toxicity of commercial insecticide formulations and their active ingredients to larval fathead minnow (<i>Pimephales promelas</i>). <i>Science of the Total Environment</i> , 2010, 408, 3169-3175.	8.0	109
226	Suitability of different salmonid strains as hosts for the endangered freshwater pearl mussel (<i>Margaritifera margaritifera</i> L.). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 728-734.	2.0	65
227	Seasonal and spatial bank habitat use by fish in highly altered rivers – a comparison of four different restoration measures. <i>Ecology of Freshwater Fish</i> , 2010, 19, 127-138.	1.4	55
228	The effects of stream substratum composition on the emergence of salmonid fry. <i>Ecology of Freshwater Fish</i> , 2010, 19, 537-544.	1.4	56
229	Salmonid egg floating boxes as bioindication for riverine water quality and stocking success. <i>Journal of Fish Biology</i> , 2010, 76, 2584-2590.	1.6	11
230	Linking mechanistic and behavioral responses to sublethal esfenvalerate exposure in the endangered delta smelt; <i>Hypomesus transpacificus</i> (Fam. Osmeridae). <i>BMC Genomics</i> , 2009, 10, 608.	2.8	63
231	Conservation genetics and management implications for European grayling, <i>Thymallus thymallus</i> : synthesis of phylogeography and population genetics. <i>Fisheries Management and Ecology</i> , 2009, 16, 37-51.	2.0	34
232	The “egg sandwich”™: a method for linking spatially resolved salmonid hatching rates with habitat variables in stream ecosystems. <i>Journal of Fish Biology</i> , 2009, 74, 683-690.	1.6	21
233	The importance of genetic cluster recognition for the conservation of migratory fish species: the example of the endangered European huchen <i>Hucho hucho</i> (L.). <i>Journal of Fish Biology</i> , 2009, 75, 1063-1078.	1.6	31
234	Acute, sublethal exposure to a pyrethroid insecticide alters behavior, growth, and predation risk in larvae of the fathead minnow (<i>Pimephales promelas</i>). <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1780-1787.	4.3	62

#	ARTICLE	IF	CITATIONS
235	Host-parasite interactions in oligotrophic stream ecosystems: the roles of life-history strategy and ecological niche. <i>Molecular Ecology</i> , 2008, 17, 997-1008.	3.9	51
236	Use of mollusc shells for DNA-based molecular analyses. <i>Journal of Molluscan Studies</i> , 2008, 74, 337-343.	1.2	47
237	Comparisons of tissue-specific transcription of stress response genes with whole animal endpoints of adverse effect in striped bass (<i>Morone saxatilis</i>) following treatment with copper and esfenvalerate. <i>Aquatic Toxicology</i> , 2007, 85, 28-39.	4.0	64
238	Physicochemical stream bed characteristics and recruitment of the freshwater pearl mussel (<i>Margaritifera margaritifera</i>). <i>Freshwater Biology</i> , 2007, 52, 2299-2316.	2.4	223
239	Response to the comment by B. SchÄrre et al. (2006) on "Stable carbon isotopes in freshwater mussel shells: Environmental record or marker for metabolic activity?". <i>Geochimica Et Cosmochimica Acta</i> , 2006, 70, 2662-2664.	3.9	3
240	The status of host fish populations and fish species richness in European freshwater pearl mussel (<i>Margaritifera margaritifera</i>) streams. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2006, 16, 251-266.	2.0	88
241	Stable carbon isotopes in freshwater mussel shells: Environmental record or marker for metabolic activity?. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 3545-3554.	3.9	89
242	Genetic diversity and differentiation of central European freshwater pearl mussel (<i>Margaritifera</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 2004, 14, 425-439.	3.9	122
243	Development of microsatellite markers for the endangered freshwater pearl mussel <i>Margaritifera margaritifera</i> L. (Bivalvia: Unionoidea). <i>Molecular Ecology Notes</i> , 2003, 3, 444-446.	1.7	42
244	Effects of dietary exposure to the pyrethroid pesticide esfenvalerate on medaka (<i>Oryzias latipes</i>). <i>Marine Environmental Research</i> , 2002, 54, 609-614.	2.5	37
245	Effects of a Hydropower-Related Temporary Stream Dewatering on Fish Community Composition and Development: From Ecology to Policy. <i>Frontiers in Environmental Science</i> , 0, 10, .	3.3	2