Douglas A Bell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1292863/publications.pdf

Version: 2024-02-01

20817 22832 13,411 163 60 112 citations g-index h-index papers 167 167 167 14580 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	450K Epigenome-Wide Scan Identifies Differential DNA Methylation in Newborns Related to Maternal Smoking during Pregnancy. Environmental Health Perspectives, 2012, 120, 1425-1431.	6.0	654
2	Genetic Risk and Carcinogen Exposure: a Common Inherited Defect of the Carcinogen-Metabolism Gene Glutathione S-Transferase M1 (GSTM1) That Increases Susceptibility to Bladder Cancer. Journal of the National Cancer Institute, 1993, 85, 1159-1164.	6.3	630
3	The role of the CFP2C9-Leu 359 allelic variant in the tolbutamide polymorphism. Pharmacogenetics and Genomics, 1996, 6, 341-349.	5.7	600
4	Human glutathione S-transferase P1 polymorphisms: relationship to lung tissue enzyme activity and population frequency distribution. Carcinogenesis, 1998, 19, 275-280.	2.8	556
5	Identification of novel NRF2-regulated genes by ChIP-Seq: influence on retinoid X receptor alpha. Nucleic Acids Research, 2012, 40, 7416-7429.	14.5	459
6	XPD polymorphisms: effects on DNA repair proficiency. Carcinogenesis, 2000, 21, 551-555.	2.8	407
7	Nomenclature for N-acetyltransferases. Pharmacogenetics and Genomics, 1995, 5, 1-17.	5.7	369
8	Frequencies of the defective CYP2C19 alleles responsible for the mephenytoin poor metabolizer phenotype in various Oriental, Caucasian, Saudi Arabian and American black populations. Pharmacogenetics and Genomics, 1997, 7, 59-64.	5.7	314
9	SHORT COMMUNICATION: Genotype/phenotype discordance for human arylamine $\langle i \rangle N \langle i \rangle$ -acetyltransferase (NAT2) reveals a new slow-acetylator allele common in African-Americans. Carcinogenesis, 1993, 14, 1689-1692.	2.8	281
10	The influence of humidity, sunlight, and temperature on the daytime decay of polyaromatic hydrocarbons on atmospheric soot particles. Environmental Science & Environmental Science & 103-108.	10.0	279
11	SHORT COMMUNICATION: Glutathione S-transferase GSTT1 genotypes and susceptibility to cancer: studies of interactions with GSTM1 in lung, oral, gastric and colorectal cancers. Carcinogenesis, 1996, 17, 881-884.	2.8	277
12	An African-specific polymorphism in the <i>TP53</i> gene impairs p53 tumor suppressor function in a mouse model. Genes and Development, 2016, 30, 918-930.	5.9	277
13	Increased risk for myelodysplastic syndromes in individuals with glutathione transferase theta 1 (GSTT1) gene defect. Lancet, The, 1996, 347, 295-297.	13.7	272
14	Association Between Glutathione S-Transferase M1, P1, and T1 Genetic Polymorphisms and Development of Breast Cancer. Journal of the National Cancer Institute, 1998, 90, 512-518.	6.3	245
15	Microbiota-derived acetate protects against respiratory syncytial virus infection through a GPR43-type 1 interferon response. Nature Communications, 2019, 10, 3273.	12.8	234
16	Glutathione S-transferase M1 (GSTM1) and T1 (GSTT1) genetic polymorphism and susceptibility to gastric and colorectal adenocarcinoma. Carcinogenesis, 1996, 17, 1855-1859.	2.8	231
17	Pooled Analysis and Meta-analysis of Glutathione S-Transferase M1 and Bladder Cancer: A HuGE Review. American Journal of Epidemiology, 2002, 156, 95-109.	3.4	209
18	Pooled Analysis of Alcohol Dehydrogenase Genotypes and Head and Neck Cancer: A HuGE Review. American Journal of Epidemiology, 2004, 159, 1-16.	3.4	198

#	Article	IF	Citations
19	Nrf2-regulated PPARÎ ³ Expression Is Critical to Protection against Acute Lung Injury in Mice. American Journal of Respiratory and Critical Care Medicine, 2010, 182, 170-182.	5. 6	184
20	Prostate cancer risk and polymorphism in 17 hydroxylase (CYP17) and steroid reductase (SRD5A2). Carcinogenesis, 1999, 20, 1727-1731.	2.8	175
21	Ethnic variation in the CYP2E1 gene: polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. Pharmacogenetics and Genomics, 1994, 4, 185-192.	5.7	158
22	Genetic variability in susceptibility and response to toxicants. Toxicology Letters, 2001, 120, 269-280.	0.8	148
23	Identification of polymorphic antioxidant response elements in the human genome. Human Molecular Genetics, 2007, 16, 1188-1200.	2.9	147
24	Epigenome-wide meta-analysis of DNA methylation and childhood asthma. Journal of Allergy and Clinical Immunology, 2019, 143, 2062-2074.	2.9	147
25	Discovery and verification of functional single nucleotide polymorphisms in regulatory genomic regions: Current and developing technologies. Mutation Research - Reviews in Mutation Research, 2008, 659, 147-157.	5.5	142
26	The importance of p53 pathway genetics in inherited and somatic cancer genomes. Nature Reviews Cancer, 2016, 16, 251-265.	28.4	131
27	Contribution of genetic and nutritional factors to DNA damage in heavy smokers. Carcinogenesis, 1997, 18, 503-509.	2.8	123
28	Identification and characterization of variant alleles of human acetyltransferase NAT1 with defective function using p-aminosalicylate as an in-vivo and in-vitro probe. Pharmacogenetics and Genomics, 1998, 8, 55-66.	5.7	122
29	CYP1A1 mRNA levels as a human exposure biomarker: use of quantitative polymerase chain reaction to measure CYP1A1 expression in human peripheral blood lymphocytes. Carcinogenesis, 1993, 14, 2003-2006.	2.8	117
30	Isolation and characterization of a novel gene induced by 2, 3, 7, 8-tetrachlorodibenzo-p-dioxin in rat liver. Carcinogenesis, 1996, 17, 2609-2615.	2.8	115
31	A Polymorphic p53 Response Element in KIT Ligand Influences Cancer Risk and Has Undergone Natural Selection. Cell, 2013, 155, 410-422.	28.9	115
32	Glutathione S-transferase genotype as a susceptibility factor in smoking-related coronary heart disease. Atherosclerosis, 2000, 149, 451-462.	0.8	114
33	Distinct Epigenetic Effects of Tobacco Smoking in Whole Blood and among Leukocyte Subtypes. PLoS ONE, 2016, 11, e0166486.	2.5	113
34	Permanent hair dyes and bladder cancer: risk modification by cytochrome P4501A2 and N-acetyltransferases 1 and 2. Carcinogenesis, 2003, 24, 483-489.	2.8	111
35	Maternal Smoking and DNA Methylation in Newborns: <i>In Utero</i> Effect or Epigenetic Inheritance?. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1007-1017.	2.5	108
36	DNA Methylation of the Aryl Hydrocarbon Receptor Repressor Associations With Cigarette Smoking and Subclinical Atherosclerosis. Circulation: Cardiovascular Genetics, 2015, 8, 707-716.	5.1	107

#	Article	IF	CITATIONS
37	Occurrence of bcl-2 Oncogene Translocation With Increased Frequency in the Peripheral Blood of Heavy Smokers. Journal of the National Cancer Institute, 1995, 87, 223-224.	6.3	105
38	Single nucleotide polymorphism in transcriptional regulatory regions and expression of environmentally responsive genes. Toxicology and Applied Pharmacology, 2005, 207, 84-90.	2.8	100
39	Microsomal epoxide hydrolase polymorphism as a risk factor for ovarian cancer. , 1996, 17, 160-162.		99
40	Associations between carcinogen-DNA damage, glutathione S-transferase genotypes, and risk of lung cancer in the prospective Physicians' Health Cohort Study. Carcinogenesis, 2002, 23, 1641-1646.	2.8	97
41	XRCC1 polymorphisms and head and neck cancer. Cancer Letters, 2002, 178, 181-186.	7.2	96
42	Mutagenic changes in dilute wood smoke as it ages and reacts with ozone and nitrogen dioxide. An outdoor chamber study. Environmental Science & Enviro	10.0	93
43	Polycyclic aromatic hydrocarbon-DNA adducts in human placenta and modulation by CYP1A1 induction and genotype. Carcinogenesis, 1998, 19, 1389-1392.	2.8	92
44	Targeted Deletion of <i>Nrf2 </i> Impairs Lung Development and Oxidant Injury in Neonatal Mice. Antioxidants and Redox Signaling, 2012, 17, 1066-1082.	5.4	92
45	Noncanonical DNA Motifs as Transactivation Targets by Wild Type and Mutant p53. PLoS Genetics, 2008, 4, e1000104.	3.5	91
46	Divergent Evolution of Human p53 Binding Sites: Cell Cycle Versus Apoptosis. PLoS Genetics, 2007, 3, e127.	3.5	88
47	The impact of interindividual variation in NAT2 activity on benzidine urinary metabolites and urothelial DNA adducts in exposed workers Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 5084-5089.	7.1	86
48	Catechol-O-methyltransferase and breast cancer risk. Carcinogenesis, 1998, 19, 1943-1947.	2.8	85
49	Polycyclic aromatic hydrocarbon–DNA adducts in smokers and their relationship to micronutrient levels and the glutathione-S-transferase M1 genotype. Carcinogenesis, 1994, 15, 2449-2454.	2.8	84
50	Functionally distinct polymorphic sequences in the human genome that are targets for p53 transactivation. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 6431-6436.	7.1	80
51	Increased oxidative DNA damage in livers of 2,3,7,8-tetrachlorodibenzo-p-dioxin treated intact but not ovariectomized rats. Cancer Letters, 1996, 98, 219-225.	7.2	78
52	Novel Hematopoietic Target Genes in the NRF2-Mediated Transcriptional Pathway. Oxidative Medicine and Cellular Longevity, 2013, 2013, 1-12.	4.0	75
53	Carotenoids/vitamin C and smoking-related bladder cancer. International Journal of Cancer, 2004, 110, 417-423.	5.1	74
54	Beyond antioxidant genes in the ancient Nrf2 regulatory network. Free Radical Biology and Medicine, 2015, 88, 452-465.	2.9	74

#	Article	IF	CITATIONS
55	Symposium Overview: Genetic Polymorphisms in DNA Repair and Cancer Risk. Toxicology and Applied Pharmacology, 2002, 185, 64-73.	2.8	73
56	Mutagenic transformations of dilute wood smoke systems in the presence of ozone and nitrogen dioxide. Analysis of selected high-pressure liquid chromatography fractions from wood smoke particle extracts. Environmental Science & Environmental Scie	10.0	69
57	Polychlorinated biphenyls, cytochrome P450 1A1 (CYP1A1) polymorphisms, and breast cancer risk among African American women and white women in North Carolina: a population-based case-control study. Breast Cancer Research, 2004, 7, R12-8.	5.0	69
58	Cigarette smoking, cytochrome P4501A1 polymorphisms, and breast cancer among African-American and white women. Breast Cancer Research, 2004, 6, R460-73.	5.0	69
59	Excessive cycling converts PCR products to randomlength higher molecular weight fragments. Nucleic Acids Research, 1991, 19, 5079-5079.	14.5	67
60	Recombinant CYP3A4*17 Is Defective in Metabolizing the Hypertensive Drug Nifedipine, and the CYP3A4*17 Allele May Occur on the Same Chromosome as CYP3A5*3, Representing a New Putative Defective CYP3A Haplotype. Journal of Pharmacology and Experimental Therapeutics, 2005, 313, 302-309.	2.5	65
61	Effects of Glutathione Transferase Theta Polymorphism on the Risk Estimates of Dichloromethane to Humans. Toxicology and Applied Pharmacology, 1999, 158, 221-230.	2.8	64
62	Arylaminc N-acetyltransferase 1 (NAT1) and 2 (NAT2) genes and risk of urothelial transitional cell carcinoma among Japanese. Pharmacogenetics and Genomics, 1999, 9, 401-404.	5.7	63
63	NAT2 slow acetylation and bladder cancer in workers exposed to benzidine. International Journal of Cancer, 2006, 118, 161-168.	5.1	62
64	A pilot study testing the association between N-acetyltransferases 1 and 2 and risk of oral squamous cell carcinoma in Japanese people. Carcinogenesis, 1998, 19, 1803-1807.	2.8	61
65	CYP1A1 and CYP1B1 genotypes, haplotypes, and TCDD-induced gene expression in subjects from Seveso, Italy. Toxicology, 2005, 207, 191-202.	4.2	61
66	Risk of head and neck cancer and the alcohol dehydrogenase 3 genotype. Carcinogenesis, 2001, 22, 57-61.	2.8	60
67	Glutathione-S-transferase genotypes, smoking, and their association with markers of inflammation, hemostasis, and endothelial function: the atherosclerosis risk in communities (ARIC) study. Atherosclerosis, 2003, 171, 265-272.	0.8	60
68	Inherited polymorphism in the N-acetyltransferase 1(NAT1) and 2(NAT2) genes and susceptibility to gastric and colorectal adenocarcinoma. International Journal of Cancer, 2000, 85, 46-49.	5.1	59
69	Genetic Analysis of Complex Diseases. Science, 1997, 275, 1327-1330.	12.6	55
70	Genetic Variation and Antioxidant Response Gene Expression in the Bronchial Airway Epithelium of Smokers at Risk for Lung Cancer. PLoS ONE, 2010, 5, e11934.	2.5	55
71	Sequence Context at Human Single Nucleotide Polymorphisms: Overrepresentation of CpG Dinucleotide at Polymorphic Sites and Suppression of Variation in CpG Islands. Journal of Molecular Biology, 2003, 327, 303-308.	4.2	54
72	mutation spectra in salmonella of complex mixtures: Comparison of urban air to benzo[a]pyrene. Environmental and Molecular Mutagenesis, 1994, 24, 262-275.	2.2	52

#	Article	IF	CITATIONS
73	Identification and functional characterization of polymorphisms in human cyclooxygenase-1 (PTGS1). Pharmacogenetics and Genomics, 2007, 17, 145-160.	1.5	52
74	Genetic determinants in the metabolism of bladder carcinogens in relation to risk of bladder cancer. Carcinogenesis, 2008, 29, 1386-1393.	2.8	52
75	Blood monocyte transcriptome and epigenome analyses reveal loci associated with human atherosclerosis. Nature Communications, 2017, 8, 393.	12.8	51
76	Interactions of Chromatin Context, Binding Site Sequence Content, and Sequence Evolution in Stress-Induced p53 Occupancy and Transactivation. PLoS Genetics, 2015, 11, e1004885.	3.5	50
77	Genetic Polymorphisms in Human Drug Metabolic Enzymes,. Fundamental and Applied Toxicology, 1997, 40, 1-14.	1.8	48
78	Risk of Atherosclerosis: Interaction of Smoking and Glutathione S-Transferase Genes. Epidemiology, 2003, 14, 321-327.	2.7	48
79	DNA sequence analysis of revertants of the hisD3052 allele of Salmonella typhimurium TA98 using the polymerase chain reaction and direct sequencing: Application to 1-nitropyrene-induced revertants. Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology, 1991, 252, 35-44.	0.4	47
80	Polymorphisms of the DNA repair genes XPD (Lys751Gln) and XRCC1 (Arg399Gln and Arg194Trp): relationship to breast cancer risk and familial predisposition to breast cancer. Breast Cancer Research and Treatment, 2006, 95, 73-80.	2.5	44
81	Preliminary evidence of an association of tumour necrosis factor microsatellites with increased risk of multiple basal cell carcinomas. British Journal of Dermatology, 2000, 142, 441-445.	1.5	43
82	Mutation spectra of chemical fractions of a complex mixture: role of nitroarenes in the mutagenic specificity of municipal waste incinerator emissions. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1996, 349, 1-20.	1.0	42
83	A Polymorphic Antioxidant Response Element Links NRF2/sMAF Binding to Enhanced MAPT Expression and Reduced Risk of Parkinsonian Disorders. Cell Reports, 2016, 15, 830-842.	6.4	40
84	Genetic polymorphisms in GSTM1, -P1, -T1, and CYP2E1 and the risk of adult brain tumors. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 14-22.	2.5	40
85	Probing the Functional Impact of Sequence Variation on p53-DNA Interactions Using a Novel Microsphere Assay for Protein-DNA Binding with Human Cell Extracts. PLoS Genetics, 2009, 5, e1000462.	3.5	39
86	Extended-term cultures of human T-lymphocytes: a practical alternative to primary human lymphocytes for use in genotoxicity testing. Mutagenesis, 1995, 10, 189-201.	2.6	38
87	Urinary mutagenesis and fried red meat intake: Influence of cooking temperature, phenotype, and genotype of metabolizing enzymes in a controlled feeding study. Environmental and Molecular Mutagenesis, 2004, 43, 53-74.	2.2	38
88	Alcohol Dehydrogenase Genetic Polymorphisms, Low-to-Moderate Alcohol Consumption, and Risk of Breast Cancer. Alcoholism: Clinical and Experimental Research, 2007, 31, 467-476.	2.4	38
89	A distinct class of antioxidant response elements is consistently activated in tumors with NRF2 mutations. Redox Biology, 2018, 19, 235-249.	9.0	37
90	Activation of Nrf2 in the liver is associated with stress resistance mediated by suppression of the growth hormone-regulated STAT5b transcription factor. PLoS ONE, 2018, 13, e0200004.	2.5	36

#	Article	IF	Citations
91	Sulforaphane enriched transcriptome of lung mitochondrial energy metabolism and provided pulmonary injury protection via Nrf2 in mice. Toxicology and Applied Pharmacology, 2019, 364, 29-44.	2.8	35
92	Single amino acid mutations, but not common polymorphisms, decrease the activity of CYP1B1 against (-)benzo[a]pyrene-7R-trans-7,8-dihydrodiol. Carcinogenesis, 2003, 24, 1247-1255.	2.8	34
93	Variation in genes relevant to aromatic hydrocarbon metabolism and the risk of adult brain tumors. Neuro-Oncology, 2006, 8, 145-155.	1.2	34
94	Dichloromethane Metabolism to Formaldehyde and Reaction of Formaldehyde with Nucleic Acids in Hepatocytes of Rodents and Humans with and without GlutathioneS-TransferaseT1andM1Genes. Fundamental and Applied Toxicology, 1997, 37, 168-180.	1.8	32
95	A pilot study investigating the role of NAT1 and NAT2 polymorphisms in gastric adenocarcinoma. International Journal of Cancer, 2000, 87, 507-511.	5.1	32
96	Glutathione S-transferase polymorphisms and survival from head and neck cancer. Head and Neck, 2005, 27, 232-242.	2.0	32
97	Germline and Somatic Genetic Variants in the p53 Pathway Interact to Affect Cancer Risk, Progression, and Drug Response. Cancer Research, 2021, 81, 1667-1680.	0.9	32
98	Bilirubin UDP-glucuronosyltransferase 1A1 gene polymorphisms: Susceptibility to oxidative damage and cancer?. Molecular Carcinogenesis, 2000, 29, 198-204.	2.7	31
99	L-myc Proto-oncogene alleles and susceptibility to hepatocellular carcinoma. International Journal of Cancer, 1993, 54, 927-930.	5.1	30
100	N-acetyltransferase 2 (NAT2) genotypes, cigarette smoking, and the risk of breast cancer. Cancer Detection and Prevention, 2004, 28, 187-193.	2.1	30
101	Diet, GSTM1 and GSTT1 and head and neck cancer. Carcinogenesis, 2003, 25, 735-740.	2.8	29
102	Tobacco exposure-related alterations in DNA methylation and gene expression in human monocytes: the Multi-Ethnic Study of Atherosclerosis (MESA). Epigenetics, 2017, 12, 1092-1100.	2.7	29
103	N-Acetylbenzidine and N,N′-diacetylbenzidine formation by rat and human liver slices exposed to benzidine. Carcinogenesis, 1995, 16, 1565-1571.	2.8	28
104	Functional Diversity in the Gene Network Controlled by the Master Regulator p53 in Humans. Cell Cycle, 2005, 4, 1026-1029.	2.6	28
105	Human single-nucleotide polymorphisms alter p53 sequence-specific binding at gene regulatory elements. Nucleic Acids Research, 2011, 39, 178-189.	14.5	28
106	Pilot study of free and conjugated urinary mutagenicity during consumption of pan-fried meats: possible modulation by cruciferous vegetables, glutathione S-transferase-M1, and N-acetyltransferase-2. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 381, 83-96.	1.0	27
107	Identification of Smoking-Associated Differentially Methylated Regions Using Reduced Representation Bisulfite Sequencing and Cell type–Specific Enhancer Activation and Gene Expression. Environmental Health Perspectives, 2018, 126, 047015.	6.0	26
108	Expression-based discovery of variation in the human glutathione S-transferase M3 promoter and functional analysis in a glioma cell line using allele-specific chromatin immunoprecipitation. Cancer Research, 2005, 65, 99-104.	0.9	26

#	Article	IF	Citations
109	A genetic model of differential susceptibility to human respiratory syncytial virus (RSV) infection. FASEB Journal, 2014, 28, 1947-1956.	0.5	24
110	Determinants of host susceptibility to murine respiratory syncytial virus (RSV) disease identify a role for the innate immunity scavenger receptor MARCO gene in human infants. EBioMedicine, 2016, 11, 73-84.	6.1	24
111	Localization, sequence analysis, and ethnic distribution of a 96-bp insertion in the promoter of the human CYP2E1 gene. Mutation Research - Mutation Research Genomics, 2000, 432, 1-5.	1.1	23
112	Variation in fiberoptic bead-based oligonucleotide microarrays: dispersion characteristics among hybridization and biological replicate samples. Biology Direct, 2006, 1, 18.	4.6	22
113	A hypermorphic antioxidant response element is associated with increased MS4A6A expression and Alzheimer's disease. Redox Biology, 2018, 14, 686-693.	9.0	21
114	Single-Cell Analyses Identify Dysfunctional CD16+ CD8ÂT Cells in Smokers. Cell Reports Medicine, 2020, 1, 100054.	6.5	21
115	Xenobiotic Metabolism Genes and the Risk of Recurrent Spontaneous Abortion. Epidemiology, 1996, 7, 206-208.	2.7	20
116	CSF1 Is a Novel p53 Target Gene Whose Protein Product Functions in a Feed-Forward Manner to Suppress Apoptosis and Enhance p53-Mediated Growth Arrest. PLoS ONE, 2013, 8, e74297.	2.5	20
117	Global Analysis of Methylation Profiles From High Resolution CpG Data. Genetic Epidemiology, 2015, 39, 53-64.	1.3	19
118	Mining a human transcriptome database for chemical modulators of NRF2. PLoS ONE, 2020, 15, e0239367.	2.5	19
119	Smoking-associated AHRR demethylation in cord blood DNA: impact of CD235a+ nucleated red blood cells. Clinical Epigenetics, 2019, 11, 87.	4.1	18
120	Crohn's disease <i>IRGM</i> risk alleles are associated with altered gene expression in human tissues. American Journal of Physiology - Renal Physiology, 2019, 316, G95-G105.	3.4	17
121	Lack of Associations among Cancer and Albumin Adducts, ras p21 Oncoprotein Levels, and CYP1A1, CYP2D6, NAT1, and NAT2 in a Nested Case-Control Study of Lung Cancer within the Physicians' Health Study. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1417-1419.	2.5	16
122	Relationship between Ambient Air Pollution and DNA Damage in Polish Mothers and Newborns. Environmental Health Perspectives, 1998, 106, 821.	6.0	15
123	Generalization of DNA microarray dispersion properties: microarray equivalent of t-distribution. Biology Direct, 2006, 1, 27.	4.6	15
124	Title is missing!. Epidemiology, 2003, 14, 321-327.	2.7	14
125	Evaluation of the mutagenicity of combustion particles from several common biomass fuels in the Ames/Salmonella microsome test. Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis, 1990, 245, 177-183.	1.1	13
126	Formation of stress-specific p53 binding patterns is influenced by chromatin but not by modulation of p53 binding affinity to response elements â€. Nucleic Acids Research, 2011, 39, 3053-3063.	14.5	13

#	Article	IF	Citations
127	Associations between Maternal Tobacco Smoke Exposure and the Cord Blood CD4+ DNA Methylome. Environmental Health Perspectives, 2019, 127, 47009.	6.0	13
128	Photodegradation of wood smoke mutagens under low NOx conditions. Atmospheric Environment, 1986, 20, 317-321.	1.0	12
129	Circulating MicroRNAs, Polychlorinated Biphenyls, and Environmental Liver Disease in the Anniston Community Health Survey. Environmental Health Perspectives, 2022, 130, 17003.	6.0	12
130	Epigenome-wide association study of bronchopulmonary dysplasia in preterm infants: results from the discovery-BPD program. Clinical Epigenetics, 2022, 14, 57.	4.1	12
131	Nonaqueous ion-exchange separation technique for use in bioassay-directed fractionation of complex mixtures: application to wood smoke particle extracts. Environmental Science & Environmental Scienc	10.0	11
132	Dichloromethane Metabolism to Formaldehyde and Reaction of Formaldehyde with Nucleic Acids in Hepatocytes of Rodents and Humans with and without Glutathione S-Transferase T1 and M1 Genes. Toxicological Sciences, 1997, 37, 168-180.	3.1	10
133	Polychlorinated biphenyl exposure and DNA methylation in the Anniston Community Health Survey. Epigenetics, 2020, 15, 337-357.	2.7	10
134	Genetic susceptibility: significance in risk assessment. Toxicology Letters, 1998, 102-103, 185-189.	0.8	9
135	Bilirubin UDP-glucuronosyltransferase 1A1 (UGT1A1) gene promoter polymorphisms and HPRT, glycophorin A, and micronuclei mutant frequencies in human blood. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2004, 560, 1-10.	1.7	9
136	Potential therapeutic targets in Nrf2-dependent protection against neonatal respiratory distress disease predicted by cDNA microarray analysis and bioinformatics tools. Current Opinion in Toxicology, 2016, 1, 125-133.	5.0	9
137	Genetic Monitoring of Human Polymorphic Cancer Susceptibility Genes by Polymerase Chain Reaction: Application to Glutathione Transferase m. Environmental Health Perspectives, 1992, 98, 113.	6.0	7
138	Dioxin-like compound exposures and DNA methylation in the Anniston Community Health Survey Phase II. Science of the Total Environment, 2020, 742, 140424.	8.0	6
139	The discovery BPD (D-BPD) program: study protocol of a prospective translational multicenter collaborative study to investigate determinants of chronic lung disease in very low birth weight infants. BMC Pediatrics, 2019, 19, 227.	1.7	5
140	Development of Source Testing, Analytical, and Mutagenicity Bioassay Procedures for Evaluating Emissions from Municipal and Hospital Waste Combustors. Environmental Health Perspectives, 1992, 98, 227.	6.0	5
141	Detection of DNA sequence polymorphisms in carcinogen metabolism genes by polymerase chain reaction. Environmental and Molecular Mutagenesis, 1991, 18, 245-248.	2.2	4
142	Molecular Analysis of Mutations Induced at the hisD3052 Allele of Salmonella by Single Chemicals and Complex Mixtures. Environmental Health Perspectives, 1993, 101, 207.	6.0	3
143	Re: Hemminki,K., Dickey,C., Karlsson,S., Bell,D., Hsu,Y., Tsai,WY., Mooney,L.A., Savela,K. and Perera,F.P. (1997) Aromatic DNA adducts in foundry workers in relation to exposure, lifestyle and CYP1A1 and glutathione transferase M1 genotype. Carcinogenesis, 18, 345-350. Carcinogenesis, 2000, 21, 849-849.	2.8	3
144	Reply to the letter to the Editor: "N-Acetyltransferases and the susceptibility to benzidine-induced bladder carcinogenesis― International Journal of Cancer, 2007, 121, 1637-1639.	5.1	3

#	Article	IF	CITATIONS
145	Linking polymorphic p53 response elements with gene expression in airway epithelial cells of smokers and cancer risk. Human Genetics, 2014, 133, 1467-1476.	3.8	3
146	Identification of polymorphic antioxidant response elements in the human genome. Human Molecular Genetics, 2007, 16, 2780-2780.	2.9	2
147	Abstract B51: Discovery of novel genomic targets in the NRF2â€mediated antioxidant response pathway by ChIPâ€onâ€chip and ChIPâ€seq. , 2010, , .		2
148	Integrated Approach for Evaluating Species and Interindividual Differences in Responsiveness to Dioxins and Structural Analogs. Environmental Health Perspectives, 1992, 98, 125.	6.0	2
149	Genetic Polymorphisms in Human Drug Metabolic Enzymes. Toxicological Sciences, 1997, 40, 1-14.	3.1	1
150	Analysis of genome-wide methylation using reduced representation bisulfite sequencing (RRBS) technology., 2020, , 141-156.		1
151	Microsomal epoxide hydrolase polymorphism as a risk factor for ovarian cancer. Molecular Carcinogenesis, 1996, 17, 160-162.	2.7	1
152	Abstract 3647: Dose-dependent alteration of CpG methylation in AHRR and GFI1 in mononuclear cell DNA of smokers, 2013, , .		1
153	Erratum to â€~Glutathione S-transferase genotype as a susceptibility factor in smoking-related coronary heart disease'. Atherosclerosis, 2000, 150, 447-449.	0.8	0
154	Abstract 1099:In vitroandin cellulomeasurement of p53-binding activities reveals involvement of chromatin in p53-binding pattern formation. , 2010, , .		0
155	Polycyclic Aromatic Hydrocarbon-DNA Adducts in Smokers and Their Relationship to Micronutrient Levels and Glutathione-S-Transferase M1 Genotype. , 1995, , 191-209.		0
156	Mining a human transcriptome database for chemical modulators of NRF2., 2020, 15, e0239367.		0
157	Mining a human transcriptome database for chemical modulators of NRF2. , 2020, 15, e0239367.		0
158	Mining a human transcriptome database for chemical modulators of NRF2., 2020, 15, e0239367.		0
159	Mining a human transcriptome database for chemical modulators of NRF2. , 2020, 15, e0239367.		0
160	Mining a human transcriptome database for chemical modulators of NRF2., 2020, 15, e0239367.		0
161	Mining a human transcriptome database for chemical modulators of NRF2. , 2020, 15, e0239367.		0
162	Epigenomeâ€wide association study of bronchopulmonary dysplasia (BPD) in preterm infants: Results from the Discoveryâ€BPD program. FASEB Journal, 2022, 36, .	0.5	0

#	Article	IF	CITATIONS
163	A pilot study investigating the role of NAT1 and NAT2 polymorphisms in gastric adenocarcinoma. International Journal of Cancer, 2000, 87, 507-511.	5.1	O