## Byeong-Cheol Ahn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1293020/publications.pdf

Version: 2024-02-01

145 papers

4,507 citations

35 h-index 60 g-index

150 all docs

150 docs citations

150 times ranked

5960 citing authors

| #  | Article  | IF          | CITATIONS |
|----|--|-------------|-----------|
| 1  | Exosomes Derived From Natural Killer Cells Exert Therapeutic Effect in Melanoma. Theranostics, 2017, 7, 2732-2745.   | 10.0        | 328       |
| 2  | Turn-off fluorescence sensor for the detection of ferric ion in water using green synthesized N-doped carbon dots and its bio-imaging. Journal of Photochemistry and Photobiology B: Biology, 2016, 158, 235-242.                                  | 3.8         | 271       |
| 3  | A New Approach for Loading Anticancer Drugs Into Mesenchymal Stem Cell-Derived Exosome Mimetics for Cancer Therapy. Frontiers in Pharmacology, 2018, 9, 1116.  | 3.5         | 179       |
| 4  | Extracellular vesicles from mesenchymal stem cells activates VEGF receptors and accelerates recovery of hindlimb ischemia. Journal of Controlled Release, 2017, 264, 112-126.  | 9.9         | 164       |
| 5  | In Vivo Cell Tracking with Bioluminescence Imaging. Nuclear Medicine and Molecular Imaging, 2015, 49, 3-10.  | 1.0         | 130       |
| 6  | Extracellular vesicles derived from MSCs activates dermal papilla cell in vitro and promotes hair follicle conversion from telogen to anagen in mice. Scientific Reports, 2017, 7, 15560.  | 3.3         | 123       |
| 7  | Salivary Gland Function 5 Years After Radioactive Iodine Ablation in Patients with Differentiated Thyroid Cancer: Direct Comparison of Pre- and Postablation Scintigraphies and Their Relation to Xerostomia Symptoms. Thyroid, 2013, 23, 609-616. | 4.5         | 117       |
| 8  | An Update on in Vivo Imaging of Extracellular Vesicles as Drug Delivery Vehicles. Frontiers in Pharmacology, 2018, 9, 169.   | <b>3.</b> 5 | 110       |
| 9  | Sodium Iodide Symporter for Nuclear Molecular Imaging and Gene Therapy: From Bedside to Bench and Back. Theranostics, 2012, 2, 392-402.  | 10.0        | 100       |
| 10 | A new bioluminescent reporter system to study the biodistribution of systematically injected tumor-derived bioluminescent extracellular vesicles in mice. Oncotarget, 2017, 8, 109894-109914.  | 1.8         | 96        |
| 11 | Current Perspectives on In Vivo Noninvasive Tracking of Extracellular Vesicles with Molecular Imaging. BioMed Research International, 2017, 2017, 1-11.  | 1.9         | 94        |
| 12 | Enhancement of antitumor potency of extracellular vesicles derived from natural killer cells by IL-15 priming. Biomaterials, 2019, 190-191, 38-50.   | 11.4        | 87        |
| 13 | Exosomes derived from human dermal papilla cells promote hair growth in cultured human hair follicles and augment the hairâ€inductive capacity of cultured dermal papilla spheres. Experimental Dermatology, 2019, 28, 854-857.                    | 2.9         | 83        |
| 14 | Tunable fluorescent carbon dots from biowaste as fluorescence ink and imaging human normal and cancer cells. Environmental Research, 2022, 204, 112365.  | 7.5         | 78        |
| 15 | Targeting and Therapy of Glioblastoma in a Mouse Model Using Exosomes Derived From Natural Killer<br>Cells. Frontiers in Immunology, 2018, 9, 824.   | 4.8         | 77        |
| 16 | Extracellular Vesicle- and Extracellular Vesicle Mimetics-Based Drug Delivery Systems: New Perspectives, Challenges, and Clinical Developments. Pharmaceutics, 2020, 12, 442.  | 4.5         | 77        |
| 17 | Novel alternatives to extracellular vesicle-based immunotherapy – exosome mimetics derived from natural killer cells. Artificial Cells, Nanomedicine and Biotechnology, 2018, 46, 166-179.   | 2.8         | 74        |
| 18 | In vivo migration of mesenchymal stem cells to burn injury sites and their therapeutic effects in a living mouse model. Journal of Controlled Release, 2018, 279, 79-88.   | 9.9         | 72        |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 19 | In vivo Non-invasive Imaging of Radio-Labeled Exosome-Mimetics Derived From Red Blood Cells in Mice. Frontiers in Pharmacology, 2018, 9, 817.   | 3.5  | 72        |
| 20 | NTRK and RET fusion–directed therapy in pediatric thyroid cancer yields a tumor response and radioiodine uptake. Journal of Clinical Investigation, 2021, 131, .  | 8.2  | 62        |
| 21 | In Vivo therapeutic potential of mesenchymal stem cell-derived extracellular vesicles with optical imaging reporter in tumor mice model. Scientific Reports, 2016, 6, 30418.  | 3.3  | 61        |
| 22 | In Vivo Tracking of Chemokine Receptor CXCR4-Engineered Mesenchymal Stem Cell Migration by Optical Molecular Imaging. Stem Cells International, 2017, 2017, 1-10.   | 2.5  | 60        |
| 23 | Macrophage-Derived Extracellular Vesicle Promotes Hair Growth. Cells, 2020, 9, 856.   | 4.1  | 60        |
| 24 | Molecular mechanisms of radioactive iodine refractoriness in differentiated thyroid cancer: Impaired sodium iodide symporter (NIS) expression owing to altered signaling pathway activity and intracellular localization of NIS. Theranostics, 2021, 11, 6251-6277. | 10.0 | 59        |
| 25 | Advances in Molecular Imaging Strategies for <i>In Vivo</i> Tracking of Immune Cells. BioMed Research International, 2016, 2016, 1-10.  | 1.9  | 56        |
| 26 | Radionuclide-embedded gold nanoparticles for enhanced dendritic cell-based cancer immunotherapy, sensitive and quantitative tracking of dendritic cells with PET and Cerenkov luminescence. NPG Asia Materials, 2016, 8, e281-e281.                                 | 7.9  | 51        |
| 27 | Personalized Medicine Based on Theranostic Radioiodine Molecular Imaging for Differentiated Thyroid Cancer. BioMed Research International, 2016, 2016, 1-9.   | 1.9  | 49        |
| 28 | Redifferentiation of Radioiodine Refractory Differentiated Thyroid Cancer for Reapplication of I-131 Therapy. Frontiers in Endocrinology, 2017, 8, 260.   | 3.5  | 48        |
| 29 | Migration of mesenchymal stem cells to tumor xenograft models and <i>in vitro</i> drug delivery by doxorubicin. International Journal of Medical Sciences, 2018, 15, 1051-1061.   | 2.5  | 45        |
| 30 | Prognostic Value of Primary Tumor Uptake on F-18 FDG PET/CT in Patients with Invasive Ductal Breast Cancer. Nuclear Medicine and Molecular Imaging, 2011, 45, 117-124.  | 1.0  | 44        |
| 31 | Natural Killer Cell (NK-92MI)-Based Therapy for Pulmonary Metastasis of Anaplastic Thyroid Cancer in a Nude Mouse Model. Frontiers in Immunology, 2017, 8, 816.   | 4.8  | 44        |
| 32 | Tracking of dendritic cell migration into lymph nodes using molecular imaging with sodium iodide symporter and enhanced firefly luciferase genes. Scientific Reports, 2015, 5, 9865.  | 3.3  | 43        |
| 33 | Deep vector-based convolutional neural network approach for automatic recognition of colonies of induced pluripotent stem cells. PLoS ONE, 2017, 12, e0189974.  | 2.5  | 43        |
| 34 | Molecular Imaging: A Useful Tool for the Development of Natural Killer Cell-Based Immunotherapies. Frontiers in Immunology, 2017, 8, 1090.  | 4.8  | 40        |
| 35 | Inverse Agonist of Estrogen-Related Receptor Î <sup>3</sup> Enhances Sodium Iodide Symporter Function Through Mitogen-Activated Protein Kinase Signaling in Anaplastic Thyroid Cancer Cells. Journal of Nuclear Medicine, 2015, 56, 1690-1696.                      | 5.0  | 38        |
| 36 | Pulmonary Aspergilloma Mimicking Metastasis from Papillary Thyroid Cancer. Thyroid, 2011, 21, 555-558.  | 4.5  | 34        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Combined Positron Emission Tomography and Cerenkov Luminescence Imaging of Sentinel Lymph Nodes<br>Using PEGylated Radionuclideâ€Embedded Gold Nanoparticles. Small, 2016, 12, 4894-4901.   | 10.0 | 34        |
| 38 | Dual Reporter Gene Imaging for Tracking Macrophage Migration Using the Human Sodium Iodide Symporter and an Enhanced Firefly Luciferase in a Murine Inflammation Model. Molecular Imaging and Biology, 2013, 15, 703-712.   | 2.6  | 31        |
| 39 | Clinical applications of <scp>SPECT</scp> / <scp>CT</scp> after first lâ€131 ablation in patients with differentiated thyroid cancer. Clinical Endocrinology, 2014, 81, 445-451.  | 2.4  | 31        |
| 40 | F-18 FDG PET for assessment of disease activity of large vessel vasculitis: A systematic review and meta-analysis. Journal of Nuclear Cardiology, 2019, 26, 59-67.  | 2.1  | 31        |
| 41 | Applications of Molecular Imaging in Drug Discovery and Development Process. Current Pharmaceutical Biotechnology, 2011, 12, 459-468.   | 1.6  | 30        |
| 42 | Visualization of Macrophage Recruitment to Inflammation Lesions using Highly Sensitive and Stable Radionuclide-Embedded Gold Nanoparticles as a Nuclear Bio-Imaging Platform. Theranostics, 2017, 7, 926-934.   | 10.0 | 29        |
| 43 | Extracellular vesicles derived from fibroblasts promote wound healing by optimizing fibroblast and endothelial cellular functions. Stem Cells, 2021, 39, 266-279.   | 3.2  | 29        |
| 44 | Requisites for successful theranostics with radionuclide-based reporter gene imaging. Journal of Drug Targeting, 2014, 22, 295-303.   | 4.4  | 28        |
| 45 | Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Candidate<br>Biomarkers Associated with Survival: A Multicenter Study in Korea. Thyroid, 2020, 30, 732-738.   | 4.5  | 28        |
| 46 | Extracellular vesicles derived from macrophage promote angiogenesis In vitro and accelerate new vasculature formation In vivo. Experimental Cell Research, 2020, 394, 112146.   | 2.6  | 28        |
| 47 | Superiority of delayed risk stratification in differentiated thyroid cancer after total thyroidectomy and radioactive iodine ablation. Nuclear Medicine Communications, 2014, 35, 1119-1126.  | 1.1  | 27        |
| 48 | Clinical outcomes of low-dose and high-dose postoperative radioiodine therapy in patients with intermediate-risk differentiated thyroid cancer. Nuclear Medicine Communications, 2017, 38, 228-233.   | 1.1  | 27        |
| 49 | Development and Validation of an <sup>18</sup> Fâ€Fluorodeoxyglucose–Positron Emission<br>Tomography With Computed Tomography–Based Tool for the Evaluation of Joint Counts and Disease<br>Activity in Patients With Rheumatoid Arthritis. Arthritis and Rheumatology, 2019, 71, 1232-1240. | 5.6  | 26        |
| 50 | Prognostic implications of microscopic involvement of surgical resection margin in patients with differentiated papillary thyroid cancer after high-dose radioactive iodine ablation. Annals of Nuclear Medicine, 2012, 26, 311-318.  | 2.2  | 24        |
| 51 | An Update on the Effectiveness of Probiotics in the Prevention and Treatment of Cancer. Life, 2022, 12, 59.   | 2.4  | 24        |
| 52 | Neurolymphomatosis on F-18 FDG PET/CT and MRI Findings: A Case Report. Nuclear Medicine and Molecular Imaging, 2011, 45, 76-78.   | 1.0  | 23        |
| 53 | <scp>R</scp> ole of pulmonary macrophages in initiation of lung metastasis in anaplastic thyroid cancer. International Journal of Cancer, 2016, 139, 2583-2592.   | 5.1  | 23        |
| 54 | Drug Discovery by Molecular Imaging and Monitoring Therapy Response in Lymphoma. International Journal of Molecular Sciences, 2017, 18, 1639.   | 4.1  | 22        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | <p>A novel strategy of transferring NIS protein to cells using extracellular vesicles leads to increase in iodine uptake and cytotoxicity</p> . International Journal of Nanomedicine, 2019, Volume 14, 1779-1787.  | 6.7 | 22        |
| 56 | New quantitative method for bone tracer uptake of temporomandibular joint using Tc-99m MDP skull SPECT. Annals of Nuclear Medicine, 2009, 23, 651-656.  | 2.2 | 21        |
| 57 | Visualization of the Biological Behavior of Tumor-Associated Macrophages in Living Mice with Colon Cancer Using Multimodal Optical Reporter Gene Imaging. Neoplasia, 2016, 18, 133-141.   | 5.3 | 21        |
| 58 | Implications of Three-Phase Bone Scintigraphy for the Diagnosis of Bisphosphonate-Related Osteonecrosis of the Jaw. Nuclear Medicine and Molecular Imaging, 2012, 46, 162-168.  | 1.0 | 20        |
| 59 | Reverting iodine avidity of radioactive-iodine refractory thyroid cancer with a new tyrosine kinase inhibitor (K905-0266) excavated by high-throughput NIS (sodium iodide symporter) enhancer screening platform using dual reporter gene system. Oncotarget, 2018, 9, 7075-7087. | 1.8 | 20        |
| 60 | Hepatoprotective Potential of Malaysian Medicinal Plants: A Review on Phytochemicals, Oxidative Stress, and Antioxidant Mechanisms. Molecules, 2022, 27, 1533.  | 3.8 | 20        |
| 61 | Lesion-Based Evaluation Predicts Treatment Response to Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Cancer: A Korean Multicenter Retrospective Study. Thyroid, 2019, 29, 1811-1819.  | 4.5 | 19        |
| 62 | Preoperative Prediction of Cervical Lymph Node Metastasis Using Primary Tumor SUVmax on 18F-FDG PET/CT in Patients with Papillary Thyroid Carcinoma. PLoS ONE, 2015, 10, e0144152.  | 2.5 | 19        |
| 63 | The Preventive Effect of Parotid Gland Massage on Salivary Gland Dysfunction During High-Dose Radioactive lodine Therapy for Differentiated Thyroid Cancer. Clinical Nuclear Medicine, 2019, 44, 625-633.   | 1.3 | 18        |
| 64 | A Novel Tyrosine Kinase Inhibitor Can Augment Radioactive Iodine Uptake Through Endogenous Sodium/Iodide Symporter Expression in Anaplastic Thyroid Cancer. Thyroid, 2020, 30, 501-518.   | 4.5 | 18        |
| 65 | Identification of Angiogenic Cargo in Extracellular Vesicles Secreted from Human Adipose<br>Tissue-Derived Stem Cells and Induction of Angiogenesis In Vitro and In Vivo. Pharmaceutics, 2021, 13,<br>495.  | 4.5 | 18        |
| 66 | New Optical Imaging Reporter-labeled Anaplastic Thyroid Cancer-Derived Extracellular Vesicles as a Platform for In Vivo Tumor Targeting in a Mouse Model. Scientific Reports, 2018, 8, 13509.   | 3.3 | 17        |
| 67 | Difference of Clinical and Radiological Characteristics According to Radioiodine Avidity in Pulmonary Metastases of Differentiated Thyroid Cancer. Nuclear Medicine and Molecular Imaging, 2014, 48, 55-62.   | 1.0 | 16        |
| 68 | Regulated Mesenchymal Stem Cells Mediated Colon Cancer Therapy Assessed by Reporter Gene Based Optical Imaging. International Journal of Molecular Sciences, 2018, 19, 1002.  | 4.1 | 16        |
| 69 | Combined radionuclide–chemotherapy and in vivo imaging of hepatocellular carcinoma cells after transfection of a triple-gene construct, NIS, HSV1-sr39tk, and EGFP. Cancer Letters, 2010, 290, 129-138.   | 7.2 | 15        |
| 70 | Effect of Parotid Gland Massage on Parotid Gland Tc-99m Pertechnetate Uptake. Thyroid, 2012, 22, 611-616.   | 4.5 | 15        |
| 71 | I-131 biokinetics of remnant normal thyroid tissue and residual thyroid cancer in patients with differentiated thyroid cancer: comparison between recombinant human TSH administration and thyroid hormone withdrawal. Annals of Nuclear Medicine, 2017, 31, 582-589.             | 2.2 | 15        |
| 72 | Genetically engineered suicide gene in mesenchymal stem cells using a Tet-On system for anaplastic thyroid cancer. PLoS ONE, 2017, 12, e0181318.  | 2.5 | 15        |

| #  | Article   | IF          | Citations |
|----|---|-------------|-----------|
| 73 | White blood cell labeling with Technetium-99m (99mTc) using red blood cell extracellular vesicles-mimetics. Blood Cells, Molecules, and Diseases, 2020, 80, 102375.   | 1.4         | 15        |
| 74 | Early perfusion and dopamine transporter imaging using F-FP-CIT PET/CT in patients with parkinsonism. American Journal of Nuclear Medicine and Molecular Imaging, 2018, 8, 360-372.   | 1.0         | 15        |
| 75 | Convalescent serum-derived exosomes: Attractive niche as COVID-19 diagnostic tool and vehicle for mRNA delivery. Experimental Biology and Medicine, 2022, 247, 1244-1252.   | 2.4         | 15        |
| 76 | Combined Fluorescence and Magnetic Resonance Imaging of Primary Macrophage Migration to Sites of Acute Inflammation Using Near-Infrared Fluorescent Magnetic Nanoparticles. Molecular Imaging and Biology, 2015, 17, 643-651.               | 2.6         | 14        |
| 77 | Multimodality Imaging of Bone Marrow–Derived Dendritic Cell Migration and Antitumor Immunity.<br>Translational Oncology, 2017, 10, 262-270.   | 3.7         | 14        |
| 78 | Extracellular Vesicles Act as Nano-Transporters of Tyrosine Kinase Inhibitors to Revert Iodine Avidity in Thyroid Cancer. Pharmaceutics, 2021, 13, 248.   | 4.5         | 14        |
| 79 | Intense Accumulation of F-18 FDG in Colonic Wall in Adult Onset Still Disease With Pseudomembranous Colitis. Clinical Nuclear Medicine, 2008, 33, 806-808.  | 1.3         | 13        |
| 80 | Combination Treatment with the <i>BRAF<sup>V600E</sup></i> Inhibitor Vemurafenib and the BH3 Mimetic Navitoclax for <i>BRAF</i> -Mutant Thyroid Carcinoma. Thyroid, 2019, 29, 540-548.  | 4.5         | 13        |
| 81 | Role of M2-like macrophages in the progression of ovarian cancer. Experimental Cell Research, 2020, 395, 112211.  | 2.6         | 13        |
| 82 | Current understanding of MSC-derived exosomes in the management of knee osteoarthritis. Experimental Cell Research, 2022, 418, 113274.  | 2.6         | 13        |
| 83 | Estimation of True Serum Thyroglobulin Concentration Using Simultaneous Measurement of Serum Antithyroglobulin Antibody. International Journal of Endocrinology, 2013, 2013, 1-7.   | 1.5         | 12        |
| 84 | Noninvasive Reporter Gene Imaging of Human Oct4 (Pluripotency) Dynamics During the Differentiation of Embryonic Stem Cells in Living Subjects. Molecular Imaging and Biology, 2014, 16, 865-876.  | 2.6         | 12        |
| 85 | Multimodality Molecular Imaging of Cardiac Cell Transplantation: Part I. Reporter Gene Design,<br>Characterization, and Optical in Vivo Imaging of Bone Marrow Stromal Cells after Myocardial<br>Infarction. Radiology, 2016, 280, 815-825. | <b>7.</b> 3 | 12        |
| 86 | Multimodality Molecular Imaging of Cardiac Cell Transplantation: Part II. In Vivo Imaging of Bone Marrow Stromal Cells in Swine with PET/CT and MR Imaging. Radiology, 2016, 280, 826-836.  | 7.3         | 12        |
| 87 | Nuclear Medicine in the Era of Precision Medicine. Nuclear Medicine and Molecular Imaging, 2017, 51, 99-100.  | 1.0         | 12        |
| 88 | Clinical outcomes of patients with T4 or N1b well-differentiated thyroid cancer after different strategies of adjuvant radioiodine therapy. Scientific Reports, 2019, 9, 5570.  | 3.3         | 12        |
| 89 | Self-healing functionalization of sulfonated hafnium oxide and copper oxide nanocomposite for effective biocidal control of multidrug-resistant bacteria. New Journal of Chemistry, 2021, 45, 9506-9517.                                    | 2.8         | 12        |
| 90 | Human fibroblastâ€derived extracellular vesicles promote hair growth in cultured human hair follicles. FEBS Letters, 2021, 595, 942-953.  | 2.8         | 12        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 91  | Advancing Regenerative Cellular Therapies in Non-Scarring Alopecia. Pharmaceutics, 2022, 14, 612.  | <b>4.</b> 5 | 12        |
| 92  | Emptying effect of massage on parotid gland radioiodine content. Nuclear Medicine Communications, 2014, 35, 1127-1131.   | 1.1         | 11        |
| 93  | Potential Therapeutic Effect of Natural Killer Cells on Doxorubicin-Resistant Breast Cancer Cells In Vitro. PLoS ONE, 2015, 10, e0136209.  | 2.5         | 11        |
| 94  | Combined <i>E7 </i> /i>-Dendritic Cell-Based Immunotherapy and Human Sodium/Iodide Symporter Radioiodine Gene Therapy with Monitoring of Antitumor Effects by Bioluminescent Imaging in a Mouse Model of Uterine Cervical Cancer. Cancer Biotherapy and Radiopharmaceuticals, 2011, 26, 671-679. | 1.0         | 10        |
| 95  | High Prevalence of Thyroid Disease and Role of Salivary Gland Scintigraphy in Patients with Xerostomia. Nuclear Medicine and Molecular Imaging, 2017, 51, 169-177.   | 1.0         | 10        |
| 96  | Factors Associated with Dose Determination of Radioactive Iodine Therapy for Differentiated Thyroid Cancer. Nuclear Medicine and Molecular Imaging, 2018, 52, 247-253.   | 1.0         | 10        |
| 97  | Analysis of Clinical Factors for the Determination of Optimal Serum Level of Thyrotropin After<br>Recombinant Human Thyroid-Stimulating Hormone Administration. Nuclear Medicine and Molecular<br>Imaging, 2015, 49, 268-275.  | 1.0         | 9         |
| 98  | Noninvasive <i>in vivo </i> cell tracking using molecular imaging: A useful tool for developing mesenchymal stem cell-based cancer treatment. World Journal of Stem Cells, 2020, 12, 1492-1510.  | 2.8         | 9         |
| 99  | Evolution of Mesenchymal Stem Cell Therapy as an Advanced Therapeutic Medicinal Product (ATMP)—An Indian Perspective. Bioengineering, 2022, 9, 111.  | 3.5         | 9         |
| 100 | Radioiodine Scan Index: A Simplified, Quantitative Treatment Response Parameter for Metastatic Thyroid Carcinoma. Nuclear Medicine and Molecular Imaging, 2015, 49, 174-181.   | 1.0         | 8         |
| 101 | Retrosternal Goiter Visualized on 99mTc Pertechnetate SPECT/CT, But Not on Planar Scintigraphy.<br>Clinical Nuclear Medicine, 2016, 41, e169-e170.   | 1.3         | 8         |
| 102 | Prognostic value of 18F-fluorodeoxyglucose bone marrow uptake in patients with solid tumors. Medicine (United States), 2018, 97, e12859.   | 1.0         | 8         |
| 103 | Risk factors for radioactive iodine-avid metastatic lymph nodes on post I-131 ablation SPECT/CT in low-or intermediate-risk groups of papillary thyroid cancer. PLoS ONE, 2018, 13, e0202644.  | 2.5         | 8         |
| 104 | Enhancing prognosis prediction using pre-treatment nodal SUVmax and HPV status in cervical squamous cell carcinoma. Cancer Imaging, 2019, 19, 43.  | 2.8         | 8         |
| 105 | Deep learning enables automated localization of the metastatic lymph node for thyroid cancer on 1311 post-ablation whole-body planar scans. Scientific Reports, 2020, 10, 7738.  | 3.3         | 8         |
| 106 | Application of In Vivo Imaging Techniques for Monitoring Natural Killer Cell Migration and Tumor Infiltration. Cancers, 2020, 12, 1318.  | 3.7         | 8         |
| 107 | Engineered extracellular vesicle mimetics from macrophage promotes hair growth in mice and promotes human hair follicle growth. Experimental Cell Research, 2021, 409, 112887.   | 2.6         | 8         |
| 108 | Osteogenic and Chondrogenic Potential of Periosteum-Derived Mesenchymal Stromal Cells: Do They Hold the Key to the Future?. Pharmaceuticals, 2021, 14, 1133.   | 3.8         | 8         |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 109 | Development of Drugs and Technology for Radiation Theragnosis. Nuclear Engineering and Technology, 2016, 48, 597-607.   | 2.3  | 7         |
| 110 | Development of an athyroid mouse model using 131I ablation after preparation with a low-iodine diet. Scientific Reports, 2017, 7, 13284.  | 3.3  | 7         |
| 111 | An Efficient Region Precise Thresholding and Direct Hough Transform in Femur and Femoral Neck<br>Segmentation Using Pelvis CT. IEEE Access, 2020, 8, 110048-110058.   | 4.2  | 7         |
| 112 | Radioiodine labeling and in vivo trafficking of extracellular vesicles. Scientific Reports, 2021, 11, 5041.   | 3.3  | 7         |
| 113 | Noncovalent Functionalized Graphene Nanocarriers from Graphite for Treating Thyroid Cancer Cells. ACS Biomaterials Science and Engineering, 2021, 7, 2317-2328.   | 5.2  | 7         |
| 114 | Biological Production of an Integrin $\hat{l}\pm v\hat{l}^2$ 3 Targeting Imaging Probe and Functional Verification. BioMed Research International, 2015, 2015, 1-8.   | 1.9  | 6         |
| 115 | Optimization of Dendritic Cell-Mediated Cytotoxic T-Cell Activation by Tracking of Dendritic Cell Migration Using Reporter Gene Imaging. Molecular Imaging and Biology, 2018, 20, 398-406.                                      | 2.6  | 6         |
| 116 | Is Culture Expansion Necessary in Autologous Mesenchymal Stromal Cell Therapy to Obtain Superior Results in the Management of Knee Osteoarthritis?—Meta-Analysis of Randomized Controlled Trials. Bioengineering, 2021, 8, 220. | 3.5  | 6         |
| 117 | In Vivo Monitoring of Survival and Proliferation of Hair Stem Cells in a Hair Follicle Generation Animal Model. Molecular Imaging, 2013, 12, 7290.2012.00046.   | 1.4  | 5         |
| 118 | Non-invasive visualization of mast cell recruitment and its effects in lung cancer by optical reporter gene imaging and glucose metabolism monitoring. Biomaterials, 2017, 112, 192-203.  | 11.4 | 5         |
| 119 | Reliability of Alkaline Phosphatase for Differentiating Flare Phenomenon from Disease Progression with Bone Scintigraphy. Cancers, 2022, 14, 254.   | 3.7  | 5         |
| 120 | Lineage Differentiation Potential of Different Sources of Mesenchymal Stem Cells for Osteoarthritis Knee. Pharmaceuticals, 2022, 15, 386.   | 3.8  | 5         |
| 121 | Identification of Angiogenic Cargoes in Human Fibroblasts-Derived Extracellular Vesicles and Induction of Wound Healing. Pharmaceuticals, 2022, 15, 702.  | 3.8  | 5         |
| 122 | Serum thyroglobulin elevation after needle aspiration of the lymph nodes: the predictive value for detecting metastasis in papillary thyroid cancer patients – a pilot study. Medicine (United States), 2019, 98, e16461.       | 1.0  | 4         |
| 123 | Sentinel lymph node biopsy in acral melanoma: A Korean singleâ€center experience with 107 patients (2006–2018). Asia-Pacific Journal of Clinical Oncology, 2021, 17, 115-122.   | 1.1  | 4         |
| 124 | In Vivo Tracking of Tumor-Derived Bioluminescent Extracellular Vesicles in Mice. Methods in Molecular Biology, 2020, 2081, 203-210.   | 0.9  | 4         |
| 125 | Multistage High-Dose I-131 Treatment for a Nonthyroidectomized Patient With Metastatic Differentiated Thyroid Cancer. Clinical Nuclear Medicine, 2011, 36, e224-e227.   | 1.3  | 3         |
| 126 | Combined RNA interference of adenine nucleotide translocase-2 and ganciclovir therapy in hepatocellular carcinoma. Nuclear Medicine and Biology, 2013, 40, 987-993.   | 0.6  | 3         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Pathological N1b Node Metastasis Itself Can Be Still a Valid Prognostic Factor in PTC after High Dose RAI Therapy. International Journal of Thyroidology, 2016, 9, 159.   | 0.1 | 2         |
| 128 | Prevalence and Risk Factors of Atypical Femoral Fracture Bone Scintigraphic Feature in Patients Experiencing Bisphosphonate-Related Osteonecrosis of the Jaw. Nuclear Medicine and Molecular Imaging, 2018, 52, 311-317.  | 1.0 | 2         |
| 129 | Contribution of Radionuclide Theranostics for Managing Intractable Malignancies. Nuclear Medicine and Molecular Imaging, 2018, 52, 168-169.   | 1.0 | 2         |
| 130 | Role of thyroglobulin in the management of patients with differentiated thyroid cancer. Clinical and Translational Imaging, 2019, 7, 209-217.   | 2.1 | 2         |
| 131 | Reduction of Salivary Gland Damage During Radioiodine Therapy for Differentiated Thyroid Cancers.<br>Nuclear Medicine and Molecular Imaging, 2020, 54, 126-127.   | 1.0 | 2         |
| 132 | KSNM60 in Nuclear Endocrinology: from the Beginning to the Future. Nuclear Medicine and Molecular Imaging, 2022, 56, 17-28.   | 1.0 | 2         |
| 133 | Application of Sygen® in Diabetic Peripheral Neuropathies—A Review of Biological Interactions.<br>Bioengineering, 2022, 9, 217.   | 3.5 | 2         |
| 134 | A Case of Metastatic Endobronchial Melanoma from an Unknown Primary Site. Tuberculosis and Respiratory Diseases, 2012, 72, 169.   | 1.8 | 1         |
| 135 | A new tyrosine kinase inhibitor K905-0266 inhibits proliferation and sphere formation of glioblastoma cancer cells. Journal of Drug Targeting, 2020, 28, 933-938.   | 4.4 | 1         |
| 136 | Clinical Outcome of Parotid Gland Massage for Preventing Parotid Gland Dysfunction in Patients Treated with Radioiodine Therapy for Differentiated Thyroid Cancer: a Prospective Longitudinal Follow-Up Study. International Journal of Thyroidology, 2021, 14, 6-17. | 0.1 | 1         |
| 137 | Reappraisal of bone scintigraphy as a new tool for the evaluation of disease activity in patients with rheumatoid arthritis. Scientific Reports, 2021, 11, 21809.   | 3.3 | 1         |
| 138 | Targeting GLI1 Transcription Factor for Restoring Iodine Avidity with Redifferentiation in Radioactive-Iodine Refractory Thyroid Cancers. Cancers, 2022, 14, 1782.  | 3.7 | 1         |
| 139 | Enhanced anti-tumor effects of combined MDR1 RNA interference and human sodium/iodide symporter (NIS) radioiodine gene therapy using an adenoviral system in a colon cancer model. Nature Precedings, 2009, , .   | 0.1 | 0         |
| 140 | False-Positive Axillary Lymph Node on F-18 FDG PET/CT due to Moxibustion Therapy. Nuclear Medicine and Molecular Imaging, 2010, 44, 307-308.  | 1.0 | 0         |
| 141 | Biliary Flow in Septate Gallbladder on Hepatobiliary Scintigraphy with SPECT/CT. Nuclear Medicine and Molecular Imaging, 2013, 47, 220-221.   | 1.0 | 0         |
| 142 | Size measurement of the thyroid gland on a magnified pinhole thyroid scan using an ultrasonic device measuring distance from the pinhole to the thyroid gland. Annals of Nuclear Medicine, 2015, 29, 111-117.   | 2.2 | 0         |
| 143 | Re. Clinical Nuclear Medicine, 2017, 42, 241.   | 1.3 | 0         |
| 144 | Management of Severe Fatigue Induced by Tyrosine Kinase Inhibitor in Radioiodine Refractory Thyroid Cancer. International Journal of Thyroidology, 2018, 11, 75.  | 0.1 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Treatment Effect of Combining Lenvatinib and Vemurafenib for BRAF Mutated Anaplastic Thyroid Cancer. International Journal of Thyroidology, 2021, 14, 127-134. | 0.1 | 0         |