
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1293122/publications.pdf Version: 2024-02-01



YONG LIANG

#	Article	IF	CITATIONS
1	Short-term effect of PM2.5 on stroke in susceptible populations: A case-crossover study. International Journal of Stroke, 2023, 18, 312-321.	5.9	3
2	Sex differences in vascular risk factors, inâ€hospital management, and outcomes of patients with acute ischemic stroke in China. European Journal of Neurology, 2022, 29, 188-198.	3.3	10
3	Predicting functional outcome in patients with acute brainstem infarction using deep neuroimaging features. European Journal of Neurology, 2022, 29, 744-752.	3.3	3
4	Bleeding Risk of Dual Antiplatelet Therapy after Minor Stroke or Transient Ischemic Attack. Annals of Neurology, 2022, 91, 380-388.	5.3	4
5	Sex Differences in Short-Term and Long-Term Outcomes Among Patients With Acute Ischemic Stroke in China. Stroke, 2022, 53, 2268-2275.	2.0	19
6	Anti-Neuroinflammatory Components from Clausena lenis Drake. Molecules, 2022, 27, 1971.	3.8	2
7	Rationale and design of a stepped wedge cluster randomised trial to improve acute reperfusion treatment quality for stroke: IMPROVE stroke care in China. Stroke and Vascular Neurology, 2022, 7, 451-456.	3.3	1
8	Indobufen versus aspirin in acute ischaemic stroke (INSURE): rationale and design of a multicentre randomised trial. Stroke and Vascular Neurology, 2022, 7, e001480.	3.3	2
9	China Stroke Statistics: an update on the 2019 report from the National Center for Healthcare Quality Management in Neurological Diseases, China National Clinical Research Center for Neurological Diseases, the Chinese Stroke Association, National Center for Chronic and Non-communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention and Institute for Global	3.3	97
10	Geographic Variation in Cardiovascular Health as Analyzed from the China Cardiovascular Health Index Study - 31 PLADs, China, 2017-2021 China CDC Weekly, 2022, 4, 265-270.	2.3	0
11	ICH-LR2S2: a new risk score for predicting stroke-associated pneumonia from spontaneous intracerebral hemorrhage. Journal of Translational Medicine, 2022, 20, 193.	4.4	7
12	Association between high-sensitivity C-reactive protein, functional disability, and stroke recurrence in patients with acute ischaemic stroke: A mediation analysis. EBioMedicine, 2022, 80, 104054.	6.1	11
13	Essen score in the prediction of cerebrovascular events compared with cardiovascular events after ischaemic stroke or transient ischaemic attack: a nationwide registry analysis Journal of Geriatric Cardiology, 2022, 19, 265-275.	0.2	0
14	Time Course for Benefit and Risk With Ticagrelor and Aspirin in Individuals With Acute Ischemic Stroke or Transient Ischemic Attack Who Carry <i>CYP2C19</i> Loss-of-Function Alleles. JAMA Neurology, 2022, 79, 739.	9.0	7
15	Association between short-term exposure to ambient air pollution and hospital admissions for transient ischemic attacks in Beijing, China. Environmental Science and Pollution Research, 2021, 28, 6877-6885.	5.3	10
16	Whole genome sequencing of 10K patients with acute ischaemic stroke or transient ischaemic attack: design, methods and baseline patient characteristics. Stroke and Vascular Neurology, 2021, 6, 291-297.	3.3	18
17	YKL-40 Is Associated With Ultrasound-Determined Carotid Atherosclerotic Plaque Instability. Frontiers in Neurology, 2021, 12, 622869.	2.4	8
18	Low serum albumin levels predict poor outcome in patients with acute ischaemic stroke or transient ischaemic attack. Stroke and Vascular Neurology, 2021, 6, 458-466.	3.3	20

#	Article	lF	CITATIONS
19	Abstract P657: Soluble Receptor for Advanced Glycation End Products and Subtypes Are Protective Biomarkers of Functional Outcome but Not Those of Recurrence in Acute Ischemic Stroke. Stroke, 2021, 52, .	2.0	0
20	China Antihypertensive Trial in Acute Ischemic Stroke II (CATIS-2): rationale and design. Stroke and Vascular Neurology, 2021, 6, 286-290.	3.3	3
21	Association of Polyvascular Disease and Elevated Interleukin-6 With Outcomes in Acute Ischemic Stroke or Transient Ischemic Attack. Frontiers in Neurology, 2021, 12, 661779.	2.4	3
22	Association of Trimethylamine N-Oxide and Its Precursor With Cerebral Small Vessel Imaging Markers. Frontiers in Neurology, 2021, 12, 648702.	2.4	8
23	Imaging Parameters Predict Recurrence After Transient Ischemic Attack or Minor Stroke Stratified by ABCD ² Score. Stroke, 2021, 52, 2007-2015.	2.0	14
24	Body-mass index and obesity in urban and rural China: findings from consecutive nationally representative surveys during 2004–18. Lancet, The, 2021, 398, 53-63.	13.7	251
25	Assessment of Trends in Guideline-Based Oral Anticoagulant Prescription for Patients With Ischemic Stroke and Atrial Fibrillation in China. JAMA Network Open, 2021, 4, e2118816.	5.9	8
26	Clinical Characteristics, Management, and In-Hospital Outcomes in Patients With Stroke or Transient Ischemic Attack in China. JAMA Network Open, 2021, 4, e2120745.	5.9	29
27	Guideline-directed low-density lipoprotein management in high-risk ischemic stroke or transient ischemic attack admissions in China from 2015 to 2019. Annals of Translational Medicine, 2021, 9, 1224-1224.	1.7	0
28	Trimeric and Dimeric Carbazole Alkaloids from Murraya microphylla. Molecules, 2021, 26, 5689.	3.8	6
29	Comparison of the preventive effects of Murraya exotica and Murraya paniculata on alcohol-induced gastric lesions by pharmacodynamics and metabolomics. Journal of Ethnopharmacology, 2021, 281, 114567.	4.1	6
30	GRP per capita and hospital characteristics associated with intravenous tissue plasminogen activator adherence rate: evidence from the Chinese Stroke Center Alliance. Stroke and Vascular Neurology, 2021, 6, 337-343.	3.3	2
31	Sources of hospital-level variation in functional outcome after acute ischemic stroke: a multicenter retrospective cohort study. Annals of Palliative Medicine, 2021, 10, 11322-11332.	1.2	0
32	Ticagrelor versus Clopidogrel in <i>CYP2C19</i> Loss-of-Function Carriers with Stroke or TIA. New England Journal of Medicine, 2021, 385, 2520-2530.	27.0	147
33	Rapid motor progression of Parkinson's disease associates with clinical and genetic variants. Frontiers in Bioscience, 2021, 26, 1503-1512.	2.1	6
34	Nitric Oxide Inhibitory Carbazole Alkaloids from the Folk Medicine Murraya tetramera C.C. Huang. Chemistry and Biodiversity, 2020, 17, e2000490.	2.1	2
35	Chinese Stroke Association guidelines for clinical management of cerebrovascular disorders: executive summary and 2019 update of the management of high-risk population. Stroke and Vascular Neurology, 2020, 5, 270-278.	3.3	17
36	China Stroke Statistics 2019: A Report From the National Center for Healthcare Quality Management in Neurological Diseases, China National Clinical Research Center for Neurological Diseases, the Chinese Stroke Association, National Center for Chronic and Non-communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention and Institute for Global Neuroscience and Stroke Collaborations. Stroke and Vascular Neurology, 2020, 5, 211-239.	3.3	313

#	Article	IF	CITATIONS
37	Large Volume Direct Injection Ultra-High Performance Liquid Chromatography–Tandem Mass Spectrometry-Based Comparative Pharmacokinetic Study between Single and Combinatory Uses of Carthamus tinctorius Extract and Notoginseng Total Saponins. Pharmaceutics, 2020, 12, 180.	4.5	5
38	Cucurbitacin E Inhibits Huh7 Hepatoma Carcinoma Cell Proliferation and Metastasis via Suppressing MAPKs and JAK/STAT3 Pathways. Molecules, 2020, 25, 560.	3.8	29
39	A Precise Microfluidic Assay in Singleâ€Cell Profile for Screening of Transient Receptor Potential Channel Modulators. Advanced Science, 2020, 7, 2000111.	11.2	11
40	Abdominal Obesity and Its Attribution to All-cause Mortality in the General Population with 14 Years Follow-up: Findings from Shanxi Cohort in China. Biomedical and Environmental Sciences, 2020, 33, 227-237.	0.2	5
41	China's response to the rising stroke burden. BMJ: British Medical Journal, 2019, 364, l879.	2.3	86
42	Prevalence of Smoking and Knowledge About the Hazards of Smoking Among 170 000 Chinese Adults, 2013–2014. Nicotine and Tobacco Research, 2019, 21, 1644-1651.	2.6	54
43	The Third China National Stroke Registry (CNSR-III) for patients with acute ischaemic stroke or transient ischaemic attack: design, rationale and baseline patient characteristics. Stroke and Vascular Neurology, 2019, 4, 158-164.	3.3	171
44	Cytotoxic polyacetylenes isolated from the roots and rhizomes of Notopterygium incisum. Chinese Chemical Letters, 2019, 30, 428-430.	9.0	6
45	Pharmacokinetics study of 16 representative components from Baoyuan Decoction in rat plasma by LC–MS/MS with a large-volume direct injection method. Phytomedicine, 2019, 57, 148-157.	5.3	20
46	Characteristics of Wall Shear Stress and Pressure of Intracranial Atherosclerosis Analyzed by a Computational Fluid Dynamics Model: A Pilot Study. Frontiers in Neurology, 2019, 10, 1372.	2.4	36
47	Anti-inflammatory isoflavones and isoflavanones from the roots of Pongamia pinnata (L.) Pierre. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 1050-1055.	2.2	16
48	Modified CHADS 2 and CHA 2 DS 2 -VASc scores to predict atrial fibrillation in acute ischemic stroke patients. Journal of Clinical Neuroscience, 2018, 51, 35-38.	1.5	12
49	Nitric Oxide Inhibitory Sesquiterpenoids and Its Dimers from <i>Artemisia freyniana</i> . Journal of Natural Products, 2018, 81, 866-878.	3.0	20
50	Anti-Inflammatory Prenylated Phenylpropenols and Coumarin Derivatives from <i>Murraya exotica</i> . Journal of Natural Products, 2018, 81, 22-33.	3.0	38
51	Comparative Study on Excretive Characterization of Main Components in Herb Pair Notoginseng-Safflower and Single Herbs by LC–MS/MS. Pharmaceutics, 2018, 10, 241.	4.5	3
52	The burden of stroke in China: Results from a nationwide population-based epidemiological survey. PLoS ONE, 2018, 13, e0208398.	2.5	33
53	Acute Effects of Particulate Air Pollution on Ischemic Stroke and Hemorrhagic Stroke Mortality. Frontiers in Neurology, 2018, 9, 827.	2.4	45
54	LC-MS-Guided Isolation of Insulin-Secretion-Promoting Monoterpenoid Carbazole Alkaloids from <i>Murraya microphylla</i> . Journal of Natural Products, 2018, 81, 2371-2380.	3.0	4

#	Article	IF	CITATIONS
55	Effect of a Multifaceted Quality Improvement Intervention on Hospital Personnel Adherence to Performance Measures in Patients With Acute Ischemic Stroke in China. JAMA - Journal of the American Medical Association, 2018, 320, 245.	7.4	80
56	Relationship between hospital performance measures and outcomes in patients with acute ischaemic stroke: a prospective cohort study. BMJ Open, 2018, 8, e020467.	1.9	4
57	Construction of China cardiovascular health index. BMC Public Health, 2018, 18, 937.	2.9	11
58	Serum 25-hydroxyvitamin D and the risk of cardiovascular disease: dose-response meta-analysis of prospective studies. American Journal of Clinical Nutrition, 2017, 105, 810-819.	4.7	146
59	Integrated work-flow for quantitative metabolome profiling of plants, Peucedani Radix as a case. Analytica Chimica Acta, 2017, 953, 40-47.	5.4	43
60	Prevalence, Incidence, and Mortality of Stroke in China. Circulation, 2017, 135, 759-771.	1.6	1,450
61	External Validation of the Prestroke Independence, Sex, Age, National Institutes of Health Stroke Scale Score for Predicting Pneumonia After Stroke Using Data From the China National Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 938-943.	1.6	11
62	Novel composite scoring system to predict unknown atrial fibrillation in acute ischemic stroke patients. Brain Research, 2017, 1674, 36-41.	2.2	4
63	Artificial intelligence in healthcare: past, present and future. Stroke and Vascular Neurology, 2017, 2, 230-243.	3.3	2,009
64	The cardiometabolic risk profile of Chinese adults with diabetes: A nationwide cross-sectional survey. Journal of Diabetes and Its Complications, 2017, 31, 43-52.	2.3	7
65	Atrial fibrillation is not uncommon among patients with ischemic stroke and transient ischemic stroke in China. BMC Neurology, 2017, 17, 207.	1.8	17
66	Prediction of 10-year Atherosclerotic Cardiovascular Disease Risk among Adults Aged 40-79 Years in China: a Nationally Representative Survey. Biomedical and Environmental Sciences, 2017, 30, 244-254.	0.2	10
67	Five New Biphenanthrenes from Cremastra appendiculata. Molecules, 2016, 21, 1089.	3.8	29
68	Chromatographic analysis of Polygalae Radix by online hyphenating pressurized liquid extraction. Scientific Reports, 2016, 6, 27303.	3.3	11
69	An Integrated Strategy for Global Qualitative and Quantitative Profiling of Traditional Chinese Medicine Formulas: Baoyuan Decoction as a Case. Scientific Reports, 2016, 6, 38379.	3.3	47
70	An integrated platform for directly widely-targeted quantitative analysis of feces part I: Platform configuration and method validation. Journal of Chromatography A, 2016, 1454, 58-66.	3.7	14
71	Murradiate and murradiol, two structurally unique heterodimers of carbazole-monoterpene and carbazole-phenylethanol from Murraya tetramera. Phytochemistry Letters, 2016, 15, 113-115.	1.2	13
72	MRM-based strategy for the homolog-focused detection of minor ginsenosides from notoginseng total saponins by ultra-performance liquid chromatography coupled with hybrid triple quadrupole-linear ion trap mass spectrometry. RSC Advances, 2016, 6, 96376-96388.	3.6	13

#	Article	IF	CITATIONS
73	Source attribution and structure classification-assisted strategy for comprehensively profiling Chinese herbal formula: Ganmaoling granule as a case. Journal of Chromatography A, 2016, 1464, 102-114.	3.7	23
74	TDB protects vascular endothelial cells against oxygen-glucose deprivation/reperfusion-induced injury by targeting miR-34a to increase Bcl-2 expression. Scientific Reports, 2016, 6, 37959.	3.3	34
75	An integrated platform for directly widely-targeted quantitative analysis of feces part II: An application for steroids, eicosanoids, and porphyrins profiling. Journal of Chromatography A, 2016, 1460, 74-83.	3.7	31
76	Resokaempferol-mediated anti-inflammatory effects on activated macrophages via the inhibition of JAK2/STAT3, NF-κB and JNK/p38 MAPK signaling pathways. International Immunopharmacology, 2016, 38, 104-114.	3.8	75
77	Substantial Progress Yet Significant Opportunity for Improvement in Stroke Care in China. Stroke, 2016, 47, 2843-2849.	2.0	93
78	Tenuifolin, a saponin derived from Radix Polygalae, exhibits sleep-enhancing effects in mice. Phytomedicine, 2016, 23, 1797-1805.	5.3	49
79	Nitric oxide inhibitory constituents from the barks of Cinnamomum cassia. Fìtoterapìâ, 2016, 112, 153-160.	2.2	25
80	Differentiation of two types of pu-erh teas by using an electronic nose and ultrasound-assisted extraction-dispersive liquid–liquid microextraction-gas chromatography-mass spectrometry. Analytical Methods, 2016, 8, 593-604.	2.7	23
81	Home-made online hyphenation of pressurized liquid extraction, turbulent flow chromatography, and high performance liquid chromatography, Cistanche deserticola as a case study. Journal of Chromatography A, 2016, 1438, 189-197.	3.7	24
82	Nitric Oxide Inhibitory Dimeric Sesquiterpenoids from <i>Artemisia rupestris</i> . Journal of Natural Products, 2016, 79, 213-223.	3.0	36
83	An integrated strategy to quantitatively differentiate chemome between Cistanche deserticola and C. tubulosa using high performance liquid chromatography–hybrid triple quadrupole-linear ion trap mass spectrometry. Journal of Chromatography A, 2016, 1429, 238-247.	3.7	53
84	Selective Activation of Nociceptor TRPV1 Channel and Reversal of Inflammatory Pain in Mice by a Novel Coumarin Derivative Muralatin L from Murraya alata. Journal of Biological Chemistry, 2016, 291, 640-651.	3.4	20
85	Three new compounds from <i>Cinnamomum cassia</i> . Journal of Asian Natural Products Research, 2016, 18, 134-140.	1.4	23
86	Anti-inflammatory iridoids from the stems of Cistanche deserticola cultured in Tarim Desert. Chinese Journal of Natural Medicines, 2016, 14, 61-5.	1.3	16
87	Smoking and Its Relation to Metabolic Status among Chinese Adults: Analysis of a Nationwide Survey. Biomedical and Environmental Sciences, 2016, 29, 619-627.	0.2	8
88	ASC, a Bioactive Steroidal Saponin from <i>Ophitopogin japonicas</i> , Inhibits Angiogenesis through Interruption of Src Tyrosine Kinaseâ€dependent Matrix Metalloproteinase Pathway. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 115-123.	2.5	11
89	Natural small molecule FMHM inhibits lipopolysaccharide-induced inflammatory response by promoting TRAF6 degradation via K48-linked polyubiquitination. Scientific Reports, 2015, 5, 14715.	3.3	14
90	Antiâ€Neuroinflammatory Effect of MC13, a Novel Coumarin Compound From Condiment Murraya, Through Inhibiting Lipopolysaccharideâ€Induced TRAF6â€TAK1â€NFâ€I°B, P38/ERK MAPKS and Jak2â€Stat1/Stat3 Pathways. Journal of Cellular Biochemistry, 2015, 116, 1286-1299.	2.6	33

#	Article	IF	CITATIONS
91	Homolog-focused profiling of ginsenosides based on the integration of step-wise formate anion-to-deprotonated ion transition screening and scheduled multiple reaction monitoring. Journal of Chromatography A, 2015, 1406, 136-144.	3.7	31
92	New sesquiterpene and thiophene derivatives from <i>Artemisia rupestris</i> . Journal of Asian Natural Products Research, 2015, 17, 1129-1136.	1.4	4
93	Deoxysappanone B, a homoisoflavone from the Chinese medicinal plant Caesalpinia sappan L., protects neurons from microglia-mediated inflammatory injuries via inhibition of lκB kinase (IKK)-NF-κB and p38/ERK MAPK pathways. European Journal of Pharmacology, 2015, 748, 18-29.	3.5	33
94	Protosappanin B protects PC12 cells against oxygen–glucose deprivation-induced neuronal death by maintaining mitochondrial homeostasis via induction of ubiquitin-dependent p53 protein degradation. European Journal of Pharmacology, 2015, 751, 13-23.	3.5	24
95	Artesin A, a new cage-shaped dimeric guaianolide from Artemisia sieversiana. Tetrahedron Letters, 2015, 56, 1141-1143.	1.4	23
96	Nitrogen-containing bibenzyls from Pleione bulbocodioides: Absolute configurations and biological activities. Fìtoterapìâ, 2015, 102, 120-126.	2.2	25
97	How to Address Small- and Medium-Sized Acoustic Neuromas with Hearing: A Systematic Review and Decision Analysis. World Neurosurgery, 2015, 84, 283-291.e1.	1.3	20
98	Large-scale qualitative and quantitative characterization of components in Shenfu injection by integrating hydrophilic interaction chromatography, reversed phase liquid chromatography, and tandem mass spectrometry. Journal of Chromatography A, 2015, 1407, 106-118.	3.7	52
99	Nitric oxide inhibitory flavonoids from traditional Chinese medicine formula Baoyuan Decoction. Fìtoterapìâ, 2015, 103, 252-259.	2.2	14
100	Simultaneous determination of aconite alkaloids and ginsenosides using online solid phase extraction hyphenated with polarity switching ultra-high performance liquid chromatography coupled with tandem mass spectrometry. RSC Advances, 2015, 5, 6419-6428.	3.6	22
101	Prevalence, knowledge, and treatment of transient ischemic attacks in China. Neurology, 2015, 84, 2354-2361.	1.1	41
102	Five new benzylphenanthrenes from Cremastra appendiculata. Fìtoterapìâ, 2015, 103, 27-32.	2.2	20
103	Caruifolin D from artemisia absinthium L. inhibits neuroinflammation via reactive oxygen species-dependent c-jun N-terminal kinase and protein kinase c/NF-κB signaling pathways. European Journal of Pharmacology, 2015, 767, 82-93.	3.5	14
104	A series of strategies for solving the shortage of reference standards for multi-components determination of traditional Chinese medicine, Mahoniae Caulis as a case. Journal of Chromatography A, 2015, 1412, 100-111.	3.7	38
105	Nitrogen Oxide Inhibitory Trimeric and Dimeric Carbazole Alkaloids from <i>Murraya tetramera</i> . Journal of Natural Products, 2015, 78, 2432-2439.	3.0	30
106	Exotines A and B, Two Heterodimers of Isopentenyl-Substituted Indole and Coumarin Derivatives from <i>Murraya exotica</i> . Organic Letters, 2015, 17, 4380-4383.	4.6	50
107	Habitat differentiation and degradation characterization of Cinnamomi Cortex by 1H NMR spectroscopy coupled with multivariate statistical analysis. Food Research International, 2015, 67, 155-162.	6.2	8
108	Extracts ofCistanche deserticolaCan Antagonize Immunosenescence and Extend Life Span in Senescence-Accelerated Mouse Prone 8 (SAM-P8) Mice. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-14.	1.2	14

#	Article	IF	CITATIONS
109	Two New Phenolic Compounds from the Heartwood of Caesalpinia sappan L Molecules, 2014, 19, 1-8.	3.8	29
110	Characterization of the herb-derived components in rats following oral administration of Carthamus tinctorius extract by extracting diagnostic fragment ions (DFIs) in the MS ⁿ chromatograms. Analyst, The, 2014, 139, 6474-6485.	3.5	34
111	Amelioration of Dextran Sulphate Sodiumâ€Induced Colitis in Mice by Echinacosideâ€Enriched Extract of <scp><i>Cistanche tubulosa</i></scp> . Phytotherapy Research, 2014, 28, 110-119.	5.8	36
112	Characterization of in vitro and in vivo metabolites of carnosic acid, a natural antioxidant, by high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 89, 183-196.	2.8	32
113	8-C N-ethyl-2-pyrrolidinone substituted flavan-3-ols as the marker compounds of Chinese dark teas formed in the post-fermentation process provide significant antioxidative activity. Food Chemistry, 2014, 152, 539-545.	8.2	102
114	Induction of hepatoma carcinoma cell apoptosis through activation of the JNK–nicotinamide adenine dinucleotide phosphate (NADPH) oxidase–ROS self-driven death signal circuit. Cancer Letters, 2014, 353, 220-231.	7.2	25
115	Rupestonic acids B–G, NO inhibitory sesquiterpenoids from Artemisia rupestris. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 4318-4322.	2.2	17
116	Dimeric guaianolides from Artemisia absinthium. Phytochemistry, 2014, 105, 109-114.	2.9	31
117	Flavonoids and anthraquinones from Murraya tetramera C. C. Huang (Rutaceae). Biochemical Systematics and Ecology, 2014, 57, 78-80.	1.3	13
118	Sesquiterpenes from <i>Artemisia argyi</i> : Absolute Configurations and Biological Activities. European Journal of Organic Chemistry, 2014, 2014, 973-983.	2.4	42
119	Constituents of Vigna angularis and their in vitro anti-inflammatory activity. Phytochemistry, 2014, 107, 111-118.	2.9	21
120	Sesquiterpene dimer (DSF-52) from Artemisia argyi inhibits microglia-mediated neuroinflammation via suppression of NF-Î₽B, JNK/p38 MAPKs and Jak2/Stat3 signaling pathways. Phytomedicine, 2014, 21, 298-306.	5.3	77
121	Sesquiterpene dimmer (DSF-27) inhibits the release of neuroinflammatory mediators from microglia by targeting spleen tyrosine kinase (Syk) and Janus kinase 2 (Jak2): Two major non-receptor tyrosine signaling proteins involved in inflammatory events. Toxicology and Applied Pharmacology, 2014, 275, 244-256.	2.8	24
122	Triterpene saponins from the roots of Ilex pubescens. Fìtoterapìâ, 2014, 97, 98-104.	2.2	21
123	Arvestolides A–C, new rare sesquiterpenes from the aerial parts of Artemisia vestita. Tetrahedron Letters, 2013, 54, 5035-5038.	1.4	11
124	Investigation of the binding sites and orientation of caffeine on human serum albumin by surface-enhanced Raman scattering and molecular docking. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2013, 115, 57-63.	3.9	9
125	Sibiricasaponins A–E, five new triterpenoid saponins from the aerial parts of Polygala sibirica L Fìtoterapì¢, 2013, 84, 295-301.	2.2	11
126	Three new triterpene saponins from <i>Clematis chinensis</i> . Journal of Asian Natural Products Research, 2013, 15, 610-618.	1.4	14

YONG JIANG

#	Article	IF	CITATIONS
127	Anti-neuroinflammatory efficacy of the aldose reductase inhibitor FMHM via phospholipase C/protein kinase C-dependent NF-κB and MAPK pathways. Toxicology and Applied Pharmacology, 2013, 273, 159-171.	2.8	41
128	Evaluation of the anti-myocardial ischemia effect of individual and combined extracts of Panax notoginseng and Carthamus tinctorius in rats. Journal of Ethnopharmacology, 2013, 145, 722-727.	4.1	67
129	Inhibitory constituents from the aerial parts of Polygala tenuifolia on LPS-induced NO production in BV2 microglia cells. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 5904-5908.	2.2	21
130	A simple and specific quantitative method for determination of dictamnine in Dictamni Cortex by 1H NMR spectroscopy. Analytical Methods, 2013, 5, 1062.	2.7	13
131	NO inhibitory guaianolide-derived terpenoids from Artemisia argyi. Fìtoterapìâ, 2013, 85, 169-175.	2.2	66
132	Sprengerinin C exerts anti-tumorigenic effects in hepatocellular carcinoma via inhibition of proliferation and angiogenesis and induction of apoptosis. European Journal of Pharmacology, 2013, 714, 261-273.	3.5	12
133	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. Fìtoterapìâ, 2013, 89, 1-7.	2.2	52
134	Chemical constituents from Cistanche sinensis (Orobanchaceae). Biochemical Systematics and Ecology, 2013, 47, 21-24.	1.3	25
135	Phenylethanoid glycosides with anti-inflammatory activities from the stems of Cistanche deserticola cultured in Tarim desert. Fìtoterapìâ, 2013, 89, 167-174.	2.2	58
136	Anti-neuroinflammatory constituents from Asparagus cochinchinensis. Fìtoterapìâ, 2013, 84, 80-84.	2.2	28
137	Polygalins D–G, four new flavonol glycosides from the aerial parts of <i>Polygala sibirica</i> L. (Polygalaceae). Natural Product Research, 2013, 27, 1220-1227.	1.8	9
138	Identification and quantification of 5,6,7,8â€ŧetrahydroâ€2â€(2â€phenylethyl)chromones in Chinese eaglewood by HPLC with diode array detection and MS. Journal of Separation Science, 2013, 36, 3733-3740.	2.5	18
139	llexpublesnins C–M, Eleven New Triterpene Saponins from the Roots of Ilex pubescens. Planta Medica, 2013, 79, 70-77.	1.3	22
140	Inhibitory Activity of Chemical Constituents from Arenaria serpyllifolia on Nitric Oxide Production. Planta Medica, 2013, 79, 687-692.	1.3	2
141	A new furostanol glycoside with fatty acid synthase inhibitory activity from Ophiopogon japonicusa. Chemistry of Natural Compounds, 2012, 48, 613-615.	0.8	8
142	Characterization of the metabolism of sibiricaxanthone F and its aglycone in vitro by high performance liquid chromatography coupled with Q-trap mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2012, 70, 700-707.	2.8	10
143	Simultaneous qualitative and quantitative determination of major polymethoxylated flavonoids in the leaves of Murraya paniculata by RRLC-DAD-ESI-MSn. Analytical Methods, 2012, 4, 3399.	2.7	16
144	Protosappanin A inhibits oxidative and nitrative stress via interfering the interaction of transmembrane protein CD14 with Toll-like receptor-4 in lipopolysaccharide-induced BV-2 microglia. International Immunopharmacology, 2012, 14, 558-569.	3.8	39

YONG JIANG

#	Article	IF	CITATIONS
145	Quality Assessment of Commercial Magnoliae Officinalis Cortex by ¹ Hâ€NMRâ€based Metabolomics and HPLC Methods. Phytochemical Analysis, 2012, 23, 387-395.	2.4	37
146	Anti-neuroinflammatory constituents from Polygala tricornis Gagnep. Fìtoterapìâ, 2012, 83, 896-900.	2.2	36
147	Effects of echinacoside on histio-central levels of active mass in middle cerebral artery occlusion rats. Biomedical and Environmental Sciences, 2012, 25, 238-44.	0.2	8
148	A rapid and sensitive HPLC–MS/MS analysis and preliminary pharmacokinetic characterization of sibiricaxanthone F in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2513-2518.	2.3	10
149	Characterization of seventy polymethoxylated flavonoids (PMFs) in the leaves of Murraya paniculata by on-line high-performance liquid chromatography coupled to photodiode array detection and electrospray tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 950-961.	2.8	69
150	Recent analytical approaches in quality control of traditional Chinese medicines—A review. Analytica Chimica Acta, 2010, 657, 9-18.	5.4	426
151	Formal synthesis of semiaquilegin A. Tetrahedron Letters, 2010, 51, 1121-1123.	1.4	5
152	Triterpene Saponins from <i>Clematis chinensis</i> and Their Potential Anti-inflammatory Activity. Journal of Natural Products, 2010, 73, 1234-1239.	3.0	59
153	Dimeric Guaianolides and Sesquiterpenoids from <i>Artemisia anomala</i> . Journal of Natural Products, 2010, 73, 67-70.	3.0	51
154	Two new furostanol glycosides from the fibrous root of <i>Ophiopogon japonicus</i> (Thunb.) Ker-Gawl. Journal of Asian Natural Products Research, 2010, 12, 745-751.	1.4	10
155	Metabolism of Echinacoside, a Good Antioxidant, in Rats: Isolation and Identification of Its Biliary Metabolites. Drug Metabolism and Disposition, 2009, 37, 431-438.	3.3	44
156	Inhibitory Effect of Triterpenoid Saponins from the Leaves of <i>llex kudingcha</i> on Aggregated LDL-Induced Lipid Deposition in Macrophages. Planta Medica, 2009, 75, 1410-1414.	1.3	30
157	A sensitive and specific liquid chromatography/tandem mass spectrometry method for determination of echinacoside and its pharmacokinetic application in rats. Biomedical Chromatography, 2009, 23, 630-637.	1.7	14
158	Highâ€performance liquid chromatography method for determination of carnosic acid in rat plasma and its application to pharmacokinetic study. Biomedical Chromatography, 2009, 23, 776-781.	1.7	39
159	One single standard substance for the determination of multiple anthraquinone derivatives in rhubarb using high-performance liquid chromatography-diode array detection. Journal of Chromatography A, 2009, 1216, 2118-2123.	3.7	93
160	Analysis of chemical constituents in Cistanche species. Journal of Chromatography A, 2009, 1216, 1970-1979.	3.7	150
161	Performance Evaluation of Charged Aerosol and Evaporative Light Scattering Detection for the Determination of Ginsenosides by LC. Chromatographia, 2009, 70, 603-608.	1.3	16
162	Two new homoisoflavonoids from the fibrous roots of <i>Ophiopogon japonicus</i> (Thunb.) Ker-Gawl. Journal of Asian Natural Products Research, 2009, 11, 876-879.	1.4	19

#	Article	IF	CITATIONS
163	An approach to identifying sequential metabolites of a typical phenylethanoid glycoside, echinacoside, based on liquid chromatography–ion trap-time of flight mass spectrometry analysis. Talanta, 2009, 80, 572-580.	5.5	65
164	Triterpene saponins from the leaves of <i>llex kudingcha</i> . Journal of Asian Natural Products Research, 2009, 11, 554-561.	1.4	19
165	Five New Xanthenone <i>O</i> â€Glycosides from the Roots of <i>Polygala sibirica</i> L Helvetica Chimica Acta, 2008, 91, 897-903.	1.6	9
166	Sensitive Determination of Saponins in <i>Radix et Rhizoma Notoginseng</i> by Charged Aerosol Detector Coupled with HPLC. Journal of Liquid Chromatography and Related Technologies, 2008, 32, 242-260.	1.0	29
167	New Glycosides fromCistanche salsa. Helvetica Chimica Acta, 2007, 90, 79-85.	1.6	15
168	Simultaneous determination of phenols in Radix Polygalae by high performance liquid chromatography: Quality assurance of herbs from different regions and seasons. Journal of Separation Science, 2007, 30, 2583-2589.	2.5	24
169	A novel chalcone from Coreopsis tinctoria Nutt Biochemical Systematics and Ecology, 2006, 34, 766-769.	1.3	42
170	Constituents from the Roots ofSemiaquilegia adoxoides. Chinese Journal of Chemistry, 2006, 24, 1788-1791.	4.9	12
171	Arylethyl (= Phenylethanoid) Glycosides and Oligosaccharide from the Stem ofCistanche tubulosa. Helvetica Chimica Acta, 2006, 89, 927-935.	1.6	22
172	Complete assignments of1H and13C NMR spectral data for a novel diterpenoid fromSemiaquilegia adoxoides. Magnetic Resonance in Chemistry, 2006, 44, 724-726.	1.9	4
173	New diterpenoids fromSemiaquilegia adoxoides. Journal of Asian Natural Products Research, 2006, 8, 87-91.	1.4	7
174	Four New Phenones from the Cortexes of Polygala tenuifolia. Chemical and Pharmaceutical Bulletin, 2005, 53, 1164-1166.	1.3	32
175	Xanthone Glycosides fromPolygalatenuifoliaand Their Conformational Analyses. Journal of Natural Products, 2005, 68, 875-879.	3.0	47
176	Tricornoses Aâ^'L, Oligosaccharide Multi-esters from the Roots ofPolygalatricornis. Journal of Natural Products, 2005, 68, 739-744.	3.0	17
177	Isolation of Two Sucrose Esters from Polygala tenuifolia by High Speed Countercurrent Chromatography. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1583-1592.	1.0	10
178	Triterpene Saponins from the Leaves of Ilex kudingcha. Journal of Natural Products, 2005, 68, 1169-1174.	3.0	51
179	Echinacoside rescues the SHSY5Y neuronal cells from TNFα-induced apoptosis. European Journal of Pharmacology, 2004, 505, 11-18.	3.5	76
180	Tenuigenin treatment decreases secretion of the Alzheimer's disease amyloid β-protein in cultured cells. Neuroscience Letters, 2004, 367, 123-128.	2.1	86

#	Article	IF	CITATIONS
181	Tenuifoliose Q, a new oligosaccharide ester from the root ofPolygala tenuifoliawilld Journal of Asian Natural Products Research, 2003, 5, 279-283.	1.4	14
182	Xanthone O-glycosides from Polygala tenuifolia. Phytochemistry, 2002, 60, 813-816.	2.9	44
183	Effect of Hypertension on Efficacy and Safety of Ticagrelor-Aspirin Versus Clopidogrel-Aspirin in Minor Stroke or Transient Ischemic Attack. Stroke, 0, , .	2.0	1