Harvey D White

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1298926/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Diabetes status modifies the long-term effect of lipoprotein-associated phospholipase A2 on major coronary events. Diabetologia, 2022, 65, 101-112. | 6.3 | 5 |
| 2 | Effects of initial invasive vs. initial conservative treatment strategies on recurrent and total cardiovascular events in the ISCHEMIA trial. European Heart Journal, 2022, 43, 148-149. | 2.2 | 13 |
| 3 | Heparin use in acute coronary syndromes and cardiovascular interventions: habit or evidence based?. European Heart Journal, 2022, 43, 1008-1011. | 2.2 | 3 |
| 4 | lschemic Events Occur Early in Patients Undergoing Percutaneous Coronary Intervention and Are Reduced With Cangrelor: Findings From CHAMPION PHOENIX. Circulation: Cardiovascular Interventions, 2022, 15, CIRCINTERVENTIONS120010390. | 3.9 | 4 |
| 5 | Body Mass Index and Association With Cardiovascular Outcomes in Patients With Stable Coronary Heart Disease – A STABILITY Substudy. Journal of the American Heart Association, 2022, 11, e023667. | 3.7 | 19 |
| 6 | Type 2 MI and Myocardial Injury in the Era of High-sensitivity Troponin. European Cardiology Review, 2022, 17, e03. | 2.2 | 7 |
| 7 | Circulating Cystatin C Is an Independent Risk Marker for Cardiovascular Outcomes, Development of Renal Impairment, and Longâ€Term Mortality in Patients With Stable Coronary Heart Disease: The LIPID Study. Journal of the American Heart Association, 2022, 11, e020745. | 3.7 | 14 |
| 8 | Effect of Platelet Inhibition by Cangrelor Among Obese Patients Undergoing Coronary Stenting: Insights From CHAMPION. Circulation: Cardiovascular Interventions, 2022, 15, CIRCINTERVENTIONS121011069. | 3.9 | 0 |
| 9 | Effect of Alirocumab on Incidence of Atrial Fibrillation After Acute Coronary Syndromes: Insights from the ODYSSEY OUTCOMES Randomized Trial. American Journal of Medicine, 2022, , . | 1.5 | 0 |
| 10 | Common genetic variants do not predict recurrent events in coronary heart disease patients. BMC Cardiovascular Disorders, 2022, 22, 96. | 1.7 | 0 |
| 11 | Type 1, Type 2 Myocardial Infarction and Non-Ischemic Myocardial Injury—Opinion from the Front Lines. American Journal of Medicine, 2022, 135, 935-938. | 1.5 | 2 |
| 12 | Metabolic risk factors and effect of alirocumab on cardiovascular events after acute coronary syndrome: a post-hoc analysis of the ODYSSEY OUTCOMES randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2022, 10, 330-340. | 11.4 | 19 |
| 13 | Alirocumab after acute coronary syndrome in patients with a history of heart failure. European Heart Journal, 2022, 43, 1554-1565. | 2.2 | 23 |
| 14 | Zooming in on the Enigmas of Type 2 Myocardial Infarction. Circulation, 2022, 145, 1201-1204. | 1.6 | 1 |
| 15 | Morphine and clinical outcomes in patients with ST segment elevation myocardial infarction treated with fibrinolytic and antiplatelet therapy: Insights from the TREAT trial. American Heart Journal, 2022, 251, 1-12. | 2.7 | 4 |
| 16 | BMJ Rapid Recommendations on use of proprotein convertase subtilisin/kexin 9 inhibitors and ezetimibe to reduce cardiovascular risk. Heart, 2022, 108, 1250-1252. | 2.9 | 1 |
| 17 | Achievement of ESC/EAS LDL-C treatment goals after an acute coronary syndrome with statin and alirocumab. European Journal of Preventive Cardiology, 2022, 29, 1842-1851. | 1.8 | 7 |
| 18 | Bâ€Type Natriuretic Peptide and Longâ€Term Cardiovascular Mortality in Patients With Coronary Heart Disease. Journal of the American Heart Association, 2022, 11, . | 3.7 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Myocardial Infarction in the ISCHEMIA Trial. Circulation, 2021, 143, 790-804. | 1.6 | 81 |
| 20 | Intensity of statin treatment after acute coronary syndrome, residual risk, and its modification by alirocumab: insights from the ODYSSEY OUTCOMES trial. European Journal of Preventive Cardiology, 2021, 28, 33-43. | 1.8 | 33 |
| 21 | Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. Kidney International, 2021, 99, 926-939. | 5.2 | 42 |
| 22 | Plasma proteins associated with cardiovascular death in patients with chronic coronary heart disease: A retrospective study. PLoS Medicine, 2021, 18, e1003513. | 8.4 | 70 |
| 23 | Adding Insult to Injury: Are There Treatments for Myocardial Injury and Type 2 Myocardial Infarction?. Journal of the American Heart Association, 2021, 10, e019796. | 3.7 | 6 |
| 24 | High flow oxygen and risk of mortality in patients with a suspected acute coronary syndrome: pragmatic, cluster randomised, crossover trial. BMJ, The, 2021, 372, n355. | 6.0 | 11 |
| 25 | Risk markers of incident atrial fibrillation in patients with coronary heart disease. American Heart Journal, 2021, 233, 92-101. | 2.7 | 7 |
| 26 | Genetically determined NLRP3 inflammasome activation associates with systemic inflammation and cardiovascular mortality. European Heart Journal, 2021, 42, 1742-1756. | 2.2 | 63 |
| 27 | Relation of Lipoprotein(a) Levels to Incident Type 2 Diabetes and Modification by Alirocumab Treatment. Diabetes Care, 2021, 44, 1219-1227. | 8.6 | 19 |
| 28 | Clinical Efficacy and Safety of Alirocumab After Acute Coronary Syndrome According to Achieved Level of Low-Density Lipoprotein Cholesterol. Circulation, 2021, 143, 1109-1122. | 1.6 | 46 |
| 29 | Excessive daytime sleepiness, morning tiredness and major adverse cardiovascular events in patients with chronic coronary syndrome. Journal of Internal Medicine, 2021, 290, 392-403. | 6.0 | 8 |
| 30 | Myocardial Infarction and Evolocumab. JAMA Cardiology, 2021, 6, 1220-1221. | 6.1 | 1 |
| 31 | Waiting room computer tablets to improve health literacy and cardiovascular outcomes. Heart, 2021, 107, 1607-1608. | 2.9 | 2 |
| 32 | Interleukin 6 and Cardiovascular Outcomes in Patients With Chronic Kidney Disease and Chronic Coronary Syndrome. JAMA Cardiology, 2021, 6, 1440. | 6.1 | 43 |
| 33 | Lipoprotein(a) and Benefit of PCSK9 Inhibition in Patients With Nominally Controlled LDL Cholesterol. Journal of the American College of Cardiology, 2021, 78, 421-433. | 2.8 | 58 |
| 34 | The genomics of heart failure: design and rationale of the HERMES consortium. ESC Heart Failure, 2021, 8, 5531-5541. | 3.1 | 11 |
| 35 | Cardiac death should be the primary endpoint for revascularization trials and meta-analyses. European Heart Journal, 2021, 42, 4697-4698. | 2.2 | 7 |
| 36 | Comparison of Days Alive Out of Hospital With Initial Invasive vs Conservative Management. JAMA Cardiology, 2021, 6, 1023. | 6.1 | 10 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | In the transition from fibrinolysis to primary PCI, the HERO trials help refine STEMI ECG interpretation and Q wave analysis potentially alters future management. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 26-33. | 1.0 | 0 |
| 38 | Prescribing Performance Post-Acute Coronary Syndrome Using a Composite Medication Indicator: ANZACS-QI 24. Heart Lung and Circulation, 2020, 29, 824-834. | 0.4 | 1 |
| 39 | Effect of Alirocumab on Lipoprotein(a) and Cardiovascular Risk After AcuteÂCoronary Syndrome. Journal of the American College of Cardiology, 2020, 75, 133-144. | 2.8 | 296 |
| 40 | Effect of alirocumab on cardiovascular outcomes after acute coronary syndromes according to age: an ODYSSEY OUTCOMES trial analysis. European Heart Journal, 2020, 41, 2248-2258. | 2.2 | 51 |
| 41 | Lipoprotein(a) lowering by alirocumab reduces the total burden of cardiovascular events independent of low-density lipoprotein cholesterol lowering: ODYSSEY OUTCOMES trial. European Heart Journal, 2020, 41, 4245-4255. | 2.2 | 117 |
| 42 | Clinically Important Improvements in Risk Assessment by Adding High-Sensitivity Troponin Level to Cholesterol Guidelines. JAMA Cardiology, 2020, 5, 1263. | 6.1 | 3 |
| 43 | Long-Term Bleeding Risk Prediction with Dual Antiplatelet Therapy After Acute Coronary Syndromes Treated Without Revascularization. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006582. | 2.2 | 5 |
| 44 | Effect of alirocumab on major adverse cardiovascular events according to renal function in patients with a recent acute coronary syndrome: prespecified analysis from the ODYSSEY OUTCOMES randomized clinical trial. European Heart Journal, 2020, 41, 4114-4123. | 2.2 | 35 |
| 45 | The impact of a national COVID-19 lockdown on acute coronary syndrome hospitalisations in New Zealand (ANZACS-QI 55). The Lancet Regional Health - Western Pacific, 2020, 5, 100056. | 2.9 | 23 |
| 46 | Cost-Effectiveness of Alirocumab in Patients With Acute Coronary Syndromes. Journal of the American College of Cardiology, 2020, 75, 2297-2308. | 2.8 | 48 |
| 47 | Meta-Analysis of Bleeding Scores Performance for Acute Coronary Syndrome. Heart Lung and Circulation, 2020, 29, 1749-1757. | 0.4 | 5 |
| 48 | Initial Invasive or Conservative Strategy for Stable Coronary Disease. New England Journal of Medicine, 2020, 382, 1395-1407. | 27.0 | 1,508 |
| 49 | Peripheral Artery Disease and Venous Thromboembolic Events After Acute Coronary Syndrome. Circulation, 2020, 141, 1608-1617. | 1.6 | 104 |
| 50 | Post-Discharge Bleeding and Mortality Following Acute Coronary Syndromes With or Without PCI. Journal of the American College of Cardiology, 2020, 76, 162-171. | 2.8 | 50 |
| 51 | Study design of Dal-GenE, a pharmacogenetic trial targeting reduction of cardiovascular events with dalcetrapib. American Heart Journal, 2020, 222, 157-165. | 2.7 | 21 |
| 52 | Impact of guideline-recommended versus non-guideline-recommended β-blocker and Doppler echocardiographic parameters on 1-year mortality in Thai ischemic cardiomyopathy patients: A prospective multicenter registry. BMC Cardiovascular Disorders, 2020, 20, 8. | 1.7 | 1 |
| 53 | Deconstructing the Paradox of Smoking and Improved Short-Term Cardiovascular Outcomes After Myocardial Infarction. Journal of the American College of Cardiology, 2020, 75, 1755-1757. | 2.8 | 4 |
| 54 | Circulating MicroRNA Profiling in Non-ST Elevated Coronary Artery Syndrome Highlights Genomic Associations with Serial Platelet Reactivity Measurements. Scientific Reports, 2020, 10, 6169. | 3.3 | 14 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | In patients with stable coronary heart disease, low-density lipoprotein-cholesterol levels < 70 mg/dL and glycosylated hemoglobin A1c <â€ [−] 7% are associated with lower major cardiovascular events. American Heart Journal, 2020, 225, 97-107. | 2.7 | 5 |
| 56 | Abstract 15281: Triglyceride Levels and Cardiovascular Outcomes After Acute Coronary Syndrome: Insights From the Odyssey Outcomes Trial. Circulation, 2020, 142, . | 1.6 | 0 |
| 57 | Research in the Antipodes at Green Lane. European Heart Journal, 2020, 41, 4081-4084. | 2.2 | 0 |
| 58 | Utilisation and maintenance of high-intensity statins following acute coronary syndrome and coronary angiography: opportunities to improve care (ANZACS-QI 26). New Zealand Medical Journal, 2020, 133, 21-40. | 0.5 | 3 |
| 59 | Outcomes after ST-elevation myocardial infarction presentation to hospitals with or without a routine primary percutaneous coronary intervention service (ANZACS-QI 46). New Zealand Medical Journal, 2020, 133, 64-81. | 0.5 | 2 |
| 60 | Fourth universal definition of myocardial infarction (2018). European Heart Journal, 2019, 40, 237-269. | 2.2 | 2,687 |
| 61 | Alirocumab in Patients With Polyvascular Disease and Recent Acute CoronaryÂSyndrome. Journal of the American College of Cardiology, 2019, 74, 1167-1176. | 2.8 | 154 |
| 62 | The efficacy and safety of cangrelor in single vessel vs multivessel percutaneous coronary intervention: Insights from CHAMPION PHOENIX. Clinical Cardiology, 2019, 42, 797-805. | 1.8 | 4 |
| 63 | Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2019, 7, 618-628. | 11.4 | 207 |
| 64 | Alirocumab Reduces Total Hospitalizations and Increases Days Alive and Out of Hospital in the ODYSSEY OUTCOMES Trial. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005858. | 2.2 | 17 |
| 65 | Effect of Alirocumab on Stroke in ODYSSEY OUTCOMES. Circulation, 2019, 140, 2054-2062. | 1.6 | 83 |
| 66 | P1226Very low achieved low-density lipoprotein cholesterol level with alirocumab treatment after acute coronary syndrome: ODYSSEY OUTCOMES. European Heart Journal, 2019, 40, . | 2.2 | 0 |
| 67 | Sitagliptin does not reduce the risk of cardiovascular death or hospitalization for heart failure following myocardial infarction in patients with diabetes: observations from TECOS. Cardiovascular Diabetology, 2019, 18, 116. | 6.8 | 14 |
| 68 | Effects of Alirocumab on Cardiovascular Events After Coronary Bypass Surgery. Journal of the American College of Cardiology, 2019, 74, 1177-1186. | 2.8 | 49 |
| 69 | Risk Categorization Using New American College of Cardiology/American Heart Association Guidelines for Cholesterol Management and Its Relation to Alirocumab Treatment Following Acute Coronary Syndromes. Circulation, 2019, 140, 1578-1589. | 1.6 | 34 |
| 70 | Associations of osteopontin and NT-proBNP with circulating miRNA levels in acute coronary syndrome. Physiological Genomics, 2019, 51, 506-515. | 2.3 | 4 |
| 71 | International variation in characteristics and clinical outcomes of patients with type 2 diabetes and heart failure: Insights from TECOS. American Heart Journal, 2019, 218, 57-65. | 2.7 | 4 |
| 72 | Efficacy and safety of statin therapy in older people: a meta-analysis of individual participant data from 28 randomised controlled trials. Lancet, The, 2019, 393, 407-415. | 13.7 | 512 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Effects of alirocumab on types of myocardial infarction: insights from the ODYSSEY OUTCOMES trial. European Heart Journal, 2019, 40, 2801-2809. | 2.2 | 45 |
| 74 | A catalog of genetic loci associated with kidney function from analyses of a million individuals. Nature Genetics, 2019, 51, 957-972. | 21.4 | 549 |
| 75 | Ticagrelor Versus Clopidogrel in Patients With STEMI Treated With Fibrinolysis. Journal of the American College of Cardiology, 2019, 73, 2819-2828. | 2.8 | 64 |
| 76 | Effect of Alirocumab on Mortality After Acute Coronary Syndromes. Circulation, 2019, 140, 103-112. | 1.6 | 107 |
| 77 | Cardiovascular and Lifestyle Risk Factors and Cognitive Function in Patients With Stable Coronary Heart Disease. Journal of the American Heart Association, 2019, 8, e010641. | 3.7 | 29 |
| 78 | Periprocedural Outcomes According to Timing of Clopidogrel Loading Dose in Patients Who Did Not Receive P2Y 12 Inhibitor Pretreatment. Circulation: Cardiovascular Interventions, 2019, 12, e007445. | 3.9 | 0 |
| 79 | Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. JAMA Cardiology, 2019, 4, 273. | 6.1 | 100 |
| 80 | Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. Nature Genetics, 2019, 51, 452-469. | 21.4 | 89 |
| 81 | Characterization of cardiovascular clinical events and impact of event adjudication on the treatment effect of darapladib versus placebo in patients with stable coronary heart disease: Insights from the STABILITY trial. American Heart Journal, 2019, 208, 65-73. | 2.7 | 14 |
| 82 | Characteristics and outcomes of patients requiring bailout use of glycoprotein IIb/IIIa inhibitors for thrombotic complications of percutaneous coronary intervention: An analysis from the CHAMPION PHOENIX trial. International Journal of Cardiology, 2019, 278, 217-222. | 1.7 | 6 |
| 83 | Sex And Prognostic Significance of Self-Reported Frailty in Non–ST-Segment Elevation Acute Coronary Syndromes: Insights From the TRILOGY ACS Trial. Canadian Journal of Cardiology, 2019, 35, 430-437. | 1.7 | 7 |
| 84 | The appropriateness of coronary investigation in myocardial injury and type 2 myocardial infarction (ACT-2): A randomized trial design. American Heart Journal, 2019, 208, 11-20. | 2.7 | 49 |
| 85 | Alirocumab Reduces Total Nonfatal Cardiovascular and Fatal Events. Journal of the American College of Cardiology, 2019, 73, 387-396. | 2.8 | 131 |
| 86 | Factors influencing longitudinal changes of circulating liver enzyme concentrations in subjects randomized to placebo in four clinical trials. American Journal of Physiology - Renal Physiology, 2019, 316, G372-G386. | 3.4 | 5 |
| 87 | Adjunctive antithrombotic therapy with primary percutaneous coronary intervention in ST elevation myocardial infarction: ATOLL in perspective. European Heart Journal, 2019, 40, e4-e7. | 2.2 | 3 |
| 88 | All-Cause Mortality Following an Acute Coronary Syndrome: 12-Year Follow-Up of the Comprehensive 2002 New Zealand Acute Coronary Syndrome Audit. Heart Lung and Circulation, 2019, 28, 245-256. | 0.4 | 19 |
| 89 | Acute reperfusion for ST-elevation myocardial infarction in New Zealand (2015-2017): patient and system delay (ANZACS-QI 29). New Zealand Medical Journal, 2019, 132, 41-59. | 0.5 | 1 |
| 90 | Ticagrelor versus clopidogrel after fibrinolytic therapy in patients with ST-elevation myocardial infarction: Rationale and design of the ticagrelor in patients with ST elevation myocardial infarction treated with thrombolysis (TREAT) trial. American Heart Journal, 2018, 202, 89-96. | 2.7 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Early discontinuation of prasugrel or clopidogrel in acute coronary syndromes. Coronary Artery Disease, 2018, 29, 469-476. | 0.7 | 4 |
| 92 | Discharge timing and outcomes after uncomplicated non–ST-segment elevation acute myocardial infarction. American Heart Journal, 2018, 201, 103-110. | 2.7 | 3 |
| 93 | Incidence, Predictors, and Outcomes of Acquired Thrombocytopenia After Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2018, 11, e005635. | 3.9 | 13 |
| 94 | D-Dimer Predicts Long-Term Cause-Specific Mortality, Cardiovascular Events, and Cancer in Patients With Stable Coronary Heart Disease. Circulation, 2018, 138, 712-723. | 1.6 | 93 |
| 95 | Cost implications of intraprocedural thrombotic events and bleeding in percutaneous coronary intervention: Results from the CHAMPION PHOENIX ECONOMICS Study. Catheterization and Cardiovascular Interventions, 2018, 92, E348-E355. | 1.7 | 5 |
| 96 | How Can You Have a Myocardial Infarction Without Significant Coronary Artery Disease? Whither MINOCA. Heart Lung and Circulation, 2018, 27, 649-651. | 0.4 | 1 |
| 97 | Ticagrelor vs Clopidogrel After Fibrinolytic Therapy in Patients With ST-Elevation Myocardial Infarction. JAMA Cardiology, 2018, 3, 391. | 6.1 | 65 |
| 98 | Implications of different criteria for percutaneous coronary intervention-related myocardial infarction on study results of three large phase III clinical trials: The CHAMPION experience. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 158-165. | 1.0 | 7 |
| 99 | First and recurrent ischaemic heart disease events continue to decline in New Zealand, 2005–2015. Heart, 2018, 104, 51-57. | 2.9 | 20 |
| 100 | Psychosocial stress and major cardiovascular events in patients with stable coronary heart disease. Journal of Internal Medicine, 2018, 283, 83-92. | 6.0 | 57 |
| 101 | Clinical features and outcomes of patients with type 2 myocardial infarction: Insights from the Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRACER) trial. American Heart Journal, 2018, 196, 28-35. | 2.7 | 10 |
| 102 | Cangrelor compared with clopidogrel in patients with prior myocardial infarction – Insights from the CHAMPION trials. International Journal of Cardiology, 2018, 250, 49-55. | 1.7 | 5 |
| 103 | Stroke Outcomes With Vorapaxar Versus Placebo in Patients With Acute Coronary Syndromes: Insights From the TRACER Trial. Journal of the American Heart Association, 2018, 7, e009609. | 3.7 | 9 |
| 104 | Days Alive and Out of Hospital: Exploring a Patient-Centered, Pragmatic Outcome in a Clinical Trial of Patients With Acute Coronary Syndromes. Circulation: Cardiovascular Quality and Outcomes, 2018, 11, e004755. | 2.2 | 51 |
| 105 | Alirocumab and Cardiovascular Outcomes after Acute Coronary Syndrome. New England Journal of Medicine, 2018, 379, 2097-2107. | 27.0 | 2,211 |
| 106 | Lp-PLA2, scavenger receptor class B type I gene (SCARB1) rs10846744 variant, and cardiovascular disease. PLoS ONE, 2018, 13, e0204352. | 2.5 | 2 |
| 107 | Impact of lesion complexity on peri-procedural adverse events and the benefit of potent intravenous platelet adenosine diphosphate receptor inhibition after percutaneous coronary intervention: core laboratory analysis from 10Å854 patients from the CHAMPION PHOENIX trial. European Heart Journal, 2018, 39, 4112-4121. | 2.2 | 49 |
| 108 | Sex differences in management and outcomes of patients with type 2 diabetes and cardiovascular disease: A report from TECOS. Diabetes, Obesity and Metabolism, 2018, 20, 2379-2388. | 4.4 | 29 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Outcomes of Patients Receiving Downstream Revascularization After Initial Medical Management for Non–ST-Segment Elevation Acute Coronary Syndromes (From the TRILOGY ACS Trial). American Journal of Cardiology, 2018, 122, 1322-1329. | 1.6 | 2 |
| 110 | Effects of genetic variation in protease activated receptor 4 after an acute coronary syndrome: Analysis from the TRACER trial. Blood Cells, Molecules, and Diseases, 2018, 72, 37-43. | 1.4 | 10 |
| 111 | Prognostic and Practical Validation of Current Definitions of Myocardial Infarction Associated With PercutaneousÂCoronary Intervention. JACC: Cardiovascular Interventions, 2018, 11, 856-864. | 2.9 | 25 |
| 112 | Fourth Universal Definition of Myocardial Infarction (2018). Journal of the American College of Cardiology, 2018, 72, 2231-2264. | 2.8 | 2,285 |
| 113 | Fourth Universal Definition of Myocardial Infarction (2018). Circulation, 2018, 138, e618-e651. | 1.6 | 1,858 |
| 114 | Cardiovascular Safety of Lorcaserin in Overweight or Obese Patients. New England Journal of Medicine, 2018, 379, 1107-1117. | 27.0 | 205 |
| 115 | Definitions of peri-procedural myocardial infarction and the association with one-year mortality: Insights from CHAMPION trials. International Journal of Cardiology, 2018, 270, 96-101. | 1.7 | 10 |
| 116 | Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41. | 21.4 | 286 |
| 117 | Six-minute walk distance after coronary artery bypass grafting compared with medical therapy in ischaemic cardiomyopathy. Open Heart, 2018, 5, e000752. | 2.3 | 1 |
| 118 | Management of suspected acute coronary syndrome patients admitted to cardiology or non-cardiology services at Auckland City Hospital: implications for future national data collection. New Zealand Medical Journal, 2018, 131, 30-39. | 0.5 | 0 |
| 119 | Trade-off of myocardial infarction vs. bleeding types on mortality after acute coronary syndrome: lessons from the Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRACER) randomized trial. European Heart Journal, 2017, 38, ehw525. | 2.2 | 164 |
| 120 | Use of thienopyridine prior to presentation with non-ST-segment elevation acute coronary syndrome and association with safety and efficacy of vorapaxar: insights from the TRACER trial. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 155-163. | 1.0 | 1 |
| 121 | Cangrelor With and Without GlycoproteinÂllb/IIIa Inhibitors inÂPatientsÂUndergoing PercutaneousÂCoronary Intervention. Journal of the American College of Cardiology, 2017, 69, 176-185. | 2.8 | 47 |
| 122 | Modest Improvement of Reperfusion Times Across Multiple ST-Segment–Elevation Myocardial Infarction Networks With Rapid Care Process Implementation but no Effect on Mortality. Circulation: Cardiovascular Interventions, 2017, 10, e004769. | 3.9 | 1 |
| 123 | Relationship Between Peak Troponin Values and Longâ€Term Ischemic Events Among Medically Managed Patients With Acute Coronary Syndromes. Journal of the American Heart Association, 2017, 6, . | 3.7 | 8 |
| 124 | Whole blood sequencing reveals circulating microRNA associations with high-risk traits in non-ST-segment elevation acute coronary syndrome. Atherosclerosis, 2017, 261, 19-25. | 0.8 | 25 |
| 125 | Temporal Biomarker Profiling Reveals Longitudinal Changes in Risk of Death or Myocardial Infarction in Non–ST-Segment Elevation Acute Coronary Syndrome. Clinical Chemistry, 2017, 63, 1214-1226. | 3.2 | 9 |
| 126 | Cangrelor reduces the risk of ischemic complications in patients with single-vessel and multi-vessel disease undergoing percutaneous coronary intervention: Insights from the CHAMPION PHOENIX trial. American Heart Journal, 2017, 188, 147-155. | 2.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|--|--------------|
| 127 | Predicting the risk of bleeding during dual antiplatelet therapy after acute coronary syndromes. Heart, 2017, 103, 1168-1176. | 2.9 | 34 |
| 128 | Differential occurrence, profile, and impact of first recurrent cardiovascular events after an acute coronary syndrome. American Heart Journal, 2017, 187, 194-203. | 2.7 | 26 |
| 129 | Dual antiplatelet therapy in patients with diabetes and acute coronary syndromes managed without revascularization. American Heart Journal, 2017, 188, 156-166. | 2.7 | 10 |
| 130 | Cardiovascular Efficacy and Safety of Bococizumab in High-Risk Patients. New England Journal of Medicine, 2017, 376, 1527-1539. | 27.0 | 510 |
| 131 | State of the Art: Blood Biomarkers for Risk Stratification in Patients with Stable Ischemic Heart Disease. Clinical Chemistry, 2017, 63, 165-176. | 3.2 | 35 |
| 132 | Growth Differentiation Factor 15 Predicts All-Cause Morbidity and Mortality in Stable Coronary Heart Disease. Clinical Chemistry, 2017, 63, 325-333. | 3.2 | 97 |
| 133 | High-Sensitivity Troponin I in Stable Patients with Atherosclerotic Disease in the TRA 2°P - TIMI 50 Trial. Clinical Chemistry, 2017, 63, 307-315. | 3.2 | 19 |
| 134 | Impact of Cerebrovascular Events Older Than One Year on Ischemic and Bleeding Outcomes With Cangrelor in Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2017, 10, . | 3.9 | 6 |
| 135 | Inflammatory Biomarkers Interleukinâ€6 and Câ€Reactive Protein and Outcomes in Stable Coronary Heart Disease: Experiences From the STABILITY (Stabilization of Atherosclerotic Plaque by Initiation of) Tj ETQq1 1 0.78 | 84 3 81 7 4 rgB ⁻ | Г/Øværlock |
| 136 | Physical Activity and Mortality in Patients With Stable Coronary Heart Disease. Journal of the American College of Cardiology, 2017, 70, 1689-1700. | 2.8 | 186 |
| 137 | Prevention of Stroke with the Addition of Ezetimibe to Statin Therapy in Patients With Acute Coronary Syndrome in IMPROVE-IT (Improved Reduction of Outcomes: Vytorin Efficacy International) Tj ETQq1 1 | 0 <i>.</i> 7.8 4314 | rg₿⊉/Over |
| 138 | Sex Differences in Clinical Characteristics, Psychosocial Factors, and Outcomes Among Patients With Stable Coronary Heart Disease: Insights from the STABILITY (Stabilization of Atherosclerotic Plaque by) Tj ETQq0 | 0 9.r gBT / | Ovæzlock 10 |
| 139 | Selfâ€Reported Health and Outcomes in Patients With Stable Coronary Heart Disease. Journal of the American Heart Association, 2017, 6, . | 3.7 | 8 |
| 140 | Cangrelor Versus Clopidogrel on a Background of Unfractionated Heparin (from CHAMPION) Tj ETQq0 0 0 rgBT / | Overlock 2 | 10 Tf 50 222 |
| 141 | Associations between tooth loss and prognostic biomarkers and the risk for cardiovascular events in patients with stable coronary heart disease. International Journal of Cardiology, 2017, 245, 271-276. | 1.7 | 22 |
| 142 | Biomarker-Based Risk Model to PredictÂCardiovascular Mortality in PatientsÂWithÂStableÂCoronaryÂDisease. Journal of the American College of Cardiology, 2017, 70, 813-826. | 2.8 | 95 |
| 143 | Cangrelor in Older Patients Undergoing Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2017, 10, . | 3.9 | 7 |
| 144 | Predictors of incident heart failure in patients after an acute coronary syndrome: The LIPID heart failure risk-prediction model. International Journal of Cardiology, 2017, 248, 361-368. | 1.7 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Persistent psychological distress and mortality in patients with stable coronary artery disease. Heart, 2017, 103, 1860-1866. | 2.9 | 50 |
| 146 | Pharmacogenetic meta-analysis of baseline risk factors, pharmacodynamic, efficacy and tolerability endpoints from two large global cardiovascular outcomes trials for darapladib. PLoS ONE, 2017, 12, e0182115. | 2.5 | 16 |
| 147 | Visit-to-visit variability of blood pressure and cardiovascular outcomes in patients with stable coronary heart disease. Insights from the STABILITY trial. European Heart Journal, 2017, 38, 2813-2822. | 2.2 | 45 |
| 148 | Proposed new industry code on unhealthy food marketing to children and young people: will it make a difference?. New Zealand Medical Journal, 2017, 130, 94-101. | 0.5 | 7 |
| 149 | A decade of improvement in the management of New Zealand ST-elevation myocardial infarction (STEMI) patients: results from the New Zealand Acute Coronary Syndrome (ACS) Audit Group national audits of 2002, 2007 and 2012. New Zealand Medical Journal, 2017, 130, 17-28. | 0.5 | 3 |
| 150 | 30-day mortality after percutaneous coronary intervention in New Zealand public hospitals (ANZACS-QI 18). New Zealand Medical Journal, 2017, 130, 54-63. | 0.5 | 1 |
| 151 | Ascertainment, classification, and impact of neoplasm detection during prolonged treatment with dual antiplatelet therapy with prasugrel vs. clopidogrel following acute coronary syndrome. European Heart Journal, 2016, 37, ehv611. | 2.2 | 25 |
| 152 | Serial Cardiac Troponin Measured Using a High-Sensitivity Assay inÂStable Patients With Ischemic Heart Disease. Journal of the American College of Cardiology, 2016, 68, 322-323. | 2.8 | 14 |
| 153 | Exome Genotyping Identifies Pleiotropic Variants Associated with Red Blood Cell Traits. American Journal of Human Genetics, 2016, 99, 8-21. | 6.2 | 60 |
| 154 | Effect of prior clopidogrel use on outcomes in medically managed acute coronary syndrome patients. Heart, 2016, 102, 1221-1229. | 2.9 | 3 |
| 155 | Health-related quality of life outcomes with prasugrel among medically managed non–ST-segment elevation acute coronary syndrome patients: Insights from the Targeted Platelet Inhibition to Clarify the Optimal Strategy to Medically Manage Acute Coronary Syndromes (TRILOGY ACS) trial. American Heart Journal, 2016, 178, 55-64. | 2.7 | 3 |
| 156 | Long-Term Effectiveness and Safety of Pravastatin in Patients With Coronary Heart Disease. Circulation, 2016, 133, 1851-1860. | 1.6 | 48 |
| 157 | Trends in Enrollment, Clinical Characteristics, Treatment, and Outcomes According to Age in Non–ST-Segment–Elevation Acute Coronary Syndromes Clinical Trials. Circulation, 2016, 133, 1560-1573. | 1.6 | 17 |
| 158 | Albuminuria and cardiovascular events in patients with acute coronary syndromes: Results from the TRACER trial. American Heart Journal, 2016, 178, 1-8. | 2.7 | 15 |
| 159 | Validation of BARC Bleeding Criteria in Patients With Acute Coronary Syndromes. Journal of the American College of Cardiology, 2016, 67, 2135-2144. | 2.8 | 66 |
| 160 | Dietary patterns and the risk of major adverse cardiovascular events in a global study of high-risk patients with stable coronary heart disease. European Heart Journal, 2016, 37, 1993-2001. | 2.2 | 101 |
| 161 | Edoxaban Versus Warfarin in AtrialÂFibrillation Patients at Risk of Falling. Journal of the American College of Cardiology, 2016, 68, 1169-1178. | 2.8 | 133 |
| 162 | Consistent Reduction in Periprocedural Myocardial Infarction With Cangrelor as Assessed by Multiple Definitions. Circulation, 2016, 134, 723-733. | 1.6 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Association Between Very Low Levels of Highâ€Density Lipoprotein Cholesterol and Longâ€term Outcomes of Patients With Acute Coronary Syndrome Treated Without Revascularization: Insights From the <scp>TRILOGY ACS</scp> Trial. Clinical Cardiology, 2016, 39, 329-337. | 1.8 | 7 |
| 164 | Universal Classification System Type of Incident Myocardial Infarction in Patients With Stable Atherosclerosis: Observations From Thrombin Receptor Antagonist in Secondary Prevention of Atherothrombotic Ischemic Events (TRA 2°P)â€TIMI 50. Journal of the American Heart Association, 2016, 5, | 3.7 | 13 |
| 165 | Ten-Year Outcomes After Coronary Artery Bypass Grafting According to Age in Patients With Heart Failure and Left Ventricular Systolic Dysfunction. Circulation, 2016, 134, 1314-1324. | 1.6 | 127 |
| 166 | Phosphate- or Citrate-Buffered Tirofiban Versus Unfractionated Heparin and its Impact on Thrombocytopenia and ClinicalÂOutcomes in Patients With AcuteÂCoronary Syndrome. JACC: Cardiovascular Interventions, 2016, 9, 1667-1676. | 2.9 | 8 |
| 167 | Relationship of Platelet Reactivity With Bleeding Outcomes During Longâ€Term Treatment With Dual Antiplatelet Therapy for Medically Managed Patients With Nonâ€5Tâ€5egment Elevation Acute Coronary Syndromes. Journal of the American Heart Association, 2016, 5, . | 3.7 | 4 |
| 168 | Efficacy and Safety of Cangrelor in Preventing Periprocedural Complications in Patients With Stable Angina and AcuteACoronary Syndromes Undergoing Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2016, 9, 1905-1913. | 2.9 | 38 |
| 169 | Ruling-In Myocardial Injury and Ruling-Out Myocardial Infarction With the European Society of Cardiology 1-Hour Algorithm. Circulation, 2016, 134, 1542-1545. | 1.6 | 29 |
| 170 | Variation in Patient Profiles and Outcomes in US and Non-US Subgroups of the Cangrelor Versus Standard Therapy to Achieve Optimal Management of Platelet Inhibition (CHAMPION) PHOENIX Trial. Circulation: Cardiovascular Interventions, 2016, 9, . | 3.9 | 10 |
| 171 | Platelet-Related Variants Identified by Exomechip Meta-analysis in 157,293 Individuals. American Journal of Human Genetics, 2016, 99, 40-55. | 6.2 | 82 |
| 172 | Lipoproteinâ€Associated Phospholipase A ₂ Activity Is a Marker of Risk But Not a Useful Target for Treatment in Patients With Stable Coronary Heart Disease. Journal of the American Heart Association, 2016, 5, . | 3.7 | 44 |
| 173 | Large-Scale Exome-wide Association Analysis Identifies Loci for White Blood Cell Traits and Pleiotropy with Immune-Mediated Diseases. American Journal of Human Genetics, 2016, 99, 22-39. | 6.2 | 50 |
| 174 | Efficacy and Safety of Cangrelor in Women Versus Men During Percutaneous Coronary Intervention. Circulation, 2016, 133, 248-255. | 1.6 | 26 |
| 175 | Tooth loss is independently associated with poor outcomes in stable coronary heart disease. European Journal of Preventive Cardiology, 2016, 23, 839-846. | 1.8 | 39 |
| 176 | High-degree atrioventricular block, asystole, and electro-mechanical dissociation complicating non–ST-segment elevation myocardial infarction. American Heart Journal, 2016, 171, 25-32. | 2.7 | 11 |
| 177 | Spontaneous MI After Non–ST-Segment Elevation Acute Coronary Syndrome Managed Without Revascularization. Journal of the American College of Cardiology, 2016, 67, 1289-1297. | 2.8 | 15 |
| 178 | Sudden Cardiac Death After Non–ST-Segment Elevation Acute Coronary Syndrome. JAMA Cardiology, 2016, 1, 73. | 6.1 | 22 |
| 179 | Investigator-Reported Bleeding Versus Post Hoc Adjudication of Bleeding. Journal of the American College of Cardiology, 2016, 67, 596-598. | 2.8 | 25 |
| 180 | Impact of CYP2C19 Metabolizer Status onÂPatients With ACS Treated With Prasugrel Versus Clopidogrel. Journal of the American College of Cardiology, 2016, 67, 936-947. | 2.8 | 35 |

| # | Article | IF | CITATIONS |
|-----|--|------------|-------------|
| 181 | The ABC (age, biomarkers, clinical history) stroke risk score: a biomarker-based risk score for predicting stroke in atrial fibrillation. European Heart Journal, 2016, 37, 1582-1590. | 2.2 | 329 |
| 182 | Impact of chronic kidney disease on long-term ischemic and bleeding outcomes in medically managed patients with acute coronary syndromes: Insights from the TRILOGY ACS Trial. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 443-454. | 1.0 | 43 |
| 183 | Frailty is associated with worse outcomes in non-ST-segment elevation acute coronary syndromes: Insights from the TaRgeted platelet Inhibition to cLarify the Optimal strateCy to medicallY manage Acute Coronary Syndromes (TRILOGY ACS) trial. European Heart Journal: Acute Cardiovascular Care, 2016. 5. 231-242. | 1.0 | 110 |
| 184 | The All New Zealand Acute Coronary Syndrome Quality Improvement Programme: Implementation, Methodology and Cohorts (ANZACS-QI 9). New Zealand Medical Journal, 2016, 129, 23-36. | 0.5 | 8 |
| 185 | High‣ensitivity Cardiac Troponin T in Stable Patients Undergoing Pharmacological Stress Testing. Clinical Cardiology, 2015, 38, 293-299. | 1.8 | 9 |
| 186 | Efficacy and Safety of Vorapaxar in Non–STâ€&egment Elevation Acute Coronary Syndrome Patients Undergoing Noncardiac Surgery. Journal of the American Heart Association, 2015, 4, . | 3.7 | 8 |
| 187 | Magnitude of Troponin Elevation and Long-Term Clinical Outcomes in Acute Coronary Syndrome Patients Treated With and Without Revascularization. Circulation: Cardiovascular Interventions, 2015, 8, e002314. | 3.9 | 22 |
| 188 | Impact of Human Development Index on the profile and outcomes of patients with acute coronary syndrome. Heart, 2015, 101, 279-286. | 2.9 | 14 |
| 189 | Post-operative aspartate aminotransferase levels independently predict mortality after isolated coronary artery bypass grafting. IJC Metabolic & Endocrine, 2015, 6, 31-35. | 0.5 | 2 |
| 190 | Incidence and Impact of Totally Occluded Culprit Coronary Arteries in Patients Presenting With Non–ST-Segment Elevation Myocardial Infarction. American Journal of Cardiology, 2015, 115, 428-433. | 1.6 | 22 |
| 191 | Resolution of ST depression after fibrinolysis can be more important than resolution of ST elevation for many patients with inferior STEMIs. International Journal of Cardiology, 2015, 182, 232-234. | 1.7 | 8 |
| 192 | Reply to letter by Kirat and KÓ§se: Maximizing information from a 12-lead electrocardiogram. International Journal of Cardiology, 2015, 197, 145-146. | 1.7 | 1 |
| 193 | Long-term outcomes for women versus men with unstable angina/non–ST-segment elevation myocardial infarction managed medically without revascularization: Insights from the TaRgeted platelet Inhibition to cLarify the Optimal strateGy to medicallY manage Acute Coronary Syndromes trial, American Heart Journal, 2015, 170, 695-705,e5. | 2.7 | 18 |
| 194 | Glycoprotein IIb/IIIa Receptor Inhibitors in Combination With Vorapaxar, a Platelet Thrombin Receptor Antagonist, Among Patients With Non–ST-Segment Elevation Acute Coronary Syndromes (from the) Tj ETQqO | 0 | Overlock 10 |
| 195 | Outcomes With Cangrelor Versus Clopidogrel on a Background of Bivalirudin. JACC: Cardiovascular Interventions, 2015, 8, 424-433. | 2.9 | 35 |
| 196 | ST deviations and serial changes after reperfusion therapy in patients with inferior STEMIs: Relationship between inferior leads, medial chest leads and lateral leads. International Journal of Cardiology, 2015, 184, 348-349. | 1.7 | 6 |
| 197 | Sex-Stratified Trends in Enrollment, Patient Characteristics, Treatment, and Outcomes Among Non–ST-Segment Elevation Acute Coronary Syndrome Patients. Circulation: Cardiovascular Quality and Outcomes, 2015, 8, 357-367. | 2.2 | 30 |
| 198 | Concomitant proton-pump inhibitor use, platelet activity, and clinical outcomes in patients with acute coronary syndromes treated with prasugrel versus clopidogrel and managed without revascularization: Insights from the Targeted Platelet Inhibition to Clarify the Optimal Strategy to Medically Manage Acute Coronary Syndromes trial. American Heart Journal, 2015, 170, 683-694.e3. | 2.7 | 26 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Biomarkers in stable coronary heart disease, their modulation and cardiovascular risk: The LIPID biomarker study. International Journal of Cardiology, 2015, 201, 499-507. | 1.7 | 42 |
| 200 | Severity of Remodeling, Myocardial Viability, and Survival in Ischemic LV Dysfunction After Surgical Revascularization. JACC: Cardiovascular Imaging, 2015, 8, 1121-1129. | 5.3 | 51 |
| 201 | Efficacy and Safety of Vorapaxar With and Without a Thienopyridine for Secondary Prevention in Patients With Previous Myocardial Infarction and No History of Stroke or Transient Ischemic Attack. Circulation, 2015, 132, 1871-1879. | 1.6 | 39 |
| 202 | Periodontal disease in patients with chronic coronary heart disease: Prevalence and association with cardiovascular risk factors. European Journal of Preventive Cardiology, 2015, 22, 771-778. | 1.8 | 41 |
| 203 | Effect of alirocumab, a monoclonal antibody to PCSK9, on long-term cardiovascular outcomes following acute coronary syndromes: Rationale and design of the ODYSSEY Outcomes trial. American Heart Journal, 2014, 168, 682-689.e1. | 2.7 | 365 |
| 204 | Effect of Darapladib on Major Coronary Events After an Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2014, 312, 1006. | 7.4 | 375 |
| 205 | A randomized trial evaluating the effects of change in dairy food consumption on cardio-metabolic risk factors. European Journal of Preventive Cardiology, 2014, 21, 1376-1386. | 1.8 | 35 |
| 206 | Targeting Therapy to the Fibrin-Mediated Pathophysiology of Acute Coronary Syndrome. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 516-523. | 1.7 | 4 |
| 207 | Reduction in Overall Occurrences of Ischemic Events With Vorapaxar: Results From TRACER. Journal of the American Heart Association, 2014, 3, . | 3.7 | 9 |
| 208 | Impact of Intraprocedural Stent Thrombosis During Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2014, 63, 619-629. | 2.8 | 92 |
| 209 | Effects of timing, location and definition of reinfarction on mortality in patients with totally occluded infarct related arteries late after myocardial infarction. International Journal of Cardiology, 2014, 174, 90-95. | 1.7 | 2 |
| 210 | Reply. Journal of the American College of Cardiology, 2014, 63, 2884-2885. | 2.8 | 0 |
| 211 | Prognostic performance of kinetic changes of high-sensitivity troponin T in acute coronary syndrome and in patients with increased troponin without acute coronary syndrome. International Journal of Cardiology, 2014, 174, 524-529. | 1.7 | 9 |
| 212 | Association of Contemporary Sensitive Troponin I Levels at Baseline and Change at 1 Year With Long-Term Coronary Events Following Myocardial Infarction or Unstable Angina. Journal of the American College of Cardiology, 2014, 63, 345-354. | 2.8 | 61 |
| 213 | Impact of Nonculprit Vessel Myocardial Perfusion on Outcomes of Patients Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndromes. JACC: Cardiovascular Interventions, 2014, 7, 266-275. | 2.9 | 2 |
| 214 | Impact of Cardiovascular Events on Change in Quality of Life and Utilities in Patients After Myocardial Infarction. JACC: Heart Failure, 2014, 2, 159-165. | 4.1 | 91 |
| 215 | Darapladib for Preventing Ischemic Events in Stable Coronary Heart Disease. New England Journal of Medicine, 2014, 370, 1702-1711. | 27.0 | 467 |
| 216 | Diagnostic and Therapeutic Implications of Type 2 Myocardial Infarction: Review and Commentary. American Journal of Medicine, 2014, 127, 105-108. | 1.5 | 103 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|-----------------------|
| 217 | Impact of smoking status on platelet function and clinical outcomes with prasugrel vs. clopidogrel in patients with acute coronary syndromes managed without revascularization: Insights from the TRILOGY ACS trial. American Heart Journal, 2014, 168, 76-87.e1. | 2.7 | 22 |
| 218 | Inhibition of delta-protein kinase C by delcasertib as an adjunct to primary percutaneous coronary intervention for acute anterior ST-segment elevation myocardial infarction: results of the PROTECTION AMI Randomized Controlled Trial. European Heart Journal, 2014, 35, 2516-2523. | 2.2 | 83 |
| 219 | Clinical implications of the Third Universal Definition of Myocardial Infarction. Heart, 2014, 100, 424-432. | 2.9 | 46 |
| 220 | Factors Associated With Major Bleeding Events. Journal of the American College of Cardiology, 2014, 63, 891-900. | 2.8 | 212 |
| 221 | Republished: Clinical implications of the Third Universal Definition of Myocardial Infarction. Postgraduate Medical Journal, 2014, 90, 502-510. | 1.8 | 4 |
| 222 | Prognostic Value of Angiographic Lesion Complexity in Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention (from the Acute Catheterization and Urgent) Tj ETQq0 0 0 rgB1 | Г/Otwerloct | ۶ 1 ۵ Tf 50 53 |
| 223 | Importance of frailty in patients with cardiovascular disease. European Heart Journal, 2014, 35, 1726-1731. | 2.2 | 239 |
| 224 | Prognosis of Patients With Non–ST-Segment–Elevation Myocardial Infarction and Nonobstructive Coronary Artery Disease. Circulation: Cardiovascular Interventions, 2014, 7, 285-293. | 3.9 | 151 |
| 225 | Torrent of Troponin. Circulation: Cardiovascular Interventions, 2014, 7, 435-438. | 3.9 | 2 |
| 226 | Vorapaxar in patients with peripheral artery disease and acute coronary syndrome: Insights from Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRACER). American Heart Journal, 2014, 168, 588-596. | 2.7 | 44 |
| 227 | Vorapaxar, a platelet thrombin-receptor antagonist, in medically managed patients with non-ST-segment elevation acute coronary syndrome: results from the TRACER trial. European Heart Journal: Acute Cardiovascular Care, 2014, 3, 246-256. | 1.0 | 13 |
| 228 | Exercise Capacity and Mortality in Patients With Ischemic Left Ventricular Dysfunction Randomized to Coronary Artery Bypass Graft Surgery or Medical Therapy. JACC: Heart Failure, 2014, 2, 335-343. | 4.1 | 43 |
| 229 | Universal MI Definition Update for Cardiovascular Disease. Current Cardiology Reports, 2014, 16, 492. | 2.9 | 32 |
| 230 | Comparison of Four Risk Scores for Contemporary Isolated Coronary Artery Bypass Grafting. Heart Lung and Circulation, 2014, 23, 469-474. | 0.4 | 20 |
| 231 | Vorapaxar in Acute Coronary Syndrome Patients Undergoing Coronary Artery Bypass Graft Surgery. Journal of the American College of Cardiology, 2014, 63, 1048-1057. | 2.8 | 40 |
| 232 | Association of Aspirin Dose and Vorapaxar Safety and Efficacy in Patients With Non–ST-Segment Elevation Acute Coronary Syndrome (from the TRACER Trial). American Journal of Cardiology, 2014, 113, 936-944. | 1.6 | 17 |
| 233 | Effect of cangrelor on periprocedural outcomes in percutaneous coronary interventions: a pooled analysis of patient-level data. Lancet, The, 2013, 382, 1981-1992. | 13.7 | 286 |
| 234 | The HERO-2 ECG sub-studies in patients with ST elevation myocardial infarction: Implications for clinical practice. International Journal of Cardiology, 2013, 170, 17-23. | 1.7 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Rivaroxaban for the treatment of acute coronary syndromes. Expert Opinion on Pharmacotherapy, 2013, 14, 917-927. | 1.8 | 1 |
| 236 | Secondary prevention and risk factor target achievement in a global, high-risk population with established coronary heart disease: baseline results from the STABILITY study. European Journal of Preventive Cardiology, 2013, 20, 678-685. | 1.8 | 60 |
| 237 | Cardiac Troponin After Percutaneous CoronaryÂIntervention and 1-YearÂMortality inÂNon–ST-Segment Elevation Acute Coronary SyndromeÂUsingÂSystematic Evaluation ofÂBiomarkerÂTrends. Journal of the American College of Cardiology, 2013, 62, 242-251. | 2.8 | 39 |
| 238 | Avatar of the Universal Definition of Periprocedural Myocardial Infarction. Journal of the American College of Cardiology, 2013, 62, 1571-1574. | 2.8 | 23 |
| 239 | Comparison of a 3-hour versus a 6-hour sampling-protocol using high-sensitivity cardiac troponin T for rule-out and rule-in of non-STEMI in an unselected emergency department population. International Journal of Cardiology, 2013, 167, 1134-1140. | 1.7 | 51 |
| 240 | Documento de consenso de expertos. Tercera definición universal del infarto de miocardio. Revista Espanola De Cardiologia, 2013, 66, 132.e1-132.e15. | 1.2 | 18 |
| 241 | Heart Failure Complicating Non–ST-Segment Elevation Acute Coronary Syndrome. JACC: Heart Failure, 2013, 1, 223-229. | 4.1 | 48 |
| 242 | A novel approach to systematically implement the universal definition of myocardial infarction: insights from the CHAMPION PLATFORM trial. Heart, 2013, 99, 1282-1287. | 2.9 | 28 |
| 243 | Effect of Platelet Inhibition with Cangrelor during PCI on Ischemic Events. New England Journal of Medicine, 2013, 368, 1303-1313. | 27.0 | 695 |
| 244 | Physical activity in patients with stable coronary heart disease: an international perspective. European Heart Journal, 2013, 34, 3286-3293. | 2.2 | 67 |
| 245 | Quantification of the effect of clopidogrel on enzymatic infarct size related to a percutaneous coronary intervention in patients with acute coronary syndromes. Coronary Artery Disease, 2013, 24, 321-327. | 0.7 | 3 |
| 246 | Diagnosis of MI after CABG with high-sensitivity troponin T and new ECG or echocardiogram changes: relationship with mortality and validation of the Universal Definition of MI. European Heart Journal: Acute Cardiovascular Care, 2013, 2, 323-333. | 1.0 | 44 |
| 247 | Variation in and prognostic importance of troponin T measured using a high-sensitivity assay in clinically stable haemodialysis patients. CKJ: Clinical Kidney Journal, 2013, 6, 402-409. | 2.9 | 20 |
| 248 | Elderly Patients With Acute Coronary Syndromes Managed Without Revascularization. Circulation, 2013, 128, 823-833. | 1.6 | 130 |
| 249 | Effect of vorapaxar on myocardial infarction in the thrombin receptor antagonist for clinical event reduction in acute coronary syndrome (TRA{middle dot}CER) trial. European Heart Journal, 2013, 34, 1723-1731. | 2.2 | 36 |
| 250 | Changes in Lipoproteinâ€Associated Phospholipase A2 Activity Predict Coronary Events and Partly Account for the Treatment Effect of Pravastatin: Results From the Longâ€ŧerm Intervention with Pravastatin in Ischemic Disease Study. Journal of the American Heart Association, 2013, 2, e000360. | 3.7 | 47 |
| 251 | Third universal definition of myocardial infarction. Srce I Krvni Sudovi, 2013, 32, 29-46. | 0.1 | 0 |
| 252 | Maori have worse outcomes after coronary artery bypass grafting than Europeans in New Zealand. New Zealand Medical Journal, 2013, 126, 12-22. | 0.5 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Response to NZMJ editorial by Dr Elana Curtis entitled Deserving of more: framing of MÄori inequities in cardiovascular care remain a challenge. New Zealand Medical Journal, 2013, 126, 132-3. | 0.5 | 0 |
| 254 | Lack of relationship between obesity and mortality or morbidity after coronary artery bypass grafting. New Zealand Medical Journal, 2013, 126, 56-65. | 0.5 | 11 |
| 255 | Higher mortality in women undergoing coronary artery bypass grafting. New Zealand Medical Journal, 2013, 126, 25-31. | 0.5 | 16 |
| 256 | Antithrombotic agents: Platelet inhibitors, acute anticoagulants, fibrinolytics, and chronic anticoagulants. , 2013, , 332-397. | | 1 |
| 257 | Prasugrel versus Clopidogrel for Acute Coronary Syndromes without Revascularization. New England Journal of Medicine, 2012, 367, 1297-1309. | 27.0 | 765 |
| 258 | Third Universal Definition of Myocardial Infarction. Circulation, 2012, 126, 2020-2035. | 1.6 | 2,722 |
| 259 | New ST-depression: an under-recognized high-risk category of â€~complete' ST-resolution after reperfusion therapy. European Heart Journal: Acute Cardiovascular Care, 2012, 1, 210-221. | 1.0 | 6 |
| 260 | Patients with circumflex occlusions miss out on reperfusion. Current Opinion in Cardiology, 2012, 27, 327-330. | 1.8 | 14 |
| 261 | The Prequel. Circulation: Cardiovascular Interventions, 2012, 5, 142-145. | 3.9 | 22 |
| 262 | The prognostic meaning of the full spectrum of aVR ST-segment changes in acute myocardial infarction. European Heart Journal, 2012, 33, 384-392. | 2.2 | 44 |
| 263 | Thrombin-Receptor Antagonist Vorapaxar in Acute Coronary Syndromes. New England Journal of Medicine, 2012, 366, 20-33. | 27.0 | 701 |
| 264 | Third universal definition of myocardial infarction. Nature Reviews Cardiology, 2012, 9, 620-633. | 13.7 | 2,615 |
| 265 | Reduced immediate ischemic events with cangrelor in PCI: A pooled analysis of the CHAMPION trials using the universal definition of myocardial infarction. American Heart Journal, 2012, 163, 182-190.e4. | 2.7 | 89 |
| 266 | Reinfarction after percutaneous coronary intervention or medical management using the universal definition in patients with total occlusion after myocardial infarction: Results from long-term follow-up of the Occluded Artery Trial (OAT) cohort. American Heart Journal, 2012, 163, 563-571. | 2.7 | 36 |
| 267 | Rationale and design of the Cangrelor versus standard therapy to acHieve optimal Management of Platelet InhibitiON PHOENIX trial. American Heart Journal, 2012, 163, 768-776.e2. | 2.7 | 72 |
| 268 | Third Universal Definition of Myocardial Infarction. Global Heart, 2012, 7, 275. | 2.3 | 309 |
| 269 | We should cap the health budget and spend more money on housing and food: NO. Journal of Primary Health Care, 2012, 4, 339-41. | 0.6 | 0 |
| 270 | Pathobiology of Troponin Elevations. Journal of the American College of Cardiology, 2011, 57, 2406-2408. | 2.8 | 320 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 271 | Effect of Switching Antithrombin Agents for Primary Angioplasty in Acute Myocardial Infarction. Journal of the American College of Cardiology, 2011, 57, 2309-2316. | 2.8 | 49 |
| 272 | Apixaban with Antiplatelet Therapy after Acute Coronary Syndrome. New England Journal of Medicine, 2011, 365, 699-708. | 27.0 | 918 |
| 273 | Oral antiplatelet therapy for atherothrombotic disease: Current evidence and new directions. American Heart Journal, 2011, 161, 450-461. | 2.7 | 30 |
| 274 | Study design and rationale for the Stabilization of pLaques usIng Darapladib—Thrombolysis in Myocardial Infarction (SOLID-TIMI 52) trial in patients after an acute coronary syndrome. American Heart Journal, 2011, 162, 613-619.e1. | 2.7 | 77 |
| 275 | 2011 addendum to the National Heart Foundation of Australia/Cardiac Society of Australia and New Zealand guidelines for the management of acute coronary syndromes (ACS) 2006. Heart Lung and Circulation, 2011, 20, 487-502. | 0.4 | 103 |
| 276 | Antithrombotic therapy in ST-segment elevation myocardial infarction. Expert Opinion on Pharmacotherapy, 2011, 12, 213-223. | 1.8 | 2 |
| 277 | The Role of Lipoprotein-Associated Phospholipase A2 as a Marker and Potential Therapeutic Target in Atherosclerosis. Current Atherosclerosis Reports, 2011, 13, 132-137. | 4.8 | 22 |
| 278 | Effects of Dietary Factors on Lipoprotein-Associated Phospholipase A2 (Lp-PLA2). Current Atherosclerosis Reports, 2011, 13, 461-466. | 4.8 | 4 |
| 279 | Impact of Bleeding on Mortality After Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2011, 4, 654-664. | 2.9 | 329 |
| 280 | Prognostic Significance of Coronary Thrombus in Patients Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndromes. JACC: Cardiovascular Interventions, 2011, 4, 769-777. | 2.9 | 31 |
| 281 | Standardized Bleeding Definitions for Cardiovascular Clinical Trials. Circulation, 2011, 123, 2736-2747. | 1.6 | 3,378 |
| 282 | Long-Term Effects of Percutaneous Coronary Intervention of the Totally Occluded Infarct-Related Artery in the Subacute Phase After Myocardial Infarction. Circulation, 2011, 124, 2320-2328. | 1.6 | 34 |
| 283 | Management of ST-elevation myocardial infarction. , 2011, , 474-484. | | 0 |
| 284 | Darapladib and its potential for plaque stabilization and prevention of cardiac events. Clinical Lipidology, 2010, 5, 465-476. | 0.4 | 2 |
| 285 | Enoxaparin 0.3 mg/kg IV supplement for patients transitioning to PCI after subcutaneous enoxaparin therapy for NSTE ACS: A subgroup analysis from the SYNERGY trial. Catheterization and Cardiovascular Interventions, 2010, 75, 928-935. | 1.7 | 15 |
| 286 | Response to Letter Regarding Article, "Prognostic Modeling of Individual Patient Risk and Mortality Impact of Ischemic and Hemorrhagic Complications: Assessment From the Acute Catheterization and Urgent Intervention Triage Strategy Trial― Circulation, 2010, 122, . | 1.6 | 2 |
| 287 | A simulation of warfarin maintenance dose requirement using a pharmacogenetic algorithm in an ethnically diverse cohort. Personalized Medicine, 2010, 7, 319-325. | 1.5 | 5 |
| 288 | Impact of Collateral Flow to the Occluded Infarct-Related Artery on Clinical Outcomes in Patients With Recent Myocardial Infarction: A Report From the Randomized Occluded Artery Trial. Circulation, 2010, 121, 2724-2730. | 1.6 | 74 |

| # | Article | IF | CITATIONS |
|-----|--|------------------------|----------------------|
| 289 | Predictors of Outcomes in Medically Treated Patients With Acute Coronary Syndromes After Angiographic Triage. Circulation, 2010, 121, 853-862. | 1.6 | 34 |
| 290 | Prognostic Value of Lead V 1 ST Elevation During Acute Inferior Myocardial Infarction. Circulation, 2010, 122, 463-469. | 1.6 | 30 |
| 291 | aVR ST elevation: an important but neglected sign in ST elevation acute myocardial infarction. European Heart Journal, 2010, 31, 1845-1853. | 2.2 | 65 |
| 292 | Longitudinal study of a 9p21.3 SNP using a national electronic healthcare database. Personalized Medicine, 2010, 7, 361-369. | 1.5 | 1 |
| 293 | Rheumatic Heart Disease in Indigenous Populations. Heart Lung and Circulation, 2010, 19, 273-281. | 0.4 | 51 |
| 294 | Obesity in patients with non-ST-segment elevation acute coronary syndromes: Results from the SYNERGY trial. International Journal of Cardiology, 2010, 139, 123-133. | 1.7 | 44 |
| 295 | Hematomas of at least 5 cm and outcomes in patients undergoing elective percutaneous coronary intervention: Insights from the SafeTy and Efficacy of Enoxaparin in PCI patients, an internationaL randomized Evaluation (STEEPLE) trial. American Heart Journal, 2010, 159, 110-116. | 2.7 | 31 |
| 296 | Study design and rationale of a comparison of prasugrel and clopidogrel in medically managed patients with unstable angina/non–ST-segment elevation myocardial infarction: The TaRgeted platelet Inhibition to cLarify the Optimal strateGy to medicallY manage Acute Coronary Syndromes (TRILOGY) Tj ETQq0 0 | 0 ^{2.7} BT /O | 120 Iverlock 10 T |
| 297 | Study design and rationale for the clinical outcomes of the STABILITY Trial (STabilization of) Tj ETQq1 1 0.784314 patients with coronary heart disease. American Heart Journal, 2010, 160, 655-661.e2. | rgBT /Ov 2.7 | erlock 10 Tf 111 |
| 298 | Double-dose versus standard-dose clopidogrel and high-dose versus low-dose aspirin in individuals undergoing percutaneous coronary intervention for acute coronary syndromes (CURRENT-OASIS 7): a randomised factorial trial. Lancet, The, 2010, 376, 1233-1243. | 13.7 | 725 |
| 299 | The ATOLL trial of enoxaparin in primary percutaneous coronary intervention. European Heart Journal, 2010, 31, 2826-7. | 2.2 | 1 |
| 300 | Intravenous Platelet Blockade with Cangrelor during PCI. New England Journal of Medicine, 2009, 361, 2330-2341. | 27.0 | 560 |
| 301 | Pharmacological and clinical profile of bivalirudin in the treatment of patients with acute coronary syndrome. Expert Opinion on Drug Metabolism and Toxicology, 2009, 5, 529-538. | 3.3 | 10 |
| 302 | Platelet Inhibition with Cangrelor in Patients Undergoing PCI. New England Journal of Medicine, 2009, 361, 2318-2329. | 27.0 | 533 |
| 303 | Associations of major bleeding and myocardial infarction with the incidence and timing of mortality in patients presenting with non-ST-elevation acute coronary syndromes: a risk model from the ACUITY trial. European Heart Journal, 2009, 30, 1457-1466. | 2.2 | 315 |
| 304 | Effect of the Novel Thienopyridine Prasugrel Compared With Clopidogrel on Spontaneous and Procedural Myocardial Infarction in the Trial to Assess Improvement in Therapeutic Outcomes by Optimizing Platelet Inhibition With Prasugrel–Thrombolysis in Myocardial Infarction 38. Circulation, 2009. 119. 2758-2764. | 1.6 | 155 |
| 305 | Is there an acceptable ceiling for bleeding for an antithrombotic drug dose to be tested in a phase 3 trial?. European Heart Journal, 2009, 30, 2556-2557. | 2.2 | 0 |
| 306 | Enoxaparin Versus Unfractionated Heparin in Elective Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2009, 2, 1083-1091. | 2.9 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | HORIZONS trial: a step forward for primary percutaneous coronary intervention. Expert Review of Cardiovascular Therapy, 2009, 7, 125-129. | 1.5 | 1 |
| 308 | The use of intravenous enoxaparin in elective percutaneous coronary intervention in patients with renal impairment: Results from the SafeTy and Efficacy of Enoxaparin in PCI patients, an internationaL randomized Evaluation (STEEPLE) trial. American Heart Journal, 2009, 157, 125-131. | 2.7 | 12 |
| 309 | Advanced Age, Antithrombotic Strategy, and Bleeding in Non–ST-Segment Elevation Acute Coronary Syndromes. Journal of the American College of Cardiology, 2009, 53, 1021-1030. | 2.8 | 125 |
| 310 | Prognostic Significance of Periprocedural Versus Spontaneously Occurring Myocardial Infarction After Percutaneous Coronary Intervention in Patients With Acute Coronary Syndromes. Journal of the American College of Cardiology, 2009, 54, 477-486. | 2.8 | 178 |
| 311 | Strategies to minimize bleeding complications of percutaneous coronary intervention. Current Opinion in Cardiology, 2009, 24, 273-278. | 1.8 | 9 |
| 312 | Antithrombotic Agents: Platelet Inhibitors, Anticoagulants, and Fibrinolytics. , 2009, , 293-340. | | 2 |
| 313 | Fibrinolysis for Acute Myocardial Infarction. Fundamental and Clinical Cardiology, 2009, , 651-666. | 0.0 | 0 |
| 314 | Prediction of One-Year Survival in High-Risk Patients with Acute Coronary Syndromes: Results from the SYNERGY Trial. Journal of General Internal Medicine, 2008, 23, 310-316. | 2.6 | 44 |
| 315 | Safety and Efficacy of Switching From Either Unfractionated Heparin or Enoxaparin to Bivalirudin in Patients With Non–ST-Segment Elevation Acute Coronary Syndromes Managed With an Invasive Strategy. Journal of the American College of Cardiology, 2008, 51, 1734-1741. | 2.8 | 74 |
| 316 | Safety and Efficacy of Bivalirudin With and Without Glycoprotein IIb/IIIa Inhibitors in Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2008, 52, 807-814. | 2.8 | 72 |
| 317 | Heart disease in Soweto: facing a triple threat. Lancet, The, 2008, 371, 876-877. | 13.7 | 3 |
| 318 | Acute myocardial infarction. Lancet, The, 2008, 372, 570-584. | 13.7 | 557 |
| 319 | Relationship of QRS duration at baseline and changes over 60 min after fibrinolysis to 30-day mortality with different locations of ST elevation myocardial infarction: results from the Hirulog and Early Reperfusion or Occlusion-2 trial. Heart, 2008, 95, 276-282. | 2.9 | 41 |
| 320 | Outcomes in elderly patients with acute coronary syndromes randomized to enoxaparin vs. unfractionated heparin: results from the SYNERGY trial. European Heart Journal, 2008, 29, 1827-1833. | 2.2 | 36 |
| 321 | Systems of Care. Circulation, 2008, 118, 219-222. | 1.6 | 30 |
| 322 | Impact of anticoagulation levels on outcomes in patients undergoing elective percutaneous coronary intervention: insights from the STEEPLE trial. European Heart Journal, 2008, 29, 462-471. | 2.2 | 63 |
| 323 | Evolution of the definition of myocardial infarction: what are the implications of a new universal definition?. Heart, 2008, 94, 679-684. | 2.9 | 25 |
| 324 | Will new higher-precision troponins lead to clarity or confusion?. Current Opinion in Cardiology, 2008, 23, 292-295. | 1.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 325 | Enoxaparin: a perspective on its use for coronary artery disease. Aging Health, 2008, 4, 579-591. | 0.3 | 2 |
| 326 | Diagnostic application of the universal definition of myocardial infarction in the intensive care unit. Current Opinion in Critical Care, 2008, 14, 543-548. | 3.2 | 38 |
| 327 | Glycoprotein IIb/IIIa Inhibitors. , 2008, , 65-86. | | 2 |
| 328 | ExTRACT-TIMI 25 trial: clarifying the role of enoxaparin in patients with ST-elevation myocardial infarction receiving fibrinolysis. Expert Review of Cardiovascular Therapy, 2007, 5, 851-857. | 1.5 | 5 |
| 329 | Elderly patients should not be denied fibrinolytic therapy. Nature Clinical Practice Cardiovascular Medicine, 2007, 4, 520-521. | 3.3 | Ο |
| 330 | Routine Upstream Initiation vs Deferred Selective Use of Glycoprotein IIb/IIIa Inhibitors in Acute Coronary Syndromes. JAMA - Journal of the American Medical Association, 2007, 297, 591. | 7.4 | 266 |
| 331 | Cardiovascular disease on a global scale: defining the path forward for research and practice. European Heart Journal, 2007, 28, 2678-2684. | 2.2 | 28 |
| 332 | Enoxaparin vs. unfractionated heparin with fibrinolysis for ST-elevation myocardial infarction in elderly and younger patients: results from ExTRACT-TIMI 25. European Heart Journal, 2007, 28, 1066-1071. | 2.2 | 89 |
| 333 | Antithrombotic Strategies in Patients With Acute Coronary Syndromes Undergoing Early Invasive Management. JAMA - Journal of the American Medical Association, 2007, 298, 2497. | 7.4 | 217 |
| 334 | Universal definition of myocardial infarction: Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction. European Heart Journal, 2007, 28, 2525-2538. | 2.2 | 1,856 |
| 335 | Comparison of Outcomes Among Patients Randomized to Warfarin Therapy According to Anticoagulant Control. Archives of Internal Medicine, 2007, 167, 239. | 3.8 | 527 |
| 336 | Acute Coronary Care in the Elderly, Part I. Circulation, 2007, 115, 2549-2569. | 1.6 | 693 |
| 337 | Acute Coronary Care in the Elderly, Part II. Circulation, 2007, 115, 2570-2589. | 1.6 | 489 |
| 338 | Universal Definition of Myocardial Infarction. Circulation, 2007, 116, 2634-2653. | 1.6 | 2,755 |
| 339 | Use of evidence-based medicine for acute coronary syndromes in the elderly and very elderly: Insights from the Sibrafiban vs aspirin to Yield Maximum Protection from ischemic Heart events postacute cOroNary sYndromes trials. American Heart Journal, 2007, 154, 313-321. | 2.7 | 16 |
| 340 | Bivalirudin in patients with acute coronary syndromes undergoing percutaneous coronary intervention: a subgroup analysis from the Acute Catheterization and Urgent Intervention Triage strategy (ACUITY) trial. Lancet, The, 2007, 369, 907-919. | 13.7 | 367 |
| 341 | Direct Antithrombins. American Journal of Cardiovascular Drugs, 2007, 7, 249-257. | 2.2 | 14 |
| 342 | Long-term outcomes of left bundle branch block in high-risk survivors of acute myocardial infarction: The VALIANT experience. Heart Rhythm, 2007, 4, 308-313. | 0.7 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 343 | Impact of Major Bleeding on 30-Day Mortality and Clinical Outcomes in Patients With Acute Coronary Syndromes. Journal of the American College of Cardiology, 2007, 49, 1362-1368. | 2.8 | 776 |
| 344 | Universal Definition of Myocardial Infarction. Journal of the American College of Cardiology, 2007, 50, 2173-2195. | 2.8 | 1,557 |
| 345 | Bleeding complications in patients with acute coronary syndrome undergoing early invasive management can be reduced with radial access, smaller sheath sizes, and timely sheath removal. Catheterization and Cardiovascular Interventions, 2007, 69, 73-83. | 1.7 | 106 |
| 346 | Valsartan in the treatment of heart failure or left ventricular dysfunction after myocardial infarction. Vascular Health and Risk Management, 2007, 3, 425-30. | 2.3 | 18 |
| 347 | Prognostic differences between different types of bundle branch block during the early phase of acute myocardial infarction: insights from the Hirulog and Early Reperfusion or Occlusion (HERO)-2 trial. European Heart Journal, 2006, 27, 21-28. | 2.2 | 104 |
| 348 | Risk Stratification of Patients With Acute Anterior Myocardial Infarction and Right Bundle-Branch Block. Circulation, 2006, 114, 783-789. | 1.6 | 61 |
| 349 | Initial Q waves accompanying ST-segment elevation at presentation of acute myocardial infarction and 30-day mortality in patients given streptokinase therapy: an analysis from HERO-2. Lancet, The, 2006, 367, 2061-2067. | 13.7 | 68 |
| 350 | A Subgroup Analysis of the Impact of Prerandomization Antithrombin Therapy on Outcomes in the SYNERGY Trial. Journal of the American College of Cardiology, 2006, 48, 1346-1354. | 2.8 | 79 |
| 351 | Coronary Intervention for Persistent Occlusion after Myocardial Infarction. New England Journal of Medicine, 2006, 355, 2395-2407. | 27.0 | 635 |
| 352 | Efficacy and safety of enoxaparin compared with unfractionated heparin in high-risk patients with non–ST-segment elevation acute coronary syndrome undergoing percutaneous coronary intervention in the Superior Yield of the New Strategy of Enoxaparin, Revascularization and Glycoprotein IIb/IIIa Inhibitors (SYNERGY) trial. American Heart Journal, 2006, 152, 1042-1050. | 2.7 | 85 |
| 353 | Enoxaparin versus Unfractionated Heparin in Elective Percutaneous Coronary Intervention. New England Journal of Medicine, 2006, 355, 1006-1017. | 27.0 | 325 |
| 354 | Enoxaparin versus Unfractionated Heparin with Fibrinolysis for ST-Elevation Myocardial Infarction. New England Journal of Medicine, 2006, 354, 1477-1488. | 27.0 | 556 |
| 355 | Bivalirudin for Patients with Acute Coronary Syndromes. New England Journal of Medicine, 2006, 355, 2203-2216. | 27.0 | 1,367 |
| 356 | Early Revascularization and Long-term Survival in Cardiogenic Shock Complicating Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2006, 295, 2511. | 7.4 | 572 |
| 357 | Facilitated percutaneous coronary intervention: Is this strategy ready for implementation?. Current Cardiology Reports, 2005, 7, 235-241. | 2.9 | 2 |
| 358 | White Blood Cell Count Predicts Reduction in Coronary Heart Disease Mortality With Pravastatin. Circulation, 2005, 111, 1756-1762. | 1.6 | 59 |
| 359 | Mortality and Morbidity Remain High Despite Captopril and/or Valsartan Therapy in Elderly Patients With Left Ventricular Systolic Dysfunction, Heart Failure, or Both After Acute Myocardial Infarction. Circulation, 2005, 112, 3391-3399. | 1.6 | 101 |
| 360 | High-Risk Patients With Acute Coronary Syndromes Treated With Low-Molecular-Weight or Unfractionated Heparin. JAMA - Journal of the American Medical Association, 2005, 294, 2594. | 7.4 | 57 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 361 | Adherence and outcomes: it's more than taking the pills. Lancet, The, 2005, 366, 1989-1991. | 13.7 | 36 |
| 362 | Comparison of Percutaneous Coronary Intervention and Coronary Artery Bypass Grafting After Acute Myocardial Infarction Complicated by Cardiogenic Shock. Circulation, 2005, 112, 1992-2001. | 1.6 | 210 |
| 363 | Enoxaparin versus unfractionated heparin as antithrombin therapy in patients receiving fibrinolysis for ST-elevation myocardial infarction. American Heart Journal, 2005, 149, 217-226. | 2.7 | 83 |
| 364 | Design and methodology of the Occluded Artery Trial (OAT). American Heart Journal, 2005, 150, 627-642. | 2.7 | 56 |
| 365 | Functional Status and Quality of Life After Emergency Revascularization for Cardiogenic Shock Complicating Acute Myocardial Infarction. Journal of the American College of Cardiology, 2005, 46, 266-273. | 2.8 | 113 |
| 366 | Patients With Prolonged Ischemic Chest Pain and Presumed-New Left Bundle Branch Block Have Heterogeneous Outcomes Depending on the Presence of ST-Segment Changes. Journal of the American College of Cardiology, 2005, 46, 29-38. | 2.8 | 74 |
| 367 | Pharmacological Facilitation of Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2005, 293, 979. | 7.4 | 393 |
| 368 | Outcomes for Ximelagatran Compared with Warfarin According to INR Control: Results from SPORTIF III and V Atrial Fibrillation Trials Blood, 2005, 106, 902-902. | 1.4 | 1 |
| 369 | PHARMAC and lack of funding for clopidogrel. New Zealand Medical Journal, 2005, 119, U1808. | 0.5 | 1 |
| 370 | We Must Use the Knowledge That We Have to Treat Patients With Acute Coronary Syndromes. Circulation, 2004, 109, 698-700. | 1.6 | 9 |
| 371 | Early Intensive vs a Delayed Conservative Simvastatin Strategy in Patients With Acute Coronary Syndromes. JAMA - Journal of the American Medical Association, 2004, 292, 1307. | 7.4 | 1,166 |
| 372 | Clinical implications of the new definition of myocardial infarction. British Heart Journal, 2004, 90, 99-106. | 2.1 | 128 |
| 373 | Enoxaparin vs Unfractionated Heparin in High-Risk Patients With Non–ST-Segment Elevation Acute Coronary Syndromes Managed With an Intended Early Invasive Strategy. JAMA - Journal of the American Medical Association, 2004, 292, 45-54. | 7.4 | 702 |
| 374 | Acute myocardial infarction: Fibrinolytic therapy. Current Treatment Options in Cardiovascular Medicine, 2004, 6, 15-28. | 0.9 | 3 |
| 375 | Relation between Renal Dysfunction and Cardiovascular Outcomes after Myocardial Infarction. New England Journal of Medicine, 2004, 351, 1285-1295. | 27.0 | 1,712 |
| 376 | Acute Catheterization and Urgent Intervention Triage strategY (ACUITY) trial: Study design and rationale. American Heart Journal, 2004, 148, 764-775. | 2.7 | 231 |
| 377 | Electrocardiographic findings in cardiogenic shock, risk prediction, and the effects of emergency revascularization: Results from the SHOCK trial. American Heart Journal, 2004, 148, 810-817. | 2.7 | 15 |
| 378 | Bivalirudin versus heparin and protamine in off-pump coronary artery bypass surgery. Annals of Thoracic Surgery, 2004, 77, 925-931. | 1.3 | 121 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 379 | Safety and Efficacy of Enoxaparin vs Unfractionated Heparin in Patients With Non–ST-Segment Elevation Acute Coronary Syndromes Who Receive Tirofiban and Aspirin <subtitle>A Randomized Controlled Trial</subtitle> . JAMA - Journal of the American Medical Association, 2004, 292, 55. | 7.4 | 218 |
| 380 | Missed opportunities for better health outcomes in New Zealand. New Zealand Medical Journal, 2004, 117, U1002. | 0.5 | 0 |
| 381 | Significance of Atrial Fibrillation During Acute Myocardial Infarction, and its Current Management: Insights from the GUSTO-3 Trial. Journal of Interventional Cardiac Electrophysiology, 2003, 7, 201-207. | 1.0 | 50 |
| 382 | Percutaneous coronary intervention for cardiogenic shock in the SHOCK trial. Journal of the American College of Cardiology, 2003, 42, 1380-1386. | 2.8 | 274 |
| 383 | Candesartan and heart failure: the allure of CHARM. Lancet, The, 2003, 362, 754-755. | 13.7 | 38 |
| 384 | Should all patients with coronary disease receive angiotensin-converting-enzyme inhibitors?. Lancet, The, 2003, 362, 755-757. | 13.7 | 35 |
| 385 | Relationship between initial white blood cell counts, stage of acute myocardial infarction evolution at presentation, and incidence of Thrombolysis In Myocardial Infarction-3 flow after streptokinase. American Heart Journal, 2003, 145, 95-102. | 2.7 | 30 |
| 386 | International variation in the use of evidence-based medicines for acute coronary syndromes. European Heart Journal, 2003, 24, 2133-2141. | 2.2 | 35 |
| 387 | Predictors of 90-day outcome in patients stabilized after acute coronary syndromes. European Heart Journal, 2003, 24, 172-181. | 2.2 | 39 |
| 388 | Usefulness of the presenting electrocardiogram in predicting myocardial salvage with thrombolytic therapy in patients with a first acute myocardial infarction. European Heart Journal, 2002, 23, 399-404. | 2.2 | 24 |
| 389 | Risk factors for non-haemorrhagic stroke in patients with coronary heart disease and the effect of lipid-modifying therapy with pravastatin. Journal of Hypertension, 2002, 20, 2513-2517. | 0.5 | 8 |
| 390 | Mortality at 1 Year With Combination Platelet Glycoprotein IIb/IIIa Inhibition and Reduced-Dose Fibrinolytic Therapy vs Conventional Fibrinolytic Therapy for Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2002, 288, 2130. | 7.4 | 125 |
| 391 | Bivalirudin: an anticoagulant for acute coronary syndromes and coronary interventions. Expert Opinion on Pharmacotherapy, 2002, 3, 777-788. | 1.8 | 15 |
| 392 | Platelet glycoprotein IIb/IIIa inhibitors in acute coronary syndromes: a meta-analysis of all major randomised clinical trials. Lancet, The, 2002, 359, 189-198. | 13.7 | 944 |
| 393 | Predicting outcome after thrombolysis in acute myocardial infarction according to ST-segment resolution at 90 minutes: A substudy of the GUSTO-III trial. American Heart Journal, 2002, 144, 81-88. | 2.7 | 63 |
| 394 | Things ain't what they used to be: Impact of a new definition of myocardial infarction. American Heart Journal, 2002, 144, 933-937. | 2.7 | 26 |
| 395 | Relation of initial platelet counts to Thrombolysis In Myocardial Infarction-3 flow rates at 90 minutes after commencing fibrinolytic therapy in patients with acute myocardial infarction. American Journal of Cardiology, 2002, 90, 54-57. | 1.6 | 17 |
| 396 | Bivalirudin pharmacokinetics and pharmacodynamics: Effect of renal function, dose, and gender*. Clinical Pharmacology and Therapeutics, 2002, 71, 433-439. | 4.7 | 171 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 397 | Long-term risk stratification for survivors of acute coronary syndromes. Journal of the American College of Cardiology, 2001, 38, 56-63. | 2.8 | 112 |
| 398 | Management of unstable angina. Guidelines – 2000. Medical Journal of Australia, 2001, 174, 423-424. | 1.7 | 2 |
| 399 | Relation of pathologic Q waves at presentation and time to streptokinase therapy with early changes in infarct-related artery flow and ventricular wall motion. American Journal of Cardiology, 2001, 88, 558-561. | 1.6 | 8 |
| 400 | One-Year Survival Following Early Revascularization for Cardiogenic Shock. JAMA - Journal of the American Medical Association, 2001, 285, 190. | 7.4 | 575 |
| 401 | Door-to-needle times: Room for improvement and need for continuous audit. EMA - Emergency Medicine Australasia, 2000, 12, 91-94. | 1.1 | 0 |
| 402 | Debate: Should the elderly receive thrombolytic therapy or primary angioplasty?. , 2000, 1, 150. | | 6 |
| 403 | Pregnancy outcomes and cardiac complications in women with mechanical, bioprosthetic and homograft valves. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 245-253. | 2.3 | 171 |
| 404 | The TETAMI trial: the safety and efficacy of subcutaneous enoxaparin versus intravenous unfractionated heparin and of tirofiban versus placebo in the treatment of acute myocardial infarction for patients not thrombolyzed: methods and design. Journal of Thrombosis and Thrombolysis 2000, 10, 241-246 | 2.1 | 24 |
| 405 | Thrombolytic therapy in the elderly. Lancet, The, 2000, 356, 2028-2030. | 13.7 | 154 |
| 406 | Low-molecular-weight heparin and platelet glycoprotein IIb/IIIa receptor blockade in the treatment of acute coronary syndromes: complementary or competing therapies?. Journal of Invasive Cardiology, 2000, 12 Suppl A, 6A-13A. | 0.4 | 0 |
| 407 | Early Revascularization in Acute Myocardial Infarction Complicated by Cardiogenic Shock. New England Journal of Medicine, 1999, 341, 625-634. | 27.0 | 2,596 |
| 408 | Antithrombin agents as adjuncts to thrombolytic therapy. , 1999, 8, 159-166. | | 2 |
| 409 | Direct thrombin inhibitors as adjuncts to thrombolytic therapy. Current Cardiology Reports, 1999, 1, 184-191. | 2.9 | 2 |
| 410 | Usefulness of the presenting electrocardiogram in predicting successful reperfusion with Streptokinase in acute myocardial infarction. American Journal of Cardiology, 1999, 83, 164-168. | 1.6 | 43 |
| 411 | Stent deformation following simulated side-branch dilatation: A comparison of five stent designs. Catheterization and Cardiovascular Interventions, 1999, 47, 258-264. | 1.7 | 116 |
| 412 | Future of reperfusion therapy for acute myocardial infarction. Lancet, The, 1999, 354, 695-697. | 13.7 | 23 |
| 413 | Long-Term Survival and Valve-Related Complications in Young Women With Cardiac Valve Replacements. Circulation, 1999, 99, 2669-2676. | 1.6 | 157 |
| 414 | Is thrombin a pharmacological target during reperfusion?. Blood Coagulation and Fibrinolysis, 1999, 10 Suppl 1, S55-7. | 1.0 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Thrombolytic eligibility. Australian and New Zealand Journal of Medicine, 1998, 28, 518-524. | 0.5 | 1 |
| 416 | Hirudin (desirudin) and Hirulog (bivalirudin) in acute ischaemic syndromes and the rationale for the Hirulog/Early Reperfusion Occlusion (HERO 2) Study. Australian and New Zealand Journal of Medicine, 1998, 28, 551-554. | 0.5 | 13 |
| 417 | Low molecular weight heparins in acute ischaemic syndromes. Australian and New Zealand Journal of Medicine, 1998, 28, 555-557. | 0.5 | 1 |
| 418 | New antiplatelet agents. Australian and New Zealand Journal of Medicine, 1998, 28, 558-564. | 0.5 | 4 |
| 419 | The corrected TIMI frame count. The new gold standard?. Australian and New Zealand Journal of Medicine, 1998, 28, 569-573. | 0.5 | 10 |
| 420 | Thrombolysis for Acute Myocardial Infarction. Circulation, 1998, 97, 1632-1646. | 1.6 | 192 |
| 421 | Ongoing clinical trials of anti-platelet agents in the management of acute ischaemic coronary syndromes. Expert Opinion on Investigational Drugs, 1998, 7, 811-821. | 4.1 | 2 |
| 422 | Applying the open artery theory: use of predictive survival markers. European Heart Journal, 1998, 19, 1132-1139. | 2.2 | 46 |
| 423 | Should all occluded infarct-related arteries be opened?. European Heart Journal, 1997, 18, 1207-1209. | 2.2 | 23 |
| 424 | Selection of thrombolytic therapy for individual patients: Development of a clinical model. American Heart Journal, 1997, 133, 630-639. | 2.7 | 77 |
| 425 | Is heparin of value in the management of acute myocardial infarction?. , 1997, 11, 111-119. | | 8 |
| 426 | Thrombin Hypothesis: The TIMI 9B and GUSTO IIB Trials Have Successfully Disproven/Proven the Thrombin Hypothesis. , 1997, 4, 317-319. | | 4 |
| 427 | Coronary Artery Patency and Survival in Clinical Trials. Journal of Thrombosis and Thrombolysis, 1997, 4, 239-250. | 2.1 | 1 |
| 428 | Clinical Trials of Direct Thrombin Inhibitors in Acute Ischaemic Syndromes. Thrombosis and Haemostasis, 1997, 78, 364-366. | 3.4 | 15 |
| 429 | Comparison of case fatality in smokers and non-smokers after acute cardiac event. BMJ: British Medical Journal, 1997, 315, 992-993. | 2.3 | 24 |
| 430 | Randomized, Double-blind Comparison of Hirulog Versus Heparin in Patients Receiving Streptokinase and Aspirin for Acute Myocardial Infarction (HERO). Circulation, 1997, 96, 2155-2161. | 1.6 | 207 |
| 431 | Clinical trials of direct thrombin inhibitors in acute ischaemic syndromes. Thrombosis and Haemostasis, 1997, 78, 364-6. | 3.4 | 3 |
| 432 | Thrombolytic Therapy in the Elderly. Drugs and Aging, 1996, 8, 237-244. | 2.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 433 | Effects of Thrombolytic Therapy on Left Ventricular Function and the Importance of Long-Term Patency of the Infarct-Related Artery. Clinical Science, 1995, 88, 21-24. | 4.3 | 3 |
| 434 | LEFT VENTRICULAR FUNCTION FOLLOWING THROMBOLYTIC THERAPY FOR MYOCARDIAL INFARCTION. Clinical and Experimental Pharmacology and Physiology, 1995, 22, 173-179. | 1.9 | 4 |
| 435 | Lifting the smoke-screen: The enigma of better outcome in smokers after myocardial infarction. American Journal of Cardiology, 1995, 75, 278-279. | 1.6 | 12 |
| 436 | Effects of streptokinase in patients presenting within 6 hours of prolonged chest pain with ST segment depression Heart, 1995, 73, 500-505. | 2.9 | 15 |
| 437 | Evaluation of paradoxic beneficial effects of smoking in patients receiving thrombolytic therapy for acute myocardial infarction: Mechanism of the "smoker's paradoxâ€from the GUSTO-I trial, with angiographic insights. Journal of the American College of Cardiology, 1995, 26, 1222-1229. | 2.8 | 209 |
| 438 | Angioplasty versus bypass surgery. Lancet, The, 1995, 346, 1174-1175. | 13.7 | 18 |
| 439 | Link Between the Angiographic Substudy and Mortality Outcomes in a Large Randomized Trial of Myocardial Reperfusion. Circulation, 1995, 91, 1923-1928. | 1.6 | 416 |
| 440 | Thrombolytic therapy for acute myocardial infarction: where are we now? Where should we go?. Chinese Medical Journal, 1995, 108, 462-5. | 2.3 | 0 |
| 441 | Selecting a thrombolytic agent. Cardiology Clinics, 1995, 13, 347-54. | 2.2 | 3 |
| 442 | Long-term prognostic importance of patency of the infarct-related coronary artery after thrombolytic therapy for acute myocardial infarction Circulation, 1994, 89, 61-67. | 1.6 | 212 |
| 443 | Aspirin or warfarin for non-rheumatic atrial fibrillation?. Lancet, The, 1994, 343, 683-684. | 13.7 | 15 |
| 444 | Allergic Reactions to Streptokinase. BioDrugs, 1994, 2, 415-420. | 0.7 | 8 |
| 445 | FACTORS AFFECTING OUTCOME AFTER RECOVERY FROM MYOCARDIAL INFARCTION. Annual Review of Medicine, 1994, 45, 325-339. | 12.2 | 21 |
| 446 | Comparative Tolerability Profiles of Thrombolytic Agents. Drug Safety, 1993, 8, 19-29. | 3.2 | 13 |
| 447 | Issues raised by GUSTO. Australian and New Zealand Journal of Medicine, 1993, 23, 739-741. | 0.5 | 1 |
| 448 | Hirudin and Hirulog. Australian and New Zealand Journal of Medicine, 1993, 23, 769-770. | 0.5 | 2 |
| 449 | Pharmacoeconomic Aspects of Treatment of Acute Myocardial Infarction with Thrombolytic Agents. Pharmacoeconomics, 1993, 3, 192-204. | 3.3 | 8 |
| 450 | After correcting for worse baseline characteristics, women treated with thrombolytic therapy for acute myocardial infarction have the same mortality and morbidity as men except for a higher incidence of hemorrhagic stroke. The Investigators of the International Tissue Plasminogen Activator/Streptokinase Mortality Study Circulation, 1993, 88, 2097-2103. | 1.6 | 157 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 451 | Reperfusion injury - a reply to Keith Fox. Cardiovascular Research, 1992, 26, 660-661. | 3.8 | 3 |
| 452 | Remodelling of the heart after myocardial infarction. Australian and New Zealand Journal of Medicine, 1992, 22, 601-606. | 0.5 | 6 |
| 453 | Thrombolytic therapy for patients with myocardial infarction presenting after six hours. Lancet, The, 1992, 340, 221-222. | 13.7 | 26 |
| 454 | Heart failure: to digitalise or not? The view against. Australian and New Zealand Journal of Medicine, 1992, 22, 626-630. | 0.5 | 2 |
| 455 | Safety and efficacy of repeat thrombolytic treatment after acute myocardial infarction Heart, 1990, 64, 177-181. | 2.9 | 60 |
| 456 | GISSI-2 and the heparin controversy. Lancet, The, 1990, 336, 297-298. | 13.7 | 51 |
| 457 | The management of myocardial infarction: an update. Comprehensive Therapy, 1990, 16, 11-5. | 0.2 | 0 |
| 458 | Acute myocardial infarction: a true medical emergency. New Zealand Medical Journal, 1989, 102, 281-3. | 0.5 | 1 |
| 459 | Effect of Intravenous Streptokinase on Left Ventricular Function and Early Survival after Acute Myocardial Infarction. New England Journal of Medicine, 1987, 317, 850-855. | 27.0 | 646 |
| 460 | Liver disease induced by perhexiline maleate. Medical Journal of Australia, 1982, 2, 9-10. | 1.7 | 8 |
| 461 | Coronary Artery Bypass Grafting. , 0, , 240-255. | | 0 |