## Camilla Montesano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1303088/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Targeting the anti-apoptotic Bcl-2 family proteins: machine learning virtual screening and biological evaluation of new small molecules. Theranostics, 2022, 12, 2427-2444.   | 10.0 | 12        |
| 2  | Accelerated Extraction and Analysis of Ethyl Glucuronide in Hair by Means of Pressurized Liquid<br>Extraction Followed by Liquid Chromatography–Tandem Mass Spectrometry Determination. Journal<br>of Analytical Toxicology, 2021, 45, 927-936.                   | 2.8  | 3         |
| 3  | Qualitative and semi-quantitative phytochemical analysis on the seeds of a new Nigella sativa L.<br>population exemplar from Iran. Plant Biosystems, 2021, 155, 1056-1062.  | 1.6  | 1         |
| 4  | Untargeted Metabolic Profiling of 4-Fluoro-Furanylfentanyl and Isobutyrylfentanyl in Mouse<br>Hepatocytes and Urine by Means of LC-HRMS. Metabolites, 2021, 11, 97.   | 2.9  | 6         |
| 5  | Finding evidence at a crime scene: Sensitive determination of benzodiazepine residues in drink and food paraphernalia by HPLC-HRMS/MS. Forensic Chemistry, 2021, 23, 100327.  | 2.8  | 10        |
| 6  | Personalized Metabolic Profile by Synergic Use of NMR and HRMS. Molecules, 2021, 26, 4167.  | 3.8  | 3         |
| 7  | Simultaneous Quantification of 25 Fentanyl Derivatives and Metabolites in Oral Fluid by Means of Microextraction on Packed Sorbent and LC–HRMS/MS Analysis. Molecules, 2021, 26, 5870.  | 3.8  | 7         |
| 8  | Multi-analytical characterization of 4-fluoro-furanyl fentanyl in a drug seizure. Forensic Chemistry, 2020, 21, 100283.   | 2.8  | 5         |
| 9  | Molecular Networking: A Useful Tool for the Identification of New Psychoactive Substances in<br>Seizures by LC–HRMS. Frontiers in Chemistry, 2020, 8, 572952.   | 3.6  | 37        |
| 10 | Dyes from the Ashes: Discovering and Characterizing Natural Dyes from Mineralized Textiles.<br>Molecules, 2020, 25, 1417.   | 3.8  | 8         |
| 11 | Combination of pressurized liquid extraction with dispersive liquid liquid micro extraction for the determination of sixty drugs of abuse in hair. Journal of Chromatography A, 2019, 1605, 360348.   | 3.7  | 40        |
| 12 | A syn-ent-labdadiene derivative with a rare spiro-β-lactone function from the male cones of Wollemia nobilis. Phytochemistry, 2019, 158, 91-95.   | 2.9  | 12        |
| 13 | A new multi analytical approach for the identification of synthetic and natural dyes mixtures. The<br>case of orcein-mauveine mixture in a historical dress of a Sicilian noblewoman of nineteenth century.<br>Natural Product Research, 2019, 33, 1040-1051.     | 1.8  | 18        |
| 14 | Italian Cheeses Discrimination by Means of δ13C and δ15N Isotopic Ratio Mass Spectrometry. Food<br>Analytical Methods, 2018, 11, 1467-1475.   | 2.6  | 8         |
| 15 | Analysis of new psychoactive substances in oral fluids by means of microextraction by packed sorbent<br>followed by ultraâ€highâ€performance liquid chromatography–tandem mass spectrometry. Drug Testing<br>and Analysis, 2018, 10, 865-873.                     | 2.6  | 46        |
| 16 | Selective solid phase extraction of JWH synthetic cannabinoids by using computationally designed peptides. Talanta, 2017, 167, 126-133.   | 5.5  | 6         |
| 17 | Application of a rapid μ-SPE clean-up for multiclass quantitative analysis of sixteen new psychoactive substances in whole blood by LC–MS/MS. Talanta, 2017, 167, 260-267.  | 5.5  | 34        |
| 18 | How the extraction method could be crucial in the characterization of natural dyes from dyed yarns and lake pigments: The case of American and Armenian cochineal dyes, extracted through the new ammonia-EDTA method. Microchemical lournal, 2017, 134, 237-245. | 4.5  | 17        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Determination of Pesticides in Wheat Flour Using Microextraction on Packed Sorbent Coupled to<br>Ultra-High Performance Liquid Chromatography and Tandem Mass Spectrometry. Food Analytical<br>Methods, 2017, 10, 1699-1708.   | 2.6 | 25        |
| 20 | Pharmacokinetics of marbofloxacin administered via intravenous regional limb perfusion in dairy cows: evaluation of two different tourniquets. Veterinary Record Open, 2017, 4, e000227.   | 1.0 | 4         |
| 21 | Identification of MT-45 Metabolites: In Silico Prediction, In Vitro Incubation with Rat Hepatocytes and<br>In Vivo Confirmation. Journal of Analytical Toxicology, 2017, 41, 688-697.  | 2.8 | 15        |
| 22 | Multi lass analysis of new psychoactive substances and metabolites in hair by pressurized liquid extraction coupled to HPLCâ€HRMS. Drug Testing and Analysis, 2017, 9, 798-807.  | 2.6 | 41        |
| 23 | Micro-solid-phase extraction (µ-SPE) of organophosphorous pesticides from wheat followed by<br>LC-MS/MS determination. Food Additives and Contaminants - Part A Chemistry, Analysis, Control,<br>Exposure and Risk Assessment, 2016, 33, 1-9.                        | 2.3 | 9         |
| 24 | Microextraction techniques in illicit drug testing: present and future. Bioanalysis, 2016, 8, 863-866.   | 1.5 | 5         |
| 25 | NAADP-Dependent Ca2+ Signaling Controls Melanoma Progression, Metastatic Dissemination and Neoangiogenesis. Scientific Reports, 2016, 6, 18925.  | 3.3 | 35        |
| 26 | Broad Screening and Identification of Novel Psychoactive Substances in Plasma by High-Performance<br>Liquid Chromatography–High-Resolution Mass Spectrometry and Post-run Library Matching. Journal<br>of Analytical Toxicology, 2016, 40, 519-528.                  | 2.8 | 25        |
| 27 | Determination of marbofloxacin in plasma and synovial fluid by ultrafiltration followed by HPLC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2016, 123, 31-36.  | 2.8 | 13        |
| 28 | Pressurized liquid extraction for the determination of cannabinoids and metabolites in hair:<br>Detection of cut-off values by high performance liquid chromatography–high resolution tandem<br>mass spectrometry. Journal of Chromatography A, 2015, 1406, 192-200. | 3.7 | 34        |
| 29 | Determination of illicit drugs and metabolites in oral fluid by microextraction on packed sorbent coupled with LC-MS/MS. Analytical and Bioanalytical Chemistry, 2015, 407, 3647-3658.   | 3.7 | 58        |
| 30 | Fatty acid composition and δ <sup>13</sup> C of bulk and individual fatty acids as marker for<br>authenticating Italian PDO/PGI extra virgin olive oils by means of isotopic ratio mass spectrometry.<br>Journal of Mass Spectrometry, 2014, 49, 840-849.            | 1.6 | 23        |
| 31 | Validation of a method for the targeted analysis of 96 drugs in hair by UPLC–MS/MS. Journal of<br>Pharmaceutical and Biomedical Analysis, 2014, 88, 295-306.   | 2.8 | 72        |
| 32 | Analytical approaches for the determination of phytocannabinoids and endocannabinoids in human matrices. Drug Testing and Analysis, 2014, 6, 7-16.   | 2.6 | 38        |
| 33 | Bio-inspired solid phase extraction sorbent material for cocaine: A cross reactivity study. Talanta, 2014, 130, 382-387.   | 5.5 | 3         |
| 34 | A μ-SPE procedure for the determination of cannabinoids and their metabolites in urine by LC–MS/MS.<br>Journal of Pharmaceutical and Biomedical Analysis, 2014, 91, 169-175.   | 2.8 | 37        |
| 35 | Pressurized-liquid extraction for determination of illicit drugs in hair by LC–MS–MS. Analytical and Bioanalytical Chemistry, 2013, 405, 725-735.  | 3.7 | 30        |
| 36 | Micro extraction by packed sorbent coupled to liquid chromatography tandem mass spectrometry for the rapid and sensitive determination of cannabinoids in oral fluids. Journal of Chromatography A, 2013, 1301, 139-146.   | 3.7 | 53        |

## CAMILLA MONTESANO

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Screening of methylenedioxyamphetamine―and piperazineâ€derived designer drugs in urine by LC–MS/MS<br>using neutral loss and precursor ion scan. Journal of Mass Spectrometry, 2013, 48, 49-59.                           | 1.6 | 29        |
| 38 | Peptides trapping cocaine: docking simulation and experimental screening by solid phase extraction<br>followed by liquid chromatography mass spectrometry in plasma samples. Analytica Chimica Acta, 2013,<br>772, 40-46. | 5.4 | 17        |
| 39 | Determination of the two major endocannabinoids in human plasma by μ-SPE followed by HPLC-MS/MS.<br>Analytical and Bioanalytical Chemistry, 2013, 405, 785-793.   | 3.7 | 49        |
| 40 | Simultaneous determination of lamivudine, lopinavir, ritonavir, and zidovudine concentration in plasma of HIVâ€infected patients by HPLCâ€MS/MS. IUBMB Life, 2012, 64, 443-449.   | 3.4 | 16        |
| 41 | Analysis of Bile Acids Profile in Human Serum by Ultrafiltration Clean-up and LC-MS/MS.<br>Chromatographia, 2012, 75, 479-489.  | 1.3 | 16        |
| 42 | Determination of Illicit Drugs in Urine and Plasma by Micro-SPE Followed by HPLC–MS/MS.<br>Chromatographia, 2012, 75, 55-63.  | 1.3 | 23        |
| 43 | The influence of mineral catalysts on racemization of secondary alcohols under pyrolytic temperatures: II part. Journal of Analytical and Applied Pyrolysis, 2011, 92, 324-331.   | 5.5 | 1         |
| 44 | The influence of mineral catalysts on racemization of secondary alcohols under pyrolytic temperatures. Journal of Analytical and Applied Pyrolysis, 2010, 89, 286-293.  | 5.5 | 5         |