

Seonghwan Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1309801/publications.pdf>

Version: 2024-02-01

74
papers

1,198
citations

394421

19
h-index

454955

30
g-index

75
all docs

75
docs citations

75
times ranked

1460
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamic drill-string modeling for acoustic telemetry. <i>International Journal of Mechanical Sciences</i> , 2022, 218, 107043.	6.7	6
2	Manipulating Active Sites of 2D Metal-Organic Framework Nanosheets with Fluorescent Materials for Enhanced Colorimetric and Fluorescent Ammonia Sensing. <i>Advanced Materials Interfaces</i> , 2022, 9, .	3.7	15
3	Identification of odor emission sources in urban areas using machine learning-based classification models. <i>Atmospheric Environment: X</i> , 2022, 13, 100156.	1.4	4
4	Rapid detection of ionic contents in water through sensor fusion and convolutional neural network. <i>Chemosphere</i> , 2022, 294, 133746.	8.2	4
5	Standoff and Point Detection of Thin Polymer Layers Using Microcantilever Photothermal Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2022, 169, 037501.	2.9	2
6	In situ encapsulation of ZrO ₂ in UiO-66 (Zr-BDC) for pore size control to enhance detection of a nerve agent simulant dimethyl methyl phosphonate. <i>Applied Organometallic Chemistry</i> , 2022, 36, .	3.5	7
7	Facile and rapid synthesis of functionalized Zr-BTC for the optical detection of the blistering agent simulant 2-chloroethyl ethyl sulfide (CEES). <i>Dalton Transactions</i> , 2021, 50, 3261-3268.	3.3	17
8	In-situ fabrication of Cu-BDC on a quartz crystal microbalance for methane sensing at room temperature. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2021, 101, 321-327.	1.6	4
9	Deconvolution of dissipative pathways for the interpretation of tapping-mode atomic force microscopy from phase-contrast. <i>Communications Physics</i> , 2021, 4, .	5.3	5
10	Experimental study on repeater-free acoustic telemetry for downhole operations. <i>Journal of Petroleum Science and Engineering</i> , 2021, 202, 108551.	4.2	5
11	Micro/nanotechnology-inspired rapid diagnosis of respiratory infectious diseases. <i>Biomedical Engineering Letters</i> , 2021, 11, 335-365.	4.1	5
12	Acoustic subsurface-atomic force microscopy: Three-dimensional imaging at the nanoscale. <i>Journal of Applied Physics</i> , 2021, 129, .	2.5	16
13	(Invited) Heterogeneous Surface Energy Maps of Differentiated-Cath-a Cancer Cells Revealed Via Transitional Tapping Atomic Force Microscopy (TT-AFM). <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 1630-1630.	0.0	0
14	Sensitive and reliable thermal micro-flow sensor for a drug infusion system. <i>Sensors and Actuators A: Physical</i> , 2020, 309, 112033.	4.1	12
15	Highly selective and sensitive fluorescent zeolitic imidazole frameworks sensor for nitroaromatic explosive detection. <i>Nanoscale</i> , 2020, 12, 13523-13530.	5.6	58
16	UV-triggered polymerization of polycatecholamines enables the production of organ-on-chips inside a biosafety cabinet. <i>Applied Materials Today</i> , 2020, 20, 100721.	4.3	6
17	Intense Pulsed Light-Treated Near-Field Electrospun Nanofiber on a Quartz Tuning Fork for Multimodal Gas Sensors. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 24308-24318.	8.0	11
18	Intense pulsed light-based synthesis of hybrid TiO ₂ -SnO ₂ /MWCNT doped Cu-BTC for room temperature ammonia sensing. <i>Journal of Materials Chemistry C</i> , 2020, 8, 7567-7574.	5.5	17

#	ARTICLE	IF	CITATIONS
19	Enhanced nanoplasmonic heating in standoff sensing of explosive residues with infrared reflection-absorption spectroscopy. <i>Optics Letters</i> , 2020, 45, 2144.	3.3	4
20	Geomaterials-Functionalized Microfluidic Devices Using a Universal Surface Modification Approach. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900995.	3.7	12
21	Intense Pulsed Light Conversion of Anatase to Rutile TiO ₂ for Hybrid TiO ₂ -SnO ₂ /MWCNTs/PVB Room Temperature VOCs Sensor. <i>IEEE Sensors Journal</i> , 2019, 19, 9113-9121.	4.7	8
22	High-Performance, Room Temperature Hydrogen Sensing With a Cu-BTC/Polyaniline Nanocomposite Film on a Quartz Crystal Microbalance. <i>IEEE Sensors Journal</i> , 2019, 19, 4789-4795.	4.7	21
23	Photothermal Cantilever Deflection Spectroscopy. <i>Electrochemical Society Interface</i> , 2019, 28, 55-57.	0.4	19
24	Mechanisms of friction reduction of nanoscale sliding contacts achieved through ultrasonic excitation. <i>Nanotechnology</i> , 2019, 30, 075502.	2.6	3
25	Micromachined Chip Scale Thermal Sensor for Thermal Imaging. <i>ACS Nano</i> , 2018, 12, 1760-1767.	14.6	19
26	Sonochemical fabrication of Cu(II) and Zn(II) metal-organic framework films on metal substrates. <i>Ultrasonics Sonochemistry</i> , 2018, 45, 180-188.	8.2	69
27	Rapid Fabrication of Metal-Organic Framework Films from Metal Substrates Using Intense Pulsed Light. <i>Crystal Growth and Design</i> , 2018, 18, 6946-6955.	3.0	13
28	Contrast mechanisms on nanoscale subsurface imaging in ultrasonic AFM: scattering of ultrasonic waves and contact stiffness of the tip-sample. <i>Nanoscale</i> , 2017, 9, 2330-2339.	5.6	23
29	Plasmonic absorbers with optical cavity for the enhancement of photothermal/opto-calorimetric infrared spectroscopy. <i>Applied Physics Letters</i> , 2017, 110, .	3.3	5
30	Tribological effects of a rough surface bearing using an average flow analysis with a contact model of asperities. <i>International Journal of Precision Engineering and Manufacturing</i> , 2017, 18, 99-107.	2.2	23
31	Broadband Mid-Infrared Stand-Off Reflection-Absorption Spectroscopy Using a Pulsed External Cavity Quantum Cascade Laser. <i>Applied Spectroscopy</i> , 2017, 71, 1494-1505.	2.2	6
32	Towards non-invasive high-resolution 3D nano-tomography by ultrasonic scanning probe microscopy. , 2017, , .		0
33	Enhancing the Responsivity of Uncooled Infrared Detectors Using Plasmonics for High-Performance Infrared Spectroscopy. <i>Sensors</i> , 2017, 17, 908.	3.8	11
34	Multi-modal, ultrasensitive detection of trace explosives using MEMS devices with quantum cascade lasers. <i>Proceedings of SPIE</i> , 2016, , .	0.8	1
35	Sensitive and selective detection of adsorbed explosive molecules using opto-calorimetric infrared spectroscopy and micro-differential thermal analysis. <i>Sensors and Actuators B: Chemical</i> , 2016, 231, 393-398.	7.8	11
36	Electronic Nose for Recognition of Volatile Vapor Mixtures Using a Nanopore-Enhanced Opto-Calorimetric Spectroscopy. <i>Analytical Chemistry</i> , 2015, 87, 7125-7132.	6.5	14

#	ARTICLE	IF	CITATIONS
37	Piezotransistive transduction of femtoscale displacement for photoacoustic spectroscopy. Nature Communications, 2015, 6, 7885.	12.8	43
38	Sensitive and selective detection of hydrocarbon/water vapor mixtures with a nanoporous silicon microcantilever. Sensors and Actuators B: Chemical, 2015, 206, 84-89.	7.8	12
39	Chapter 10. Near-field Thermometry. RSC Nanoscience and Nanotechnology, 2015, , 315-338.	0.2	0
40	Photoacoustic spectroscopy of surface adsorbed molecules using a nanostructured coupled resonator array. Nanotechnology, 2014, 25, 035501.	2.6	12
41	Rapid discrimination of DNA strands using an opto-calorimetric microcantilever sensor. Lab on A Chip, 2014, 14, 4659-4664.	6.0	7
42	Piezoelectric layer embedded-microdiaphragm sensors for the determination of blood viscosity and density. Applied Physics Letters, 2014, 105, .	3.3	19
43	Nanowell-patterned TiO ₂ microcantilevers for calorimetric chemical sensing. Applied Physics Letters, 2014, 104, 141903.	3.3	11
44	Point and standoff detection of trace explosives using quantum cascade lasers. , 2014, , .		0
45	Miniaturization of Photothermal Cantilever Deflection Spectroscopy with an Electrical Readout. ECS Transactions, 2014, 64, 19-24.	0.5	0
46	Selective detection of physisorbed hydrocarbons using photothermal cantilever deflection spectroscopy. Sensors and Actuators B: Chemical, 2014, 191, 765-769.	7.8	21
47	Nanomechanical identification of liquid reagents in a microfluidic channel. Lab on A Chip, 2014, 14, 1302-1307.	6.0	26
48	Photothermal cantilever deflection spectroscopy. EPJ Techniques and Instrumentation, 2014, 1, .	1.3	17
49	Investigation of pH-Induced Protein Conformation Changes by Nanomechanical Deflection. Langmuir, 2014, 30, 2109-2116.	3.5	19
50	Vibration assisted nano mechanical machining using AFM probe. CIRP Annals - Manufacturing Technology, 2014, 63, 537-540.	3.6	35
51	Standoff reflection absorption spectra of surface adsorbed explosives measured with pulsed quantum cascade lasers. Sensors and Actuators B: Chemical, 2014, 191, 450-456.	7.8	31
52	Direct Detection and Speciation of Trace Explosives Using a Nanoporous Multifunctional Microcantilever. Analytical Chemistry, 2014, 86, 5077-5082.	6.5	29
53	Detection of biological analytes using nanomechanical infrared spectroscopy with a nanoporous microcantilever. Proceedings of SPIE, 2013, , .	0.8	3
54	Multi-modal characterization of nanogram amounts of a photosensitive polymer. Applied Physics Letters, 2013, 102, 024103.	3.3	13

#	ARTICLE	IF	CITATIONS
55	Photothermal Cantilever Deflection Spectroscopy. <i>ECS Transactions</i> , 2013, 50, 459-464.	0.5	7
56	Molecular recognition using receptor-free nanomechanical infrared spectroscopy based on a quantum cascade laser. <i>Scientific Reports</i> , 2013, 3, 1111.	3.3	45
57	Nanomechanical Thermal Analysis of Indium Films Using Silicon Microcantilevers. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 08KB07.	1.5	4
58	Standoff detection of explosive residues on unknown surfaces. , 2012, , .		4
59	Photothermal cantilever deflection spectroscopy of a photosensitive polymer. <i>Applied Physics Letters</i> , 2012, 100, .	3.3	14
60	Nanomechanical Thermal Analysis of Indium Films Using Silicon Microcantilevers. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 08KB07.	1.5	6
61	Nanomechanical Thermal Analysis of Photosensitive Polymers. <i>Macromolecules</i> , 2011, 44, 9661-9665.	4.8	14
62	Investigation of Ph-Assisted Human Serum Albumin (HSA)-Cobalt (Co)Binding Using Nanomechanical Deflection and Circular Dichroism. <i>Journal of Nanomedicine & Nanotechnology</i> , 2011, s5, .	1.1	0
63	Fluidic applications for atomic force microscopy (AFM) with microcantilever sensors. <i>Experiments in Fluids</i> , 2010, 48, 721-736.	2.4	29
64	Observation of an anomalous mass effect in microcantilever-based biosensing caused by adsorbed DNA. <i>Applied Physics Letters</i> , 2010, 96, 153703.	3.3	21
65	Effects of gold patterning on the bending profile and frequency response of a microcantilever. <i>Journal of Applied Physics</i> , 2009, 106, 024310.	2.5	25
66	Piezoresistive cantilever array sensor for consolidated bioprocess monitoring. <i>Scanning</i> , 2009, 31, 204-210.	1.5	12
67	Surface elasticity and charge concentration-dependent endothelial cell attachment to copolymer polyelectrolyte hydrogel. <i>Acta Biomaterialia</i> , 2009, 5, 144-151.	8.3	25
68	Cantilever Sensors: Nanomechanical Tools for Diagnostics. <i>MRS Bulletin</i> , 2009, 34, 449-454.	3.5	170
69	Effect of adsorption-induced surface stress change on the stiffness of a microcantilever used as a salinity detection sensor. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	13
70	Temperature dependence of the near-wall oscillation of microcantilevers submerged in liquid environment. <i>Applied Physics Letters</i> , 2007, 90, 081908.	3.3	5
71	Near-Field Thermometry Sensor Based on the Thermal Resonance of a Microcantilever in Aqueous Medium. <i>Sensors</i> , 2007, 7, 3156-3165.	3.8	12
72	Microfabricated fluorescence-activated cell sorter through hydrodynamic flow manipulation. <i>Microsystem Technologies</i> , 2006, 12, 746-753.	2.0	26

#	ARTICLE	IF	CITATIONS
73	Experimental verification of the temperature effects on Sader's model for multilayered cantilevers immersed in an aqueous medium. Applied Physics Letters, 2006, 89, 061918.	3.3	12
74	Real-time monitoring and sensing of atmospheric explosive vapors. SPIE Newsroom, 0, , .	0.1	0