
Tim Pickles

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1313584/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Urinary Stones and Intervention Quality of Life (USIQoL): Development and Validation of a New Core Universal Patient-reported Outcome Measure for Urinary Calculi. European Urology Focus, 2022, 8, 283-290.	3.1	9
2	Observational study to estimate the proportion of surgical site infection following excision of ulcerated skin tumours (OASIS study). Clinical and Experimental Dermatology, 2022, 47, 882-888.	1.3	2
3	The CARe Burn Scale—Adult Form: Identifying the Responsiveness and Minimal Important Difference (MID) Values of a Patient Reported Outcome Measure (PROM) to Assess Quality of Life for Adults with a Burn Injury. European Journal of Burn Care, 2022, 3, 211-233.	0.8	0
4	Patient Reported Outcome Measures for Rheumatoid Arthritis Disease Activity: a systematic review following COSMIN guidelines. RMD Open, 2022, 8, e002093.	3.8	2
5	The development and validation of the CARe Burn Scale: Child Form: a parent-proxy-reported outcome measure assessing quality of life for children aged 8Âyears and under living with a burn injury. Quality of Life Research, 2021, 30, 239-250.	3.1	3
6	Training results in increased practitioner confidence and identification of depression in people with low vision: a mixed methods study. Ophthalmic and Physiological Optics, 2021, 41, 316-330.	2.0	6
7	Cost-effectiveness of home versus hospital management of children at onset of type 1 diabetes: the DECIDE randomised controlled trial. BMJ Open, 2021, 11, e043523.	1.9	3
8	Testing the Responsiveness of and Defining Minimal Important Difference (MID) Values for the CARe Burn Scales: Patient-Reported Outcome Measures to Assess Quality of Life for Children and Young People Affected by Burn Injuries, and Their Parents/Caregivers. European Journal of Burn Care, 2021, 2, 249-280.	0.8	1
9	Study protocol: azithromycin therapy for chronic lung disease of prematurity (AZTEC) - a randomised, placebo-controlled trial of azithromycin for the prevention of chronic lung disease of prematurity in preterm infants. BMJ Open, 2020, 10, e041528.	1.9	19
10	Barriers to integrating routine depression screening into community low vision rehabilitation services: a mixed methods study. BMC Psychiatry, 2020, 20, 419.	2.6	9
11	Randomized controlled trial of multiâ€modular motionâ€assisted memory desensitization and reconsolidation (3MDR) for male military veterans with treatmentâ€resistant postâ€traumatic stress disorder. Acta Psychiatrica Scandinavica, 2020, 142, 141-151.	4.5	33
12	Fetal cerebral Doppler changes and outcome in late preterm fetal growth restriction: prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 173-181.	1.7	47
13	The Development and Validation of the CARe Burn Scale—Adult Form: A Patient-Reported Outcome Measure (PROM) to Assess Quality of Life for Adults Living with a Burn Injury. Journal of Burn Care and Research, 2019, 40, 312-326.	0.4	17
14	Adaptive Trial Designs in Rheumatology: Report from the OMERACT Special Interest Group. Journal of Rheumatology, 2019, 46, 1406-1408.	2.0	6
15	Perineural local anaesthetic catheter after major lower limb amputation trial (PLACEMENT): results from a randomised controlled feasibility trial. BMJ Open, 2019, 9, e029233.	1.9	8
16	How do community-based eye care practitioners approach depression in patients with low vision? A mixed methods study. BMC Psychiatry, 2019, 19, 426.	2.6	12
17	The acceptability of fluoride varnish and fissure sealant treatments in children aged 6-9 delivered in a school setting. Community Dental Health, 2019, 36, 33-38.	0.2	1
18	Point-of-care urine culture for managing urinary tract infection in primary care: a randomised controlled trial of clinical and cost-effectiveness. British Journal of General Practice, 2018, 68, e268-e278.	1.4	25

TIM PICKLES

#	Article	IF	CITATIONS
19	Cardiovascular risk factors predicting cardiac events are different in patients with rheumatoid arthritis, psoriatic arthritis, and psoriasis. Seminars in Arthritis and Rheumatism, 2018, 48, 367-373.	3.4	32
20	Feasibility and acceptability of text messaging to support antenatal healthcare in Iraqi pregnant women: a pilot study. Journal of Perinatal Medicine, 2018, 46, 67-74.	1.4	13
21	Levels of wound calprotectin and other inflammatory biomarkers aid in deciding which patients with a diabetic foot ulcer need antibiotic therapy (<scp>INDUCE</scp> study). Diabetic Medicine, 2018, 35, 255-261.	2.3	19
22	Early phase and adaptive design clinical trials in rheumatoid arthritis: a systematic review of early phase trials. Rheumatology Advances in Practice, 2018, 2, rky045.	0.7	2
23	Major lower limb amputation audit – introduction and implementation of a multimodal perioperative pain management guideline. British Journal of Pain, 2018, 12, 257-258.	1.5	1
24	Oral fumaric acid esters for psoriasis. The Cochrane Library, 2017, 2017, CD010497.	2.8	19
25	Clinicians' interpretations of point of care urine culture versus laboratory culture results: analysis from the four-country POETIC trial of diagnosis of uncomplicated urinary tract infection in primary care. Family Practice, 2017, 34, 392-399.	1.9	9
26	Variations in presentation, management, and patient outcomes of urinary tract infection: a prospective four-country primary care observational cohort study. British Journal of General Practice, 2017, 67, e830-e841.	1.4	59
27	Perineural local anaesthetic catheter after major lower limb amputation trial (PLACEMENT): study protocol for a randomised controlled pilot study. Trials, 2017, 18, 629.	1.6	6
28	Comparison of microbiological diagnosis of urinary tract infection in young children by routine health service laboratories and a research laboratory: Diagnostic cohort study. PLoS ONE, 2017, 12, e0171113.	2.5	6
29	Oral fumaric acid esters for psoriasis: abridged Cochrane systematic review including <scp>GRADE</scp> assessments. British Journal of Dermatology, 2016, 175, 873-881.	1.5	32
30	Supporting shared decision making using an Option Grid for osteoarthritis of the knee in an interface musculoskeletal clinic: A stepped wedge trial. Patient Education and Counseling, 2016, 99, 571-577.	2.2	69
31	Improving the Diagnosis and Treatment of Urinary Tract Infection in Young Children in Primary Care: Results from the DUTY Prospective Diagnostic Cohort Study. Annals of Family Medicine, 2016, 14, 325-336.	1.9	29
32	Nappy pad urine samples for investigation and treatment of UTI in young children: the â€~DUTY' prospective diagnostic cohort study. British Journal of General Practice, 2016, 66, e516-e524.	1.4	6
33	The Diagnosis of Urinary Tract infection in Young children (DUTY): a diagnostic prospective observational study to derive and validate a clinical algorithm for the diagnosis of urinary tract infection in children presenting to primary care with an acute illness. Health Technology Assessment, 2016, 20, 1-294.	2.8	56
34	Eligibility for interventions, co-occurrence and risk factors for unhealthy behaviours in patients consulting for routine primary care: results from the Pre-Empt study. BMC Family Practice, 2015, 16, 133.	2.9	10
35	Childhood urinary tract infection in primary care: a prospective observational study of prevalence, diagnosis, treatment, and recovery. British Journal of General Practice, 2015, 65, e217-e223.	1.4	16
36	The influence of snoring, mouth breathing and apnoea on facial morphology in late childhood: a three-dimensional study. BMJ Open, 2015, 5, e009027.	1.9	44

TIM PICKLES

#	Article	IF	CITATIONS
37	Point of care testing for urinary tract infection in primary care (POETIC): protocol for a randomised controlled trial of the clinical and cost effectiveness of FLEXICULTâ,,¢ informed management of uncomplicated UTI in primary care. BMC Family Practice, 2014, 15, 187.	2.9	25
38	A three-dimensional analysis of the effect of atopy on face shape. European Journal of Orthodontics, 2014, 36, 506-511.	2.4	20
39	Option Grids to facilitate shared decision making for patients with Osteoarthritis of the knee: protocol for a single site, efficacy trial. BMC Health Services Research, 2014, 14, 160.	2.2	15
40	Rasch analysis of the PedsQL 3.0 diabetes module. Trials, 2013, 14, .	1.6	1
41	Effects of an optimised POCT guided diagnostic and treatment strategy for symptoms of uncomplicated UTI on use of appropriate antibiotics and uptake into primary care practice. Trials, 2013, 14, .	1.6	Ο
42	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. BMJ, The, 2013, 346, f1191-f1191.	6.0	106
43	G45 The Diagnosis of Urinary Tract Infection in Young Children (DUTY) Study: The Development of a Clinical Algorithm to Improve the Recognition of Urinary Tract Infection (UTI) in Pre-School Children Presenting to Primary Care. Archives of Disease in Childhood, 2013, 98, A25-A25.	1.9	1
44	Preventing disease through opportunistic, rapid engagement by primary care teams using behaviour change counselling (PRE-EMPT): protocol for a general practice-based cluster randomised trial. BMC Family Practice, 2010, 11, 69	2.9	20

Family Practice, 2010, 11, 69.