

Spyridon Argyropoulos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1315993/publications.pdf>

Version: 2024-02-01

355
papers

19,498
citations

12330
69
h-index

17592
121
g-index

363
all docs

363
docs citations

363
times ranked

9568
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement of the Higgs Boson Mass in $\text{sqrt}(s) = 7 \text{ TeV}$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	7.8	1,062
2	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
3	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	473
4	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\text{sqrt}(s) = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	3.9	325
6	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 726, 120-144.	4.1	307
7	Performance of pile-up mitigation techniques for jets in $\text{pp} \rightarrow p p$ collisions at $\text{sqrt}(s) = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
8	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 726, 88-119.	4.1	295
9	Luminosity determination in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\text{sqrt}(s) = 7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
11	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17.	3.9	268
12	Combined measurements of Higgs boson production and decay using up to $\text{sqrt}(s) = 8 \text{ TeV}$ of proton-proton collision data at $\text{sqrt}(s) = 8 \text{ TeV}$. <i>Physical Review D</i> , 2020, 101, .	3.9	241
13	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
14	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130.	3.9	213
15	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
16	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 2Z \rightarrow 2\ell^+ 2\ell^-$ decay channel at $\text{sqrt}(s) = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45.	3.9	197
17	Measurement of the Inelastic Proton-Proton Cross Section at $\text{sqrt}(s) = 8 \text{ TeV}$ with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016, 117, 182002.	3.9	185
18	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\text{sqrt}(s) = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 903.	3.9	181

#	ARTICLE	IF	CITATIONS
19	Determination of the Higgs boson mass from the mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \text{stretchy}=\text{"false"} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \hat{b}^3 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \hat{b}^3 \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{and} \langle \text{mml:math} \text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \text{stretchy}=\text{"false"} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$	4.7	176
20	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
21	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
22	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
23	Search for Scalar Diphoton Resonances in the Mass Range 65-600 GeV with the ATLAS Detector in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collision Data at mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mo} \rangle$	7.8	168
24	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
25	Measurements of Higgs boson production and couplings in the four-lepton channel in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2015, 91, .	4.7	158
26	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{GeV}$ with the ATLAS detector. Physical Review D, 2017, 96, .	4.7	157
27	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
28	Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
29	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in $p\bar{p}$ collisions at $s = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
30	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
31	Observation of mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{scroll"}$ $\langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \text{stretchy}=\text{"false"} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mover accent}=\text{"true"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \text{stretchy}=\text{"false"} \rangle \hat{A} \langle / \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ decays and VH production with Search for new phenomena in final states with an energetic jet and large missing transverse momentum in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{GeV}$ with the ATLAS detector. Physical Review D, 2016, 94, .	4.1	138
32	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	137
33	Measurement of event-plane correlations in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 2.76 \langle / \text{mml:mn} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \text{mathvariant}=\text{"italic"} \rangle NN \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 2.76 \langle / \text{mml:mn} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ lead-lead collisions with the ATLAS detector. Physical Review C, 2014, 90, .	4.7	136
34	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
35	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132

#	ARTICLE	IF	CITATIONS
37	Measurement of the $Z\bar{l}^3$ * boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
38	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z boson in ATLAS. <i>Physical Review Letters</i> , 2014, 112, .	7.8	130
39	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
40	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
41	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ final states in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349.	3.9	123
42	Search for new resonances in Wl^3 and Zl^3 final states in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 428-447.	4.7	120
43	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
44	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
45	Observation and measurement of Higgs boson properties in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 415.	4.7	115
46	Observation and measurement of Higgs boson decays to W and W' with the ATLAS detector. <i>Physical Review D</i> , 2015, 92, .	4.7	110
47	Search for heavy resonances decaying into WW in the $e\mu$ final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
48	Search for heavy ZZ resonances in the ll^+ll^- final states using proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
49	Search for massive long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2020, 125, 051801.	7.8	97
50	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
51	Search for massive long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2015, 92.	4.7	91
52	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	89
53	Measurement of $W\Lambda\pm$ and Z -boson production cross sections in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 759, 601-621.	4.7	88
54	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195.	3.9	87

#	ARTICLE	IF	CITATIONS
55	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
56	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
57	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p\ p$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
58	Measurement of upsilon production in 7 TeV $p\ p$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2013, 87, .	4.7	78
59	Search for dark matter in events with heavy quarks and missing transverse momentum in $p\ p$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
60	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	77
61	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
62	Measurement of quarkonium production in proton-lead and proton-proton collisions at 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
63	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
64	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
65	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 332.	3.9	73
66	Measurements of normalized differential cross sections for W and Z bosons in $p\ p$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	4.7	71
67	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
68	Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	3.9	71
69	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
70	Search for Resonant and Nonresonant Higgs Boson Pair Production in the Decay Channel in $p\ p$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 332.	3.9	70
71	Measurement of flow harmonics with multi-particle cumulants in Pb-Pb collisions at $\sqrt{s}_{NN}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
72	ATLAS data quality operations and performance for 2015-2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68

#	ARTICLE	IF	CITATIONS
73	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
74	Dijet Resonance Search with Weak Supervision Using $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ $\text{display}=\text{"inline"} \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 131801.	7.8	67
75	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
76	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 8 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ the ATLAS Detector. <i>Physical Review Letters</i> , 2015, 114, 142001.	7.8	64
77	Evidence for the $H \rightarrow b \bar{b} \rightarrow b \bar{b} \rightarrow b \bar{b} \rightarrow b \bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
78	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, 052001.	4.7	64
79	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msort} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ with the ATLAS detector. <i>Physical Review D</i> , 2021, 103, 032001.	4.7	64
80	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
81	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
82	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 052001.	4.7	63
83	Measurement of the Higgs boson mass in multilepton channels, and $\gamma + \text{jet}$ channel, with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 052001.	4.7	63
84	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
85	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62
86	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020, 15, P09015-P09015.	1.2	62
87	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241.	3.9	61
88	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
89	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61

#	ARTICLE	IF	CITATIONS
91	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980. Measurements of $\langle \text{mml:math} \text{ xmlns:mml= "http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mi} \rangle \hat{\chi}^3 \langle /mml:mi \rangle \langle /mml:math \rangle$ and $\langle \text{mml:math} \text{ xmlns:mml= "http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle \text{mml:mi} \rangle \hat{\chi}^3 \langle /mml:mi \rangle \langle /mml:math \rangle$ production in $\langle \text{mml:math} \text{ xmlns:mml= "http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ collisions at $\langle \text{mml:math} \text{ xmlns:mml= "http://www.w3.org/1998/Math/MathML"} \text{ display="block" style="text-align: center; margin-left: auto; margin-right: auto; width: fit-content; font-size: 1.5em; font-weight: bold; font-style: italic;">ATLAS$	4.1	61
92	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	4.7	60
93	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
94	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and 5.02 TeV . European Physical Journal C, 2018, 78, 142.	3.9	59
95	Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 234-253.	4.1	58
96	Search for WZ resonances in the fully leptonic channel using pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 737, 223-243.	4.1	57
97	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
98	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
99	Measurements of fiducial cross-sections for $t\bar{t}\gamma$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
100	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.	4.1	54
101	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
102	Observation of Electroweak Production of a Same-Sign $t\bar{t}\gamma$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.	4.1	53
103	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
104	Measurement of the top quark mass in the $t\bar{t}\gamma$ channel using lepton+jets and dilepton channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
105	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.	4.1	52
106	Measurement of the top quark mass in the $t\bar{t}\gamma$ channel using lepton+jets and dilepton channels using $\sqrt{s} = 13 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
107	Measurement of the top quark mass in the $t\bar{t}\gamma$ channel from the dilepton channel using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.	4.1	52
108	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.	4.1	52

#	ARTICLE	IF	CITATIONS
109	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
110	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	51
111	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02\text{TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
112	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
113	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. Search for High-Mass Resonances Decaying to $t\bar{t}$. $\text{display="block">\langle mml:mi>t\bar{t}</mml:mi><mml:mi>1/2</mml:mi></mml:math> \text{in } <\text{mml:math}$ $\text{display="block">\langle mml:mi>p\langle/mml:mi><\text{mml:mi>p</mml:mi></mml:math> \text{Collisions at } <\text{mml:math}$ $\text{display="block">\langle mml:math>\text{http://www.w3.org/1998/Math/MathML}/mml:mrow></mml:math> \text{Boson Decays}$ $\text{to } <\text{mml:math>\text{http://www.w3.org/1998/Math/MathML}/mml:mrow></mml:math> \text{Boson Decays}$ $\text{display="block">\langle mml:mrow><\text{mml:mi>t\bar{t}</mml:mi><\text{mml:mo>}1/2</mml:mo><\text{mml:mi>}1^3</mml:mi><\text{mml:mi>}1^3</mml:mi></mml:mrow><\text{mml:mi>t\bar{t}</mml:mi>$ $\text{display="block">\langle mml:mrow><\text{mml:mi>t\bar{t}</mml:mi><\text{mml:mo>}1/2</mml:mo><\text{mml:mi>}1^3</mml:mi><\text{mml:mi>}1^3</mml:mi></mml:mrow><\text{mml:mi>t\bar{t}</mml:mi>$	3.9	50
114	$\text{display="block">\langle mml:mi>p\langle/mml:mi><\text{mml:mi>p</mml:mi></mml:math> \text{Collisions at } <\text{mml:math}$ $\text{display="block">\langle mml:math>\text{http://www.w3.org/1998/Math/MathML}/mml:mrow></mml:math> \text{Boson Decays}$ $\text{to } <\text{mml:math>\text{http://www.w3.org/1998/Math/MathML}/mml:mrow></mml:math> \text{Boson Decays}$ $\text{display="block">\langle mml:mrow><\text{mml:mi>t\bar{t}</mml:mi><\text{mml:mo>}1/2</mml:mo><\text{mml:mi>}1^3</mml:mi><\text{mml:mi>}1^3</mml:mi></mml:mrow><\text{mml:mi>t\bar{t}</mml:mi>$ $\text{display="block">\langle mml:mrow><\text{mml:mi>t\bar{t}</mml:mi><\text{mml:mo>}1/2</mml:mo><\text{mml:mi>}1^3</mml:mi><\text{mml:mi>}1^3</mml:mi></mml:mrow><\text{mml:mi>t\bar{t}</mml:mi>$	7.8	50
115	$\text{display="block">\langle mml:mi>p\langle/mml:mi><\text{mml:mi>p</mml:mi></mml:math> \text{Collisions at } <\text{mml:math}$ $\text{display="block">\langle mml:math>\text{http://www.w3.org/1998/Math/MathML}/mml:mrow></mml:math> \text{Boson Decays}$ $\text{to } <\text{mml:math>\text{http://www.w3.org/1998/Math/MathML}/mml:mrow></mml:math> \text{Boson Decays}$ $\text{display="block">\langle mml:mrow><\text{mml:mi>t\bar{t}</mml:mi><\text{mml:mo>}1/2</mml:mo><\text{mml:mi>}1^3</mml:mi><\text{mml:mi>}1^3</mml:mi></mml:mrow><\text{mml:mi>t\bar{t}</mml:mi>$ $\text{display="block">\langle mml:mrow><\text{mml:mi>t\bar{t}</mml:mi><\text{mml:mo>}1/2</mml:mo><\text{mml:mi>}1^3</mml:mi><\text{mml:mi>}1^3</mml:mi></mml:mrow><\text{mml:mi>t\bar{t}</mml:mi>$	7.8	50

#	ARTICLE	IF	CITATIONS
127	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
128	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
129	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $s=13$ TeV collisions with the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	43
130	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
131	Combined measurement of differential and total cross sections in the $H \rightarrow \ell^+ \ell^-$ and the $H \rightarrow \tau^+ \tau^-$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 111-133.	4.1	43
132	Performance of top-quark and \varvec{W} -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
133	Observation of Generality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018, 98, .	7.8	41
134	Collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018, 98, .	4.7	41
135	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	41
136	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
137	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7$ TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
138	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
139	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
140	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ channel. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	40
141	Search for heavy resonances decaying into a pair of Z bosons in the 4ℓ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
142	Measurement of angular correlations between lepton pairs to probe signal. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	39
143	Search for "invisible" decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 337.	3.9	39
144	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39

#	ARTICLE	IF	CITATIONS
163	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.		
164	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4π decay channel at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	32
165	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
166	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
167	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
168	Search for $W W/W Z$ resonance production in $\tilde{\chi}_1^0 \chi_1^0$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
169	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 316-335.	4.7	31
170	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.1	31
171	Search for gluinos decaying via stop and sbottom in events with $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
172	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	4.7	30
173	Searches for the $Z\tilde{\chi}_1^0$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
174	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
175	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
176	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
177	Searches for heavy ZZ and ZW resonances in the $\tilde{\chi}_1^0 \tilde{\chi}_1^0$ and $\tilde{\chi}_1^0 \tilde{\chi}_2^0$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
178	Measurement of the azimuthal anisotropy of charged-particle production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2020, 101, 054901.	2.9	29
179	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29

#	ARTICLE	IF	CITATIONS
181	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.		
182	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
183	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
184	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\bar{a} \rightarrow b\bar{b}$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
185	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
186	Measurement of the $t\bar{t}$ cross sections in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.	4.7	28
187	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
188	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 167-190.	4.1	28
189	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
190	Measurements of top-quark pair differential cross-sections in the $e\bar{e} \rightarrow t\bar{t}$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
191	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_1$ -lepton in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
192	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
193	Search for Higgs bosons produced via vector boson fusion and decaying into bottom quark pairs in $t\bar{t}$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 476.	4.7	26
194	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $t\bar{t}$ dilepton events from pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physical Review D, 2018, 97, 072007.	4.7	26
195	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $t\bar{t}$ dilepton events from pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	26
196	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ and WW final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
197	Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
198	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	4.1	25

#	ARTICLE	IF	CITATIONS
199	Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	4.7	25
200	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $t\bar{t}$ channel at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	4.1	24
201	Measurement of jet fragmentation in $\text{pp} \rightarrow t\bar{t}$ and $\text{pp} \rightarrow t\bar{t} + \text{H}$ at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2019, 99, 014902.	2.9	24
202	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-antiproton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
203	Measurement of fiducial and differential $W^+ + W^-$ production cross-sections at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
204	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
205	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
206	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 033008.	4.7	23
207	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
208	AtFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	23
209	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
210	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $\sqrt{s}=7\text{ TeV}$ and 8 TeV with ATLAS. <i>Physical Review D</i> , 2016, 94, 033006.	4.7	22
211	Search for highly boosted top quarks decaying to all-hadronic final states in $\text{pp} \rightarrow t\bar{t}$ at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters B</i> , 2019, 795, 56-75.	4.7	22
212	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13\text{ TeV}$ using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	4.1	22
213	Search for heavy neutral Higgs bosons produced in association with top quarks and decaying into $b\bar{b}$ -quarks and $c\bar{c}$ -quarks at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
214	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
215	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21

#	ARTICLE	IF	CITATIONS
217	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
218	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 334-355.	4.1	21
219	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
220	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 764, 11-30.	4.1	21
221	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
222	Search for pair production of Higgsinos in final states with at least three tagged jets in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:m} \rangle$. <i>Physical Review D</i> , 2018, 98, .	4.7	20
223	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	4.7	20
224	Search for $W\rightarrow\tau^+\tau^-$ decays in the hadronic final state using pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 781, 327-348.	4.1	20
225	Search for long-lived particles in final states with displaced dimuon vertices in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$.	4.7	20
226	Search for long-lived neutral particles produced in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer. <i>Physical Review C</i> , 2018, 97, 054902.	4.7	20
227	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 221802.	7.8	20
228	Measurement of k T splitting scales in $W\rightarrow\tau^+\tau^-$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
229	Addendum to "Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
230	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
231	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 557-577.	4.1	19
232	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
233	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
234	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 787, 68-88.	4.1	18

#	ARTICLE	IF	CITATIONS
235	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	18
236	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
237	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
238	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
239	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
240	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
241	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
242	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
243	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
244	Search for the $H\rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. <i>decays into two new low-mass spin-0 particles in the</i> $\chi_{1,0}$ <i>channel with the ATLAS detector using</i> $\chi_{1,0}\rightarrow p\bar{p}$ <i>collisions at</i> $\sqrt{s}=13$ <i>TeV with the ATLAS detector. European Physical Journal C</i> , 2021, 81, 1.	4.7	17
245	Longitudinal Flow Decorrelations in $\chi_{1,0}\rightarrow p\bar{p}$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	4.7	17
246	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
247	Search for Higgs boson decays into a pair of pseudoscalar particles in the $\chi_{1,0}\rightarrow N\bar{N}$ channel with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	7.8	17
248	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. <i>Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in</i> $\chi_{1,0}\rightarrow p\bar{p}$ <i>Collisions at</i> $\sqrt{s}=13$ <i>TeV with the ATLAS Detector. Physical Review Letters</i> , 2018, 121, 152002.	4.7	17
249	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. <i>Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in</i> $\chi_{1,0}\rightarrow p\bar{p}$ <i>Collisions at</i> $\sqrt{s}=13$ <i>TeV with the ATLAS Detector. Physical Review Letters</i> , 2018, 121, 152002.	4.7	16
250	Measurement of differential cross sections and W^+/\bar{W}^- cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	7.8	16
251	Collider Searches for Dark Matter through the Higgs Lens. <i>Symmetry</i> , 2021, 13, 2406.	2.2	16

#	ARTICLE	IF	CITATIONS
253	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 813, 13.	4.7	15
254	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in $\sqrt{s} = 13\text{ TeV}$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detect. Physical Review D, 2019, 100, 1.	4.7	15
255	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
256	Test of the universality of \tilde{l}_1 , and $\tilde{l}_{1/4}$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
257	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
258	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
259	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 572-602.	4.7	14
260	Measurement of VH, $H\bar{H}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
261	Search for new phenomena with positively charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 125514.	4.1	14
262	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
263	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{ TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	14
264	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13\text{ TeV}$ Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	7.8	14
265	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
266	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
267	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in $\sqrt{s} = 13\text{ TeV}$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physical Review D, 2021, 104, 114001.	4.7	14
268	Measurement of the c-jet mistagging efficiency in $\sqrt{s} = 13\text{ TeV}$ events using pp collision data at $\sqrt{s} = 13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
269	Search for new phenomena in $\sqrt{s} = 13\text{ TeV}$ collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector. Physical Review D, 2021, 104, 114001.	4.7	14
270	Search for Higgs and Z boson decays to b -jets with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	13

#	ARTICLE	IF	CITATIONS
271	Measurement of the CP-violating phase \tilde{t} s and the $B_s 0 \rightarrow B_s^- \pi^+$ meson decay width difference with $B_s 0 \rightarrow B_s^- \pi^+$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
272	Search for new phenomena in high-mass final states with a photon and a jet from $pp \rightarrow pp$ collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2018, 78, 102.	3.9	13
273	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13\text{TeV}$. Search for heavy resonances decaying to a photon and a hadronically decaying antimatter. High-Energy Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	4.7	13
274	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13\text{TeV}$. Search for heavy resonances decaying to a photon and a hadronically decaying antimatter. High-Energy Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	4.7	13
275	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13\text{TeV}$. Search for heavy resonances decaying to a photon and a hadronically decaying antimatter. High-Energy Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	4.7	13
276	Measurement of the CP-violating phase ϕ_{B_s} in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13TeV . European Physical Journal C, 2021, 81, .	3.9	13
277	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
278	Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
279	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	4.7	12
280	Search for R-parity-violating top squarks in $s = 13\text{TeV}$ pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, .	4.7	12
281	Measurement of the four-lepton invariant mass spectrum in 13TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
282	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13\text{TeV}$. Physical Review Letters, 2019, 122, 151801.	4.7	12
283	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
284	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
285	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
286	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
287	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
288	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
289	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
290	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
291	Angular and momentum distributions of charged particles within and around jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	2.9	11
292	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
293	Two-particle azimuthal correlations in photonuclear ultraperipheral collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	2.9	11
294	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physical Review C, 2021, 104, .	2.9	11
295	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
296	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
297	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
298	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
299	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
300	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
301	Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, 1.	4.7	10
302	Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, 1.	4.7	10
303	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
304	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
305	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9

#	ARTICLE	IF	CITATIONS
307	Search for electroweak production of two jets in association with a $Z\bar{b}^3$ pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
308	Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
309	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
310	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\rightarrow q\bar{q}bb$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	4.1	8
311	Measurements of $W+W\rightarrow e^+e^-$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
312	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
313	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
314	Reconstruction and identification of boosted di- \tilde{l}_ν systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
315	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
316	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	4.1	8
317	Search for Lepton-Flavor Violation in $e^+e^- \rightarrow Z \rightarrow l^+l^-$ -Boson Decays with Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8
318	Measurement of Z/γ polarization in $Z \rightarrow l^+l^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
319	Combination of inclusive and differential $\mathbf{t}\overline{\mathbf{t}}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
320	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
321	Search for R-parity-violating supersymmetry in three- or four-lepton events in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 824, 136832.	4.1	7
322	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
323	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
324	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6

#	ARTICLE	IF	CITATIONS
325	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
326	Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into W and Z . <i>Physical Review Letters</i> , 2021, 136, 101801.	7.8	6
327	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
328	Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
329	Measurements of azimuthal anisotropies of jet production in $p_T > 10 \text{ GeV}$ pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2022, 105, 014902.	2.9	6
330	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
331	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
332	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
333	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	5
334	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
335	Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector. <i>Physical Review D</i> , 2022, 105, 033001.	4.7	5
336	Measurement of jet activity in top quark events using the $t\bar{t}\gamma$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
337	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020, 15, P11016-P11016.	1.2	4
338	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
339	Search for bottom quark pair production in $b\bar{b} \rightarrow b\bar{b}$ decays with hadronically decaying b quarks. <i>Physical Review D</i> , 2022, 105, 033001.	4.7	4
340	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
341	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \pi^{\pm} + \text{hadrons}$ events in Run2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
342	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
343	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
344	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
345	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
346	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	3	
347	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
348	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2022, 82, .	3.9	3
349	Study of ordered hadron chains with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	4.7	2
350	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\langle E_{beam} \rangle = 4$ TeV. <i>Journal of Instrumentation</i> , 2018, 13, P12006-P12006.	1.2	2
351	Search for heavy particles in the b-tagged dijet mass distribution with additional b-tagged jets in proton-proton collisions at $s=13$ TeV with the ATLAS experiment. <i>Physical Review D</i> , 2022, 105, .	4.7	2
352	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
353	Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. <i>European Physical Journal C</i> , 2022, 82, .	3.9	2
354	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. <i>Journal of Instrumentation</i> , 2022, 17, P01013.	1.2	1
355	A search for an unexpected asymmetry in the production of e^+e^- and $\mu^+\mu^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022, 830, 137106.	4.1	1