

# Luc Van Kaer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/131728/publications.pdf>

Version: 2024-02-01

275  
papers

28,650  
citations

5896

81  
h-index

5829

161  
g-index

282  
all docs

282  
docs citations

282  
times ranked

31150  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dendritic cell PIK3C3/VPS34 controls the pathogenicity of CNS autoimmunity independently of LC3-associated phagocytosis. <i>Autophagy</i> , 2022, 18, 161-170.	9.1	6
2	Adipose invariant NKT cells interact with CD1d-expressing macrophages to regulate obesity-related inflammation. <i>Immunology</i> , 2022, 165, 414-427.	4.4	3
3	Innate and Innate-like Effector Lymphocytes in Health and Disease. <i>Journal of Immunology</i> , 2022, 209, 199-207.	0.8	14
4	Pik3c3 deficiency in myeloid cells imparts partial resistance to experimental autoimmune encephalomyelitis associated with reduced IL-1 $\beta$ production. <i>Cellular and Molecular Immunology</i> , 2021, 18, 2024-2039.	10.5	12
5	Autophagy-related protein PIK3C3/VPS34 controls T cell metabolism and function. <i>Autophagy</i> , 2021, 17, 1193-1204.	9.1	44
6	Selective Expansion of Double-Negative iNKT Cells Inhibits the Development of Atopic Dermatitis in V $\beta$ 14 TCR Transgenic NC/Nga Mice by Increasing Memory-Type CD8 $^{+}$ T and Regulatory CD4 $^{+}$ T Cells. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1512-1521.	0.7	13
7	Neuroblast senescence in the aged brain augments natural killer cell cytotoxicity leading to impaired neurogenesis and cognition. <i>Nature Neuroscience</i> , 2021, 24, 61-73.	14.8	93
8	Cellular self-cannibalism helps immune cells fight the flu. <i>FEBS Journal</i> , 2021, 288, 3154-3158.	4.7	0
9	Ubiquitous Overexpression of Chromatin Remodeling Factor SRG3 Exacerbates Atopic Dermatitis in NC/Nga Mice by Enhancing Th2 Immune Responses. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1553.	4.1	7
10	Chromatin Regulator SRG3 Overexpression Protects against LPS/D-GalN-Induced Sepsis by Increasing IL10-Producing Macrophages and Decreasing IFN $\gamma$ -Producing NK Cells in the Liver. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3043.	4.1	7
11	Therapeutic Targeting of Immune Cell Autophagy in Multiple Sclerosis: Russian Roulette or Silver Bullet?. <i>Frontiers in Immunology</i> , 2021, 12, 724108.	4.8	7
12	CD1d-Dependent iNKT Cells Control DSS-Induced Colitis in a Mouse Model of IFN $\gamma$ -Mediated Hyperinflammation by Increasing IL22-Secreting ILC3 Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1250.	4.1	11
13	Repeated $\alpha$ -GalCer Administration Induces a Type 2 Cytokine-Biased iNKT Cell Response and Exacerbates Atopic Skin Inflammation in V $\beta$ 14Tg NC/Nga Mice. <i>Biomedicines</i> , 2021, 9, 1619.	3.2	10
14	Preface: Unconventional T Cells in Health and Disease. <i>Critical Reviews in Immunology</i> , 2021, , .	0.5	1
15	Natural Killer T Lymphocytes Integrate Innate Sensory Information and Relay Context to Effector Immune Responses. <i>Critical Reviews in Immunology</i> , 2021, 41, 55-88.	0.5	6
16	Survivre et vivre: When iNKT cells met a Hippo. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	2
17	Luteolin-mediated Kv1.3 K $^{+}$ channel inhibition augments BCG vaccine efficacy against tuberculosis by promoting central memory T cell responses in mice. <i>PLoS Pathogens</i> , 2020, 16, e1008887.	4.7	12
18	PIK3C3/VPS34 links T-cell autophagy to autoimmunity. <i>Cell Death and Disease</i> , 2020, 11, 334.	6.3	5

#	ARTICLE	IF	CITATIONS
19	Clofazimine enhances the efficacy of BCG revaccination via stem cell-like memory T cells. PLoS Pathogens, 2020, 16, e1008356.	4.7	17
20	Nur77 controls tolerance induction, terminal differentiation, and effector functions in semi-invariant natural killer T cells. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 17156-17165.	7.1	17
21	Fluctuations of Spleen Cytokine and Blood Lactate, Importance of Cellular Immunity in Host Defense Against Blood Stage Malaria Plasmodium yoelii. Frontiers in Immunology, 2019, 10, 2207.	4.8	6
22	IL-10 <sup>hi</sup> producing B cells are enriched in murine pericardial adipose tissues and ameliorate the outcome of acute myocardial infarction. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 21673-21684.	7.1	62
23	Editorial: Role of CD1- and MR1-Restricted T Cells in Immunity and Disease. Frontiers in Immunology, 2019, 10, 1837.	4.8	12
24	Curcumin Nanoparticles Enhance Mycobacterium bovis BCG Vaccine Efficacy by Modulating Host Immune Responses. Infection and Immunity, 2019, 87, .	2.2	22
25	Innate, innate-like and adaptive lymphocytes in the pathogenesis of MS and EAE. Cellular and Molecular Immunology, 2019, 16, 531-539.	10.5	85
26	iNKT Cell Activation Exacerbates the Development of Huntington's Disease in R6/2 Transgenic Mice. Mediators of Inflammation, 2019, 2019, 1-10.	3.0	8
27	What one lipid giveth, another taketh away. Nature Immunology, 2019, 20, 1559-1561.	14.5	1
28	Allicin enhances antimicrobial activity of macrophages during Mycobacterium tuberculosis infection. Journal of Ethnopharmacology, 2019, 243, 111634.	4.1	45
29	Role of autophagy in MHC class I-restricted antigen presentation. Molecular Immunology, 2019, 113, 2-5.	2.2	36
30	Mycobacterium tuberculosis programs mesenchymal stem cells to establish dormancy and persistence. Journal of Clinical Investigation, 2019, 130, 655-661.	8.2	37
31	Development, Homeostasis, and Functions of Intestinal Intraepithelial Lymphocytes. Journal of Immunology, 2018, 200, 2235-2244.	0.8	70
32	IL-33 promotes the egress of group 2 innate lymphoid cells from the bone marrow. Journal of Experimental Medicine, 2018, 215, 263-281.	8.5	153
33	PD-1 up-regulation on CD4 <sup>+</sup> T cells promotes pulmonary fibrosis through STAT3-mediated IL-17A and TGF- $\beta$ 1 production. Science Translational Medicine, 2018, 10, .	12.4	225
34	The Role of Autophagy in iNKT Cell Development. Frontiers in Immunology, 2018, 9, 2653.	4.8	20
35	iNKT Cells Suppress Pathogenic NK1.1 <sup>+</sup> CD8 <sup>+</sup> T Cells in DSS-Induced Colitis. Frontiers in Immunology, 2018, 9, 2168.	4.8	16
36	How Superantigens Bind MHC. Journal of Immunology, 2018, 201, 1817-1818.	0.8	2

#	ARTICLE	IF	CITATIONS
37	Therapeutic Potential of Invariant Natural Killer T Cells in Autoimmunity. <i>Frontiers in Immunology</i> , 2018, 9, 519.	4.8	51
38	Graphene oxide polarizes iNKT cells for production of TGF $\beta$ 2 and attenuates inflammation in an iNKT cell-mediated sepsis model. <i>Scientific Reports</i> , 2018, 8, 10081.	3.3	28
39	Intestinal Intraepithelial Lymphocytes: Sentinels of the Mucosal Barrier. <i>Trends in Immunology</i> , 2018, 39, 264-275.	6.8	193
40	Innate CD8 $\alpha$ $\beta$ lymphocytes enhance anti-CD40 antibody-mediated colitis in mice. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 109-123.	2.7	14
41	Reply to Levis and Rendini. <i>Journal of Infectious Diseases</i> , 2017, 215, 1488-1489.	4.0	2
42	A Novel Mouse Model of iNKT Cell-deficiency Generated by CRISPR/Cas9 Reveals a Pathogenic Role of iNKT Cells in Metabolic Disease. <i>Scientific Reports</i> , 2017, 7, 12765.	3.3	13
43	Autophagy-related protein Vps34 controls the homeostasis and function of antigen cross-presenting CD8 $\alpha$ $\beta$ dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E6371-E6380.	7.1	55
44	NF- $\kappa$ B Protects NKT Cells from Tumor Necrosis Factor Receptor 1-induced Death. <i>Scientific Reports</i> , 2017, 7, 15594.	3.3	8
45	The Phytochemical Bergenin Enhances T Helper 1 Responses and Anti-Mycobacterial Immunity by Activating the MAP Kinase Pathway in Macrophages. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 149.	3.9	25
46	Nanoparticle-Formulated Curcumin Prevents Posttherapeutic Disease Reactivation and Reinfection with <i>Mycobacterium tuberculosis</i> following Isoniazid Therapy. <i>Frontiers in Immunology</i> , 2017, 8, 739.	4.8	48
47	Natural Killer T Cells: An Ecological Evolutionary Developmental Biology Perspective. <i>Frontiers in Immunology</i> , 2017, 8, 1858.	4.8	56
48	Blockade of the Kv1.3 K $^{+}$ Channel Enhances BCG Vaccine Efficacy by Expanding Central Memory T Lymphocytes. <i>Journal of Infectious Diseases</i> , 2016, 214, 1456-1464.	4.0	30
49	Mechanisms and Consequences of Antigen Presentation by CD1. <i>Trends in Immunology</i> , 2016, 37, 738-754.	6.8	28
50	Peripheral tolerance can be modified by altering KLF2-regulated Treg migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4662-70.	7.1	37
51	Enterogenous bacterial glycolipids are required for the generation of natural killer T cells mediated liver injury. <i>Scientific Reports</i> , 2016, 6, 36365.	3.3	43
52	Adipocyte-specific CD1d-deficiency mitigates diet-induced obesity and insulin resistance in mice. <i>Scientific Reports</i> , 2016, 6, 28473.	3.3	51
53	Invariant natural killer T cells play dual roles in the development of experimental autoimmune uveoretinitis. <i>Experimental Eye Research</i> , 2016, 153, 79-89.	2.6	11
54	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701

#	ARTICLE	IF	CITATIONS
55	Neural stem cells sustain natural killer cells that dictate recovery from brain inflammation. <i>Nature Neuroscience</i> , 2016, 19, 243-252.	14.8	96
56	Natural killer T cells in multiple sclerosis and its animal model, experimental autoimmune encephalomyelitis. <i>Immunology</i> , 2015, 146, 1-10.	4.4	26
57	Innate and virtual memory T <sup>A</sup> cells in man. <i>European Journal of Immunology</i> , 2015, 45, 1916-1920.	2.9	24
58	The Response of CD1d-Restricted Invariant NKT Cells to Microbial Pathogens and Their Products. <i>Frontiers in Immunology</i> , 2015, 6, 226.	4.8	62
59	Bee venom stirs up buzz in antigen presentation. <i>Journal of Experimental Medicine</i> , 2015, 212, 126-126.	8.5	3
60	Mycobacterium tuberculosis TlyA Protein Negatively Regulates T Helper (Th) 1 and Th17 Differentiation and Promotes Tuberculosis Pathogenesis. <i>Journal of Biological Chemistry</i> , 2015, 290, 14407-14417.	3.4	35
61	Strategies to improve BCG vaccine efficacy. <i>Immunotherapy</i> , 2015, 7, 945-948.	2.0	12
62	Endothelial JAM-A Promotes Reovirus Viremia and Bloodstream Dissemination. <i>Journal of Infectious Diseases</i> , 2015, 211, 383-393.	4.0	27
63	iCD8 <sup>+</sup> cells: living at the edge of the intestinal immune system. <i>Oncotarget</i> , 2015, 6, 19964-19965.	1.8	4
64	Small Molecule-directed Immunotherapy against Recurrent Infection by Mycobacterium tuberculosis. <i>Journal of Biological Chemistry</i> , 2014, 289, 16508-16515.	3.4	39
65	Simultaneous Inhibition of T Helper 2 and T Regulatory Cell Differentiation by Small Molecules Enhances Bacillus Calmette-Guerin Vaccine Efficacy against Tuberculosis. <i>Journal of Biological Chemistry</i> , 2014, 289, 33404-33411.	3.4	41
66	Activation of the Epidermal Growth Factor Receptor in Macrophages Regulates Cytokine Production and Experimental Colitis. <i>Journal of Immunology</i> , 2014, 192, 1013-1023.	0.8	80
67	Spleen supports a pool of innate-like B cells in white adipose tissue that protects against obesity-associated insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4638-47.	7.1	59
68	Isoniazid Induces Apoptosis Of Activated CD4+ T Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 30190-30195.	3.4	51
69	CD8 <sup>+</sup> + Innate-Type Lymphocytes in the Intestinal Epithelium Mediate Mucosal Immunity. <i>Immunity</i> , 2014, 41, 451-464.	14.3	57
70	Targeted colonic claudin-2 expression renders resistance to epithelial injury, induces immune suppression, and protects from colitis. <i>Mucosal Immunology</i> , 2014, 7, 1340-1353.	6.0	126
71	A dihydro-pyrido-indole potently inhibits HSV-1 infection by interfering the viral immediate early transcriptional events. <i>Antiviral Research</i> , 2014, 105, 126-134.	4.1	50
72	Mycobacterium tuberculosis Subverts the TLR-2 - MyD88 Pathway to Facilitate Its Translocation into the Cytosol. <i>PLoS ONE</i> , 2014, 9, e86886.	2.5	46

#	ARTICLE	IF	CITATIONS
73	Invariant natural killer T cells as sensors and managers of inflammation. Trends in Immunology, 2013, 34, 50-58.	6.8	89
74	STAT6 Deficiency Ameliorates Severity of Oxazolone Colitis by Decreasing Expression of Claudin-2 and Th2-Inducing Cytokines. Journal of Immunology, 2013, 190, 1849-1858.	0.8	75
75	Natural killer T cells are required for lipopolysaccharide-mediated enhancement of atherosclerosis in apolipoprotein E-deficient mice. Immunobiology, 2013, 218, 561-569.	1.9	18
76	Mycobacterium tuberculosis Controls MicroRNA-99b (miR-99b) Expression in Infected Murine Dendritic Cells to Modulate Host Immunity. Journal of Biological Chemistry, 2013, 288, 5056-5061.	3.4	146
77	Sculpting MHC class II-restricted self and non-self peptidome by the class I Ag-processing machinery and its impact on Th-cell responses. European Journal of Immunology, 2013, 43, 1162-1172.	2.9	8
78	Contribution of lipid-reactive natural killer T cells to obesity-associated inflammation and insulin resistance. Adipocyte, 2013, 2, 12-16.	2.8	28
79	Activated Invariant NKT Cells Control Central Nervous System Autoimmunity in a Mechanism That Involves Myeloid-Derived Suppressor Cells. Journal of Immunology, 2013, 190, 1948-1960.	0.8	57
80	Impaired Autophagy, Defective T Cell Homeostasis, and a Wasting Syndrome in Mice with a T Cell-Specific Deletion of Vps34. Journal of Immunology, 2013, 190, 5086-5101.	0.8	128
81	ERAAP and Tapasin Independently Edit the Amino and Carboxyl Termini of MHC Class I Peptides. Journal of Immunology, 2013, 191, 1547-1555.	0.8	29
82	In Vitro Induction of Regulatory CD4+CD8 <sup>+</sup> T Cells by TGF- $\beta$ 2, IL-7 and IFN- $\beta$ 3. PLoS ONE, 2013, 8, e67821.	2.5	18
83	CD4+ T Cell-derived Novel Peptide Thp5 Induces Interleukin-4 Production in CD4+ T Cells to Direct T Helper 2 Cell Differentiation. Journal of Biological Chemistry, 2012, 287, 2830-2835.	3.4	12
84	Activation of invariant natural killer T cells by lipid excess promotes tissue inflammation, insulin resistance, and hepatic steatosis in obese mice. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E1143-52.	7.1	160
85	Mycobacterium tuberculosis Directs T Helper 2 Cell Differentiation by Inducing Interleukin-1 $\beta$ Production in Dendritic Cells. Journal of Biological Chemistry, 2012, 287, 33656-33663.	3.4	41
86	Transforming Growth Factor- $\beta$ 2 Protein Inversely Regulates in Vivo Differentiation of Interleukin-17 (IL-17)-producing CD4+ and CD8+ T Cells. Journal of Biological Chemistry, 2012, 287, 2943-2947.	3.4	14
87	Prostanoid Receptor 2 Signaling Protects T Helper 2 Cells from BALB/c Mice against Activation-induced Cell Death. Journal of Biological Chemistry, 2012, 287, 25434-25439.	3.4	5
88	Tu1874 STAT6 Contributes to Sustaining Oxazolone-Induced Colitis in Mice. Gastroenterology, 2012, 142, S-866-S-867.	1.3	0
89	An Important Role of Prostanoid Receptor EP2 in Host Resistance to Mycobacterium tuberculosis Infection in Mice. Journal of Infectious Diseases, 2012, 206, 1816-1825.	4.0	43
90	<sc>NK</sc> Cells Inhibit <sc>T</sc>-cell-deficient, Autoreactive <sc>Th17</sc> <sc>CD4</sc> cells. Scandinavian Journal of Immunology, 2012, 76, 559-566.	2.7	5

#	ARTICLE	IF	CITATIONS
91	Natural Killer T Cells as Targets for Therapeutic Intervention in Autoimmune Diseases. , 2012, , 451-484.		0
92	KSR1 Protects From Interleukin-10 Deficiency-Induced Colitis in Mice by Suppressing T-Lymphocyte Interferon- $\gamma$ Production. Gastroenterology, 2011, 140, 265-274.	1.3	25
93	NKT cell costimulation: experimental progress and therapeutic promise. Trends in Molecular Medicine, 2011, 17, 65-77.	6.7	55
94	Glatiramer acetate for treatment of MS: Regulatory B cells join the cast of players. Experimental Neurology, 2011, 227, 19-23.	4.1	15
95	Natural killer T cells in health and disease. Frontiers in Bioscience - Scholar, 2011, S3, 236-251.	2.1	61
96	Engagement of glycosylphosphatidylinositol-anchored proteins results in enhanced mouse and human invariant natural killer T cell responses. Immunology, 2011, 132, 361-375.	4.4	10
97	Organ-specific features of natural killer cells. Nature Reviews Immunology, 2011, 11, 658-671.	22.7	332
98	IL-15 Regulates Homeostasis and Terminal Maturation of NKT Cells. Journal of Immunology, 2011, 187, 6335-6345.	0.8	139
99	Invariant natural killer T cells: bridging innate and adaptive immunity. Cell and Tissue Research, 2011, 343, 43-55.	2.9	148
100	Interleukin-6/interleukin-6 antibody therapy induces target organ natural killer cells that inhibit central nervous system inflammation. Annals of Neurology, 2011, 69, 721-734.	5.3	61
101	Invariant NK T cells: potential for immunotherapeutic targeting with glycolipid antigens. Immunotherapy, 2011, 3, 59-75.	2.0	40
102	Proteasomes, TAP, and Endoplasmic Reticulum-Associated Aminopeptidase Associated with Antigen Processing Control CD4+Th Cell Responses by Regulating Indirect Presentation of MHC Class II-Restricted Cytoplasmic Antigens. Journal of Immunology, 2011, 186, 6683-6692.	0.8	10
103	Intestinal Epithelial Cells Modulate CD4 T Cell Responses via the Thymus Leukemia Antigen. Journal of Immunology, 2011, 187, 4051-4060.	0.8	18
104	Deletion of the <i>G6pc2</i> Gene Encoding the Islet-Specific Glucose-6-Phosphatase Catalytic Subunit-Related Protein Does Not Affect the Progression or Incidence of Type 1 Diabetes in NOD/ShiLtJ Mice. Diabetes, 2011, 60, 2922-2927.	0.6	12
105	Mucosal memory CD8+ T cells are selected in the periphery by an MHC class I molecule. Nature Immunology, 2011, 12, 1086-1095.	14.5	63
106	Early Secreted Antigen ESAT-6 of Mycobacterium tuberculosis Promotes Protective T Helper 17 Cell Responses in a Toll-Like Receptor-2-dependent Manner. PLoS Pathogens, 2011, 7, e1002378.	4.7	137
107	T Cells from Programmed Death-1 Deficient Mice Respond Poorly to Mycobacterium tuberculosis Infection. PLoS ONE, 2011, 6, e19864.	2.5	74
108	Invariant Natural Killer T Cell-Based Therapy of Autoimmune Diseases. Current Immunology Reviews, 2010, 6, 88-101.	1.2	3



#	ARTICLE	IF	CITATIONS
109	TL and CD8 $\alpha\beta$ : Enigmatic partners in mucosal immunity. Immunology Letters, 2010, 134, 1-6.	2.5	32
110	Expansion of regulatory T cells <i>via</i> IL $\alpha$ /anti $\alpha$ mAb complexes suppresses experimental myasthenia. European Journal of Immunology, 2010, 40, 1577-1589.	2.9	94
111	Follicular B Cell Trafficking within the Spleen Actively Restricts Humoral Immune Responses. Immunity, 2010, 33, 254-265.	14.3	54
112	The Hunt for iNKT Cell Antigens: $\alpha$ -Galactosidase-Deficient Mice to the Rescue?. Immunity, 2010, 33, 143-145.	14.3	4
113	Central nervous system (CNS) "resident natural killer cells suppress Th17 responses and CNS autoimmune pathology. Journal of Experimental Medicine, 2010, 207, 1907-1921.	8.5	184
114	Development of Spontaneous Anergy in Invariant Natural Killer T Cells in a Mouse Model of Dyslipidemia. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 1758-1765.	2.4	14
115	<i>Mycobacterium tuberculosis</i> evades host immunity by recruiting mesenchymal stem cells. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 21653-21658.	7.1	101
116	Evidence for a role of immunoproteasomes in regulating cardiac muscle mass in diabetic mice. Journal of Molecular and Cellular Cardiology, 2010, 49, 5-15.	1.9	44
117	Comeback kids: CD8 $^{+}$ suppressor T cells are back in the game. Journal of Clinical Investigation, 2010, 120, 3432-3434.	8.2	11
118	Reducing the Activity and Secretion of Microbial Antioxidants Enhances the Immunogenicity of BCG. PLoS ONE, 2009, 4, e5531.	2.5	41
119	Transforming growth factor $\beta$ 2 is dispensable for the molecular orchestration of Th17 cell differentiation. Journal of Experimental Medicine, 2009, 206, 2407-2416.	8.5	198
120	PD-1/PD-L Blockade Prevents Anergy Induction and Enhances the Anti-Tumor Activities of Glycolipid-Activated Invariant NKT Cells. Journal of Immunology, 2009, 182, 2816-2826.	0.8	178
121	STAT1 Negatively Regulates Lung Basophil IL-4 Expression Induced by Respiratory Syncytial Virus Infection. Journal of Immunology, 2009, 183, 2016-2026.	0.8	35
122	Natural Killer T Cells and Autoimmune Disease. Current Molecular Medicine, 2009, 9, 4-14.	1.3	148
123	Generation of Antibody Responses to Pneumococcal Capsular Polysaccharides Is Independent of CD1 Expression in Mice. Infection and Immunity, 2009, 77, 1976-1980.	2.2	5
124	Invariant natural killer T cells: innate-like T cells with potent immunomodulatory activities. Tissue Antigens, 2009, 73, 535-545.	1.0	66
125	Lung NKT cell commotion takes your breath away. Nature Medicine, 2008, 14, 609-610.	30.7	2
126	Effect of High Fat Diet on NKT Cell Function and NKT Cell-mediated Regulation of Th1 Responses. Scandinavian Journal of Immunology, 2008, 67, 230-237.	2.7	35



#	ARTICLE	IF	CITATIONS
127	Invariant Natural Killer T Cells Trigger Adaptive Lymphocytes to Churn Up Bile. Cell Host and Microbe, 2008, 3, 275-277.	11.0	10
128	Glycolipid ligands of invariant natural killer T cells as vaccine adjuvants. Expert Review of Vaccines, 2008, 7, 1519-1532.	4.4	31
129	Thymus leukemia antigen controls intraepithelial lymphocyte function and inflammatory bowel disease. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 17931-17936.	7.1	53
130	Cutting Edge: Guillain-Barre Syndrome-Associated IgG Responses to Gangliosides Are Generated Independently of CD1 Function in Mice. Journal of Immunology, 2008, 180, 39-43.	0.8	15
131	Antigen Presentation: Discovery of the Peptide TAP. Journal of Immunology, 2008, 180, 2723-2724.	0.8	5
132	Flexibility accompanies commitment of memory CD4 lymphocytes derived from IL-4 locus-activated precursors. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9307-9312.	7.1	9
133	Ischemic preconditioning-induced cardioprotection is lost in mice with immunoproteasome subunit low molecular mass polypeptide-2 deficiency. FASEB Journal, 2008, 22, 4248-4257.	0.5	54
134	Cutting Edge: K63-Linked Polyubiquitination of NEMO Modulates TLR Signaling and Inflammation In Vivo. Journal of Immunology, 2008, 180, 7107-7111.	0.8	43
135	Osteopontin regulates development and function of invariant natural killer T cells. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15884-15889.	7.1	39
136	Human invariant VÎ±24+ natural killer T cells acquire regulatory functions by interacting with IL-10-treated dendritic cells. Blood, 2008, 111, 4254-4263.	1.4	12
137	Impact of bacteria on the phenotype, functions, and therapeutic activities of invariant NKT cells in mice. Journal of Clinical Investigation, 2008, 118, 2301-15.	8.2	59
138	Role of the programmed death-1 (PD-1) pathway in glycolipid-induced iNKT cell anergy. FASEB Journal, 2008, 22, 397-397.	0.5	0
139	Role of NKT Cells in the Digestive System. II. NKT cells and diabetes. American Journal of Physiology - Renal Physiology, 2007, 293, G919-G922.	3.4	9
140	Toll-like receptor 4 (TLR4)-dependent proinflammatory and immunomodulatory properties of the glycoinositolphospholipid (GIPL) from Trypanosoma cruzi. Journal of Leukocyte Biology, 2007, 82, 488-496.	3.3	32
141	The In Vivo Response of Invariant Natural Killer T Cells to Glycolipid Antigens. International Reviews of Immunology, 2007, 26, 31-48.	3.3	30
142	Assessing the role of immuno-proteasomes in a mouse model of familial ALS. Experimental Neurology, 2007, 206, 53-58.	4.1	20
143	Examining the role of CD1d and natural killer T cells in the development of nephritis in a genetically susceptible lupus model. Arthritis and Rheumatism, 2007, 56, 1219-1233.	6.7	48
144	NKT cells: T lymphocytes with innate effector functions. Current Opinion in Immunology, 2007, 19, 354-364.	5.5	177

#	ARTICLE	IF	CITATIONS
145	Lipid metabolism, atherogenesis and CD1-restricted antigen presentation. Trends in Molecular Medicine, 2006, 12, 270-278.	6.7	36
146	Granulocyte-Macrophage Colony-Stimulating Factor Regulates Effector Differentiation of Invariant Natural Killer T Cells during Thymic Ontogeny. Immunity, 2006, 25, 487-497.	14.3	56
147	CD4+CD25+ Tregs and NKT cells: regulators regulating regulators. Trends in Immunology, 2006, 27, 322-327.	6.8	180
148	Human Natural Killer T Cells Are Heterogeneous in Their Capacity to Reprogram Their Effector Functions. PLoS ONE, 2006, 1, e50.	2.5	40
149	Viral evasion of antigen presentation: not just for peptides anymore. Nature Immunology, 2006, 7, 795-797.	14.5	18
150	Natural killer T cells and CD8+ T cells are dispensable for T cell-dependent allergic airway inflammation. Nature Medicine, 2006, 12, 1345-1346.	30.7	51
151	Reciprocal regulation between natural killer cells and autoreactive T cells. Nature Reviews Immunology, 2006, 6, 751-760.	22.7	117
152	The Role of Invariant Natural Killer T Cells in Lupus and Atherogenesis. Immunologic Research, 2006, 34, 49-66.	2.9	23
153	Inhibition of antitumor immunity by invariant natural killer T cells in a T-cell lymphoma model in vivo. International Journal of Cancer, 2006, 118, 3045-3053.	5.1	58
154	Role of invariant natural killer T cells in immune regulation and as potential therapeutic targets in autoimmune disease. Expert Review of Clinical Immunology, 2006, 2, 745-757.	3.0	3
155	Autoreactive T Cells Mediate NK Cell Degeneration in Autoimmune Disease. Journal of Immunology, 2006, 176, 5247-5254.	0.8	57
156	In vivo role of ER-associated peptidase activity in tailoring peptides for presentation by MHC class Ia and class Ib molecules. Journal of Experimental Medicine, 2006, 203, 647-659.	8.5	150
157	Pivotal roles of CD8+ T cells restricted by MHC class I-like molecules in autoimmune diseases. Journal of Experimental Medicine, 2006, 203, 2603-2611.	8.5	8
158	In vivo role of ER-associated peptidase activity in tailoring peptides for presentation by MHC class Ia and class Ib molecules. Journal of Cell Biology, 2006, 172, i14-i14.	5.2	0
159	Natural killer T cells ameliorate antibody-induced arthritis in macrophage migration inhibitory factor transgenic mice. International Journal of Molecular Medicine, 2006, 18, 829-36.	4.0	6
160	NK cells promote islet allograft tolerance via a perforin-dependent mechanism. Nature Medicine, 2005, 11, 1059-1065.	30.7	179
161	±-Galactosylceramide therapy for autoimmune diseases: prospects and obstacles. Nature Reviews Immunology, 2005, 5, 31-42.	22.7	268
162	Innate Immunity: NKT Cells in the Spotlight. Current Biology, 2005, 15, R429-R431.	3.9	73

#	ARTICLE	IF	CITATIONS
163	Direct effects of T-bet and MHC class I expression, but not STAT1, on peripheral NK cell maturation. <i>European Journal of Immunology</i> , 2005, 35, 757-765.	2.9	57
164	The natural killer T?cell ligand ?-galactosylceramide prevents or promotes pristane-induced lupus in mice. <i>European Journal of Immunology</i> , 2005, 35, 1143-1154.	2.9	81
165	Commitment toward the natural T (iNKT) cell lineage occurs at the CD4+8+ stage of thymic ontogeny. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 5114-5119.	7.1	106
166	Distinct Roles of Dendritic Cells and B Cells in Va14Ja18 Natural T Cell Activation In Vivo. <i>Journal of Immunology</i> , 2005, 174, 4696-4705.	0.8	136
167	Stimulation of Host NKT Cells by Synthetic Glycolipid Regulates Acute Graft-versus-Host Disease by Inducing Th2 Polarization of Donor T Cells. <i>Journal of Immunology</i> , 2005, 174, 551-556.	0.8	99
168	Hepatocytes Express Abundant Surface Class I MHC and Efficiently Use Transporter Associated with Antigen Processing, Tapasin, and Low Molecular Weight Polypeptide Proteasome Subunit Components of Antigen Processing and Presentation Pathway. <i>Journal of Immunology</i> , 2005, 175, 1047-1055.	0.8	43
169	Cooperation of Invariant NKT Cells and CD4+CD25+ T Regulatory Cells in the Prevention of Autoimmune Myasthenia. <i>Journal of Immunology</i> , 2005, 175, 7898-7904.	0.8	128
170	Glycolipid antigen induces long-term natural killer T cell anergy in mice. <i>Journal of Clinical Investigation</i> , 2005, 115, 2572-2583.	8.2	386
171	iNKT-Cell Responses to Glycolipids. <i>Critical Reviews in Immunology</i> , 2005, 25, 183-213.	0.5	50
172	Differential Requirement for Tapasin in the Presentation of Leader- and Insulin-Derived Peptide Antigens to Qa-1b-Restricted CTLs. <i>Journal of Immunology</i> , 2004, 173, 3707-3715.	0.8	13
173	Contribution of CD1d-unrestricted hepatic DX5+ NKT cells to liver injury in Plasmodium berghei-parasitized erythrocyte-injected mice. <i>International Immunology</i> , 2004, 16, 787-798.	4.0	22
174	CD1d1-Dependent Control of the Magnitude of an Acute Antiviral Immune Response. <i>Journal of Immunology</i> , 2004, 172, 3454-3461.	0.8	54
175	NF-ÎB Controls Cell Fate Specification, Survival, and Molecular Differentiation of Immunoregulatory Natural T Lymphocytes. <i>Journal of Immunology</i> , 2004, 172, 2265-2273.	0.8	98
176	Quantitative and Qualitative Differences in the In Vivo Response of NKT Cells to Distinct Î±- and Î²-Anomeric Glycolipids. <i>Journal of Immunology</i> , 2004, 173, 3693-3706.	0.8	136
177	NK Cells, but Not NKT Cells, Are Involved in <i>Pseudomonas aeruginosa</i> Exotoxin A-Induced Hepatotoxicity in Mice. <i>Journal of Immunology</i> , 2004, 172, 3034-3041.	0.8	75
178	The Ig-Like Domain of Tapasin Influences Intermolecular Interactions. <i>Journal of Immunology</i> , 2004, 172, 2976-2984.	0.8	32
179	Quantitative and Qualitative Differences in Proatherogenic NKT Cells in Apolipoprotein Eâ€“Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 2351-2357.	2.4	114
180	Cutting Edge: The Ontogeny and Function of Va14Ja18 Natural T Lymphocytes Require Signal Processing by Protein Kinase CÎ± and NF-ÎB. <i>Journal of Immunology</i> , 2004, 172, 4667-4671.	0.8	73

#	ARTICLE	IF	CITATIONS
181	Natural killer T cells as targets for immunotherapy of autoimmune diseases. Immunology and Cell Biology, 2004, 82, 315-322.	2.3	65
182	NKT cells: what's in a name?. Nature Reviews Immunology, 2004, 4, 231-237.	22.7	1,097
183	Regulation of Immune Responses by CD1d-Restricted Natural Killer T Cells. Immunologic Research, 2004, 30, 139-154.	2.9	61
184	CD1d deficiency exacerbates inflammatory dermatitis in MRL-lpr/lpr mice. European Journal of Immunology, 2004, 34, 1723-1732.	2.9	58
185	Osteopontin as a Mediator of NKT Cell Function in T Cell-Mediated Liver Diseases. Immunity, 2004, 21, 539-550.	14.3	186
186	Natural killer T cells accelerate atherogenesis in mice. Blood, 2004, 104, 2051-2059.	1.4	179
187	CD1-restricted antigen presentation: an oily matter. Current Opinion in Immunology, 2003, 15, 95-104.	5.5	37
188	Infiltration of the inflamed eye by NKT cells in a rat model of experimental autoimmune uveitis. Journal of Autoimmunity, 2003, 21, 37-45.	6.5	27
189	Tapasin <sup>Δ</sup> and TAP1 <sup>Δ</sup> Macrophages Are Deficient in Vacuolar Alternate Class I MHC (MHC-I) Processing due to Decreased MHC-I Stability at Phagolysosomal pH. Journal of Immunology, 2003, 170, 5825-5833.	0.8	44
190	The response of natural killer T cells to glycolipid antigens is characterized by surface receptor down-modulation and expansion. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 10913-10918.	7.1	306
191	Immunoregulatory Role of CD1d in the Hydrocarbon Oil-Induced Model of Lupus Nephritis. Journal of Immunology, 2003, 171, 2142-2153.	0.8	93
192	A Murine Locus on Chromosome 18 Controls NKT Cell Homeostasis and Th Cell Differentiation. Journal of Immunology, 2003, 171, 4613-4620.	0.8	25
193	Genetic Dissection of Vβ14Jβ18 Natural T Cell Number and Function in Autoimmune-Prone Mice. Journal of Immunology, 2003, 170, 5429-5437.	0.8	40
194	Identification and Simian Immunodeficiency Virus Infection of CD1d-Restricted Macaque Natural Killer T Cells. Journal of Virology, 2003, 77, 8153-8158.	3.4	47
195	Endonuclease G is required for early embryogenesis and normal apoptosis in mice. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 15782-15787.	7.1	84
196	Defective presentation of the CD1d1-restricted natural Va14Ja18 NKT lymphocyte antigen caused by Å-D-glucosylceramide synthase deficiency. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1849-1854.	7.1	142
197	Repeated Å-Galactosylceramide Administration Results in Expansion of NK T Cells and Alleviates Inflammatory Dermatitis in MRL-lpr/lpr Mice. Journal of Immunology, 2003, 171, 4439-4446.	0.8	114
198	Genetic Complementation in Yeast Reveals Functional Similarities between the Catalytic Subunits of Mammalian Signal Peptidase Complex. Journal of Biological Chemistry, 2003, 278, 50932-50939.	3.4	18

#	ARTICLE	IF	CITATIONS
199	Another View of T Cell Antigen Recognition: Cooperative Engagement of Glycolipid Antigens by Va14Ja18 Natural TCR. <i>Journal of Immunology</i> , 2003, 171, 4539-4551.	0.8	85
200	Nonredundant Roles for CD1d-restricted Natural Killer T Cells and Conventional CD4+ T Cells in the Induction of Immunoglobulin E Antibodies in Response to Interleukin 18 Treatment of Mice. <i>Journal of Experimental Medicine</i> , 2003, 197, 997-1005.	8.5	86
201	Natural Killer T Cells as Targets for Therapeutic Intervention in Autoimmune Diseases. <i>Current Pharmaceutical Design</i> , 2003, 9, 201-220.	1.9	40
202	Natural Killer T Cells Restricted by the Monomorphic MHC Class 1b CD1d1 Molecules Behave Like Inflammatory Cells. <i>Journal of Immunology</i> , 2002, 168, 365-371.	0.8	66
203	Cutting Edge: VÎ±14-JÎ±281 NKT Cells Naturally Regulate Experimental Autoimmune Encephalomyelitis in Nonobese Diabetic Mice. <i>Journal of Immunology</i> , 2002, 168, 6007-6011.	0.8	132
204	CD1d-restricted Human Natural Killer T Cells Are Highly Susceptible to Human Immunodeficiency Virus 1 Infection. <i>Journal of Experimental Medicine</i> , 2002, 195, 869-879.	8.5	203
205	Antigen Presentation by CD1d Contributes to the Amplification of Th2 Responses to <i>Schistosoma mansoni</i> Glycoconjugates in Mice. <i>Journal of Immunology</i> , 2002, 169, 906-912.	0.8	83
206	De Novo Central Nervous System Processing of Myelin Antigen Is Required for the Initiation of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2002, 168, 4173-4183.	0.8	176
207	NK T Cells Contribute to Expansion of CD8 + T Cells and Amplification of Antiviral Immune Responses to Respiratory Syncytial Virus. <i>Journal of Virology</i> , 2002, 76, 4294-4303.	3.4	155
208	Natural Killer T Cell Ligand Î±-Galactosylceramide Enhances Protective Immunity Induced by Malaria Vaccines. <i>Journal of Experimental Medicine</i> , 2002, 195, 617-624.	8.5	321
209	Immunotherapy with ligands of natural killer T cells. <i>Trends in Molecular Medicine</i> , 2002, 8, 225-231.	6.7	69
210	Rejection of grafts with no H-2 disparity in TAP1 mutant mice: CD4 T cells are important effector cells and self H-2b class I molecules are target. <i>Transplant Immunology</i> , 2002, 9, 101-110.	1.2	2
211	Major histocompatibility complex classI-restricted antigen processing and presentation. <i>Tissue Antigens</i> , 2002, 60, 1-9.	1.0	67
212	IFN-gamma-mediated inhibition of tumor angiogenesis by natural killer T-cell ligand, alpha-galactosylceramide. <i>Blood</i> , 2002, 100, 1728-33.	1.4	140
213	Tapasin: an ER chaperone that controls MHC class I assembly with peptide. <i>Trends in Immunology</i> , 2001, 22, 194-199.	6.8	82
214	Differential Regulation of Th1 and Th2 Functions of NKT Cells by CD28 and CD40 Costimulatory Pathways. <i>Journal of Immunology</i> , 2001, 166, 6012-6018.	0.8	178
215	Drugs from the Sea: A Marine Sponge-Derived Compound Prevents Type 1 Diabetes. <i>Scientific World Journal</i> , The, 2001, 1, 630-632.	2.1	9
216	Qa-2â€œDependent Selection of Cd8Î±/Î± T Cell Receptor Î±/Î±21 Cells in Murine Intestinal Intraepithelial Lymphocytes. <i>Journal of Experimental Medicine</i> , 2001, 193, 413-414.	8.5	0

#	ARTICLE	IF	CITATIONS
217	Generation of cellular immunity to lymphocytic choriomeningitis virus is independent of CD1d1 expression. <i>Immunology</i> , 2001, 104, 168-174.	4.4	35
218	Critical contribution of IFN- $\gamma$ and NK cells, but not perforin-mediated cytotoxicity, to anti-metastatic effect of $\alpha$ -galactosylceramide. <i>European Journal of Immunology</i> , 2001, 31, 1720-1727.	2.9	171
219	Accessory Proteins that Control the Assembly of MHC Molecules with Peptides. <i>Immunologic Research</i> , 2001, 23, 205-214.	2.9	10
220	The natural killer T-cell ligand $\alpha$ -galactosylceramide prevents autoimmune diabetes in non-obese diabetic mice. <i>Nature Medicine</i> , 2001, 7, 1052-1056.	30.7	537
221	<i>Plasmodium berghei</i> Infection in Mice Induces Liver Injury by an IL-12- and Toll-Like Receptor/Myeloid Differentiation Factor 88-Dependent Mechanism. <i>Journal of Immunology</i> , 2001, 167, 5928-5934.	0.8	186
222	Functional Roles of TAP and Tapasin in the Assembly of M3- <i>N</i> -Formylated Peptide Complexes. <i>Journal of Immunology</i> , 2001, 167, 1507-1514.	0.8	32
223	Tapasin Enhances Peptide-Induced Expression of H2-M3 Molecules, but Is Not Required for the Retention of Open Conformers. <i>Journal of Immunology</i> , 2001, 167, 2097-2105.	0.8	37
224	IL-18 Enhances IL-4 Production by Ligand-Activated NKT Lymphocytes: A Pro-Th2 Effect of IL-18 Exerted Through NKT Cells. <i>Journal of Immunology</i> , 2001, 166, 945-951.	0.8	112
225	Requirement for natural killer T (NKT) cells in the induction of allograft tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 2577-2581.	7.1	241
226	Natural Killer T Cell Activation Protects Mice Against Experimental Autoimmune Encephalomyelitis. <i>Journal of Experimental Medicine</i> , 2001, 194, 1801-1811.	8.5	375
227	Critical contribution of IFN- $\gamma$ and NK cells, but not perforin-mediated cytotoxicity, to anti-metastatic effect of $\alpha$ -galactosylceramide. , 2001, 31, 1720.		1
228	Critical contribution of IFN- $\gamma$ and NK cells, but not perforin-mediated cytotoxicity, to anti-metastatic effect of $\alpha$ -galactosylceramide. <i>European Journal of Immunology</i> , 2001, 31, 1720-1727.	2.9	11
229	Activation of hepatic NKT cells and subsequent liver injury following administration of $\alpha$ -galactosylceramide. <i>European Journal of Immunology</i> , 2000, 30, 1919-1928.	2.9	253
230	Fus deficiency in mice results in defective B-lymphocyte development and activation, high levels of chromosomal instability and perinatal death. <i>Nature Genetics</i> , 2000, 24, 175-179.	21.4	265
231	Natural killer cells determine the outcome of B cell-mediated autoimmunity. <i>Nature Immunology</i> , 2000, 1, 245-251.	14.5	171
232	Relative contributions of distinct MHC class I-dependent cell populations in protection to tuberculosis infection in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 4204-4208.	7.1	232
233	$\alpha$ -Galactosylceramide-activated $\gamma$ 14 natural killer T cells mediate protection against murine malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8461-8466.	7.1	249
234	The Alloreactive and Self-Restricted CD4+ T Cell Response Directed Against a Single MHC Class II/Peptide Combination. <i>Journal of Immunology</i> , 2000, 165, 1285-1293.	0.8	12



#	ARTICLE	IF	CITATIONS
235	Critical contribution of liver natural killer T cells to a murine model of hepatitis. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 5498-5503.	7.1	528
236	Lymphocytes Lacking $\text{Î}^\text{B}$ - $\text{Î}^\text{Î}$ Develop Normally, But Have Selective Defects in Proliferation and Function. Journal of Immunology, 2000, 165, 5418-5427.	0.8	31
237	The interface between innate and acquired immunity: glycolipid antigen presentation by CD1d-expressing dendritic cells to NKT cells induces the differentiation of antigen-specific cytotoxic T lymphocytes. International Immunology, 2000, 12, 987-994.	4.0	208
238	Relative contribution of NK and NKT cells to the anti-metastatic activities of IL-12. International Immunology, 2000, 12, 909-914.	4.0	76
239	CD8+ T Cells Rapidly Acquire NK1.1 and NK Cell-Associated Molecules Upon Stimulation In Vitro and In Vivo. Journal of Immunology, 2000, 165, 3673-3679.	0.8	133
240	H2-DM $\text{Î}^\text{Î}$ / $\text{Î}^\text{Î}$ Mice Show the Importance of Major Histocompatibility Complex $\text{Î}^\text{Î}$ Bound Peptide in Cardiac Allograft Rejection. Journal of Experimental Medicine, 2000, 192, 31-40.	8.5	65
241	Qa-2 $\text{Î}^\text{Î}$ -Dependent Selection of Cd8 $\text{Î}^\text{Î}$ / $\text{Î}^\text{Î}$ T Cell Receptor $\text{Î}^\text{Î}$ / $\text{Î}^\text{Î}$ + Cells in Murine Intestinal Intraepithelial Lymphocytes. Journal of Experimental Medicine, 2000, 192, 1521-1528.	8.5	54
242	Impaired Assembly yet Normal Trafficking of MHC Class I Molecules in Tapasin Mutant Mice. Immunity, 2000, 13, 213-222.	14.3	208
243	Peptide dependency of alloreactive CD4+ T cell responses. International Immunology, 1999, 11, 351-360.	4.0	12
244	Natural Killer Cells Determine Development of Allergen-induced Eosinophilic Airway Inflammation in Mice. Journal of Experimental Medicine, 1999, 189, 553-562.	8.5	228
245	Immune Privilege. Journal of Experimental Medicine, 1999, 190, 1197-1200.	8.5	55
246	Lipid antigen presentation in the immune system; lessons learned from CD 1 d knockout mice. Immunological Reviews, 1999, 169, 31-44.	6.0	113
247	The Natural Killer T (NKT) Cell Ligand $\text{Î}^\text{Î}$ -Galactosylceramide Demonstrates Its Immunopotentiating Effect by Inducing Interleukin (IL)-12 Production by Dendritic Cells and IL-12 Receptor Expression on NKT Cells. Journal of Experimental Medicine, 1999, 189, 1121-1128.	8.5	588
248	TAP1 mutant mice reject heart grafts from donors with no MHC disparity. Transplantation Proceedings, 1999, 31, 900-901.	0.6	4
249	Immunoproteasome Assembly: Cooperative Incorporation of Interferon $\text{Î}^\text{Î}$ (IFN- $\text{Î}^\text{Î}$ ) $\text{Î}^\text{Î}$ -inducible Subunits. Journal of Experimental Medicine, 1998, 187, 97-104.	8.5	404
250	Fine tuning of natural killer cell specificity and maintenance of self tolerance in MHC class I-deficient mice. European Journal of Immunology, 1998, 28, 1315-1321.	2.9	51
251	Invariant Chain $\text{Î}^\text{Î}$ -independent Function of H-2M in the Formation of Endogenous Peptide $\text{Î}^\text{Î}$ Major Histocompatibility Complex Class II Complexes In Vivo. Journal of Experimental Medicine, 1998, 187, 245-251.	8.5	54
252	Resistance to DNA fragmentation and chromatin condensation in mice lacking the DNA fragmentation factor 45. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 12480-12485.	7.1	165



#	ARTICLE	IF	CITATIONS
253	CD1d1 Mutant Mice Are Deficient in Natural T Cells That Promptly Produce IL-4. <i>Immunity</i> , 1997, 6, 469-477.	14.3	575
254	The Imprint of Intrathymic Self-Peptides on the Mature T Cell Receptor Repertoire. <i>Immunity</i> , 1997, 7, 517-524.	14.3	101
255	H2-M Mutant Mice Are Defective in the Peptide Loading of Class II Molecules, Antigen Presentation, and T Cell Repertoire Selection. <i>Cell</i> , 1996, 84, 543-550.	28.9	316
256	TAP1-deficient mice select a CD8+ T cell repertoire that displays both diversity and peptide specificity. <i>European Journal of Immunology</i> , 1996, 26, 288-293.	2.9	41
257	Expansion of natural (NK1+) T cells that express alpha beta T cell receptors in transporters associated with antigen presentation-1 null and thymus leukemia antigen positive mice.. <i>Journal of Experimental Medicine</i> , 1996, 184, 1579-1584.	8.5	43
258	Differential reactivity of residual CD8+ T lymphocytes in TAP1 and Î²2-microglobulin mutant mice. <i>European Journal of Immunology</i> , 1995, 25, 174-178.	2.9	35
259	Peptide influences the folding and intracellular transport of free major histocompatibility complex class I heavy chains.. <i>Journal of Experimental Medicine</i> , 1995, 181, 1111-1122.	8.5	71
260	Increase in positive selection of CD8+ T cells in TAP1-mutant mice by human beta 2-microglobulin transgene.. <i>Journal of Experimental Medicine</i> , 1995, 181, 787-792.	8.5	27
261	MHC class I expression and CD8+ T cell development in TAP1/Î²2-microglobulin double mutant mice. <i>International Immunology</i> , 1995, 7, 975-984.	4.0	54
262	Evidence for a differential avidity model of T cell selection in the thymus. <i>Cell</i> , 1994, 76, 651-663.	28.9	644
263	Altered peptidase and viral-specific T cell response in LMP2 mutant mice. <i>Immunity</i> , 1994, 1, 533-541.	14.3	418
264	Altered natural killer cell repertoire in Tap-1 mutant mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 6520-6524.	7.1	87
265	Positive selection of self- and alloreactive CD8+ T cells in Tap-1 mutant mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 6525-6528.	7.1	59
266	Repertoire-Determining Role of Peptide in the Positive Selection of CD8+ T cells. <i>Immunological Reviews</i> , 1993, 135, 157-182.	6.0	7
267	Peptide contributes to the specificity of positive selection of CD8+ T cells in the thymus. <i>Cell</i> , 1993, 73, 1041-1049.	28.9	261
268	Amino acid substitutions in the floor of the putative antigen-binding site of H-2T22 affect recognition by a gamma delta T-cell receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 11396-11400.	7.1	24
269	TAP1 mutant mice are deficient in antigen presentation, surface class I molecules, and CD4~8+ T cells. <i>Cell</i> , 1992, 71, 1205-1214.	28.9	677
270	Recognition of MHC TL Gene Products by gammadelta T Cells. <i>Immunological Reviews</i> , 1991, 120, 89-115.	6.0	49

#	ARTICLE	IF	CITATIONS
271	Highly restricted expression of the thymus leukemia antigens on intestinal epithelial cells.. Journal of Experimental Medicine, 1991, 174, 213-218.	8.5	114
272	Characterization of the Bacillus stearothermophilus manganese superoxide dismutase gene and its ability to complement copper/zinc superoxide dismutase deficiency in Saccharomyces cerevisiae. Journal of Bacteriology, 1990, 172, 1539-1546.	2.2	39
273	Recognition of the product of a novel MHC TL region gene (27b) by a mouse $\alpha\beta$ T cell receptor. Cell, 1990, 62, 549-561.	28.9	228
274	Transcriptional control in the EcoRI-F immunity region of Bacillus subtilis phage $\phi$ 105. Journal of Molecular Biology, 1987, 197, 55-67.	4.2	30
275	Natural killer T cells ameliorate antibody-induced arthritis in macrophage migration inhibitory factor transgenic mice. International Journal of Molecular Medicine, 0, , .	4.0	0