

# Roberta Pierattelli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1319356/publications.pdf>

Version: 2024-02-01

139  
papers

6,565  
citations

53660

45  
h-index

76769

74  
g-index

153  
all docs

153  
docs citations

153  
times ranked

5117  
citing authors

#	ARTICLE	IF	CITATIONS
1	<sup>13</sup> C Direct Detected NMR for Challenging Systems. <i>Chemical Reviews</i> , 2022, 122, 9468-9496.	23.0	20
2	NMR Reveals Specific Tracts within the Intrinsically Disordered Regions of the SARS-CoV-2 Nucleocapsid Protein Involved in RNA Encountering. <i>Biomolecules</i> , 2022, 12, 929.	1.8	19
3	The highly flexible disordered regions of the SARS-CoV-2 nucleocapsid N protein within the 1â€“248 residue construct: sequence-specific resonance assignments through NMR. <i>Biomolecular NMR Assignments</i> , 2021, 15, 219-227.	0.4	26
4	Large-Scale Recombinant Production of the SARS-CoV-2 Proteome for High-Throughput and Structural Biology Applications. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 653148.	1.6	29
5	Crowding Effects on the Structure and Dynamics of the Intrinsically Disordered Nuclear Chromatin Protein NUPR1. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 684622.	1.6	17
6	Exclusively heteronuclear NMR experiments for the investigation of intrinsically disordered proteins: focusing on proline residues. <i>Magnetic Resonance</i> , 2021, 2, 511-522.	0.8	7
7	Identification of a Region in the Common Amino-terminal Domain of Hendra Virus P, V, and W Proteins Responsible for Phase Transition and Amyloid Formation. <i>Biomolecules</i> , 2021, 11, 1324.	1.8	20
8	Proteinâ€“NMRâ€“Resonanzzuordnung ohne Spektralanalyse: automatisierte Festkâ€“rperâ€“Projektionsspektroskopie in 5D (SOâ€“APSY). <i>Angewandte Chemie</i> , 2020, 132, 2400-2405.	1.6	0
9	Protein NMR Resonance Assignment without Spectral Analysis: 5Dâ€“Solidâ€“State Automated Projection Spectroscopy (SOâ€“APSY). <i>Angewandte Chemie - International Edition</i> , 2020, 59, 2380-2384.	7.2	23
10	The Ambivalent Role of Proline Residues in an Intrinsically Disordered Protein: From Disorder Promoters to Compaction Facilitators. <i>Journal of Molecular Biology</i> , 2020, 432, 3093-3111.	2.0	65
11	Adenoviral E1A Exploits Flexibility and Disorder to Target Cellular Proteins. <i>Biomolecules</i> , 2020, 10, 1541.	1.8	10
12	Monitoring the Interaction of Î±â€“Synuclein with Calcium Ions through Exclusively Heteronuclear Nuclear Magnetic Resonance Experiments. <i>Angewandte Chemie</i> , 2020, 132, 18696-18704.	1.6	6
13	Monitoring the Interaction of Î±â€“Synuclein with Calcium Ions through Exclusively Heteronuclear Nuclear Magnetic Resonance Experiments. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 18537-18545.	7.2	20
14	Picometer Resolution Structure of the Coordination Sphere in the Metal-Binding Site in a Metalloprotein by NMR. <i>Journal of the American Chemical Society</i> , 2020, 142, 16757-16765.	6.6	33
15	Ensemble description of the intrinsically disordered N-terminal domain of the Nipah virus P/V protein from combined NMR and SAXS. <i>Scientific Reports</i> , 2020, 10, 19574.	1.6	13
16	A combined NMR and EPR investigation on the effect of the disordered RGG regions in the structure and the activity of the RRM domain of FUS. <i>Scientific Reports</i> , 2020, 10, 20956.	1.6	15
17	Multimodal Response to Copper Binding in Superoxide Dismutase Dynamics. <i>Journal of the American Chemical Society</i> , 2020, 142, 19660-19667.	6.6	15
18	Frontispiz: Monitoring the Interaction of Î±â€“Synuclein with Calcium Ions through Exclusively Heteronuclear Nuclear Magnetic Resonance Experiments. <i>Angewandte Chemie</i> , 2020, 132, .	1.6	0

#	ARTICLE	IF	CITATIONS
19	Frontispiece: Monitoring the Interaction of $\beta$ -Synuclein with Calcium Ions through Exclusively Heteronuclear Nuclear Magnetic Resonance Experiments. <i>Angewandte Chemie - International Edition</i> , 2020, 59, .	7.2	1
20	Small-molecule sequestration of amyloid- $\beta$ as a drug discovery strategy for Alzheimer's disease. <i>Science Advances</i> , 2020, 6, .	4.7	95
21	Glutamine Side-Chain to Main Chain Hydrogen Bonds Can be used to Design Single Alpha-Helices that are Stable at Room Temperature. <i>Biophysical Journal</i> , 2020, 118, 369a-370a.	0.2	0
22	Sensitivity-enhanced three-dimensional and carbon-detected two-dimensional NMR of proteins using hyperpolarized water. <i>Journal of Biomolecular NMR</i> , 2020, 74, 161-171.	1.6	17
23	Interaction between the scaffold proteins CBP by IQGAP1 provides an interface between gene expression and cytoskeletal activity. <i>Scientific Reports</i> , 2020, 10, 5753.	1.6	6
24	Hsp70 and Hsp40 inhibit an inter-domain interaction necessary for transcriptional activity in the androgen receptor. <i>Nature Communications</i> , 2019, 10, 3562.	5.8	45
25	Taking Simultaneous Snapshots of Intrinsically Disordered Proteins in Action. <i>Biophysical Journal</i> , 2019, 117, 46-55.	0.2	20
26	Side chain to main chain hydrogen bonds stabilize a polyglutamine helix in a transcription factor. <i>Nature Communications</i> , 2019, 10, 2034.	5.8	78
27	Cyclized NDGA modifies dynamic $\beta$ -synuclein monomers preventing aggregation and toxicity. <i>Scientific Reports</i> , 2019, 9, 2937.	1.6	31
28	The free energy landscape of the oncogene protein E7 of human papillomavirus type 16 reveals a complex interplay between ordered and disordered regions. <i>Scientific Reports</i> , 2019, 9, 5822.	1.6	8
29	NMR Characterization of Long-Range Contacts in Intrinsically Disordered Proteins from Paramagnetic Relaxation Enhancement in $^{13}\text{C}$ Direct-Detection Experiments. <i>ChemBioChem</i> , 2019, 20, 335-339.	1.3	21
30	An intrinsically disordered proteins community for ELIXIR. <i>F1000Research</i> , 2019, 8, 1753.	0.8	12
31	$^{13}\text{C}$ APSY-NMR for sequential assignment of intrinsically disordered proteins. <i>Journal of Biomolecular NMR</i> , 2018, 70, 167-175.	1.6	16
32	Long-range paramagnetic NMR data can provide a closer look on metal coordination in metalloproteins. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 71-80.	1.1	22
33	Proline Fingerprint in Intrinsically Disordered Proteins. <i>ChemBioChem</i> , 2018, 19, 1625-1629.	1.3	24
34	Monitoring HPV-16 E7 phosphorylation events. <i>Virology</i> , 2017, 503, 70-75.	1.1	14
35	Fragment-Based NMR Study of the Conformational Dynamics in the bHLH Transcription Factor Ascl1. <i>Biophysical Journal</i> , 2017, 112, 1366-1373.	0.2	8
36	Linking functions: an additional role for an intrinsically disordered linker domain in the transcriptional coactivator CBP. <i>Scientific Reports</i> , 2017, 7, 4676.	1.6	39

#	ARTICLE	IF	CITATIONS
37	Amino acid recognition for automatic resonance assignment of intrinsically disordered proteins. <i>Journal of Biomolecular NMR</i> , 2016, 64, 239-253.	1.6	12
38	Structural and Dynamic Characterization of the Molecular Hub Early Region 1A (E1A) from Human Adenovirus. <i>Chemistry - A European Journal</i> , 2016, 22, 13010-13013.	1.7	15
39	Sequence Context Influences the Structure and Aggregation Behavior of a PolyQ Tract. <i>Biophysical Journal</i> , 2016, 110, 2361-2366.	0.2	58
40	Just a Flexible Linker? The Structural and Dynamic Properties of CBP-ID4 Revealed by NMR Spectroscopy. <i>Biophysical Journal</i> , 2016, 110, 372-381.	0.2	29
41	Longitudinal relaxation properties of $^1\text{H}_\text{N}$ and $^1\text{H}^\pm$ determined by direct-detected $^{13}\text{C}$ NMR experiments to study intrinsically disordered proteins (IDPs). <i>Journal of Magnetic Resonance</i> , 2015, 254, 19-26.	1.2	8
42	Protein residue linking in a single spectrum for magic-angle spinning NMR assignment. <i>Journal of Biomolecular NMR</i> , 2015, 62, 253-261.	1.6	44
43	NMR Methods for the Study of Intrinsically Disordered Proteins Structure, Dynamics, and Interactions: General Overview and Practical Guidelines. <i>Advances in Experimental Medicine and Biology</i> , 2015, 870, 49-122.	0.8	69
44	Dynamics of the Intrinsically Disordered C-terminal Domain of the Nipah Virus Nucleoprotein and Interaction with the X Domain of the Phosphoprotein as Unveiled by NMR Spectroscopy. <i>ChemBioChem</i> , 2015, 16, 268-276.	1.3	31
45	Spin-state-selective methods in solution- and solid-state biomolecular $^{13}\text{C}$ NMR. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2015, 84-85, 1-13.	3.9	16
46	pE-DB: a database of structural ensembles of intrinsically disordered and of unfolded proteins. <i>Nucleic Acids Research</i> , 2014, 42, D326-D335.	6.5	195
47	$^{\text{15}}\text{N}$ -CON-CON-assignment strategy for highly flexible intrinsically disordered proteins. <i>Journal of Biomolecular NMR</i> , 2014, 60, 209-218.	1.6	30
48	The crowd you're in with: Effects of different types of crowding agents on protein aggregation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 346-357.	1.1	74
49	In-cell $^{13}\text{C}$ NMR spectroscopy for the study of intrinsically disordered proteins. <i>Nature Protocols</i> , 2014, 9, 2005-2016.	5.5	48
50	Novel methods based on $^{13}\text{C}$ detection to study intrinsically disordered proteins. <i>Journal of Magnetic Resonance</i> , 2014, 241, 115-125.	1.2	65
51	The Heterogeneous Structural Behavior of E7 from HPV16 Revealed by NMR Spectroscopy. <i>ChemBioChem</i> , 2013, 14, 1876-1882.	1.3	16
52	Recent Advances in Solution NMR Studies. <i>Annual Reports on NMR Spectroscopy</i> , 2013, 80, 359-418.	0.7	11
53	High-dimensionality $^{13}\text{C}$ direct-detected NMR experiments for the automatic assignment of intrinsically disordered proteins. <i>Journal of Biomolecular NMR</i> , 2013, 57, 353-361.	1.6	42
54	NMR Spectroscopic Studies of Intrinsically Disordered Proteins at Near-Physiological Conditions. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 11808-11812.	7.2	71

#	ARTICLE	IF	CITATIONS
55	Magic Angle Spinning NMR of Paramagnetic Proteins. <i>Accounts of Chemical Research</i> , 2013, 46, 2108-2116.	7.6	78
56	<sup>13</sup> C-Detected Through-Bond Correlation Experiments for Protein Resonance Assignment by Ultra-Fast MAS Solid-State NMR. <i>ChemPhysChem</i> , 2013, 14, 3131-3137.	1.0	19
57	Improving the chemical shift dispersion of multidimensional NMR spectra of intrinsically disordered proteins. <i>Journal of Biomolecular NMR</i> , 2013, 55, 231-237.	1.6	35
58	Structure and backbone dynamics of a microcrystalline metalloprotein by solid-state NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 11095-11100.	3.3	173
59	Structural and Mechanistic Implications of Metal Binding in the Small Heat-shock Protein $\beta$ -crystallin. <i>Journal of Biological Chemistry</i> , 2012, 287, 1128-1138.	1.6	67
60	Exclusively Heteronuclear <sup>13</sup> C-Detected Amino Acid-Selective NMR Experiments for the Study of Intrinsically Disordered Proteins (IDPs). <i>ChemBioChem</i> , 2012, 13, 2425-2432.	1.3	43
61	Speeding up sequence specific assignment of IDPs. <i>Journal of Biomolecular NMR</i> , 2012, 53, 293-301.	1.6	66
62	Rapid Measurement of Pseudocontact Shifts in Metalloproteins by Proton-Detected Solid-State NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2012, 134, 14730-14733.	6.6	53
63	Recent progress in NMR spectroscopy: Toward the study of intrinsically disordered proteins of increasing size and complexity. <i>IUBMB Life</i> , 2012, 64, 473-481.	1.5	53
64	Combination of DQ and ZQ Coherences for Sensitive Through-Bond NMR Correlation Experiments in Biosolids under Ultra-Fast MAS. <i>ChemPhysChem</i> , 2012, 13, 2405-2411.	1.0	21
65	On the active site of mononuclear B1 metallo $\beta$ -lactamases: a computational study. <i>Journal of Computer-Aided Molecular Design</i> , 2012, 26, 425-435.	1.3	7
66	Nuclear magnetic resonance signal chemical shifts and molecular simulations: a multidisciplinary approach to modeling copper protein structures. <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 71-79.	1.1	3
67	High-resolution and sensitivity through-bond correlations in ultra-fast magic angle spinning (MAS) solid-state NMR. <i>Chemical Science</i> , 2011, 2, 345-348.	3.7	38
68	<sup>13</sup> C Direct-Detection Biomolecular NMR Spectroscopy in Living Cells. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2339-2341.	7.2	55
69	Fast Resonance Assignment and Fold Determination of Human Superoxide Dismutase by High-Resolution Proton-Detected Solid-State MAS NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 11697-11701.	7.2	157
70	High-Resolution Characterization of Intrinsic Disorder in Proteins: Expanding the Suite of <sup>13</sup> C-Detected NMR Spectroscopy Experiments to Determine Key Observables. <i>ChemBioChem</i> , 2011, 12, 2347-2352.	1.3	25
71	Exclusively Heteronuclear NMR Experiments to Obtain Structural and Dynamic Information on Proteins. <i>ChemPhysChem</i> , 2010, 11, 689-695.	1.0	36
72	Conformational Space of Flexible Biological Macromolecules from Average Data. <i>Journal of the American Chemical Society</i> , 2010, 132, 13553-13558.	6.6	155

#	ARTICLE	IF	CITATIONS
73	H-start for exclusively heteronuclear NMR spectroscopy: The case of intrinsically disordered proteins. <i>Journal of Magnetic Resonance</i> , 2009, 198, 275-281.	1.2	90
74	Relaxation-optimised Hartmannâ€“Hahn transfer using a specifically Tailored MOCCA-XY16 mixing sequence for carbonylâ€“carbonyl correlation spectroscopy in <sup>13</sup> C direct detection NMR experiments. <i>Journal of Biomolecular NMR</i> , 2009, 43, 187-196.	1.6	32
75	Fast acquisition of multi-dimensional spectra in solid-state NMR enabled by ultra-fast MAS. <i>Journal of Magnetic Resonance</i> , 2009, 196, 133-141.	1.2	109
76	Speeding Up <sup>13</sup> C Direct Detection Biomolecular NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 15339-15345.	6.6	88
77	Transverse-Dephasing Optimized Homonuclear J-Decoupling in Solid-State NMR Spectroscopy of Uniformly <sup>13</sup> C-Labeled Proteins. <i>Journal of the American Chemical Society</i> , 2009, 131, 10816-10817.	6.6	36
78	Electronic Structure of the Ground and Excited States of the CuA Site by NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 1939-1946.	6.6	47
79	Protonless <sup>13</sup> C direct detection NMR: Characterization of the 37 kDa trimeric protein CutA1. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008, 70, 1196-1205.	1.5	13
80	<sup>13</sup> C Directâ€“detection biomolecular NMR. <i>Concepts in Magnetic Resonance Part A: Bridging Education and Research</i> , 2008, 32A, 183-200.	0.2	62
81	Band-Selective <sup>1</sup> Hâ€“ <sup>13</sup> C Cross-Polarization in Fast Magic Angle Spinning Solid-State NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 17216-17217.	6.6	81
82	Perspectives in paramagnetic NMR of metalloproteins. <i>Dalton Transactions</i> , 2008, , 3782.	1.6	107
83	Towards a Protocol for Solution Structure Determination of Copper(II) Proteins: the Case of CuII ZnII Superoxide Dismutase. <i>ChemBioChem</i> , 2007, 8, 1422-1429.	1.3	26
84	Solid-State NMR Spectroscopy of a Paramagnetic Protein: Assignment and Study of Human Dimeric Oxidized CuIIâ€“ZnII Superoxide Dismutase (SOD). <i>Angewandte Chemie - International Edition</i> , 2007, 46, 1079-1082.	7.2	100
85	A method for <sup>13</sup> C direct-detection in protonless NMR. <i>Journal of Magnetic Resonance</i> , 2007, 188, 301-310.	1.2	52
86	High-resolution NMR studies of the zinc-binding site of the Alzheimer's amyloid Î²-peptide. <i>FEBS Journal</i> , 2007, 274, 46-59.	2.2	226
87	Protonless NMR Experiments for Sequence-Specific Assignment of Backbone Nuclei in Unfolded Proteins. <i>Journal of the American Chemical Society</i> , 2006, 128, 3918-3919.	6.6	176
88	NMR in the SPINE Structural Proteomics project. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2006, 62, 1150-1161.	2.5	12
89	The Atx1-Ccc2 complex is a metal-mediated protein-protein interaction. <i>Nature Chemical Biology</i> , 2006, 2, 367-368.	3.9	204
90	The molecular basis for the selection of captopril cis and trans conformations by angiotensin I converting enzyme. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5084-5087.	1.0	13

#	ARTICLE	IF	CITATIONS
91	Novel <sup>13</sup> C direct detection experiments, including extension to the third dimension, to perform the complete assignment of proteins. <i>Journal of Magnetic Resonance</i> , 2006, 178, 56-64.	1.2	116
92	Mapping protein-protein interaction by <sup>13</sup> C-detected heteronuclear NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 2006, 36, 111-122.	1.6	31
93	<sup>13</sup> C-detected protonless NMR spectroscopy of proteins in solution. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2006, 48, 25-45.	3.9	210
94	Complete Assignment of Heteronuclear Protein Resonances by Protonless NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3089-3092.	7.2	162
95	NMR Spectroscopy of Paramagnetic Metalloproteins. <i>ChemBioChem</i> , 2005, 6, 1536-1549.	1.3	289
96	A selective experiment for the sequential protein backbone assignment from 3D heteronuclear spectra. <i>Journal of Magnetic Resonance</i> , 2005, 172, 324-328.	1.2	31
97	Reduction thermodynamics of the T1 Cu site in plant and fungal laccases. <i>Journal of Biological Inorganic Chemistry</i> , 2005, 10, 867-873.	1.1	26
98	Backbone and Side-chains <sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N NMR Assignment of Human $\beta$ 2-parvalbumin. <i>Journal of Biomolecular NMR</i> , 2005, 33, 137-137.	1.6	9
99	Enzyme-catalyzed Mechanism of Isoniazid Activation in Class I and Class III Peroxidases. <i>Journal of Biological Chemistry</i> , 2004, 279, 39000-39009.	1.6	53
100	<sup>13</sup> C- <sup>13</sup> C NOESY: A constructive use of <sup>13</sup> C- <sup>13</sup> C spin-diffusion. <i>Journal of Biomolecular NMR</i> , 2004, 30, 245-251.	1.6	34
101	A Heteronuclear Direct-Detection NMR Spectroscopy Experiment for Protein-Backbone Assignment. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2257-2259.	7.2	52
102	Synthesis, characterization, and cytotoxic activity of copper(II) and platinum(II) complexes of 2-benzoylpyrrole and X-ray structure of bis[2-benzoylpyrrolato(N,O)]copper(II). <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 2071-2079.	1.5	9
103	<sup>13</sup> C- <sup>13</sup> C NOESY: An Attractive Alternative for Studying Large Macromolecules. <i>Journal of the American Chemical Society</i> , 2004, 126, 464-465.	6.6	74
104	Copper(II) proteins are amenable for NMR investigations. <i>Pure and Applied Chemistry</i> , 2004, 76, 321-333.	0.9	21
105	NMR study of manganese(II) binding by a new versatile peroxidase from the white-rot fungus <i>Pleurotus eryngii</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2003, 8, 751-760.	1.1	24
106	Zinc binding in peptide models of angiotensin-I converting enzyme active sites studied through <sup>1</sup> H-NMR and chemical shift perturbation mapping. <i>Biopolymers</i> , 2003, 69, 244-252.	1.2	8
107	<sup>13</sup> C Direct Detection Experiments on the Paramagnetic Oxidized Monomeric Copper, Zinc Superoxide Dismutase. <i>Journal of the American Chemical Society</i> , 2003, 125, 16423-16429.	6.6	107
108	Nuclear magnetic resonance spectroscopy studies on copper proteins. <i>Advances in Protein Chemistry</i> , 2002, 60, 397-449.	4.4	21

#	ARTICLE	IF	CITATIONS
109	Metal-Ligand Interplay in Blue Copper Proteins Studied by $^1\text{H}$ NMR Spectroscopy: $\text{Cu(II)}$ -Pseudoazurin and $\text{Cu(II)}$ -Rusticyanin. <i>Journal of the American Chemical Society</i> , 2002, 124, 13698-13708.	6.6	53
110	Characterization and Peroxidase Activity of a Myoglobin Mutant Containing a Distal Arginine. <i>ChemBioChem</i> , 2002, 3, 226-233.	1.3	48
111	An NMR method for studying the kinetics of metal exchange in biomolecular systems. <i>Journal of Biomolecular NMR</i> , 2002, 23, 303-309.	1.6	7
112	Adduct of Acetylene at Sulfur in an Oxygen- and Sulfur-Bridged Open Cubane Cluster Complex of Tungsten. <i>Inorganic Chemistry</i> , 2001, 40, 2111-2119.	1.9	20
113	Development of NMR Instrumentation to Achieve Excitation of Large Bandwidths in High-Resolution Spectra at High Field. <i>Journal of Magnetic Resonance</i> , 2001, 150, 161-166.	1.2	12
114	Multinuclear ( $^{13}\text{C}$ , $^{17}\text{O}$ , $^{57}\text{Fe}$ ) NMR studies of carbon monoxide heme proteins and synthetic model compounds. <i>Journal of Inorganic Biochemistry</i> , 2000, 79, 371-380.	1.5	9
115	Isolation and physico-chemical characterization of a cytochrome c from the methylotrophic yeast <i>Hansenula polymorpha</i> . <i>BBA - Proteins and Proteomics</i> , 2000, 1543, 174-188.	2.1	4
116	Structural Information through NMR Hyperfine Shifts in Blue Copper Proteins. <i>Journal of the American Chemical Society</i> , 2000, 122, 3701-3707.	6.6	95
117	Iron-57 Nuclear Shieldings as a Quantitative Tool for Estimating Porphyrin Ruffling in Hexacoordinated Carbonmonoxy Heme Model Compounds in Solution. <i>Journal of the American Chemical Society</i> , 1999, 121, 2903-2908.	6.6	12
118	Carbon-13 and Oxygen-17 Chemical Shifts, ( $^{16}\text{O}/^{18}\text{O}$ ) Isotope Effects on $^{13}\text{C}$ Chemical Shifts, and Vibrational Frequencies of Carbon Monoxide in Various Solvents and of the $\text{Fe}^{2+}\text{C}^{4+}\text{O}$ Unit in Carbonmonoxy Heme Proteins and Synthetic Model Compounds. <i>Inorganic Chemistry</i> , 1999, 38, 4283-4293.	1.9	16
119	Isolation and characterization of cytochrome c2 from <i>Rhodospseudomonas palustris</i> . <i>Inorganica Chimica Acta</i> , 1998, 269, 125-134.	1.2	12
120	Analysis of the Temperature Dependence of the $^1\text{H}$ and $^{13}\text{C}$ Isotropic Shifts of Horse Heart Ferricytochrome c: A Explanation of Curie and Anti-Curie Temperature Dependence and Nonlinear Pseudocontact Shifts in a Common Two-Level Framework. <i>Journal of the American Chemical Society</i> , 1998, 120, 8472-8479.	6.6	64
121	Indirect determination of magnetic susceptibility tensors in peroxidases: a novel approach to structure elucidation by NMR. <i>Journal of Biological Inorganic Chemistry</i> , 1996, 1, 320-329.	1.1	34
122	Carbonic anhydrase inhibitors. Part 37. Novel classes of isozyme I and II inhibitors and their mechanism of action. Kinetic and spectroscopic investigations on native and cobalt-substituted enzymes. <i>European Journal of Medicinal Chemistry</i> , 1996, 31, 1001-1010.	2.6	155
123	Analysis of the paramagnetic shifts of haem carbon resonances in bovine ferricytochrome b5. <i>European Biophysics Journal</i> , 1996, 24, 342-7.	1.2	13
124	Determination of Haem Electronic Structure in Cytochrome b5 and Metcyanomyoglobin. <i>FEBS Journal</i> , 1995, 232, 522-527.	0.2	13
125	Rationalization of the reduction potentials within the series of the high potential iron-sulfur proteins. <i>Inorganica Chimica Acta</i> , 1995, 240, 251-256.	1.2	23
126	Factoring of the Hyperfine Shifts in the Cyanide Adduct of Lignin Peroxidase from <i>P. chrysosporium</i> . <i>Journal of the American Chemical Society</i> , 1995, 117, 8659-8667.	6.6	43

#	ARTICLE	IF	CITATIONS
127	Carbonic Anhydrase: An Example of How the Cavity Governs the Reactivity at the Zinc Ion. Comments on Inorganic Chemistry, 1995, 17, 1-15.	3.0	9
128	3D Structure of HiPIPs in Solution through NMR and Molecular Dynamics Studies. , 1995, , 281-296.		1
129	Determination of Haem Electronic Structure in Cytochrome b 5 and Metcyanomyoglobin. FEBS Journal, 1995, 232, 522-527.	0.2	2
130	Strategies of Signal Assignments in Paramagnetic Metalloproteins. An NMR Investigation of the Thiocyanate Adduct of the Cobalt(II)-Substituted Human Carbonic Anhydrase II. Journal of Magnetic Resonance Series B, 1994, 104, 230-239.	1.6	25
131	The three-dimensional structure in solution of the paramagnetic high-potential iron-sulfur protein I from Ectothiorhodospira halophila through nuclear magnetic resonance. FEBS Journal, 1994, 225, 715-725.	0.2	99
132	1H-13C HETCOR Investigations on Heme-Containing Systems. Inorganic Chemistry, 1994, 33, 4338-4343.	1.9	33
133	Cytochrome P450 and Aromatic Bases: A 1H NMR Study. Journal of the American Chemical Society, 1994, 116, 4866-4873.	6.6	35
134	1H 3D NOE-NOE spectrum of met-cyanomyoglobin: The first 3D NMR spectrum of a paramagnetic protein. Magnetic Resonance in Chemistry, 1993, 31, S3-S7.	1.1	5
135	1H-NMR study of reduced heme proteins myoglobin and cytochrome P450. FEBS Journal, 1993, 215, 431-437.	0.2	22
136	Spectroscopic characterization of a newly isolated cytochrome P450 from Rhodococcus rhodochrous. Biophysical Journal, 1993, 65, 806-813.	0.2	16
137	1H nuclear magnetic resonance investigation of cobalt(II) substituted carbonic anhydrase. Biophysical Journal, 1992, 63, 530-543.	0.2	36
138	A multinuclear ligand NMR investigation of cyanide, cyanate, and thiocyanate binding to zinc and cobalt carbonic anhydrase. Inorganic Chemistry, 1992, 31, 3975-3979.	1.9	35
139	The interaction of acetate and formate with cobalt carbonic anhydrase. An NMR study. FEBS Journal, 1992, 208, 607-615.	0.2	23