

Lisbeth M Ottosen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1320014/publications.pdf>

Version: 2024-02-01

187
papers

5,617
citations

87888

38
h-index

128289

60
g-index

191
all docs

191
docs citations

191
times ranked

3470
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Utilization of acid-washed sewage sludge ash as sand or cement replacement in concrete. Resources, Conservation and Recycling, 2022, 176, 105943. | 10.8 | 22 |
| 2 | Rare Earth Elements Partition and Recovery During Electrodialytic Treatment of Coal Fly Ash. Journal of the Electrochemical Society, 2022, 169, 033501. | 2.9 | 5 |
| 3 | Screening dilute sources of rare earth elements for their circular recovery. Journal of Geochemical Exploration, 2022, 238, 107000. | 3.2 | 6 |
| 4 | Phase development and mechanical response of low-level cement replacements with wood ash and washed wood ash. Construction and Building Materials, 2021, 269, 121234. | 7.2 | 19 |
| 5 | Reaction mechanisms of wood ash for use as a partial cement replacement. Construction and Building Materials, 2021, 286, 122889. | 7.2 | 17 |
| 6 | Electric resistivity during electrodialytic recovery of phosphorous from sewage sludge ash. Case Studies in Chemical and Environmental Engineering, 2021, 3, 100092. | 6.1 | 3 |
| 7 | Influence of synthetic waste fibres on drying shrinkage cracking and mechanical properties of adobe materials. Construction and Building Materials, 2021, 286, 122738. | 7.2 | 14 |
| 8 | IMPLEMENTATION STAGE FOR CIRCULAR ECONOMY IN THE DANISH BUILDING AND CONSTRUCTION SECTOR. Detritus, 2021, , 26-30. | 0.9 | 8 |
| 9 | Recovery of Phosphorous from Sewage Sludge Ash Prior to Utilization as Secondary Resource in Concrete and Bricks. RILEM Bookseries, 2021, , 305-315. | 0.4 | 0 |
| 10 | New Double Electrode System for the Electrochemical Desalination of Building Stones. International Journal of Architectural Heritage, 2020, 14, 678-693. | 3.1 | 5 |
| 11 | Influence of fibre characteristics on plastic shrinkage cracking in cement-based materials: A review. Construction and Building Materials, 2020, 230, 116769. | 7.2 | 38 |
| 12 | Electrochemical transformation of an aged tetrachloroethylene contamination in realistic aquifer settings. Chemosphere, 2020, 243, 125340. | 8.2 | 4 |
| 13 | Transformation of tetrachloroethylene in a flow-through electrochemical reactor. Science of the Total Environment, 2020, 707, 135566. | 8.0 | 10 |
| 14 | Selecting Electrode Materials and Sequence for Electrochemical Removal of Chlorinated Ethenes in Groundwater. Water, Air, and Soil Pollution, 2020, 231, 1. | 2.4 | 2 |
| 15 | Electrodialytically treated MSWI fly ash use in clay bricks. Construction and Building Materials, 2020, 254, 119286. | 7.2 | 27 |
| 16 | Electroprecipitation of Magnesium and Calcium Compounds for Weathering Protection of Ornamental Rocks. Crystal Growth and Design, 2020, 20, 2337-2355. | 3.0 | 10 |
| 17 | Electrokinetic desalination of a farmhouse applying a proton pump approach. First in situ experience. Construction and Building Materials, 2020, 243, 118308. | 7.2 | 10 |
| 18 | Sewage sludge ash as resource for phosphorous and material for clay brick manufacturing. Construction and Building Materials, 2020, 249, 118684. | 7.2 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Quantification of plastic shrinkage cracking in mortars using digital image correlation. <i>Cement and Concrete Research</i> , 2019, 123, 105761. | 11.0 | 43 |
| 20 | Electrokinetics applied in remediation of subsurface soil contaminated with chlorinated ethenes – A review. <i>Chemosphere</i> , 2019, 235, 113-125. | 8.2 | 35 |
| 21 | Impact of production parameters on physiochemical characteristics of wood ash for possible utilisation in cement-based materials. <i>Resources, Conservation and Recycling</i> , 2019, 145, 230-240. | 10.8 | 37 |
| 22 | Electrodialytic Arsenic Removal from Bulk and Pre-treated Soil. <i>Water, Air, and Soil Pollution</i> , 2019, 230, 1. | 2.4 | 4 |
| 23 | Challenges in electrochemical remediation of chlorinated solvents in natural groundwater aquifer settings. <i>Journal of Hazardous Materials</i> , 2019, 368, 680-688. | 12.4 | 23 |
| 24 | Comparison of two- and three-compartment cells for electrochemical removal of heavy metals from contaminated material suspensions. <i>Journal of Hazardous Materials</i> , 2019, 367, 68-76. | 12.4 | 29 |
| 25 | Quantitative analysis of the influence of synthetic fibres on plastic shrinkage cracking using digital image correlation. <i>Construction and Building Materials</i> , 2019, 199, 124-137. | 7.2 | 25 |
| 26 | Characterization of sewage sludge ash and its effect on moisture physics of mortar. <i>Journal of Building Engineering</i> , 2019, 21, 396-403. | 3.4 | 37 |
| 27 | Sustainability of construction materials: Electrodialytic technology as a tool for mortars production. <i>Journal of Hazardous Materials</i> , 2019, 363, 421-427. | 12.4 | 10 |
| 28 | Electro-remediation of tailings from a multi-metal sulphide mine: comparing removal efficiencies of Pb, Zn, Cu and Cd. <i>Chemistry and Ecology</i> , 2019, 35, 54-68. | 1.6 | 5 |
| 29 | Applying multivariate analysis for optimising the electrochemical removal of Cu and Pb from shooting range soils. <i>Journal of Hazardous Materials</i> , 2019, 368, 869-876. | 12.4 | 7 |
| 30 | Characterization of coal bio ash from wood pellets and low-alkali coal fly ash and use as partial cement replacement in mortar. <i>Cement and Concrete Composites</i> , 2019, 95, 25-32. | 10.7 | 43 |
| 31 | Selenium removal from petroleum refinery wastewater using an electrocoagulation technique. <i>Journal of Hazardous Materials</i> , 2019, 364, 78-81. | 12.4 | 95 |
| 32 | The relative influence of electrokinetic remediation design on the removal of As, Cu, Pb and Sb from shooting range soils. <i>Engineering Geology</i> , 2018, 238, 52-61. | 6.3 | 34 |
| 33 | Screening of heavy metal containing waste types for use as raw material in Arctic clay-based bricks. <i>Environmental Science and Pollution Research</i> , 2018, 25, 32831-32843. | 5.3 | 14 |
| 34 | Electrodialytic extraction of Cr from water-washed MSWI fly ash by changing pH and redox conditions. <i>Waste Management</i> , 2018, 71, 215-223. | 7.4 | 25 |
| 35 | Long-term dispersion and availability of metals from submarine mine tailing disposal in a fjord in Arctic Norway. <i>Environmental Science and Pollution Research</i> , 2018, 25, 32901-32912. | 5.3 | 12 |
| 36 | Effect of long-term electrochemical soil remediation on Pb removal and soil weathering. <i>Journal of Hazardous Materials</i> , 2018, 358, 459-466. | 12.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The influence of Magnafloc10 on the acidic, alkaline, and electrodynamic desorption of metals from mine tailings. <i>Journal of Environmental Management</i> , 2018, 224, 130-139. | 7.8 | 5 |
| 38 | Influence of electrode placement for mobilising and removing metals during electrodynamic remediation of metals from shooting range soil. <i>Chemosphere</i> , 2018, 210, 683-691. | 8.2 | 18 |
| 39 | Enhancing the efficiency of electrochemical desalination of stones: a proton pump approach. <i>Materials and Structures/Materiaux Et Constructions</i> , 2018, 51, 1. | 3.1 | 15 |
| 40 | Utilisation of Electrodynamicly Treated Sewage Sludge Ash in Mortar. <i>Waste and Biomass Valorization</i> , 2018, 9, 2503-2515. | 3.4 | 16 |
| 41 | Electrodynamic phosphorus recovery from sewage sludge ash under kinetic control. <i>Electrochimica Acta</i> , 2018, 287, 49-59. | 5.2 | 18 |
| 42 | DISCARDED NYLON FISHING NETS AS FIBRE REINFORCEMENT IN CEMENT MORTAR. , 2018, , . | | 2 |
| 43 | Sequential electrodynamic recovery of phosphorus from low-temperature gasification ashes of chemically precipitated sewage sludge. <i>Waste Management</i> , 2017, 60, 211-218. | 7.4 | 17 |
| 44 | Electrokinetic desalination of protruded areas of stone avoiding the direct contact with electrodes. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017, 50, 1. | 3.1 | 17 |
| 45 | Environmental Electrokinetics for a sustainable subsurface. <i>Chemosphere</i> , 2017, 181, 122-133. | 8.2 | 63 |
| 46 | Comparison of phosphorus recovery from incineration and gasification sewage sludge ash. <i>Water Science and Technology</i> , 2017, 75, 1251-1260. | 2.5 | 28 |
| 47 | Simultaneous electrodynamic removal of PAH, PCB, TBT and heavy metals from sediments. <i>Journal of Environmental Management</i> , 2017, 198, 192-202. | 7.8 | 25 |
| 48 | An improved electrokinetic method to consolidate porous materials. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017, 50, 1. | 3.1 | 14 |
| 49 | Colour, compressive strength and workability of mortars with an iron rich sewage sludge ash. <i>Construction and Building Materials</i> , 2017, 157, 1199-1205. | 7.2 | 42 |
| 50 | The influence of sediment properties and experimental variables on the efficiency of electrodynamic removal of metals from sediment. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 5312-5321. | 6.7 | 10 |
| 51 | Comparison of different MSWI fly ash treatment processes on the thermal behavior of As, Cr, Pb and Zn in the ash. <i>Waste Management</i> , 2017, 68, 240-251. | 7.4 | 46 |
| 52 | Electrodynamic remediation of municipal solid waste incineration residues using different membranes. <i>Chemosphere</i> , 2017, 169, 62-68. | 8.2 | 24 |
| 53 | Metal speciation of historic and new copper mine tailings from Repparfjorden, Northern Norway, before and after acid, base and electrodynamic extraction. <i>Minerals Engineering</i> , 2017, 107, 100-111. | 4.3 | 16 |
| 54 | Applying multivariate analysis as decision tool for evaluating sediment-specific remediation strategies. <i>Chemosphere</i> , 2016, 151, 59-67. | 8.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Valorisation of ferric sewage sludge ashes: Potential as a phosphorus source. Waste Management, 2016, 52, 193-201. | 7.4 | 15 |
| 56 | Degradation of oil products in a soil from a Russian Barents hot-spot during electro-dialytic remediation. SpringerPlus, 2016, 5, 168. | 1.2 | 8 |
| 57 | Phosphorous recovery from sewage sludge ash suspended in water in a two-compartment electro-dialytic cell. Waste Management, 2016, 51, 142-148. | 7.4 | 44 |
| 58 | Valorisation of Phosphorus Extracted from Dairy Cattle Slurry and Municipal Solid Wastes Digestates as a Fertilizer. Waste and Biomass Valorization, 2016, 7, 861-869. | 3.4 | 15 |
| 59 | Nanoremediation Coupled to Electrokinetics for PCB Removal from Soil. , 2016, , 331-350. | | 9 |
| 60 | Electrokinetic Soil Remediation: An Overview. , 2016, , 3-18. | | 6 |
| 61 | Electro-desalination of Buildings Suffering from Salt Weathering. , 2016, , 205-224. | | 2 |
| 62 | Incorporation of Different Fly Ashes from MSWI as Substitute for Cement in Mortar: An Overview of the Suitability of Electro-dialytic Pre-treatment. , 2016, , 225-247. | | 5 |
| 63 | Electrokinetic Remediation of Copper Mine Tailings: Evaluating Different Alternatives for the Electric Field. , 2016, , 143-159. | | 1 |
| 64 | Suspended electro-dialytic extraction of toxic elements for detoxification of three different mine tailings. International Journal of Sustainable Development and Planning, 2016, 11, 119-127. | 0.7 | 3 |
| 65 | Greenlandic waste incineration fly and bottom ash as secondary resource in mortar. International Journal of Sustainable Development and Planning, 2016, 11, 719-728. | 0.7 | 4 |
| 66 | Wood ash used as partly sand and/or cement replacement in mortar. International Journal of Sustainable Development and Planning, 2016, 11, 781-791. | 0.7 | 17 |
| 67 | Experimental design for assessment of electrokinetically enhanced delivery of lactate and bacteria in 1,2-cis-dichloroethylene contaminated limestone. Environmental Technology and Innovation, 2015, 4, 73-81. | 6.1 | 4 |
| 68 | Electro-dialytic upgrading of three different municipal solid waste incineration residue types with focus on Cr, Pb, Zn, Mn, Mo, Sb, Se, V, Cl and SO ₄ . Electrochimica Acta, 2015, 181, 167-178. | 5.2 | 21 |
| 69 | An optimised method for electro-dialytic removal of heavy metals from harbour sediments. Electrochimica Acta, 2015, 173, 432-439. | 5.2 | 18 |
| 70 | Electrochemical desalination of bricks – Experimental and modeling. Electrochimica Acta, 2015, 181, 24-30. | 5.2 | 12 |
| 71 | Comparison of two different electro-dialytic cells for separation of phosphorus and heavy metals from sewage sludge ash. Chemosphere, 2015, 125, 122-129. | 8.2 | 77 |
| 72 | Electrochemical desalination of historic Portuguese tiles – Removal of chlorides, nitrates and sulfates. Journal of Cultural Heritage, 2015, 16, 712-718. | 3.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Comparison of 2-compartment, 3-compartment and stack designs for electrodialytic removal of heavy metals from harbour sediments. <i>Electrochimica Acta</i> , 2015, 181, 48-57. | 5.2 | 37 |
| 74 | Treatment of a suspension of PCB contaminated soil using iron nanoparticles and electric current. <i>Journal of Environmental Management</i> , 2015, 151, 550-555. | 7.8 | 32 |
| 75 | Screening of variable importance for optimizing electrodialytic remediation of heavy metals from polluted harbour sediments. <i>Environmental Technology (United Kingdom)</i> , 2015, 36, 2364-2373. | 2.2 | 12 |
| 76 | Electrodialytic removal of heavy metals and chloride from municipal solid waste incineration fly ash and air pollution control residue in suspension – test of a new two compartment experimental cell. <i>Electrochimica Acta</i> , 2015, 181, 73-81. | 5.2 | 48 |
| 77 | Electrodialytic treatment of municipal wastewater and sludge for the removal of heavy metals and recovery of phosphorus. <i>Electrochimica Acta</i> , 2015, 181, 90-99. | 5.2 | 77 |
| 78 | Chemometric Analysis for Pollution Source Assessment of Harbour Sediments in Arctic Locations. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1. | 2.4 | 17 |
| 79 | Electroremediation of PCB contaminated soil combined with iron nanoparticles: Effect of the soil type. <i>Chemosphere</i> , 2015, 131, 157-163. | 8.2 | 33 |
| 80 | Electrodialytic remediation of fly ash from co-combustion of wood and straw. <i>Electrochimica Acta</i> , 2015, 181, 208-216. | 5.2 | 12 |
| 81 | Influence of the properties of granite and sandstone in the desalination process by electrokinetic technique. <i>Electrochimica Acta</i> , 2015, 181, 280-287. | 5.2 | 26 |
| 82 | Electrodialytic extraction of phosphorus from ash of low-temperature gasification of sewage sludge. <i>Electrochimica Acta</i> , 2015, 181, 100-108. | 5.2 | 28 |
| 83 | Multivariate methods for evaluating the efficiency of electrodialytic removal of heavy metals from polluted harbour sediments. <i>Journal of Hazardous Materials</i> , 2015, 283, 712-720. | 12.4 | 37 |
| 84 | Electrochemically enhanced reduction of hexavalent chromium in contaminated clay: Kinetics, energy consumption, and application of pulse current. <i>Chemical Engineering Journal</i> , 2015, 262, 1099-1107. | 12.7 | 22 |
| 85 | Ammonium citrate as enhancement for electrodialytic soil remediation and investigation of soil solution during the process. <i>Chemosphere</i> , 2015, 119, 889-895. | 8.2 | 39 |
| 86 | Modeling of Electric Double-Layers Including Chemical Reaction Effects. <i>Electrochimica Acta</i> , 2014, 150, 263-268. | 5.2 | 22 |
| 87 | Electrodialytic Separation of Phosphorus and Heavy Metals from Two Types of Sewage Sludge Ash. <i>Separation Science and Technology</i> , 2014, 49, 1910-1920. | 2.5 | 32 |
| 88 | Desalination of salt damaged Obernkirchen sandstone by an applied DC field. <i>Construction and Building Materials</i> , 2014, 71, 561-569. | 7.2 | 14 |
| 89 | Electrodialytic remediation of polychlorinated biphenyls contaminated soil with iron nanoparticles and two different surfactants. <i>Journal of Colloid and Interface Science</i> , 2014, 433, 189-195. | 9.4 | 55 |
| 90 | Phosphorus recovery from sewage sludge ash through an electrodialytic process. <i>Waste Management</i> , 2014, 34, 886-892. | 7.4 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Electrokinetics in the Removal of Metal Ions from Soils. , 2014, , 742-746. | | 2 |
| 92 | Phosphorus Recovery from a Water Reservoirâ€“Potential of Nanofiltration Coupled to Electrodialytic Process. Waste and Biomass Valorization, 2013, 4, 675-681. | 3.4 | 5 |
| 93 | Effect of pulse current on acidification and removal of Cu, Cd, and As during suspended electro-dialytic soil remediation. Electrochimica Acta, 2013, 107, 187-193. | 5.2 | 21 |
| 94 | Extracting phosphorous from incinerated sewage sludge ash rich in iron or aluminum. Chemosphere, 2013, 91, 963-969. | 8.2 | 131 |
| 95 | Electrodialytic Remediation of Different Heavy Metal-Polluted Soils in Suspension. Water, Air, and Soil Pollution, 2013, 224, 1. | 2.4 | 10 |
| 96 | Electrodialytic soil remediation enhanced by low frequency pulse current â€“ Overall chronopotentiometric measurement. Chemosphere, 2013, 90, 1520-1525. | 8.2 | 8 |
| 97 | Electro-remediation of copper mine tailings. Comparing copper removal efficiencies for two tailings of different age. Minerals Engineering, 2013, 41, 1-8. | 4.3 | 20 |
| 98 | Computing multi-species chemical equilibrium with an algorithm based on the reaction extents. Computers and Chemical Engineering, 2013, 58, 135-143. | 3.8 | 32 |
| 99 | Electrodialytic removal of Cd from biomass combustion fly ash suspensions. Journal of Hazardous Materials, 2013, 250-251, 212-219. | 12.4 | 19 |
| 100 | Simulation-based analysis of the differences in the removal rate of chlorides, nitrates and sulfates by electrokinetic desalination treatments. Electrochimica Acta, 2013, 89, 436-444. | 5.2 | 40 |
| 101 | Electrodialytic Extraction of Heavy Metals from Greenlandic MSWI Fly Ash As a Function of Remediation Time and L/S ratio. , 2013, , . | | 7 |
| 102 | Electrodialytic Remediation of Copper Mine Tailings. Procedia Engineering, 2012, 44, 2053-2055. | 1.2 | 8 |
| 103 | Assessing PAH removal from clayey soil by means of electro-osmosis and electro-dialysis. Science of the Total Environment, 2012, 435-436, 1-6. | 8.0 | 40 |
| 104 | Effects of pulse current on energy consumption and removal of heavy metals during electro-dialytic soil remediation. Electrochimica Acta, 2012, 86, 28-35. | 5.2 | 34 |
| 105 | Modeling of electrokinetic desalination of bricks. Electrochimica Acta, 2012, 86, 213-222. | 5.2 | 34 |
| 106 | Electrokinetic desalination of sandstones for NaCl removalâ€“Test of different clay poultices at the electrodes. Electrochimica Acta, 2012, 86, 192-202. | 5.2 | 26 |
| 107 | Electrodialytic versus acid extraction of heavy metals from soil washing residue. Electrochimica Acta, 2012, 86, 115-123. | 5.2 | 17 |
| 108 | Pulse current enhanced electro-dialytic soil remediationâ€“Comparison of different pulse frequencies. Journal of Hazardous Materials, 2012, 237-238, 299-306. | 12.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Diffusion and electromigration in clay bricks influenced by differences in the pore system resulting from firing. <i>Construction and Building Materials</i> , 2012, 27, 390-397. | 7.2 | 15 |
| 110 | Electrodialytic remediation of suspended soil – Comparison of two different soil fractions. <i>Journal of Hazardous Materials</i> , 2012, 203-204, 229-235. | 12.4 | 28 |
| 111 | Electrochemical in situ impregnation of wood using a copper nail as source for copper. <i>Wood Science and Technology</i> , 2011, 45, 289-302. | 3.2 | 6 |
| 112 | Modeling of electrokinetic processes by finite element integration of the Nernst-Planck-Poisson system of equations. <i>Separation and Purification Technology</i> , 2011, 79, 183-192. | 7.9 | 47 |
| 113 | Electrodialytic treatment for metal removal from sewage sludge ash from fluidized bed combustion. <i>Journal of Hazardous Materials</i> , 2010, 176, 1073-1078. | 12.4 | 27 |
| 114 | Electrochemical peroxidation as a tool to remove arsenic and copper from smelter wastewater. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1031-1038. | 2.9 | 22 |
| 115 | Test of electrochemical upgrading of MSWI APC residue in pilot scale: focus on reduced metal and salt leaching. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1049-1060. | 2.9 | 30 |
| 116 | Electrokinetic desalination of glazed ceramic tiles. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1161-1171. | 2.9 | 18 |
| 117 | Electroremediation of air pollution control residues in a continuous reactor. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1173-1181. | 2.9 | 24 |
| 118 | Experimental and modeling of the electrochemical and dialytic treatment of a fly ash containing Cd, Cu and Pb. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1689-1697. | 2.9 | 10 |
| 119 | Assessing fly ash treatment: Remediation and stabilization of heavy metals. <i>Journal of Environmental Management</i> , 2010, 95 Suppl, S110-5. | 7.8 | 16 |
| 120 | Investigations of Cu, Pb and Zn partitioning by sequential extraction in harbour sediments after electrochemical remediation. <i>Chemosphere</i> , 2010, 79, 997-1002. | 8.2 | 64 |
| 121 | Removal of Arsenic from Wastewaters by Airlift Electrocoagulation: Part 3: Copper Smelter Wastewater Treatment. <i>Separation Science and Technology</i> , 2010, 45, 1326-1330. | 2.5 | 14 |
| 122 | Relation Between pH and Desorption of Cu, Cr, Zn, and Pb from Industrially Polluted Soils. <i>Water, Air, and Soil Pollution</i> , 2009, 201, 295-304. | 2.4 | 28 |
| 123 | Electroremediation of straw and co-combustion ash under acidic conditions. <i>Journal of Hazardous Materials</i> , 2009, 161, 1003-1009. | 12.4 | 12 |
| 124 | Electrochemical remediation of harbour sediment in suspension – Evaluation of effects induced by changes in stirring velocity and current density on heavy metal removal and pH. <i>Journal of Hazardous Materials</i> , 2009, 169, 685-690. | 12.4 | 34 |
| 125 | Desalination of a brick by application of an electric DC field. <i>Materials and Structures/Materiaux Et Constructions</i> , 2009, 42, 961-971. | 3.1 | 38 |
| 126 | Electrochemical Remediation of Soil Slurry – Removal of Cu, Cr, and As. <i>Separation Science and Technology</i> , 2009, 44, 2245-2268. | 2.5 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Characterization of fly ash from bio and municipal waste. <i>Biomass and Bioenergy</i> , 2008, 32, 277-282. | 5.7 | 78 |
| 128 | Utilization of electromigration in civil and environmental engineeringâ€”Processes, transport rates and matrix changes. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 795-809. | 1.7 | 45 |
| 129 | Electrodialytic remediation of suspended mine tailings. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 832-836. | 1.7 | 16 |
| 130 | Electrodialytic removal of Cd from straw ash in a pilot plant. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 844-851. | 1.7 | 7 |
| 131 | Preliminary treatment of MSW fly ash as a way of improving electrochemical remediation. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 837-843. | 1.7 | 24 |
| 132 | Salt-related problems in brick masonry and electrokinetic removal of salts. <i>Journal of Building Appraisal</i> , 2007, 3, 181-194. | 0.4 | 28 |
| 133 | The Effect of Soil Type on the Electrochemical Remediation of Lead-Contaminated Soil. <i>Environmental Engineering Science</i> , 2007, 24, 234-244. | 1.6 | 18 |
| 134 | Modeling of electrochemical and dialytic removal of Cr, Cu and As from CCA-treated wood chips. <i>Chemosphere</i> , 2007, 66, 1716-1726. | 8.2 | 26 |
| 135 | Organic acid enhanced electrochemical extraction of lead from contaminated soil fines in suspension. <i>Journal of Chemical Technology and Biotechnology</i> , 2007, 82, 920-928. | 3.2 | 22 |
| 136 | Electrochemical remediation of soil fines ($\lt; 63\hat{1}4\text{m}$) in suspensionâ€”Influence of current strength and L/S. <i>Electrochimica Acta</i> , 2007, 52, 3412-3419. | 5.2 | 41 |
| 137 | Electrokinetic removal of $\text{Ca}(\text{NO}_3)_2$ from bricks to avoid salt-induced decay. <i>Electrochimica Acta</i> , 2007, 52, 3454-3463. | 5.2 | 29 |
| 138 | Screening the possibility for removing cadmium and other heavy metals from wastewater sludge and bio-ashes by an electrochemical method. <i>Electrochimica Acta</i> , 2007, 52, 3420-3426. | 5.2 | 45 |
| 139 | Diagnostic analysis of electrochemical in mine tailing materials. <i>Electrochimica Acta</i> , 2007, 52, 3406-3411. | 5.2 | 27 |
| 140 | Electrochemical extraction of Cd and Cu from sediment from Sisimiut Harbour, Greenland. <i>Journal of Hazardous Materials</i> , 2007, 140, 271-279. | 12.4 | 14 |
| 141 | Electrokinetic remediation of copper mine tailings. <i>Electrochimica Acta</i> , 2007, 52, 3355-3359. | 5.2 | 38 |
| 142 | Preservation of murals on salt loaded masonry vaults by electromigration. <i>WIT Transactions on the Built Environment</i> , 2007, , . | 0.0 | 2 |
| 143 | Elemental analysis of ash residue from combustion of CCA treated wood waste before and after electrochemical extraction. <i>Chemosphere</i> , 2006, 65, 110-116. | 8.2 | 12 |
| 144 | Comparison of electrochemical removal of Cu from spiked kaolinite, spiked soil and industrially polluted soil. <i>Journal of Hazardous Materials</i> , 2006, 137, 113-120. | 12.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Kinetics of electro dialytic extraction of Pb and soil cations from a slurry of contaminated soil fines. <i>Journal of Hazardous Materials</i> , 2006, 138, 493-499. | 12.4 | 27 |
| 146 | Speciation Of Pb In Industrially Polluted Soils. <i>Water, Air, and Soil Pollution</i> , 2006, 170, 359-382. | 2.4 | 59 |
| 147 | Formation of ferric flocks to remove for the removal of Zn and Cu from dockyard wastewater. <i>Environmental Chemistry Letters</i> , 2006, 3, 164-168. | 16.2 | 7 |
| 148 | High Cu and Cd pollution in sediments from Sisimiut, Greenland. Adsorption to organic matter and fine particles. <i>Environmental Chemistry Letters</i> , 2006, 4, 195-199. | 16.2 | 10 |
| 149 | The use of desorbing agents in electro dialytic remediation of harbour sediment. <i>Science of the Total Environment</i> , 2006, 357, 25-37. | 8.0 | 39 |
| 150 | Electro dialytic remediation of CCA-treated waste wood in a 2 m3 pilot plant. <i>Science of the Total Environment</i> , 2006, 364, 45-54. | 8.0 | 26 |
| 151 | Electro dialytic remediation of copper mine tailings: Comparing different operational conditions. <i>Minerals Engineering</i> , 2006, 19, 500-504. | 4.3 | 19 |
| 152 | Electro dialytic extraction of Cu, Pb and Cl from municipal solid waste incineration fly ash suspended in water. <i>Journal of Chemical Technology and Biotechnology</i> , 2006, 81, 553-559. | 3.2 | 30 |
| 153 | Electro dialytic remediation of copper mine tailings. <i>Journal of Hazardous Materials</i> , 2005, 117, 179-183. | 12.4 | 57 |
| 154 | Electro dialytic removal of heavy metals from municipal solid waste incineration fly ash using ammonium citrate as assisting agent. <i>Journal of Hazardous Materials</i> , 2005, 122, 103-109. | 12.4 | 64 |
| 155 | Electro dialytic remediation of CCA-treated waste wood in pilot scale. <i>Engineering Geology</i> , 2005, 77, 331-338. | 6.3 | 28 |
| 156 | Test of experimental set-ups for electro dialytic removal of Cu, Zn, Pb and Cd from different contaminated harbour sediments. <i>Engineering Geology</i> , 2005, 77, 349-357. | 6.3 | 44 |
| 157 | Case study on the strategy and application of enhancement solutions to improve remediation of soils contaminated with Cu, Pb and Zn by means of electro dialysis. <i>Engineering Geology</i> , 2005, 77, 317-329. | 6.3 | 35 |
| 158 | Removal of selected heavy metals from MSW fly ash by the electro dialytic process. <i>Engineering Geology</i> , 2005, 77, 339-347. | 6.3 | 62 |
| 159 | Regression modeling of electro dialytic removal of Cu, Cr and As from CCA treated timber waste: application to sawdust. <i>Wood Science and Technology</i> , 2005, 39, 291-309. | 3.2 | 16 |
| 160 | Characterization of residues from thermal treatment of treated wood and extraction of Cu, Cr, As and Zn. <i>Wood Science and Technology</i> , 2005, 39, 87-98. | 3.2 | 7 |
| 161 | Effect of Major Constituents of MSW Fly Ash During Electro dialytic Remediation of Heavy Metals. <i>Separation Science and Technology</i> , 2005, 40, 2007-2019. | 2.5 | 16 |
| 162 | Acidification of Harbor Sediment and Removal of Heavy Metals Induced by Water Splitting in Electro dialytic Remediation. <i>Separation Science and Technology</i> , 2005, 40, 2245-2264. | 2.5 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Electrodialytic Removal of Cu, Zn, Pb, and Cd from Harbor Sediment: Influence of Changing Experimental Conditions. <i>Environmental Science & Technology</i> , 2005, 39, 2906-2911. | 10.0 | 61 |
| 164 | Speciation and leachability of copper in mine tailings from porphyry copper mining: Influence of particle size. <i>Chemosphere</i> , 2005, 60, 1497-1503. | 8.2 | 49 |
| 165 | Effect of different extracting solutions on the electrochemical remediation of CCA-treated wood waste Part I.. <i>Journal of Hazardous Materials</i> , 2004, 107, 103-113. | 12.4 | 19 |
| 166 | Electrodialytic removal of cadmium from straw combustion fly ash. <i>Journal of Chemical Technology and Biotechnology</i> , 2004, 79, 789-794. | 3.2 | 17 |
| 167 | Electrodialytic removal of cadmium from wastewater sludge. <i>Journal of Hazardous Materials</i> , 2004, 106, 127-132. | 12.4 | 86 |
| 168 | Possible applications for municipal solid waste fly ash. <i>Journal of Hazardous Materials</i> , 2003, 96, 201-216. | 12.4 | 387 |
| 169 | Electrodialytic removal of heavy metals from different fly ashes. <i>Journal of Hazardous Materials</i> , 2003, 100, 65-78. | 12.4 | 79 |
| 170 | Electrodialytic Removal of Heavy Metals from Different Solid Waste Products. <i>Separation Science and Technology</i> , 2003, 38, 1269-1289. | 2.5 | 36 |
| 171 | Electroosmotic Dewatering of Porous Materials-Experiences with Chalk, Iron Hydroxide and Biomass Sludges, and Wet Fly Ash. <i>Journal of Chemical Engineering of Japan</i> , 2003, 36, 689-694. | 0.6 | 3 |
| 172 | Effects from different types of construction refuse in the soil on electrochemical remediation. <i>Journal of Hazardous Materials</i> , 2002, 91, 205-219. | 12.4 | 16 |
| 173 | A comparative study on Cu, Cr and As removal from CCA-treated wood waste by dialytic and electrochemical processes. <i>Journal of Hazardous Materials</i> , 2002, 94, 147-160. | 12.4 | 34 |
| 174 | Speciation and mobility of cadmium in straw and wood combustion fly ash. <i>Chemosphere</i> , 2001, 45, 123-128. | 8.2 | 80 |
| 175 | Removal of Cu, Pb and Zn in an applied electric field in calcareous and non-calcareous soils. <i>Journal of Hazardous Materials</i> , 2001, 85, 291-299. | 12.4 | 72 |
| 176 | Electroosmotic Dewatering of Chalk Sludge, Wet Fly Ash and Iron Hydroxide Sludge. <i>Chemie-Ingenieur-Technik</i> , 2001, 73, 728-728. | 0.8 | 0 |
| 177 | Title is missing!. <i>Journal of Applied Electrochemistry</i> , 2000, 30, 1199-1207. | 2.9 | 103 |
| 178 | Electrodialytic Remediation of an Arsenic and Copper Polluted Soil - Continuous Addition of Ammonia During the Process. <i>Environmental Technology (United Kingdom)</i> , 2000, 21, 1421-1428. | 2.2 | 33 |
| 179 | Electrochemically enhanced oxidation reactions in sandy soil polluted with mercury. <i>Science of the Total Environment</i> , 2000, 261, 137-147. | 8.0 | 34 |
| 180 | Electrodialytic Removal of Cu, Cr, and As from Chromated Copper Arsenate-Treated Timber Waste. <i>Environmental Science & Technology</i> , 2000, 34, 784-788. | 10.0 | 114 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Electrodialytic Remediation of Soil Polluted With Heavy Metals. Chemical Engineering Research and Design, 1999, 77, 218-222. | 5.6 | 32 |
| 182 | Electrical Resistance and Transport Numbers of Ion-Exchange Membranes Used in Electrodialytic Soil Remediation. Separation Science and Technology, 1999, 34, 2223-2233. | 2.5 | 19 |
| 183 | Electrochemical Analysis of Ion-Exchange Membranes with Respect to a Possible Use in Electrodialytic Decontamination of Soil Polluted with Heavy Metals. Separation Science and Technology, 1997, 32, 2425-2444. | 2.5 | 24 |
| 184 | Electrodialytic Remediation of Soil Polluted with Copper from Wood Preservation Industry. Environmental Science & Technology, 1997, 31, 1711-1715. | 10.0 | 151 |
| 185 | Electrodialytic remediation of soils polluted with Cu, Cr, Hg, Pb and Zn. , 1997, 70, 67-73. | | 97 |
| 186 | Modelling of Electrokinetic Processes in Civil and Environmental Engineering Applications. , 0, , . | | 1 |
| 187 | As(III) to As(V) oxidation in copper smelter wastewater by in situ generated ozone. Chemical Engineering and Technology, 0, , . | 1.5 | 0 |