
Takeshi Sato

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1321709/publications.pdf Version: 2024-02-01



Τλέεςμι δάτο

#	Article	IF	CITATIONS
1	Transition from continental rift to back-arc basin in the southern Japan Sea deduced from seismic velocity structures. Geophysical Journal International, 2020, 221, 722-739.	2.4	9
2	Feasibility study on the waveform analysis to the conventional wide-angle marine seismic survey data. , 2019, , .		0
3	Crustal characteristic variation in the central Yamato Basin, Japan Sea back-arc basin, deduced from seismic survey results. Tectonophysics, 2018, 726, 1-13.	2.2	4
4	Multichannel seismic reflection data from the southern part of the Japan Sea. JAMSTEC Report of Research and Development, 2018, 27, 127-141.	0.2	4
5	Interferometric OBS imaging for wide-angle seismic data. Geophysics, 2017, 82, Q39-Q51.	2.6	4
6	Depth-varying structural characters in the rupture zone of the 2011 Tohoku-oki earthquake. , 2017, 13, 1408-1424.		45
7	Alongâ€ŧrench variations in the seismic structure of the incoming Pacific plate at the outer rise of the northern Japan Trench. Geophysical Research Letters, 2016, 43, 666-673.	4.0	37
8	Advent of Continents: A New Hypothesis. Scientific Reports, 2016, 6, 33517.	3.3	33
9	Red relief image map and integration of topographic data in and around the Japan Sea. JAMSTEC Report of Research and Development, 2016, 22, 13-29.	0.2	5
10	Velocity Structure of the Izu–Ogasawara Island Arc. Journal of Geography (Chigaku) Tj ETQq0 0 0 rgE	T /Overloo 0.3	:k j0 Tf 50 3
11	Evolution of the Earth as an andesite planet: water, plate tectonics, and delamination of anti-continent. Earth, Planets and Space, 2015, 67, .	2.5	15
12	Geochemical variations in Japan Sea backâ€arc basin basalts formed by highâ€ŧemperature adiabatic melting of mantle metasomatized by sediment subduction components. Geochemistry, Geophysics, Geosystems, 2015, 16, 1324-1347.	2.5	49
13	Distribution and migration of aftershocks of the 2010 Mw 7.4 Ogasawara Islands intraplate normal-faulting earthquake related to a fracture zone in the Pacific plate. Geochemistry, Geophysics, Geosystems, 2014, 15, 1363-1373.	2.5	10
14	Aftershocks of the December 7, 2012 intraplate doublet near the Japan Trench axis. Earth, Planets and Space, 2014, 66, .	2.5	12
15	Seismic constraints of the formation process on the backâ€arc basin in the southeastern Japan Sea. Journal of Geophysical Research: Solid Earth, 2014, 119, 1563-1579.	3.4	43
16	Seismological evidence of mantle flow driving plate motions at a palaeo-spreading centre. Nature Geoscience, 2014, 7, 371-375.	12.9	302
17	The source fault of the 1983 Nihonkai–Chubu earthquake revealed by seismic imaging. Earth and Planetary Science Letters, 2014, 400, 14-25.	4.4	23

18Systematic changes in the incoming plate structure at the Kuril trench. Geophysical Research Letters,
2013, 40, 88-93.4.0102

Τακέςτι δάτο

#	Article	IF	CITATIONS
19	Seismic imaging along the Kii channel using OBS-airgun data. , 2013, , .		0
20	Deep crustal reflection imaging by applying seismic interferometry to common receiver gathers of marine wide-angle seismic data. , 2013, , .		1
21	Crustal structure of southwest Japan, revealed by the integrated seismic experiment Southwest Japan 2002. Tectonophysics, 2009, 472, 124-134.	2.2	89
22	Heterogeneous structure around the rupture area of the 2003 Tokachi-oki earthquake (Mw=8.0), Japan, as revealed by aftershock observations using Ocean Bottom Seismometers. Tectonophysics, 2009, 465, 164-176.	2.2	9
23	Amplitude modeling of the seismic reflectors in the crustâ€mantle transition layer beneath the volcanic front along the northern Izuâ€Bonin island arc. Geochemistry, Geophysics, Geosystems, 2009, 10, .	2.5	16
24	Structural variations of arc crusts and rifted margins in the southern Izuâ€Ogasawara arc–back arc system. Geochemistry, Geophysics, Geosystems, 2009, 10, .	2.5	65
25	Detailed structural image around splayâ€fault branching in the Nankai subduction seismogenic zone: Results from a highâ€density ocean bottom seismic survey. Journal of Geophysical Research, 2008, 113, .	3.3	81
26	Seismic imaging of a possible paleoarc in the Izuâ€Bonin intraoceanic arc and its implications for arc evolution processes. Geochemistry, Geophysics, Geosystems, 2008, 9, .	2.5	39
27	New seismological constraints on growth of continental crust in the Izu-Bonin intra-oceanic arc. Geology, 2007, 35, 1031.	4.4	115
28	Seismological evidence for variable growth of crust along the Izu intraoceanic arc. Journal of Geophysical Research, 2007, 112, .	3.3	141
29	Wide-angle seismic profiling across the middle Izu-Ogasawara arc for understanding boundary structure between the mature and juvenile arcs - KY0609 cruise JAMSTEC Report of Research and Development, 2007, 5, 9-19.	0.2	2
30	Last stage of the Japan Sea back-arc opening deduced from the seismic velocity structure using wide-angle data. Geochemistry, Geophysics, Geosystems, 2006, 7, n/a-n/a.	2.5	30
31	P-wave velocity structure of the margin of the southeastern Tsushima Basin in the Japan Sea using ocean bottom seismometers and airguns. Tectonophysics, 2006, 412, 159-171.	2.2	34
32	Wide-angle seismic experiment crossing the Sofu-gan tectonic line in the Izu-Ogasawara arc –KY0507 cruise–. JAMSTEC Report of Research and Development, 2006, 3, 19-29.	0.2	4
33	Wide-angle seismic profiling of oceanic island arc in the southern Izu-Ogasawara arc –KY0502 cruise–. JAMSTEC Report of Research and Development, 2006, 3, 43-52.	0.2	6
34	Aftershock Distribution of the 2003 Tokachi-oki Earthquake Derived from High-dense Network of Ocean Bottom Seismographs. Zisin (Journal of the Seismological Society of Japan 2nd Ser), 2005, 57, 281-290.	0.2	9
35	Wide-angle seismic profiling of arc-arc collision zone in the northern Izu-Ogasawara arc –KY0408 cruise–. JAMSTEC Report of Research and Development, 2005, 1, 23-36.	0.2	6
36	P-wave velocity structure in the northern part of the central Japan Basin, Japan Sea with ocean bottom seismometers and airguns. Earth, Planets and Space, 2004, 56, 501-510.	2.5	25

ΤΑΚΕSΗΙ SΑΤΟ

#	Article	IF	CITATIONS
37	Aftershock observation of the 2003 Tokachi-oki earthquake by using dense ocean bottom seismometer network. Earth, Planets and Space, 2004, 56, 295-300.	2.5	27
38	Seismic structure of the crust and uppermost mantle in the incipient stage of back arc rifting - northernmost Okinawa Trough. Geophysical Research Letters, 2004, 31, .	4.0	36
39	Crustal structure of the continental margin of Korea in the East Sea (Japan Sea) from deep seismic sounding data: evidence for rifting affected by the hotter than normal mantle. Tectonophysics, 2003, 364, 25-42.	2.2	54
40	Heterogeneous structure across the source regions of the 1968 Tokachi-Oki and the 1994 Sanriku-Haruka-Oki earthquakes at the Japan Trench revealed by an ocean bottom seismic survey. Physics of the Earth and Planetary Interiors, 2002, 132, 89-104.	1.9	17
41	Seismic Velocity Structure of Kita-Yamato Trough, Japan Sea Revealed by Ocean Bottom Seismometer and Airgun Survey. Zisin (Journal of the Seismological Society of Japan 2nd Ser), 2001, 53, 337-355.	0.2	5