

Beibei Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1327737/publications.pdf>

Version: 2024-02-01

219
papers

10,470
citations

31976

53
h-index

49909

87
g-index

222
all docs

222
docs citations

222
times ranked

12020
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of cadmium containing metabolites in HepG2 cells after treatment with cadmium-selenium quantum dots. <i>Chinese Chemical Letters</i> , 2023, 34, 107262.	9.0	4
2	Covalent triazine frameworks/cobalt composites for magnetic solid phase extraction of pyrethroids from food samples followed by gas chromatography-flame ionization detection. <i>Advances in Sample Preparation</i> , 2022, 1, 100006.	3.0	2
3	Tolcapone Derivative (Tol-D) Inhibits A β 242 Fibrillogenesis and Ameliorates A β 242-Induced Cytotoxicity and Cognitive Impairment. <i>ACS Chemical Neuroscience</i> , 2022, 13, 638-647.	3.5	2
4	Amino functionalized magnetic covalent organic framework for magnetic solid-phase extraction of sulfonylurea herbicides in environmental samples from tobacco land. <i>Journal of Separation Science</i> , 2022, 45, 1746-1756.	2.5	16
5	Phytic acid functionalized magnetic adsorbents for facile enrichment of trace rare earth elements in environmental water, digested atmospheric particulates and the extracts followed by inductively coupled plasma mass spectrometry detection. <i>Talanta</i> , 2022, 244, 123426.	5.5	3
6	A cascade amplification strategy for the detection of DNA methyltransferase activity by elemental labeling inductively coupled plasma mass spectrometry. <i>Sensors and Actuators B: Chemical</i> , 2022, 362, 131758.	7.8	4
7	Core-shell magnetic porous organic polymer for magnetic solid-phase extraction of fluoroquinolone antibiotics in honey samples followed by high-performance liquid chromatography with fluorescence detection. <i>Journal of Separation Science</i> , 2022, 45, 874-882.	2.5	17
8	Agarose-Droplet-Based Digital LAMP Assay for Counting Virus DNA in Single-Particle ICP-MS. <i>Analytical Chemistry</i> , 2022, 94, 6582-6590.	6.5	9
9	Covalent organic framework-based magnetic solid phase extraction coupled with micellar electrokinetic chromatography for the analysis of trace organophosphorus pesticides in environmental water and atmospheric particulates. <i>Journal of Chromatography A</i> , 2022, 1673, 463030.	3.7	9
10	Magnetic porous coordination networks for preconcentration of various metal ions from environmental water followed by inductively coupled plasma mass spectrometry detection. <i>Talanta</i> , 2022, 245, 123470.	5.5	23
11	Negative Magnetophoresis Focusing Microchips Online-Coupled with ICP-MS for High-Throughput Single-Cell Analysis. <i>Analytical Chemistry</i> , 2022, 94, 6649-6656.	6.5	13
12	Porous aromatic framework coated stir bar sorptive extraction coupled with gas chromatography for the analysis of 16 polycyclic aromatic hydrocarbons in atmospheric particles and environmental water samples. <i>Journal of Chromatography A</i> , 2022, 1673, 463139.	3.7	5
13	Sensitive detection of exosomes by gold nanoparticles labeling inductively coupled plasma mass spectrometry based on cholesterol recognition and rolling circle amplification. <i>Analytica Chimica Acta</i> , 2022, 1212, 339938.	5.4	9
14	Single Particle Inductively Coupled Plasma Mass Spectrometry-Based Homogeneous Detection of HBV DNA with Rolling Circle Amplification-Induced Gold Nanoparticle Agglomeration. <i>Analytical Chemistry</i> , 2022, 94, 10011-10018.	6.5	8
15	Sustainable method towards magnetic ordered mesoporous polymers for efficient Methylene Blue removal. <i>Journal of Environmental Sciences</i> , 2021, 99, 168-174.	6.1	8
16	Ti (IV) modified vinyl phosphate magnetic nanoparticles for simultaneous preconcentration of multiple arsenic species from chicken samples followed by HPLC-ICP-MS analysis. <i>Electrophoresis</i> , 2021, 42, 465-472.	2.4	3
17	MNAzyme-Catalyzed Amplification Assay with Lanthanide Tags for the Simultaneous Detection of Multiple microRNAs by Inductively Coupled Plasma-Mass Spectrometry. <i>Analytical Chemistry</i> , 2021, 93, 737-744.	6.5	43
18	Stir bar sorptive extraction and its application. <i>Journal of Chromatography A</i> , 2021, 1637, 461810.	3.7	61

#	ARTICLE	IF	CITATIONS
19	Tumor-suppressor function of Beclin 1 in breast cancer cells requires E-cadherin. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	50
20	Preparation of functional magnetic porous organic polymer as sorbent for mercury speciation followed by HPLC-ICP-MS analysis. Journal of Analytical Atomic Spectrometry, 2021, 36, 1568-1575.	3.0	8
21	Analysis of Main Components in Jujube and Mulberry Extracts by High-Sensitive HPLC-ESI-Q-TOF-MS/MS. Journal of Chromatographic Science, 2021, 59, 806-812.	1.4	4
22	Composition of Intracellular Protein Corona around Nanoparticles during Internalization. ACS Nano, 2021, 15, 3108-3122.	14.6	49
23	A Homogeneous Multicomponent Nucleic Acid Enzyme Assay for Universal Nucleic Acid Detection by Single-Particle Inductively Coupled Plasma Mass Spectrometry. Analytical Chemistry, 2021, 93, 4952-4959.	6.5	19
24	Thiol-grafted magnetic polymer for preconcentration of Cd, Hg, Pb from environmental water followed by inductively coupled plasma mass spectrometry detection. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2021, 177, 106071.	2.9	34
25	A dual-functional magnetic microsphere for ICP-MS quantification and fluorescence imaging of matrix metalloproteinase 2 in cell secretion. Analytica Chimica Acta, 2021, 1161, 338479.	5.4	3
26	Elemental Mass Spectrometry and Fluorescence Dual-Mode Strategy for Ultrasensitive Label-Free Detection of HBV DNA. Analytical Chemistry, 2021, 93, 9454-9461.	6.5	19
27	Reduced graphene oxide coated nickel foam for stir bar sorptive extraction of benzotriazole ultraviolet absorbents from environmental water. Talanta, 2021, 231, 122332.	5.5	12
28	Magnetic nanomaterials as sorbents for trace elements analysis in environmental and biological samples. Talanta, 2021, 230, 122306.	5.5	11
29	Bromine and iodine species in drinking water supply system along the Changjiang River in China: Occurrence and transformation. Water Research, 2021, 202, 117401.	11.3	14
30	The amino - functionalized magnetic graphene oxide combined with graphite furnace atomic absorption spectrometry for determination of trace inorganic arsenic species in water samples. Talanta, 2021, 232, 122425.	5.5	16
31	Combined effects of different sizes of ZnO and ZIF-8 nanoparticles co-exposure with Cd ²⁺ on HepG2 cells. Science of the Total Environment, 2021, 786, 147402.	8.0	3
32	One-step synthesis of mercapto modified hierarchical porous polymer capillary monolithic column for chip based array microextraction of mercury species in cells. Chemical Engineering Journal, 2021, 420, 130414.	12.7	8
33	Highly integrated and one-step triggered cascade DNA walker based on entropy-driven catalytic and DNzyme amplification. Sensors and Actuators B: Chemical, 2021, 345, 130370.	7.8	13
34	Analysis of arsenic binding proteins in HepG2 cells based on a biotinylated phenylarsenite probe. Analytica Chimica Acta, 2021, 1183, 339007.	5.4	3
35	Magnetic N-doped porous carbon for analysis of trace Pb and Cd in environmental water by magnetic solid phase extraction with inductively coupled plasma mass spectrometry. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2021, 184, 106273.	2.9	9
36	Imine-linked covalent organic frameworks coated stir bar sorptive extraction of non-steroidal anti-inflammatory drugs from environmental water followed by high performance liquid chromatography-ultraviolet detection. Journal of Chromatography A, 2021, 1659, 462647.	3.7	16

#	ARTICLE	IF	CITATIONS
37	A homogeneous nucleic acid assay for simultaneous detection of SARS-CoV-2 and influenza A (H3N2) by single-particle inductively coupled plasma mass spectrometry. <i>Analytica Chimica Acta</i> , 2021, 1186, 339134.	5.4	15
38	Triazine covalent organic polymer coated stir bar sorptive extraction coupled with high performance liquid chromatography for the analysis of trace phthalate esters in mineral water and liquor samples. <i>Journal of Chromatography A</i> , 2021, 1660, 462665.	3.7	13
39	DNA Tetrahedron-Based MNzyme for Sensitive Detection of microRNA with Elemental Tagging. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 59076-59084.	8.0	12
40	Magnetic nanoparticle sorbents. , 2020, , 235-284.		13
41	Simultaneous speciation of inorganic selenium and tellurium in environmental water samples by polyaniline functionalized magnetic solid phase extraction coupled with ICP-MS detection. <i>Talanta</i> , 2020, 207, 120314.	5.5	57
42	Porous organic frameworks-based (micro)extraction. <i>Journal of Chromatography A</i> , 2020, 1609, 460477.	3.7	31
43	Dual-mode detection of avian influenza virions (H9N2) by ICP-MS and fluorescence after quantum dot labeling with immuno-rolling circle amplification. <i>Analytica Chimica Acta</i> , 2020, 1096, 18-25.	5.4	15
44	Magnetic porous organic polymers for extraction of cardiovascular drugs in human urine samples followed by HPLC-UV. <i>Analytical Methods</i> , 2020, 12, 141-148.	2.7	5
45	Azo-linked porous organic polymers/polydimethylsiloxane coated stir bar for extraction of benzotriazole ultraviolet absorbers from environmental water and soil samples followed by high performance liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 2020, 1616, 460793.	3.7	21
46	Spiral stir bar sorptive extraction with polyaniline-polydimethylsiloxane sol-gel packings for the analysis of trace estrogens in environmental water and animal-derived food samples. <i>Journal of Separation Science</i> , 2020, 43, 1137-1144.	2.5	18
47	Cd (II) imprinted polymer modified silica monolithic capillary microextraction combined with inductively coupled plasma mass spectrometry for the determination of trace Cd (II) in biological samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2020, 164, 105751.	2.9	12
48	Magnetic metal-organic framework composites for dual-column solid-phase microextraction combined with ICP-MS for speciation of trace levels of arsenic. <i>Mikrochimica Acta</i> , 2020, 187, 48.	5.0	25
49	Phosphoric acid functionalized magnetic sorbents for selective enrichment of TiO ₂ nanoparticles in surface water followed by inductively coupled plasma mass spectrometry detection. <i>Science of the Total Environment</i> , 2020, 703, 135464.	8.0	9
50	Porous aromatic framework coated stir bar sorptive extraction coupled with high performance liquid chromatography for the analysis of triazine herbicides in maize samples. <i>Journal of Chromatography A</i> , 2020, 1614, 460728.	3.7	31
51	A nanoprobe based on molybdenum disulfide nanosheets and silver nanoclusters for imaging and quantification of intracellular adenosine triphosphate. <i>Analytica Chimica Acta</i> , 2020, 1134, 75-83.	5.4	23
52	Size- and dose-dependent cytotoxicity of ZIF-8 based on single cell analysis. <i>Ecotoxicology and Environmental Safety</i> , 2020, 205, 111110.	6.0	50
53	Study on cytotoxicity, cellular uptake and elimination of rare-earth-doped upconversion nanoparticles in human hepatocellular carcinoma cells. <i>Ecotoxicology and Environmental Safety</i> , 2020, 203, 110951.	6.0	10
54	Droplet-Splitting Microchip Online Coupled with Time-Resolved ICPMS for Analysis of Released Fe and Pt in Single Cells Treated with FePt Nanoparticles. <i>Analytical Chemistry</i> , 2020, 92, 12208-12215.	6.5	17

#	ARTICLE	IF	CITATIONS
55	Recent advances in single-cell analysis by inductively coupled plasma-mass spectrometry: A review. <i>Analytica Chimica Acta</i> , 2020, 1137, 191-207.	5.4	35
56	Argon Enclosed Droplet Based 3D Microfluidic Device Online Coupled with Time-Resolved ICPMS for Determination of Cadmium and Zinc in Single Cells Exposed to Cadmium Ion. <i>Analytical Chemistry</i> , 2020, 92, 13550-13557.	6.5	14
57	Hydroxyl-containing porous organic framework coated stir bar sorption extraction combined with high performance liquid chromatography-diode array detector for analysis of triazole fungicides in grape and cabbage samples. <i>Journal of Chromatography A</i> , 2020, 1633, 461628.	3.7	23
58	Online simultaneous speciation of ultra-trace inorganic antimony and tellurium in environmental water by polymer monolithic capillary microextraction combined with inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2020, 168, 105854.	2.9	15
59	A Multifunctional Platform for the Capture, Release, And Enumeration of Circulating Tumor Cells Based on Aptamer Binding, Nicking Endonuclease-Assisted Amplification, And Inductively Coupled Plasma Mass Spectrometry Detection. <i>Analytical Chemistry</i> , 2020, 92, 10308-10315.	6.5	41
60	eIF5B drives integrated stress response-dependent translation of PD-L1 in lung cancer. <i>Nature Cancer</i> , 2020, 1, 533-545.	13.2	73
61	Multifunctional Gold Nanocluster Decorated Metal-Organic Framework for Real-Time Monitoring of Targeted Drug Delivery and Quantitative Evaluation of Cellular Therapeutic Response. <i>Analytical Chemistry</i> , 2019, 91, 10596-10603.	6.5	41
62	Integration of sub-organ quantitative imaging LA-ICP-MS and fractionation reveals differences in translocation and transformation of CeO ₂ and Ce ³⁺ in mice. <i>Analytica Chimica Acta</i> , 2019, 1082, 18-29.	5.4	11
63	3D Droplet-Based Microfluidic Device Easily Assembled from Commercially Available Modules Online Coupled with ICPMS for Determination of Silver in Single Cell. <i>Analytical Chemistry</i> , 2019, 91, 2869-2875.	6.5	34
64	Inhibition of arsenite methylation induces synergistic genotoxicity of arsenite and benzo(a)pyrene diol epoxide in SCC-7 cells. <i>Metallomics</i> , 2019, 11, 176-182.	2.4	6
65	Monolithic capillary microextraction combined with ICP-MS for the determination of TiO ₂ NPs in environmental water samples. <i>Talanta</i> , 2019, 197, 334-340.	5.5	7
66	Magnetic porous organic polymers for magnetic solid-phase extraction of triazole fungicides in vegetables prior to their determination by gas chromatography-flame ionization detection. <i>Journal of Chromatography A</i> , 2019, 1601, 1-8.	3.7	51
67	Simultaneous determination of two phosphorylated p53 proteins in SCC-7 cells by an ICP-MS immunoassay using apoferritin-templated europium(III) and lutetium(III) phosphate nanoparticles as labels. <i>Mikrochimica Acta</i> , 2019, 186, 424.	5.0	12
68	Immunodetection and counting of circulating tumor cells (HepG2) by combining gold nanoparticle labeling, rolling circle amplification and ICP-MS detection of gold. <i>Mikrochimica Acta</i> , 2019, 186, 344.	5.0	20
69	A highly sensitive assay of DNA based on inductively coupled plasma mass spectrometry detection with gold nanoparticle amplification and isothermal circular strand-displacement polymerization reaction. <i>Talanta</i> , 2019, 202, 207-213.	5.5	9
70	Dihydromyricetin Inhibits α -Synuclein Aggregation, Disrupts Preformed Fibrils, and Protects Neuronal Cells in Culture against Amyloid-Induced Cytotoxicity. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 3946-3955.	5.2	35
71	J-Aggregation of Perylene Diimides in Silica Nanocapsules for Stable Near-Infrared Photothermal Conversion. <i>ACS Applied Bio Materials</i> , 2019, 2, 1569-1577.	4.6	18
72	Magnetic solid-phase extraction using sulfur-containing functional magnetic polymer for high-performance liquid chromatography-inductively coupled plasma-mass spectrometric speciation of mercury in environmental samples. <i>Journal of Chromatography A</i> , 2019, 1595, 19-27.	3.7	57

#	ARTICLE	IF	CITATIONS
73	Study on uptake of gold nanoparticles by single cells using droplet microfluidic chip-inductively coupled plasma mass spectrometry. <i>Talanta</i> , 2019, 200, 398-407.	5.5	44
74	Microfluidic array surface ion-imprinted monolithic capillary microextraction chip on-line hyphenated with ICP-MS for the high throughput analysis of gadolinium in human body fluids. <i>Analyst</i> , 2019, 144, 2736-2745.	3.5	16
75	Microfluidic chip-inductively coupled plasma mass spectrometry for trace elements and their species analysis in cells. <i>Applied Spectroscopy Reviews</i> , 2019, 54, 250-263.	6.7	27
76	Fe ₃ O ₄ nanoparticles coated with double imprinted polymers for magnetic solid phase extraction of lead(II) from biological and environmental samples. <i>Mikrochimica Acta</i> , 2019, 186, 775.	5.0	20
77	Metal organic frameworks-derived magnetic nanoporous carbon for preconcentration of organophosphorus pesticides from fruit samples followed by gas chromatography-flame photometric detection. <i>Journal of Chromatography A</i> , 2019, 1583, 19-27.	3.7	69
78	A porous organic polymer with magnetic nanoparticles on a chip array for preconcentration of platinum(IV), gold(III) and bismuth(III) prior to their on-line quantitation by ICP-MS. <i>Mikrochimica Acta</i> , 2019, 186, 107.	5.0	29
79	Size-dependent cytotoxicity study of ZnO nanoparticles in HepG2 cells. <i>Ecotoxicology and Environmental Safety</i> , 2019, 171, 337-346.	6.0	86
80	PUMILIO hyperactivity drives premature aging of Norad-deficient mice. <i>ELife</i> , 2019, 8, .	6.0	65
81	Arsenic speciation in tree moss by mass spectrometry based hyphenated techniques. <i>Talanta</i> , 2018, 183, 48-54.	5.5	24
82	Poly(1-vinylimidazole) functionalized magnetic ion imprinted polymer for fast and selective extraction of trace gold in geological, environmental and biological samples followed by graphite furnace atomic absorption spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2018, 143, 32-41.	2.9	21
83	Room-Temperature Synthesis of Magnetic Metal-Organic Frameworks Composites in Water for Efficient Removal of Methylene Blue and As(V). <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 6201-6209.	3.7	22
84	Magnetic Mesoporous Carbons Derived from in Situ MgO Template Formation for Fast Removal of Heavy Metal Ions. <i>ACS Omega</i> , 2018, 3, 3752-3759.	3.5	17
85	Sensitive determination of seven triazine herbicide in honey, tomato and environmental water samples by hollow fiber based liquid-liquid-liquid microextraction combined with sweeping micellar electrokinetic capillary chromatography. <i>Talanta</i> , 2018, 186, 88-96.	5.5	38
86	One-pot polymerization of monolith coated stir bar for high efficient sorptive extraction of perfluoroalkyl acids from environmental water samples followed by high performance liquid chromatography-electrospray tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2018, 1553, 7-15.	3.7	35
87	Magnetic Zr-MOFs nanocomposites for rapid removal of heavy metal ions and dyes from water. <i>Chemosphere</i> , 2018, 199, 435-444.	8.2	225
88	Aptamer-Based Dual-Functional Probe for Rapid and Specific Counting and Imaging of MCF-7 Cells. <i>Analytical Chemistry</i> , 2018, 90, 2355-2361.	6.5	77
89	Ligand-assisted magnetic solid phase extraction for fast speciation of silver nanoparticles and silver ions in environmental water. <i>Talanta</i> , 2018, 183, 268-275.	5.5	34
90	Chip-based magnetic solid phase microextraction coupled with ICP-MS for the determination of Cd and Se in HepG2 cells incubated with CdSe quantum dots. <i>Talanta</i> , 2018, 179, 279-284.	5.5	31

#	ARTICLE	IF	CITATIONS
91	Gold nanoparticle labeling with tyramide signal amplification for highly sensitive detection of alpha fetoprotein in human serum by ICP-MS. <i>Talanta</i> , 2018, 176, 40-46.	5.5	31
92	A dual-functional probe for quantification and imaging of intracellular telomerase. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 164-171.	7.8	18
93	Biomethylation metabolism study of arsenite in SCC-7 cells by reversed phase ion pair high performance liquid chromatography-inductively coupled plasma-mass spectrometry. <i>Talanta</i> , 2018, 188, 210-217.	5.5	11
94	Melamine-based porous organic polymers inline solid phase extraction coupled with high performance liquid chromatography for the analysis of phytohormones in juice samples. <i>Journal of Chromatography A</i> , 2018, 1567, 64-72.	3.7	29
95	Loss of <i>Dis3l2</i> partially phenocopies Perlman syndrome in mice and results in up-regulation of <i>Igf2</i> in nephron progenitor cells. <i>Genes and Development</i> , 2018, 32, 903-908.	5.9	34
96	Facile Design of Phase Separation for Microfluidic Droplet-Based Liquid Phase Microextraction as a Front End to Electrothermal Vaporization-ICPMS for the Analysis of Trace Metals in Cells. <i>Analytical Chemistry</i> , 2018, 90, 10078-10086.	6.5	17
97	Facile Fabrication of N-Doped Magnetic Porous Carbon for Highly Efficient Mercury Removal. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10191-10199.	6.7	22
98	Lectin affinity based elemental labeling with hybridization chain reaction for the sensitive determination of avian influenza A (H9N2) virions. <i>Talanta</i> , 2018, 188, 442-447.	5.5	12
99	Polymer monolithic capillary microextraction on-line coupled with ICP-MS for determination of inorganic selenium species in natural waters. <i>Talanta</i> , 2018, 188, 736-743.	5.5	12
100	Imidazole functionalized organic monoliths for capillary microextraction of Co(II), Ni(II) and Cd(II) from urine prior to on-line ICP-MS detection. <i>Mikrochimica Acta</i> , 2017, 184, 927-934.	5.0	11
101	Quantum Dots Labeling Strategy for α -Counting and Visualization of HepG2 Cells. <i>Analytical Chemistry</i> , 2017, 89, 1879-1886.	6.5	43
102	An Argonaute phosphorylation cycle promotes microRNA-mediated silencing. <i>Nature</i> , 2017, 542, 197-202.	27.8	232
103	Covalent triazine framework-1 as adsorbent for inline solid phase extraction-high performance liquid chromatographic analysis of trace nitroimidazoles in porcine liver and environmental waters. <i>Journal of Chromatography A</i> , 2017, 1483, 40-47.	3.7	46
104	Iminodiacetic acid functionalized magnetic nanoparticles for speciation of Cr(III) and Cr(VI) followed by graphite furnace atomic absorption spectrometry detection. <i>RSC Advances</i> , 2017, 7, 8504-8511.	3.6	26
105	A Twist2-dependent progenitor cell contributes to adult skeletal muscle. <i>Nature Cell Biology</i> , 2017, 19, 202-213.	10.3	118
106	Notch Inhibition Enhances Cardiac Reprogramming by Increasing MEF2C Transcriptional Activity. <i>Stem Cell Reports</i> , 2017, 8, 548-560.	4.8	108
107	Elemental-tagged immunoassay combined with inductively coupled plasma mass spectrometry for the detection of tumor cells using a lead sulfide nanoparticle label. <i>Talanta</i> , 2017, 167, 499-505.	5.5	11
108	A Facile Droplet-Chip-Time-Resolved Inductively Coupled Plasma Mass Spectrometry Online System for Determination of Zinc in Single Cell. <i>Analytical Chemistry</i> , 2017, 89, 4931-4938.	6.5	86

#	ARTICLE	IF	CITATIONS
109	A multifunctional probe for ICP-MS determination and multimodal imaging of cancer cells. <i>Biosensors and Bioelectronics</i> , 2017, 96, 77-83.	10.1	29
110	In vitro study on antagonism mechanism of glutathione, sodium selenite and mercuric chloride. <i>Talanta</i> , 2017, 171, 262-269.	5.5	5
111	Hollow fiber supported TiO ₂ monolithic microextraction combined with capillary HPLC-ICP-MS for sensitive absolute quantification of phosphopeptides. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1186-1195.	3.0	4
112	Speciation of mercury in water and fish samples by HPLC-ICP-MS after magnetic solid phase extraction. <i>Talanta</i> , 2017, 171, 213-219.	5.5	145
113	Gold nanoparticles as intermediate ligands for polymer monolithic capillary microextraction of trace rare earth elements followed by inductively coupled plasma mass spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 127, 56-63.	2.9	17
114	The U6 snRNA m 6 A Methyltransferase METTL16 Regulates SAM Synthetase Intron Retention. <i>Cell</i> , 2017, 169, 824-835.e14.	28.9	756
115	Polydimethylsiloxane/MIL-100(Fe) coated stir bar sorptive extraction-high performance liquid chromatography for the determination of triazines in environmental water samples. <i>Talanta</i> , 2017, 175, 158-167.	5.5	38
116	Bimetallic (Au@Cu core)@(ceria shell) nanotubes for photocatalytic oxidation of benzyl alcohol: improved reactivity by Cu. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13382-13391.	10.3	46
117	Facile Chip-Based Array Monolithic Microextraction System Online Coupled with ICPMS for Fast Analysis of Trace Heavy Metals in Biological Samples. <i>Analytical Chemistry</i> , 2017, 89, 6878-6885.	6.5	32
118	Application of inductively coupled plasma mass spectrometry in the quantitative analysis of biomolecules with exogenous tags: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 93, 78-101.	11.4	65
119	Facile Green Synthesis of Magnetic Porous Organic Polymers for Rapid Removal and Separation of Methylene Blue. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4050-4055.	6.7	101
120	Advanced functional materials in solid phase extraction for ICP-MS determination of trace elements and their species - A review. <i>Analytica Chimica Acta</i> , 2017, 973, 1-24.	5.4	145
121	Simultaneous determination of acidic phytohormones in cucumbers and green bean sprouts by ion-pair stir bar sorptive extraction-high performance liquid chromatography. <i>Talanta</i> , 2017, 170, 128-136.	5.5	32
122	Upconversion nanoparticle as elemental tag for the determination of alpha-fetoprotein in human serum by inductively coupled plasma mass spectrometry. <i>Analyst</i> , 2017, 142, 197-205.	3.5	34
123	Characterization and causes of land subsidence in Beijing, China. <i>International Journal of Remote Sensing</i> , 2017, 38, 808-826.	2.9	77
124	Size-Based Analysis of Au NPs by Online Monolithic Capillary Microextraction-ICPMS. <i>Analytical Chemistry</i> , 2017, 89, 560-564.	6.5	16
125	Advances in ICP-MS-based techniques for trace elements and their species analysis in cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1650-1659.	3.0	34
126	One-pot synthesis of zeolitic imidazolate framework-8/poly (methyl methacrylate-ethyleneglycol) samples followed by high performance liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , 2017, 1524, 57-65.	3.7	39

#	ARTICLE	IF	CITATIONS
127	ZNF281 enhances cardiac reprogramming by modulating cardiac and inflammatory gene expression. <i>Genes and Development</i> , 2017, 31, 1770-1783.	5.9	87
128	Magnetic covalent triazine framework for rapid extraction of phthalate esters in plastic packaging materials followed by gas chromatography-flame ionization detection. <i>Journal of Chromatography A</i> , 2017, 1525, 32-41.	3.7	73
129	Magnetic sulfur-doped porous carbon for preconcentration of trace mercury in environmental water prior to ICP-MS detection. <i>Analyst</i> , 2017, 142, 4570-4579.	3.5	31
130	Thiol-Functionalized Magnetic Porous Organic Polymers for Highly Efficient Removal of Mercury. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 13696-13703.	3.7	52
131	Selenocystine against methyl mercury cytotoxicity in HepG2 cells. <i>Scientific Reports</i> , 2017, 7, 147.	3.3	20
132	Determination of avian influenza A (H9N2) virions by inductively coupled plasma mass spectrometry based magnetic immunoassay with gold nanoparticles labeling. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 138, 90-96.	2.9	20
133	Simultaneous detection of MCF-7 and HepG2 cells in blood by ICP-MS with gold nanoparticles and quantum dots as elemental tags. <i>Biosensors and Bioelectronics</i> , 2017, 90, 343-348.	10.1	66
134	Sample pre-treatment techniques for use with ICP-MS hyphenated techniques for elemental speciation in biological samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 58-77.	3.0	31
135	MED12 regulates a transcriptional network of calcium-handling genes in the heart. <i>JCI Insight</i> , 2017, 2, .	5.0	18
136	Fast preconcentration of trace rare earth elements from environmental samples by di(2-ethylhexyl)phosphoric acid grafted magnetic nanoparticles followed by inductively coupled plasma mass spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 136, 73-80.	2.9	37
137	KLHL41 stabilizes skeletal muscle sarcomeres by nonproteolytic ubiquitination. <i>ELife</i> , 2017, 6, .	6.0	40
138	Increase in Cancer Center Staff Effort Related to Electronic Patient Portal Use. <i>Journal of Oncology Practice</i> , 2016, 12, e981-e990.	2.5	24
139	Membrane supported liquid-liquid-liquid microextraction combined with field-amplified sample injection CE-UV for high-sensitivity analysis of six cardiovascular drugs in human urine sample. <i>Electrophoresis</i> , 2016, 37, 1201-1211.	2.4	10
140	Chip-based monolithic microextraction combined with ICP-MS for the determination of bismuth in HepG2 cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 1391-1399.	3.0	17
141	Graphene oxide-TiO ₂ composite solid phase extraction combined with graphite furnace atomic absorption spectrometry for the speciation of inorganic selenium in water samples. <i>Talanta</i> , 2016, 154, 474-480.	5.5	29
142	Polydimethylsiloxane/metal-organic frameworks coated stir bar sorptive extraction coupled to gas chromatography-flame photometric detection for the determination of organophosphorus pesticides in environmental water samples. <i>Talanta</i> , 2016, 156-157, 126-133.	5.5	75
143	Gold nanoparticles labeling with hybridization chain reaction amplification strategy for the sensitive detection of HepG2 cells by inductively coupled plasma mass spectrometry. <i>Biosensors and Bioelectronics</i> , 2016, 86, 736-740.	10.1	62
144	Oxygen vacancies dependent Au nanoparticle deposition and CO oxidation. <i>RSC Advances</i> , 2016, 6, 87978-87987.	3.6	30

#	ARTICLE	IF	CITATIONS
145	Myocardin-related transcription factors are required for skeletal muscle development. <i>Development (Cambridge)</i> , 2016, 143, 2853-61.	2.5	28
146	Membrane protected C18 coated stir bar sorptive extraction combined with high performance liquid chromatography-ultraviolet detection for the determination of non-steroidal anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2016, 1472, 27-34.	3.7	38
147	Preparation, characterization and application of <i>Saussurea tridactyla</i> Sch-Bip as green adsorbents for preconcentration of rare earth elements in environmental water samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2016, 121, 1-10.	2.9	21
148	Monolithic capillary microextraction on-line combined with ICP-MS for determining Ni, Cu and Cd in biological samples. <i>Analytical Methods</i> , 2016, 8, 4680-4688.	2.7	11
149	Analysis of metallothioneins by mass spectrometry-based hyphenated techniques. <i>Applied Spectroscopy Reviews</i> , 2016, 51, 94-116.	6.7	7
150	An integrative somatic mutation analysis to identify pathways linked with survival outcomes across 19 cancer types. <i>Bioinformatics</i> , 2016, 32, 1643-1651.	4.1	35
151	Polydimethylsiloxane/covalent triazine frameworks coated stir bar sorptive extraction coupled with high performance liquid chromatography-ultraviolet detection for the determination of phenols in environmental water samples. <i>Journal of Chromatography A</i> , 2016, 1441, 8-15.	3.7	93
152	Water-compatible graphene oxide/molecularly imprinted polymer coated stir bar sorptive extraction of propranolol from urine samples followed by high performance liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , 2016, 1443, 1-9.	3.7	58
153	Boronic acid recognition based-gold nanoparticle-labeling strategy for the assay of sialic acid expression on cancer cell surface by inductively coupled plasma mass spectrometry. <i>Analyst, The</i> , 2016, 141, 1286-1293.	3.5	50
154	Multi-wall carbon nanotubes chemically modified silica microcolumn preconcentration/separation combined with inductively coupled plasma optical emission spectrometry for the determination of trace elements in environmental waters. <i>International Journal of Environmental Analytical Chemistry</i> , 2016, 96, 212-224.	3.3	9
155	A mercapto functionalized magnetic Zr-MOF by solvent-assisted ligand exchange for Hg ²⁺ removal from water. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5159-5166.	10.3	191
156	Noncoding RNA NORAD Regulates Genomic Stability by Sequestering PUMILIO Proteins. <i>Cell</i> , 2016, 164, 69-80.	28.9	723
157	Polyaniline/cyclodextrin composite coated stir bar sorptive extraction combined with high performance liquid chromatography-ultraviolet detection for the analysis of trace polychlorinated biphenyls in environmental waters. <i>Talanta</i> , 2016, 150, 310-318.	5.5	38
158	Application of inductively coupled plasma mass spectrometry in the study of apoptosis: determination of caspase-3 using a gold nanoparticle tag. <i>Analyst, The</i> , 2016, 141, 926-933.	3.5	16
159	Chip-Based Magnetic Solid-Phase Microextraction Online Coupled with MicroHPLC-ICPMS for the Determination of Mercury Species in Cells. <i>Analytical Chemistry</i> , 2016, 88, 796-802.	6.5	71
160	A dual extraction technique combined with HPLC-ICP-MS for speciation of seleno-amino acids in rice and yeast samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 406-414.	3.0	15
161	Magnetic solid phase extraction coupled with inductively coupled plasma mass spectrometry for the speciation of mercury in environmental water and human hair samples. <i>Talanta</i> , 2016, 146, 93-99.	5.5	127
162	Cancer center staff effort related to electronic patient portal use: A growing demand.. <i>Journal of Clinical Oncology</i> , 2016, 34, e18012-e18012.	1.6	0

#	ARTICLE	IF	CITATIONS
163	Automated dynamic hollow fiber liquid-liquid microextraction combined with capillary electrophoresis for speciation of mercury in biological and environmental samples. <i>Journal of Chromatography A</i> , 2015, 1415, 48-56.	3.7	34
164	Magnetic immunoassay coupled with inductively coupled plasma mass spectrometry for simultaneous quantification of alpha-fetoprotein and carcinoembryonic antigen in human serum. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015, 106, 20-27.	2.9	27
165	Hydrophilic Polymer Monolithic Capillary Microextraction Online Coupled to ICPMS for the Determination of Carboxyl Group-Containing Gold Nanoparticles in Environmental Waters. <i>Analytical Chemistry</i> , 2015, 87, 1789-1796.	6.5	37
166	Nanometer-sized materials for solid-phase extraction of trace elements. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 2685-2710.	3.7	114
167	Novel ion imprinted magnetic mesoporous silica for selective magnetic solid phase extraction of trace Cd followed by graphite furnace atomic absorption spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015, 107, 115-124.	2.9	61
168	TiO ₂ Nanoparticles Functionalized Monolithic Capillary Microextraction Online Coupled with Inductively Coupled Plasma Mass Spectrometry for the Analysis of Gd Ion and Gd-Based Contrast Agents in Human Urine. <i>Analytical Chemistry</i> , 2015, 87, 8949-8956.	6.5	40
169	Simultaneous speciation of inorganic arsenic, selenium and tellurium in environmental water samples by dispersive liquid liquid microextraction combined with electrothermal vaporization inductively coupled plasma mass spectrometry. <i>Talanta</i> , 2015, 142, 213-220.	5.5	61
170	Chip-based array magnetic solid phase microextraction on-line coupled with inductively coupled plasma mass spectrometry for the determination of trace heavy metals in cells. <i>Analyst, The</i> , 2015, 140, 5619-5626.	3.5	93
171	Association genetics in <i>Populus</i> reveals the interactions between Pt-miR397a and its target genes. <i>Scientific Reports</i> , 2015, 5, 11672.	3.3	8
172	Solidification of floating organic drop microextraction combined with gas chromatography-flame photometric detection for the analysis of organophosphorus pesticides in water samples. <i>Analytical Methods</i> , 2015, 7, 6182-6189.	2.7	10
173	A designable magnetic MOF composite and facile coordination-based post-synthetic strategy for the enhanced removal of Hg ²⁺ from water. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11587-11595.	10.3	179
174	Simultaneous determination of polar and apolar compounds in environmental samples by a polyaniline/hydroxyl multi-walled carbon nanotubes composite-coated stir bar sorptive extraction coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2015, 1394, 36-45.	3.7	82
175	Ti-containing mesoporous silica packed microcolumn separation/preconcentration combined with inductively coupled plasma-mass spectrometry for the determination of trace Cr, Cu, Cd and Pb in environmental samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 1386-1394.	3.0	16
176	Myocardin-related transcription factors are required for cardiac development and function. <i>Developmental Biology</i> , 2015, 406, 109-116.	2.0	44
177	Metallomics Study of CdSe/ZnS Quantum Dots in HepG2 Cells. <i>ACS Nano</i> , 2015, 9, 10324-10334.	14.6	35
178	Graphene oxide/polyethyleneglycol composite coated stir bar for sorptive extraction of fluoroquinolones from chicken muscle and liver. <i>Journal of Chromatography A</i> , 2015, 1418, 36-44.	3.7	60
179	Graphene oxide-TiO ₂ composite as a novel adsorbent for the preconcentration of heavy metals and rare earth elements in environmental samples followed by on-line inductively coupled plasma optical emission spectrometry detection. <i>RSC Advances</i> , 2015, 5, 5996-6005.	3.6	65
180	Spatial correlation between land subsidence and urbanization in Beijing, China. <i>Natural Hazards</i> , 2015, 75, 2637-2652.	3.4	53

#	ARTICLE	IF	CITATIONS
181	C ₁₈ -coated stir bar sorptive extraction combined with HPLC-ICP-MS for the speciation of butyltins in environmental samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 162-171.	3.0	14
182	Speciation of mercury in various samples from the micro-ecosystem of East Lake by hollow fiber-liquid-liquid microextraction-HPLC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 875-881.	3.0	34
183	Simultaneous speciation analysis of inorganic arsenic, chromium and selenium in environmental waters by 3-(2-aminoethylamino) propyltrimethoxysilane modified multi-wall carbon nanotubes packed microcolumn solid phase extraction and ICP-MS. <i>Talanta</i> , 2015, 131, 266-272.	5.5	161
184	A Model-Based Approach to Identify Binding Sites in CLIP-Seq Data. <i>PLoS ONE</i> , 2014, 9, e93248.	2.5	22
185	Predictors and Intensity of Online Access to Electronic Medical Records Among Patients With Cancer. <i>Journal of Oncology Practice</i> , 2014, 10, e307-e312.	2.5	90
186	Graphene oxide-silica composite coating hollow fiber solid phase microextraction online coupled with inductively coupled plasma mass spectrometry for the determination of trace heavy metals in environmental water samples. <i>Talanta</i> , 2014, 123, 1-9.	5.5	161
187	Determination of trace/ultratrace rare earth elements in environmental samples by ICP-MS after magnetic solid phase extraction with Fe ₃ O ₄ @SiO ₂ @polyaniline-graphene oxide composite. <i>Talanta</i> , 2014, 119, 458-466.	5.5	129
188	A novel strategy for sequential analysis of gold nanoparticles and gold ions in water samples by combining magnetic solid phase extraction with inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 444-453.	3.0	55
189	Recent developments in stir bar sorptive extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2001-2026.	3.7	95
190	A community computational challenge to predict the activity of pairs of compounds. <i>Nature Biotechnology</i> , 2014, 32, 1213-1222.	17.5	264
191	Magnetic quantitative analysis for multiplex glycoprotein with polymer-based elemental tags. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 1112.	3.0	19
192	Chitosan modified magnetic nanoparticles based solid phase extraction combined with ICP-OES for the speciation of Cr(III) and Cr(VI). <i>Analytical Methods</i> , 2014, 6, 8577-8583.	2.7	54
193	Polymer monolithic capillary microextraction on-line coupled with inductively coupled plasma-mass spectrometry for the determination of trace Au and Pd in biological samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 101, 254-260.	2.9	23
194	Immunomagnetic Separation Combined with Inductively Coupled Plasma Mass Spectrometry for the Detection of Tumor Cells Using Gold Nanoparticle Labeling. <i>Analytical Chemistry</i> , 2014, 86, 8082-8089.	6.5	65
195	Sorptive extraction using polydimethylsiloxane/metal-organic framework coated stir bars coupled with high performance liquid chromatography-fluorescence detection for the determination of polycyclic aromatic hydrocarbons in environmental water samples. <i>Journal of Chromatography A</i> , 2014, 1356, 45-53.	3.7	59
196	Chiral speciation of selenoamino acids in biological samples. <i>Journal of Chromatography A</i> , 2014, 1363, 62-70.	3.7	11
197	Membrane-supported liquid-liquid microextraction combined with anion-selective exhaustive injection capillary electrophoresis-ultraviolet detection for sensitive analysis of phytohormones. <i>Journal of Chromatography A</i> , 2014, 1343, 10-17.	3.7	30
198	Ion pair hollow fiber liquid-liquid microextraction combined with capillary electrophoresis-ultraviolet detection for the determination of thyroid hormones in human serum. <i>Journal of Chromatography A</i> , 2014, 1356, 23-31.	3.7	19

#	ARTICLE	IF	CITATIONS
199	Polydimethylsiloxane/metal-organic frameworks coated stir bar sorptive extraction coupled to high performance liquid chromatography-ultraviolet detector for the determination of estrogens in environmental water samples. <i>Journal of Chromatography A</i> , 2013, 1310, 21-30.	3.7	105
200	Cellular uptake, elimination and toxicity of CdSe/ZnS quantum dots in HepG2 cells. <i>Biomaterials</i> , 2013, 34, 9545-9558.	11.4	115
201	Speciation of selenium in cells by HPLC-ICP-MS after (on-chip) magnetic solid phase extraction. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 334.	3.0	56
202	Hollow fiber liquid-liquid-liquid microextraction combined with high performance liquid chromatography-ultraviolet detection for the determination of various environmental estrogens in environmental and biological samples. <i>Journal of Chromatography A</i> , 2013, 1305, 17-26.	3.7	67
203	Ionic liquid based carrier mediated hollow fiber liquid liquid liquid microextraction combined with HPLC-ICP-MS for the speciation of phenylarsenic compounds in chicken and feed samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1638.	3.0	30
204	Chip-based liquid phase microextraction combined with electrothermal vaporization-inductively coupled plasma mass spectrometry for trace metal determination in cell samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1660.	3.0	32
205	Polymer monolithic capillary microextraction combined on-line with inductively coupled plasma <sc>MS</sc> for the determination of trace rare earth elements in biological samples. <i>Journal of Separation Science</i> , 2013, 36, 2158-2167.	2.5	39
206	A sol-gel polydimethylsiloxane/polythiophene coated stir bar sorptive extraction combined with gas chromatography-flame photometric detection for the determination of organophosphorus pesticides in environmental water samples. <i>Journal of Chromatography A</i> , 2013, 1275, 25-31.	3.7	67
207	Ionic liquid-based magnetic solid phase extraction coupled with inductively coupled plasma-optical emission spectrometry for the determination of Cu, Cd, and Zn in biological samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1110.	3.0	23
208	Liquid phase microextraction for the analysis of trace elements and their speciation. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 86, 14-30.	2.9	78
209	Determination of Estrogens in Pork and Chicken Samples by Stir Bar Sorptive Extraction Combined with High-Performance Liquid Chromatography-Ultraviolet Detection. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 10494-10500.	5.2	38
210	Synthesis of mixed coating with multi-functional groups for in-tube hollow fiber solid phase microextraction-high performance liquid chromatography-inductively coupled plasma mass spectrometry speciation of arsenic in human urine. <i>Journal of Chromatography A</i> , 2012, 1227, 19-28.	3.7	41
211	Magnetic quantitative immunoanalysis of carcinoembryonic antigen by ICP-MS with mercury labels. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1217.	3.0	33
212	Nanoparticle labelling-based magnetic immunoassay on chip combined with electrothermal vaporization - inductively coupled plasma mass spectrometry for the determination of carcinoembryonic antigen in human serum. <i>Analyst</i> , The, 2011, 136, 3934.	3.5	42
213	Ionic liquids improved reversed-phase HPLC on-line coupled with ICP-MS for selenium speciation. <i>Talanta</i> , 2011, 83, 724-731.	5.5	56
214	Aminopropyltriethoxysilane-silica hybrid monolithic capillary microextraction combined with inductively coupled plasma mass spectrometry for the determination of trace elements in biological samples. <i>Journal of Separation Science</i> , 2011, 34, 2247-2254.	2.5	28
215	Titania immobilized polypropylene hollow fiber as a disposable coating for stir bar sorptive extraction-high performance liquid chromatography-inductively coupled plasma mass spectrometry speciation of arsenic in chicken tissues. <i>Journal of Chromatography A</i> , 2011, 1218, 1-9.	3.7	53
216	Study on speciation of aluminum in human serum using zwitterionic bile acid derivative dynamically coated C18 column HPLC separation with UV and on-line ICP-MS detection. <i>Talanta</i> , 2010, 81, 180-186.	5.5	37

#	ARTICLE	IF	CITATIONS
217	Magnetic solid phase microextraction on a microchip combined with electrothermal vaporization-inductively coupled plasma mass spectrometry for determination of Cd, Hg and Pb in cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 1931.	3.0	93
218	Immunoaffinity monolithic capillary microextraction coupled with ICP-MS for immunoassay with quantum dot labels. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 1674.	3.0	46
219	Cloud point extraction combined with electrothermal vaporization inductively coupled plasma mass spectrometry for the speciation of inorganic selenium in environmental water samples. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2894-2900.	1.5	40