

# Shouvik Chattopadhyay

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1327931/publications.pdf>

Version: 2024-02-01

215  
papers

5,239  
citations

94269

37  
h-index

174990

52  
g-index

216  
all docs

216  
docs citations

216  
times ranked

2550  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nickel(II) and copper(II) complexes of tetradentate unsymmetrical Schiff base ligands: First evidence of positional isomerism in such system. <i>Inorganica Chimica Acta</i> , 2006, 359, 1367-1375.	1.2	133
2	Methylene Spacer Regulated Structural Variation in Cobalt(II/III) Complexes with Bridging Acetate and Salen or Salpn Type Schiff Base Ligands. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 1693-1701.	1.0	126
3	First oxidative synthetic route of a novel, linear mixed valence Co(III)Co(II)Co(III) complex with bridging acetate and salen. <i>Inorganic Chemistry Communication</i> , 2006, 9, 1053-1057.	1.8	108
4	Application of a novel 2D cadmium( $\text{II}$ )-MOF in the formation of a photo-switch with a substantial on/off ratio. <i>Chemical Communications</i> , 2015, 51, 12974-12976.	2.2	93
5	Control of molecular architecture by steric factors: mononuclear vs polynuclear manganese(III) compounds with tetradentate N <sub>2</sub> O <sub>2</sub> donor Schiff bases. <i>Dalton Transactions</i> , 2011, 40, 7916.	1.6	92
6	Synthesis, structure and magnetic properties of mono- and di-nuclear nickel(II) thiocyanate complexes with tridentate N <sub>3</sub> donor Schiff bases. <i>Polyhedron</i> , 2010, 29, 2637-2642.	1.0	78
7	Synthesis, characterization and phenoxazinone synthase mimicking activity of cobalt(III) Schiff base complexes. <i>Polyhedron</i> , 2017, 123, 162-175.	1.0	68
8	Facile synthesis of Cu(II) complexes of monocondensed N,N,N donor Schiff base ligands: Crystal structure, spectroscopic and magnetic properties. <i>Polyhedron</i> , 2006, 25, 2241-2253.	1.0	64
9	The first metamagnetic thiocyanato-bridged one-dimensional nickel(II) complex. <i>Dalton Transactions</i> , 2007, , 2492.	1.6	62
10	Heteronuclear cobalt( $\text{III}$ )/sodium complexes with salen type compartmental Schiff base ligands: methylene spacer regulated variation in nuclearity. <i>Dalton Transactions</i> , 2018, 47, 331-347.	1.6	61
11	Estimation of conventional $\text{C}=\text{H}\cdots\text{N}$ (arene), unconventional $\text{C}=\text{H}\cdots\text{N}$ (chelate) and $\text{C}=\text{H}\cdots\text{N}$ (thiocyanate) interactions in hetero-nuclear nickel( $\text{II}$ )/cadmium( $\text{II}$ ) complexes with a compartmental Schiff base. <i>Dalton Transactions</i> , 2017, 46, 5384-5397.	1.6	60
12	Formation of three photoluminescent zinc(II) complexes with Zn <sub>2</sub> O <sub>2</sub> cores: Examples of bi-dentate bonding modes of potentially tri- and tetra-dentate Schiff bases. <i>Polyhedron</i> , 2015, 88, 156-163.	1.0	56
13	Three mononuclear octahedral cobalt(III) complexes with salicylaldimine Schiff bases: Synthesis, characterization, phenoxazinone synthase mimicking activity and DFT study on supramolecular interactions. <i>Polyhedron</i> , 2016, 112, 6-17.	1.0	56
14	A Semiconducting Copper(II) Coordination Polymer with (4,4) Square Grid Topology: Synthesis, Characterization, and Application in the Formation of a Photoswitch. <i>Crystal Growth and Design</i> , 2018, 18, 651-659.	1.4	55
15	Importance of $\text{H}\cdots\text{N}$ -Interactions Involving Chelate Rings in Addition to the Tetrel Bonds in Crystal Engineering: A Combined Experimental and Theoretical Study on a Series of Hemi- and Holodirected Nickel(II)/Lead(II) Complexes. <i>Crystal Growth and Design</i> , 2019, 19, 5869-5881.	1.4	53
16	Synthesis, crystal structure and hydrolysis of a dinuclear copper(II) complex constructed by N <sub>2</sub> O donor Schiff base and 4,4'-bipyridine: Discrete supra-molecular ensembles vs. oligomers. <i>Polyhedron</i> , 2007, 26, 4411-4418.	1.0	51
17	Synthesis, characterization, and anion selectivity of copper(II) complexes with a tetradentate Schiff base ligand. <i>Inorganica Chimica Acta</i> , 2006, 359, 4519-4525.	1.2	50
18	Unique example of a trigonal dodecahedral Na <sup>+</sup> in a compartmental Schiff base N,N'-bis(1,2-Phenylene)-bis(3-methoxysalicylideneimine). <i>Inorganic Chemistry Communication</i> , 2011, 14, 1337-1340.	1.8	49

#	ARTICLE	IF	CITATIONS
19	Anion mediated diversity in the H-bonded assembly of a series of heteronuclear copper(II)/sodium(I) compounds. <i>Inorganica Chimica Acta</i> , 2012, 390, 53-60.	1.2	48
20	Field-Induced Ferromagnetism and Multiferroic Behavior in End-on Pseudohalide-Bridged Dinuclear Copper(II) Complexes with Tridentate Schiff Base Blocking Ligands. <i>Inorganic Chemistry</i> , 2014, 53, 8723-8734.	1.9	48
21	A series of trinuclear zinc(II) complexes with reduced Schiff base ligands: turn-off fluorescent chemosensors with high selectivity for nitroaromatics. <i>New Journal of Chemistry</i> , 2019, 43, 10093-10102.	1.4	48
22	Anion directed templated synthesis of mono- and di-Schiff base complexes of Ni(II). <i>Polyhedron</i> , 2007, 26, 3513-3522.	1.0	47
23	Nickel(II) complexes of terdentate or symmetrical tetradentate Schiff bases: Evidence of the influence of the counter anions in the hydrolysis of the imine bond in Schiff base complexes. <i>Inorganica Chimica Acta</i> , 2009, 362, 502-508.	1.2	47
24	Syntheses, characterization and X-ray crystal structures of hexa-coordinated monomeric and oxo-bridged dimeric Fe(III) compounds with salen-type Schiff bases. <i>Polyhedron</i> , 2012, 48, 189-198.	1.0	47
25	Two new hetero-dinuclear nickel(II)/zinc(II) complexes with compartmental Schiff bases: Synthesis, characterization and self assembly. <i>Polyhedron</i> , 2016, 112, 109-117.	1.0	47
26	A combined experimental and computational study on supramolecular assemblies in hetero-tetranuclear nickel(II)-cadmium(II) complexes with $N_2O_4$ -donor compartmental Schiff bases. <i>Dalton Transactions</i> , 2016, 45, 15048-15059.	1.6	46
27	A polynuclear helical and two dinuclear copper(II) complexes of a monocondensed N,N,O donor Schiff base with pseudohalides as co-ligand. <i>Inorganica Chimica Acta</i> , 2013, 395, 24-32.	1.2	45
28	Non-covalent tetrel bonding interactions in hemidirectional lead(II) complexes with nickel(II)-salen type metalloligands. <i>New Journal of Chemistry</i> , 2018, 42, 6062-6076.	1.4	44
29	Phosphatase-mimicking activity of a unique penta-nuclear zinc(II) complex with a reduced Schiff base ligand: assessment of its ability to sense nitroaromatics. <i>New Journal of Chemistry</i> , 2019, 43, 4432-4443.	1.4	43
30	Formation of polynuclear copper(II)-sodium(I) heterometallic complexes derived from salen-type Schiff bases. <i>Polyhedron</i> , 2013, 49, 113-120.	1.0	41
31	Formation of bis(1/4-tetrazolato)dinickel(II) complexes with N,N,O-donor Schiff bases via in situ 1,3-dipolar cyclo-additions: isolation of a novel bi-cyclic trinuclear nickel(II)-sodium(I)-nickel(II) complex. <i>Dalton Transactions</i> , 2014, 43, 2936-2947.	1.6	41
32	Observation of $\pi$ -hole interactions in the solid state structures of three new copper(II) complexes with a tetradentate N4 donor Schiff base: Exploration of their cytotoxicity against MDA-MB 468 cells. <i>Polyhedron</i> , 2017, 123, 334-343.	1.0	41
33	Intramolecular Spodium Bonds in Zn(II) Complexes: Insights from Theory and Experiment. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7091.	1.8	41
34	Anion mediated diversity in the nuclearity of nickel(II) complexes with a N2O donor Schiff base: Formation of a supra-molecular chain via $Br^- \cdots Br$ interactions. <i>Polyhedron</i> , 2014, 78, 40-45.	1.0	40
35	Heterometallic inorganic-organic frameworks of sodium-nickel(vanen): Cation- $\pi$ interaction, trigonal dodecahedral $Na^+$ and unprecedented heptadentate coordination mode of vanen $2^-$ . <i>Polyhedron</i> , 2013, 63, 214-221.	1.0	39
36	Differentiating intramolecular spodium bonds from coordination bonds in two polynuclear zinc(II) Schiff base complexes. <i>CrystEngComm</i> , 2021, 23, 2703-2710.	1.3	39

#	ARTICLE	IF	CITATIONS
37	Synthesis and structures of two cobalt(III) complexes with N <sub>4</sub> donor ligands: Isolation of a unique bis-hemiaminal ether ligand as the metal complex. <i>Polyhedron</i> , 2013, 50, 443-451.	1.0	38
38	Methylene spacer regulated variation in structures and magnetic properties in copper(II) compounds with O, N, O donor Schiff bases. <i>Polyhedron</i> , 2013, 49, 269-276.	1.0	38
39	Unique example of a T <sub>3</sub> (2)4(2)3(2)6(2) water tape containing acetate <sup>2-</sup> water hybrid hexamer in a heterometallic schiff base complex host. <i>Inorganic Chemistry Communication</i> , 2012, 18, 50-56.	1.8	37
40	Synthesis and characterisation of two double EE azido and thiocyanato bridged dimeric Cu(II) complexes with tridentate Schiff bases as blocking ligands. <i>Polyhedron</i> , 2012, 37, 21-26.	1.0	37
41	Synthesis and characterization of four dicyanamide bridged copper(II) complexes with N <sub>2</sub> O donor tridentate Schiff bases as blocking ligands. <i>Inorganica Chimica Acta</i> , 2013, 405, 400-409.	1.2	37
42	Synthesis and characterization of two new nickel(II) complexes with azide: Formation of a two-dimensional coordination polymer with 63-hcb topology. <i>Polyhedron</i> , 2014, 68, 205-211.	1.0	37
43	Synthesis and characterization of square planar and square pyramidal copper(II) compounds with tridentate Schiff bases: Formation of a molecular zipper via H-bonding interaction. <i>Inorganica Chimica Acta</i> , 2012, 390, 167-177.	1.2	36
44	Variation in molecular and crystalline architectures of di- and poly-nuclear cadmium(II) complexes on changing the denticity of the blocking ligands. <i>Polyhedron</i> , 2014, 75, 57-63.	1.0	36
45	Observation of novel oxygen <sup>2-</sup> oxygen interaction in supramolecular assembly of cobalt(III) Schiff base complexes: a combined experimental and computational study. <i>RSC Advances</i> , 2015, 5, 73028-73039.	1.7	36
46	Synthesis, characterization and catechol oxidase mimicking activity of two iron(III) schiff base complexes. <i>Polyhedron</i> , 2018, 146, 81-92.	1.0	36
47	Counter anion modulated variation of denticity of NNO donor Schiff base in copper(II) complexes: Isolation of a zwitterionic Schiff base as the metal complex. <i>Polyhedron</i> , 2013, 62, 179-187.	1.0	34
48	Synthesis, crystal structure and magnetic properties of two alternating double $\mu_4^{1,1}$ and $\mu_4^{1,3}$ azido bridged Cu(II) and Ni(II) chains. <i>Dalton Transactions</i> , 2014, 43, 12414-12421.	1.6	34
49	A Combined Experimental and Theoretical Study on the Formation of a Cyclic Tetrameric Water Cluster and a Similar Type of Cyclic Cluster in Copper(II) Schiff Base Complexes. <i>ChemistrySelect</i> , 2017, 2, 9336-9343.	0.7	34
50	A comprehensive overview of the orientation of tetradentate N <sub>2</sub> O <sub>2</sub> donor Schiff base ligands in octahedral complexes of trivalent 3d metals. <i>Journal of Molecular Structure</i> , 2019, 1186, 155-186.	1.8	34
51	Synthesis and characterization of mixed valence cobalt(III)/cobalt(II) complexes with N,O-donor Schiff base ligands. <i>Polyhedron</i> , 2019, 159, 1-11.	1.0	34
52	Representation of a photosensitive Schottky barrier diode made with hetero-dinuclear cobalt(III)/sodium building blocks. <i>New Journal of Chemistry</i> , 2020, 44, 1285-1293.	1.4	34
53	Mono, di and trinuclear photo-luminescent cadmium(II) complexes with N <sub>2</sub> O and N <sub>2</sub> O <sub>2</sub> donor salicylidimine Schiff bases: Synthesis, structure and self assembly. <i>Inorganica Chimica Acta</i> , 2015, 433, 72-77.	1.2	33
54	$\pi$ -Hole halogen bonding interactions in a mixed valence cobalt(III)/cobalt(II) complex and anti-electrostatic hydrogen bonding interaction in a cobalt(III) complex: a theoretical insight. <i>CrystEngComm</i> , 2018, 20, 7281-7292.	1.3	33

#	ARTICLE	IF	CITATIONS
55	A novel copper(II) complex with a pendant Schiff base: An unprecedented monodentate bonding mode of the potentially tridentate ligand. <i>Inorganica Chimica Acta</i> , 2006, 359, 4441-4446.	1.2	31
56	Synthesis, structure and magnetic characterization of a dinuclear and two mononuclear iron(III) complexes with N,O-donor Schiff base ligands. <i>Polyhedron</i> , 2018, 146, 42-54.	1.0	31
57	Syntheses, characterization and X-ray crystal structures of Ni(II) complexes of tridentate monocondensed and tetradentate dicondensed Schiff bases. <i>Polyhedron</i> , 2009, 28, 812-818.	1.0	30
58	Synthesis and characterization of nickel(II) and copper(II) complexes with tetradentate Schiff base ligands. <i>Inorganica Chimica Acta</i> , 2011, 366, 62-67.	1.2	30
59	Anion directed cation templated synthesis of three ternary copper(II) complexes with a monocondensed N2O donor Schiff base and different pseudohalides. <i>Polyhedron</i> , 2015, 85, 221-231.	1.0	30
60	Phosphatase Mimicking Activity of Two Zinc(II) Schiff Base Complexes with Zn <sub>2</sub> O <sub>2</sub> Cores: NBO Analysis and MEP Calculation to Estimate Non-Covalent Interactions. <i>ChemistrySelect</i> , 2017, 2, 6286-6295.	0.7	30
61	A tetranuclear nickel/lead complex with a salen type Schiff base: synthesis, structure and exploration of photosensitive Schottky barrier diode behaviour. <i>New Journal of Chemistry</i> , 2019, 43, 5020-5031.	1.4	30
62	Formation of a tetranuclear supramolecule <i>via</i> non-covalent Pb <sup>2+</sup> Cl <sup>-</sup> tetrel bonding interaction in a hemidirected lead(II) complex with a nickel(II) containing metaloligand. <i>CrystEngComm</i> , 2019, 21, 6859-6868.	1.3	30
63	A combined experimental and computational study of supramolecular assemblies in ternary copper(II) complexes with a tetradentate N <sub>4</sub> donor Schiff base and halides. <i>RSC Advances</i> , 2014, 4, 58643-58651.	1.7	29
64	Fabrication of an Active Electronic Device Using a Hetero-bimetallic Coordination Polymer. <i>ACS Omega</i> , 2018, 3, 12788-12796.	1.6	29
65	One pot synthesis of two cobalt(III) Schiff base complexes with chelating pyridyltetrazolate and exploration of their bio-relevant catalytic activities. <i>RSC Advances</i> , 2018, 8, 28216-28237.	1.7	29
66	A trigonal dodecahedral cadmium(II) complex with zinc(II) salen type metaloligand: Synthesis, structure, self-assembly and application in the detection of various nitroaromatics via turn-off fluorescence response. <i>Polyhedron</i> , 2019, 159, 265-274.	1.0	29
67	Formation of three photoluminescent dinuclear cadmium(II) complexes with Cd <sub>2</sub> O <sub>2</sub> cores. <i>Polyhedron</i> , 2015, 91, 10-17.	1.0	28
68	Formation of a novel ferromagnetic end-to-end cyanate bridged homochiral helical copper(II) Schiff base complex via spontaneous symmetry breaking. <i>Dalton Transactions</i> , 2015, 44, 493-497.	1.6	28
69	Manganese(III) complexes with tetradentate salicylaldimine Schiff bases: Synthesis, structure, self assembly and catalase activity. <i>Polyhedron</i> , 2016, 115, 37-46.	1.0	28
70	Two Cobalt(III) Schiff Base Complexes of the Type [Co(ABC)(DE)X]: Facile Synthesis, Characterization, Catechol Oxidase and Phenoxazinone Synthase Mimicking Activity. <i>ChemistrySelect</i> , 2017, 2, 8207-8220.	0.7	28
71	Formation of a water-mediated assembly of two neutral copper(II) Schiff base fragments with a Cu <sub>2</sub> (NCS) <sub>4</sub> moiety: exploration of non-covalent C-H...N (bimetallo ring) interactions. <i>CrystEngComm</i> , 2018, 20, 1679-1689.	1.3	28
72	Development of multi-metallic complexes using metal-salen complexes as building blocks. <i>Journal of Coordination Chemistry</i> , 2019, 72, 3183-3209.	0.8	28

#	ARTICLE	IF	CITATIONS
73	An insight into the non-covalent Pb <sup>2+</sup> and S <sup>2-</sup> interactions in the solid-state structure of a hemidirected lead(II) complex. <i>CrystEngComm</i> , 2020, 22, 237-247.	1.3	28
74	Copper(II) complexes with tridentate N2O donor Schiff base isomers: Modulation of molecular and crystalline architectures through supramolecular interactions. <i>Polyhedron</i> , 2013, 60, 68-77.	1.0	27
75	Control of molecular architecture by hydrogen bonding: mononuclear versus dinuclear copper(II) complexes with tridentate N2O donor Schiff base isomers. <i>Transition Metal Chemistry</i> , 2013, 38, 191-197.	0.7	27
76	Methylene spacer regulated variation in conformation of tetradentate N <sub>2</sub> O <sub>2</sub> donor Schiff bases trapped in manganese(III) complexes. <i>CrystEngComm</i> , 2018, 20, 1077-1086.	1.3	27
77	The ability of a trinuclear zinc(II) Schiff base complex to act as a photocatalyst for the degradation of methylene blue and to mimic phosphatase. <i>Polyhedron</i> , 2019, 157, 449-457.	1.0	27
78	Syntheses, characterization and X-ray crystal structures of a mono- and a penta-nuclear nickel(II) complex with oximate Schiff base ligands. <i>Inorganica Chimica Acta</i> , 2011, 365, 25-31.	1.2	26
79	Exploration of photocatalytic activity of an end-on azide bridged one-dimensional cadmium(II) Schiff base complex for the degradation of organic dye in visible light. <i>Polyhedron</i> , 2017, 121, 199-205.	1.0	26
80	Synthesis and structure of mono-, di- and tri-nuclear copper(II) benzoate complexes with a tridentate N2O donor Schiff base ligand. <i>Inorganica Chimica Acta</i> , 2013, 396, 66-71.	1.2	25
81	Unprecedented photosensitivity of heterotrimetallic copper(II)/sodium/mercury(II) coordination polymer based thin film semiconductor device. <i>New Journal of Chemistry</i> , 2018, 42, 15295-15305.	1.4	25
82	Phenoxo-bridged dinuclear mixed valence cobalt(III)/cobalt(II) complexes with reduced Schiff base ligands: synthesis, characterization, band gap measurements and fabrication of Schottky barrier diodes. <i>Dalton Transactions</i> , 2021, 50, 1721-1732.	1.6	25
83	Designed synthesis of copper(II) and nickel(II) complexes with a tridentate N2O donor Schiff base: Modulation of crystalline architectures through CH <sup>+</sup> ⋯ <sup>-</sup> and anion⋯ <sup>-</sup> interactions. <i>Journal of Molecular Structure</i> , 2013, 1051, 250-258.	1.8	24
84	Two new manganese(III) complexes with salicylaldimine Schiff bases: Synthesis, structure, self-assembly and phenoxazinone synthase mimicking activity. <i>Inorganica Chimica Acta</i> , 2017, 457, 19-28.	1.2	24
85	Anion directed templated synthesis of mono- and di-condensed Schiff base compounds of Cu(II). <i>Polyhedron</i> , 2012, 44, 11-17.	1.0	23
86	Synthesis and structure of a cobalt(III) complex containing pendant Schiff base ligand: Exploration of its catechol oxidase and phenoxazinone synthase like activity. <i>Inorganica Chimica Acta</i> , 2018, 482, 23-33.	1.2	23
87	Magnetic Properties of End-to-End Azide-Bridged Tetranuclear Mixed-Valence Cobalt(III)/Cobalt(II) Complexes with Reduced Schiff Base Blocking Ligands and DFT Study. <i>ACS Omega</i> , 2019, 4, 20634-20643.	1.6	23
88	Synthesis, characterization, self-assembly and non-ohmic Schottky barrier diode behaviors of two iron(III) based semiconductors with theoretical insight. <i>CrystEngComm</i> , 2020, 22, 5170-5181.	1.3	23
89	Copper(II) complexes with tridentate N2O donor Schiff bases: Modulation of crystalline architectures through supramolecular interactions. <i>Polyhedron</i> , 2014, 67, 181-190.	1.0	22
90	Design and construction of copper(I) complexes based on flexi-dentate cyclic N2-donor Schiff bases via in situ reduction of copper(II) precursors. <i>Polyhedron</i> , 2014, 81, 298-307.	1.0	21

#	ARTICLE	IF	CITATIONS
91	Synthesis, characterization and DFT study of nickel(II) complexes of a N <sub>2</sub> O donor Schiff base with different pseudo-halides: Formation of supra-molecular architectures by C-H...N interactions. <i>Polyhedron</i> , 2014, 78, 94-103.	1.0	21
92	Spontaneous resolution of P and M helical copper(II) MOFs built from achiral precursors. <i>RSC Advances</i> , 2015, 5, 18252-18257.	1.7	21
93	A polynuclear and two dinuclear copper(II) Schiff base complexes: Synthesis, characterization, self-assembly, magnetic property and DFT study. <i>Polyhedron</i> , 2017, 137, 332-346.	1.0	21
94	Methylene spacer regulated variation in molecular and crystalline architectures of cobalt(III) complexes with reduced Schiff base ligands: a combined experimental and theoretical study. <i>Dalton Transactions</i> , 2019, 48, 11433-11447.	1.6	21
95	A novel polymeric copper(II) compound containing peripheral nitro oxygen bridge and 1/4-OH core: An unprecedented tetradentate bonding mode of a potentially tridentate Schiff base. <i>Inorganic Chemistry Communication</i> , 2012, 22, 14-17.	1.8	20
96	Hydrogen bonding induced lowering of the intra-chain metal-metal distance in single end-on azide bridged one-dimensional copper(II) complexes with tridentate Schiff bases as blocking ligands. <i>Polyhedron</i> , 2014, 68, 346-356.	1.0	20
97	A novel method for copper(II) mediated region-selective bromination of aromatic rings under mild conditions. <i>RSC Advances</i> , 2016, 6, 61214-61220.	1.7	20
98	End-on cyanate or end-to-end thiocyanate bridged dinuclear copper(II) complexes with a tridentate Schiff base blocking ligand: synthesis, structure and magnetic studies. <i>New Journal of Chemistry</i> , 2018, 42, 1634-1641.	1.4	20
99	A trinuclear centrosymmetric zinc(II) Schiff base complex: Exploration of its photocatalytic and phosphatase mimicking activity. <i>Inorganic Chemistry Communication</i> , 2018, 98, 92-98.	1.8	20
100	DFT study on the redox behavior of two dioxovanadium(V) complexes with N <sub>2</sub> O donor Schiff base ligands and their use in catalytic oxidation of <i>ortho</i> -aminophenol. <i>New Journal of Chemistry</i> , 2019, 43, 18747-18759.	1.4	20
101	Synthesis and characterisation of ammonium mediated assembly of two neutral nickel(II) Schiff base fragments. <i>Inorganica Chimica Acta</i> , 2011, 378, 303-306.	1.2	19
102	A dinuclear and a 1D zigzag chain of copper(II) complexes with N <sub>2</sub> O donor Schiff base ligand and pseudohalides (azide and dicyanamide): Studies on catecholase-like activity. <i>Inorganica Chimica Acta</i> , 2015, 430, 24-29.	1.2	19
103	Synthesis, structure, catechol oxidase and phenoxazinone synthase mimicking activity of a manganese(III) Schiff base complex [Mn(HL) <sub>2</sub> (CH <sub>3</sub> OH) <sub>2</sub> ][Mn(HL) <sub>2</sub> (N <sub>3</sub> ) <sub>2</sub> ]. <i>Polyhedron</i> , 2018, 141, 198-207.	1.0	19
104	Photosensitive Schottky barrier diode behavior of a semiconducting Co(III)-Na complex with a compartmental Schiff base ligand. <i>RSC Advances</i> , 2019, 9, 34710-34719.	1.7	19
105	Stabilization of two conformers via intra- or inter-molecular hydrogen bonds in a dinuclear vanadium(V) complex with a pendant Schiff base: theoretical insight. <i>RSC Advances</i> , 2019, 9, 35165-35175.	1.7	19
106	Synthesis, structure and nitroaromatic sensing ability of a trinuclear zinc complex with a reduced Schiff base ligand: Assessment of the ability of the ligand to sense zinc ion. <i>Polyhedron</i> , 2020, 187, 114639.	1.0	19
107	A theoretical insight on the rigid hydrogen-bonded network in the solid state structure of two zinc(II) complexes and their strong fluorescence behaviors. <i>CrystEngComm</i> , 2020, 22, 3005-3019.	1.3	19
108	Unique in situ reduction of copper(II) forming an interesting photoluminescent stair-polymer of copper(I) with a Cu <sub>2</sub> S <sub>2</sub> core. <i>Dalton Transactions</i> , 2012, 41, 10145.	1.6	18

#	ARTICLE	IF	CITATIONS
109	Synthesis, Characterization, DFT Study, Catechol Oxidase and Phenoxazinone Synthase Like Activities of Two New Manganese(IV) Schiff Base Complexes. <i>ChemistrySelect</i> , 2017, 2, 2975-2984.	0.7	18
110	Accidental Orthogonality Induced Weak Magnetic Coupling in a Dinuclear Copper(II) Complex: Exploration of Unconventional C $\pi$ -H $\pi$ ... $\pi$ ... $\pi$ (SCN) Interactions and Catechol Oxidase Activity. <i>ChemistrySelect</i> , 2017, 2, 6535-6543.	0.7	18
111	Photocatalytic ability of two hetero-tetranuclear complexes with CuO <sub>2</sub> Cd cores to degrade methylene blue: Influence of their structures on activity. <i>Polyhedron</i> , 2019, 170, 253-263.	1.0	18
112	Analysis of energies of halogen and hydrogen bonding interactions in the solid state structures of vanadyl Schiff base complexes. <i>RSC Advances</i> , 2019, 9, 4789-4796.	1.7	18
113	Synthesis and characterization of a double oximate bridged dimeric copper(II) complex and its use in oxidative dimerisation of o-aminophenol. <i>Polyhedron</i> , 2020, 175, 114164.	1.0	18
114	Phenoxazinone synthase mimicking activity of a dinuclear copper(II) complex with a half salen type Schiff base ligand. <i>Polyhedron</i> , 2020, 178, 114311.	1.0	18
115	Field-induced single molecule magnet behavior of a dinuclear cobalt(II) complex: a combined experimental and theoretical study. <i>Dalton Transactions</i> , 2020, 49, 16778-16790.	1.6	18
116	Exploration of Br $\pi$ -O halogen bonding interactions in dinuclear vanadium(V) complexes with Schiff base ligands. <i>Polyhedron</i> , 2020, 187, 114676.	1.0	18
117	Syntheses and characterizations of square planar nickel(II) complexes with pendant ligands: Examples of bi-dentate bonding modes of potentially tri- and tetra-dentate Schiff bases. <i>Polyhedron</i> , 2013, 65, 229-237.	1.0	17
118	1-Amino-4-hydroxy-9,10-anthraquinone – An analogue of anthracycline anticancer drugs, interacts with DNA and induces apoptosis in human MDA-MB-231 breast adenocarcinoma cells: Evaluation of structure-activity relationship using computational, spectroscopic and biochemical studies. <i>Biochemistry and Biophysics Reports</i> , 2015, 4, 312-323.	0.7	17
119	Synthesis, structure, magnetic property and self-assembly of two double end-on azide bridged ferromagnetic nickel(II) complexes with distinct bidentate blocking ligands: A combined experimental and theoretical study. <i>Polyhedron</i> , 2015, 101, 257-269.	1.0	17
120	Synthesis and characterization of three new photo-luminescent cadmium(II) complexes with azide: Variation in molecular structures with changes in the denticity of blocking ligands. <i>Inorganica Chimica Acta</i> , 2015, 427, 155-161.	1.2	17
121	Synthesis, characterization and photocatalytic activity of a dinuclear thiocyanate bridged cadmium(II) Schiff base complex. <i>Polyhedron</i> , 2017, 127, 471-477.	1.0	17
122	Importance of chelate-chelate stacking interactions in crystal structures of square pyramidal copper(II) complexes with two distinct chelating bidentate ligands. <i>Inorganica Chimica Acta</i> , 2016, 442, 16-23.	1.2	16
123	Importance of C $\pi$ -H $\pi$ interactions in stabilizing the syn/anti arrangement of pendant alkoxy side arms in two manganese(IV) Schiff base complexes: exploration of catechol oxidase and phenoxazinone synthase like activities. <i>New Journal of Chemistry</i> , 2017, 41, 8053-8065.	1.4	16
124	Suitable Interplay between Various Conventional and Unconventional Non-Covalent Interactions in Forming Self-Assembled Supramolecules of Two Ni(II)/Zn(II) Schiff Base Complexes. <i>ChemistrySelect</i> , 2017, 2, 7880-7887.	0.7	16
125	A Combined Experimental and Theoretical Study to Explore the Importance of $\pi$ -Hole Carbon Bonding Interactions in Stabilizing Molecular Assemblies. <i>ChemistrySelect</i> , 2017, 2, 10586-10594.	0.7	16
126	Synthesis and characterization of three hetero-dinuclear complexes with CuO <sub>2</sub> M cores (M = Na, Hg): Exploration of their phenoxazinone synthase mimicking activity. <i>Polyhedron</i> , 2018, 150, 28-34.	1.0	16



#	ARTICLE	IF	CITATIONS
127	A mixed phenoxo and end-on azide bridged dinuclear copper( <i>ii</i> ) Schiff base complex: synthesis, structure, magnetic characterization and DFT study. <i>New Journal of Chemistry</i> , 2018, 42, 13512-13519.	1.4	16
128	A benzoate bridged dinuclear mixed valence cobalt(III/II) complex with CoIIIO4Coll core: Synthesis, structure and investigation of its phenoxazinone synthase mimicking activity. <i>Polyhedron</i> , 2020, 177, 114290.	1.0	16
129	An acetate bridged centrosymmetric zinc(II) complex with a tetradentate reduced Schiff base ligand: Synthesis, characterization and ability to sense nitroaromatics by turn off fluorescence response. <i>Polyhedron</i> , 2020, 190, 114735.	1.0	16
130	Synthetic strategies, crystal structures and biological activities of metal complexes with the members ofazole family: A review. <i>Polyhedron</i> , 2021, 200, 115093.	1.0	16
131	Novel tandem synthesis of bis( $\frac{1}{4}$ -NN $\epsilon^2$ -tetrazolate) bridged dinuclear nickel( <i>ii</i> ) Schiff base complex via [3 + 2] cyclo-addition at ambient condition. <i>Dalton Transactions</i> , 2014, 43, 5643-5647.	1.6	15
132	Formation of T4(1) water tapes interconnected via centrosymmetric nickel(II) Schiff base complex to produce a 3D architecture. <i>Inorganic Chemistry Communication</i> , 2014, 48, 12-17.	1.8	15
133	A combined experimental and theoretical study on supramolecular assemblies in octahedral cobalt(III) salicylaldehyde complexes having pendant side arms. <i>Polyhedron</i> , 2016, 112, 86-95.	1.0	15
134	Synthesis, characterization and magnetic study of two new octahedral iron(III) complexes with pendant zwitterionic Schiff bases. <i>Inorganica Chimica Acta</i> , 2016, 453, 715-723.	1.2	15
135	Estimating the energy of noncovalent interactions in a dioxovanadium(V) Schiff base complex: Exploration of its phenoxazinone synthase like activity. <i>Polyhedron</i> , 2018, 142, 83-92.	1.0	15
136	Relative stability of the <i>cis</i> and <i>trans</i> isomers of octahedral cobalt( <i>iii</i> ) complexes of the type [Co(N <sub>2</sub> O <sub>2</sub> )X <sub>2</sub> ] with tetradentate salen type Schiff bases: a combined theoretical and experimental study. <i>CrystEngComm</i> , 2019, 21, 6026-6037.	1.3	15
137	Methylene spacer regulated variation in supramolecular assembly of zinc( <i>ii</i> ) dicyanamide complexes with reduced Schiff base ligands: synthesis, structure and DFT study. <i>CrystEngComm</i> , 2020, 22, 6876-6885.	1.3	15
138	Visible light driven photodegradation of methylene blue with two reduced Schiff base complexes of zinc(II): Exploration of their phosphatase mimicking ability. <i>Polyhedron</i> , 2020, 184, 114527.	1.0	15
139	Synthesis, structure and properties of homo- and hetero-trinuclear complexes of salicylaldehyde-based di-Schiff bases. <i>Polyhedron</i> , 2022, 215, 115652.	1.0	15
140	Anion modulated structural variations in copper(II) complexes with a semicarbazone Schiff base: Synthesis, characterization and self assembly. <i>Polyhedron</i> , 2014, 77, 103-114.	1.0	14
141	Synthesis, structure and magnetic property of a dinuclear cobalt(II/III) complex with a reduced Schiff base ligand. <i>Polyhedron</i> , 2020, 190, 114756.	1.0	14
142	A theoretical insight into non-covalent supramolecular interactions in the solid state structures of two octahedral iron( <i>iii</i> ) complexes. <i>CrystEngComm</i> , 2020, 22, 5731-5742.	1.3	14
143	Synthesis of an electrically conductive square planar copper( <i>ii</i> ) complex and its utilization in the fabrication of a photosensitive Schottky diode device and DFT study. <i>New Journal of Chemistry</i> , 2020, 44, 11622-11630.	1.4	14
144	Dinuclear mixed valence cobalt(II/III) and hetero-tetranuclear cobalt(III)/Na complexes with a compartmental ligand: Synthesis, characterization and use as catalysts for oxidative dimerisation of 2-aminophenol. <i>Inorganica Chimica Acta</i> , 2021, 515, 120044.	1.2	14

#	ARTICLE	IF	CITATIONS
145	Synthetic strategies, structures and properties of di and polynuclear cobalt complexes with H <sub>2</sub> salen type Schiff bases and their reduced analogues. <i>Polyhedron</i> , 2022, 211, 115511.	1.0	14
146	Trinuclear CuII Complexes Containing Peripheral Ketonic Oxygen Bridges and a 1/4-3-OH Core: Syntheses, Crystal Structures, Spectroscopic and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 4562-4571.	1.0	13
147	Synthesis and characterization of a nickel(II) complex of 9-methoxy-2,3-dihydro-1,4-benzoxazepine derived from a Schiff base ligand and its ligand substitution reaction. <i>Journal of Molecular Structure</i> , 2014, 1061, 26-31.	1.8	13
148	Formation of novel cadmium(II) tetrazolato complexes with Schiff bases as co-ligands via in situ [3+2] cyclo-addition. <i>Polyhedron</i> , 2014, 81, 168-179.	1.0	13
149	The crucial role of chelate-chelate stacking interactions in the crystal structure of a square planar copper(II) complex. <i>Journal of Molecular Structure</i> , 2017, 1127, 355-360.	1.8	13
150	A triple alkoxo bridged dinuclear cobalt(III) complex mimicking phosphatase and showing ability to degrade organic dye contaminants by photocatalysis. <i>Journal of Organometallic Chemistry</i> , 2019, 883, 52-64.	0.8	13
151	A series of hydrogen bond mediated dinuclear nickel(II) complexes with reduced Schiff base ligands: An insight into the nature of their short intermolecular hydrogen bonds. <i>Polyhedron</i> , 2020, 179, 114374.	1.0	13
152	A tetrameric udd type water cluster encapsulated in a dinuclear vanadium(V) Schiff base complex and its role in the formation of supramolecular assemblies: A joint experimental and theoretical study. <i>Inorganica Chimica Acta</i> , 2021, 515, 120057.	1.2	13
153	Synthesis and characterization of a mononuclear zinc(II) Schiff base complex: on the importance of C-H...N interactions. <i>RSC Advances</i> , 2021, 11, 30148-30155.	1.7	13
154	Syntheses, crystal structures and density functional theory investigations of copper(II) complexes bearing tridentate Schiff base ligands derived from 8-aminoquinoline. <i>CrystEngComm</i> , 2015, 17, 5664-5671.	1.3	12
155	Synthesis, Structures, and DFT Study of CuBr Based Coordination Polymers via in Situ Reduction of Copper(II). <i>Crystal Growth and Design</i> , 2015, 15, 257-267.	1.4	12
156	Anion dependent supramolecular architectures in Cu(II) complexes containing N <sub>2</sub> O-donor Schiff-base and 4,4'-bipyridine ligands: Structural analyses and theoretical studies. <i>Inorganica Chimica Acta</i> , 2016, 448, 26-33.	1.2	12
157	Synthesis, characterization and self-assembly of three dicyanamide bridged polynuclear copper(II) complexes with N <sub>2</sub> O donor tridentate Schiff bases as blocking ligands. <i>Polyhedron</i> , 2016, 117, 138-147.	1.0	12
158	A theoretical insight into the formation of chalcogen bonding (ChB) interactions involving coordinated DMSO molecules as $\sigma^*$ -hole donors and benzoate groups as $\sigma^*$ -hole acceptors in a dinuclear copper(II) complex. <i>CrystEngComm</i> , 2021, 23, 5087-5096.	1.3	12
159	Bis(1/4-tetrazolato-NN $\epsilon^2$ ) bridged dinuclear nickel(II) Schiff base complexes: Tandem synthesis, structure and self assembly. <i>Polyhedron</i> , 2015, 87, 286-292.	1.0	11
160	Field-induced ferromagnetism due to magneto-striction in 1-D helical chains. <i>RSC Advances</i> , 2016, 6, 22980-22988.	1.7	11
161	A combined experimental and theoretical study on two new dinuclear cadmium(II) Schiff base complexes with selenocyanate- $\mu$ -Se. <i>Inorganica Chimica Acta</i> , 2016, 453, 51-61.	1.2	11
162	Both end-on and end-to-end azide bridged tetranuclear ferromagnetic nickel(II) Schiff base complexes. <i>New Journal of Chemistry</i> , 2017, 41, 13585-13592.	1.4	11

#	ARTICLE	IF	CITATIONS
163	Estimation of non-covalent C-H⋯N, N⋯N (chelate ring) and hydrogen bonding interactions in vanadium(V) Schiff base complexes: Methylene spacer regulated variation in self-assembly. <i>Inorganica Chimica Acta</i> , 2017, 467, 212-220.	1.2	11
164	Chirality-Induced Variation in Interaction of Two Similar Copper(II) Coordination Polymers with Calf Thymus DNA: Exploration of Their Antimicrobial Activity and Cytotoxicity. <i>ChemistrySelect</i> , 2018, 3, 7112-7122.	0.7	11
165	Synthetic stratagem and structures of two heteroleptic cobalt(III) complexes acting as biomimetic catalysts: Role of co-ligands in catalytic activities. <i>Polyhedron</i> , 2019, 170, 495-507.	1.0	11
166	Observation of an anion⋯anion interaction in a square planar copper(II) Schiff base complex: DFT study and CSD analysis. <i>Inorganica Chimica Acta</i> , 2019, 487, 465-472.	1.2	11
167	Synthesis, characterization and DFT study on two copper(II) complexes with a naphthalene-based Schiff base: Examples of stronger chelate⋯chelate interactions than those reported for classical N⋯N complexes. <i>Polyhedron</i> , 2019, 157, 487-494.	1.0	11
168	A theoretical insight on the anion⋯anion interactions observed in the solid state structure of a hetero-trinuclear complex. <i>CrystEngComm</i> , 2021, 23, 1429-1438.	1.3	11
169	Hydrogen bond mediated intermolecular magnetic coupling in mononuclear high spin iron(III) Schiff base complexes: synthesis, structure and magnetic study with theoretical insight. <i>RSC Advances</i> , 2021, 11, 3315-3323.	1.7	11
170	Recent advances on the tetrel bonding interaction in the solid state structure of lead complexes with hydrazine based bis-pyridine Schiff base ligands. <i>Polyhedron</i> , 2022, 216, 115670.	1.0	11
171	Formation of a mixed valence copper(II)⋯copper(I) coordination polymer $\{[\text{Cu}(\text{1,2-pn})_2(\text{1}^{\frac{1}{4}}\text{3})_3\text{-l})\text{Cu}_2(\text{1}^{\frac{1}{4}}\text{2})_3(\text{CH}_3)_3\text{CN}]\}_n$ ⋯CH <sub>3</sub> in situ reduction of copper(II) at ambient condition. <i>Journal of Coordination Chemistry</i> , 2013, 66, 3906-3914.	0.8	10
172	Efficient and novel method for nucleophilic thiocyanation of activated aromatic compounds using sodium thiocyanate at ambient condition. <i>Inorganic Chemistry Communication</i> , 2013, 35, 160-163.	1.8	10
173	A combined experimental and computational study of supramolecular assemblies in two photoluminescent cadmium(II) complexes with halosalicylaldimine Schiff bases. <i>Inorganica Chimica Acta</i> , 2016, 450, 321-329.	1.2	10
174	Diminishing accessibility of electrophilic nickel(II) centres due to incorporation of a methylene spacer in the pendant side arm of a series of heterotrinnuclear nickel(II)/sodium complexes: a DFT study using a homodesmotic equation. <i>CrystEngComm</i> , 2020, 22, 2970-2977.	1.3	10
175	Insight into charge transportation in cadmium based semiconducting organic⋯inorganic hybrid materials and their application in the fabrication of photosensitive Schottky devices. <i>Dalton Transactions</i> , 2022, 51, 5721-5734.	1.6	10
176	In situ assembly of a host⋯guest linked, mixed valence copper(II)⋯copper(I) coordination polymer $[\text{Cu}(\text{1,2-en})_2(\text{1}^{\frac{1}{4}}\text{3})_3\text{-l})_2\text{Cu}_2(\text{1}^{\frac{1}{4}}\text{2})_2\text{-l})_2]_n$ via partial reduction of copper(II) under ambient conditions. <i>Journal of Coordination Chemistry</i> , 2014, 67, 2954-2966.	0.8	9
177	Variation in DNA binding constants with a change in geometry of ternary copper(II) complexes with N2O donor Schiff base and cyanate or dicyanamide. <i>Journal of Molecular Structure</i> , 2014, 1074, 703-712.	1.8	9
178	Modulation in N⋯N, cation⋯N and C⋯H⋯C interactions varying the counter anions in square planar nickel(II) Schiff base complexes: A combined experimental and theoretical study. <i>Polyhedron</i> , 2016, 119, 451-459.	1.0	9
179	Synthesizing a Cu(II) complex of tinidazole to tune the generation of the nitro radical anion in order to strike a balance between efficacy and toxic side effects. <i>New Journal of Chemistry</i> , 2017, 41, 4879-4886.	1.4	9
180	Existence of stronger C-H⋯N(chelate ring) interaction compared to C-H⋯N(arene) interactions in the supramolecular assembly of dinuclear iron(III) Schiff base complexes: A theoretical insight. <i>Inorganica Chimica Acta</i> , 2021, 516, 120081.	1.2	9

#	ARTICLE	IF	CITATIONS
181	Variation in crystalline architectures through supramolecular interactions in copper(II) complexes with tridentate N <sub>2</sub> O donor Schiff bases. <i>Journal of Coordination Chemistry</i> , 2015, 68, 2520-2538.	0.8	8
182	Asymmetric bis-(1/4,1-azido) bridged dinuclear copper(II) complex with N <sub>2</sub> O donor Schiff base: synthesis, structure and magnetic study. <i>Journal of Coordination Chemistry</i> , 2015, 68, 1361-1373.	0.8	8
183	Copper(II) pseudohalide complexes with isomeric N <sub>2</sub> O donor Schiff base ligands: Synthesis, characterization and molecular dynamics simulations of interactions with DNA. <i>ChemistrySelect</i> , 2016, 1, 448-455.	0.7	8
184	Tetrazolate bridged dinuclear photo-luminescent zinc(II) Schiff base complex prepared via 1,3-dipolar cycloaddition at ambient condition. <i>Journal of Coordination Chemistry</i> , 2016, 69, 915-925.	0.8	8
185	Role of steric crowding of ligands in the formation of hydroxido bridged di- and trinuclear copper(II) complexes: Structures and magnetic properties. <i>Polyhedron</i> , 2018, 145, 43-52.	1.0	8
186	Synthesis and structural characterization of three manganese(III) complexes with N <sub>2</sub> O <sub>2</sub> donor tetradentate Schiff base ligands: Exploration of their catalase mimicking activity. <i>Inorganica Chimica Acta</i> , 2019, 494, 123-131.	1.2	8
187	Insight into non-covalent interactions in two triamine-based mononuclear iron(III) Schiff base complexes with special emphasis on the formation of Br $\cdots$ halogen bonding. <i>CrystEngComm</i> , 2021, 23, 1578-1587.	1.3	8
188	On the importance of R <sub>3</sub> C $\cdots$ N tetrel bonding interactions in the solid state of a dinuclear zinc complex with a tetradentate Schiff base ligand. <i>CrystEngComm</i> , 2021, 23, 3391-3397.	1.3	8
189	An insight to the spin density distribution and non-covalent interactions in a carboxylate bridged class-I mixed valence cobalt(II),cobalt(III) complex of quadruplet nature. <i>Inorganica Chimica Acta</i> , 2021, 521, 120298.	1.2	8
190	Phenoxido mediated antiferromagnetic and azide mediated ferromagnetic coupling in two dinuclear ferromagnetic nickel(II) complexes with isomeric Schiff bases: a theoretical insight on the pathway of magnetic interaction. <i>CrystEngComm</i> , 2021, 23, 1942-1952.	1.3	8
191	Construction of a new double phenoxo bridged asymmetric manganese(III) Schiff base complex: Observation of ferromagnetic interaction within the dimer and antiferromagnetic interaction between dimers. <i>Polyhedron</i> , 2019, 164, 138-145.	1.0	7
192	An insight into the role of supramolecular interactions to stabilize the solid state structure of an octahedral nickel(II) diamine complex. <i>Inorganica Chimica Acta</i> , 2021, 515, 120023.	1.2	7
193	Theoretical insights on the encapsulated hydronium ion mediated supramolecular assembly of nickel(II) Schiff base complexes: strong hydrogen bonding interaction due to charge transfer from the lone pair of oxygen to the antibonding orbital of the O $\cdots$ H bond. <i>CrystEngComm</i> , 2021, 23, 6724-6735.	1.3	7
194	Insight into non-covalent interactions in a [Cu(N <sub>3</sub> ) <sub>4</sub> ] <sup>2+</sup> bridged hetero-pentanuclear copper(II)/sodium complex with special emphasis on the strong CH $\cdots$ [Cu(N <sub>3</sub> ) <sub>4</sub> ] interactions. <i>New Journal of Chemistry</i> , 2022, 46, 11286-11295.	1.4	7
195	Insight into the formation of H-bonds propagating the monomeric zinc complexes of a tridentate reduced Schiff base to form an infinite chain. <i>CrystEngComm</i> , 2021, 23, 1918-1928.	1.3	6
196	An unusual magnetic response in a $\pi$ -stacked 6 <sup>6</sup> -dia net structure of [4 + 2] copper(II) cubane. <i>RSC Advances</i> , 2015, 5, 46869-46872.	1.7	5
197	A combined experimental and theoretical study on an ionic cobalt(III/II) complex with a Schiff base ligand. <i>Polyhedron</i> , 2020, 182, 114432.	1.0	5
198	Synthetic methodology, structures and properties of mixed valence copper(I/II) complexes with various Schiff bases and their reduced analogues. <i>Polyhedron</i> , 2021, 199, 115086.	1.0	5

#	ARTICLE	IF	CITATIONS
199	Field-induced single-molecule magnet behaviour in a series of dinuclear cobalt(III,II) complexes. <i>Polyhedron</i> , 2022, 220, 115802.	1.0	5
200	Development of di and polynuclear lead(II) salen (or reduced salen) complexes having PbO <sub>2</sub> M (M=Cu/Ni) cores: Synthetic strategies and structures. <i>Polyhedron</i> , 2022, 218, 115756.	1.0	5
201	Exploration of noncovalent interactions in the solid state structures of carboxylate bridged trinuclear mixed valence cobalt complexes using computational tools based on the topological analysis of the electron density. <i>Polyhedron</i> , 2022, 223, 115910.	1.0	5
202	Synthesis, characterization and self assembly of dinuclear zinc Schiff base complexes: A combined experimental and theoretical study. <i>Polyhedron</i> , 2022, 225, 116044.	1.0	5
203	Estimation of the ability of the $\pi$ -system of pseudohalides (azide and thiocyanate) to participate in CH $\cdots\pi$ interactions in cyclic hetero-tetranuclear cobalt(III)/sodium and linear trinuclear mixed valence cobalt(III/II/III) complexes. <i>Polyhedron</i> , 2022, 222, 115862.	1.0	4
204	Use of hexacyanometalates as efficient linkers to assemble manganese(III)-salen moieties forming cyanide bridged polynuclear complexes: A review. <i>Polyhedron</i> , 2022, 224, 115977.	1.0	4
205	Iodide-bridged dinuclear copper(I) complex with cyanopyrazine and its conversion into bis(tetrazolato)copper(II) complex via [3+2] cycloaddition: synthesis, structure and self-assembly. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 1713-1721.	1.2	3
206	Synthesis and characterization of a manganese(III) schiff base complex and exploration of Br $\cdots$ Br interaction in the solid state structure of the complex. <i>Journal of Coordination Chemistry</i> , 2019, 72, 3237-3247.	0.8	3
207	A mononuclear zinc complex with a diamine: Synthesis, characterization, self assembly, luminescence property and DFT calculations. <i>Journal of Molecular Structure</i> , 2022, 1249, 131598.	1.8	3
208	Introduction to tetracyanometalate bridged transition metal-salen complexes: Synthesis, structure and properties. <i>Polyhedron</i> , 2022, 223, 115935.	1.0	3
209	Synthesis and characterization of cobalt and iron complexes with di-azine ligands based on salicylaldehyde or its derivatives: A review. <i>Polyhedron</i> , 2022, 225, 116036.	1.0	3
210	Theoretical study on the degree of delocalization of unpaired spin in two mixed valence copper(II/I) complexes with isomeric chelating diamines and iodide. <i>Inorganica Chimica Acta</i> , 2016, 451, 16-22.	1.2	2
211	A zinc(II) amidine complex: tandem synthesis, structure, and self assembly. <i>Journal of Coordination Chemistry</i> , 2016, 69, 112-122.	0.8	2
212	An insight into the supramolecular interactions in two linear polyvanadates. <i>Journal of Molecular Structure</i> , 2021, 1242, 130681.	1.8	2
213	Large interaction energy for the homodimer and the heterodimer extracted from the supramolecular chain of a bent trinuclear zinc complex with a reduced Schiff base ligand. <i>New Journal of Chemistry</i> , 2022, 46, 1845-1856.	1.4	2
214	DFT study on CH $\cdots$ O, CH $\cdots$ SCN and S $\cdots$ interaction energies in three dinuclear mixed valence cobalt(III/II) complexes with secondary diamine ligands having inner N <sub>2</sub> O <sub>2</sub> and outer O <sub>4</sub> compartments. <i>Polyhedron</i> , 2022, , 116039.	1.0	1
215	Exploitation of the electron deficient outer O <sub>4</sub> compartment of a compartmental Schiff base to act as H-bond acceptors in forming a self-assembled dimer of a manganese(III) complex: A joint experimental and theoretical venture. <i>Polyhedron</i> , 2020, 189, 114711.	1.0	0