
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1328747/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Incidence, prevalence and disability associated with neurological disorders in Italy between 1990 and 2019: an analysis based on the Global Burden of Disease Study 2019. Journal of Neurology, 2022, 269, 2080-2098.	3.6	21
2	Redistribution of garbage codes to underlying causes of death: a systematic analysis on Italy and a comparison with most populous Western European countries based on the Global Burden of Disease Study 2019. European Journal of Public Health, 2022, 32, 456-462.	0.3	6
3	The global burden of adolescent and young adult cancer in 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Oncology, The, 2022, 23, 27-52.	10.7	90
4	Recovery characteristics and parental satisfaction in pediatric procedural sedation. Paediatric Anaesthesia, 2022, 32, 452-461.	1.1	3
5	Burden of non-communicable disease studies in Europe: a systematic review of data sources and methodological choices. European Journal of Public Health, 2022, 32, 289-296.	0.3	8
6	Clinical, anamnestic, and sociodemographic predictors of positive SARS-CoV-2 testing in children: A cross sectional study in a tertiary hospital in Italy. PLoS ONE, 2022, 17, e0262923.	2.5	3
7	Pandemic preparedness and COVID-19: an exploratory analysis of infection and fatality rates, and contextual factors associated with preparedness in 177 countries, from Jan 1, 2020, to Sept 30, 2021. Lancet, The, 2022, 399, 1489-1512.	13.7	229
8	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.	11.4	66
9	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. JAMA Oncology, 2022, 8, 420.	7.1	719
10	Variation in the COVID-19 infection–fatality ratio by age, time, and geography during the pre-vaccine era: a systematic analysis. Lancet, The, 2022, 399, 1469-1488.	13.7	165
11	Gel-Based Proteomic Identification of Suprabasin as a Potential New Candidate Biomarker in Endometrial Cancer. International Journal of Molecular Sciences, 2022, 23, 2076.	4.1	7
12	Burden of non-communicable diseases among adolescents aged 10–24 years in the EU, 1990–2019: a systematic analysis of the Global Burden of Diseases Study 2019. The Lancet Child and Adolescent Health, 2022, 6, 367-383.	5.6	48
13	COVID-19 Vaccination Coverage in Italy: How Many Hospitalisations and Related Costs Could Have Been Saved If We Were All Vaccinated?. Frontiers in Public Health, 2022, 10, 825416.	2.7	3
14	Estimating excess mortality due to the COVID-19 pandemic: a systematic analysis of COVID-19-related mortality, 2020–21. Lancet, The, 2022, 399, 1513-1536.	13.7	938
15	Global, regional, and national burden of colorectal cancer and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. The Lancet Gastroenterology and Hepatology, 2022, 7, 627-647.	8.1	177
16	Estimating global, regional, and national daily and cumulative infections with SARS-CoV-2 through Nov 14, 2021: a statistical analysis. Lancet, The, 2022, 399, 2351-2380.	13.7	177
17	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. Lancet Regional Health - Europe, The, 2022, 16, 100341.	5.6	70
18	Late-term fetuses with reduced umbilical vein blood flow volume: An under-recognized population at increased risk of growth restriction. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 272, 182-187.	1.1	3

#	Article	IF	CITATIONS
19	Candidate Biomarkers for the Detection of Serious Infections in Children: A Prospective Clinical Study. Children, 2022, 9, 682.	1.5	1
20	Accuracy and clinical utility of standard postmortem radiological imaging after early second trimester termination of pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 273, 75-80.	1.1	1
21	"Immuni―and the National Health System: Lessons Learnt from the COVID-19 Digital Contact Tracing in Italy. International Journal of Environmental Research and Public Health, 2022, 19, 7529.	2.6	9
22	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	27.8	71
23	Trends in cardiovascular diseases burden and vascular risk factors in Italy: The Global Burden of Disease study 1990–2017. European Journal of Preventive Cardiology, 2021, 28, 385-396.	1.8	34
24	Discriminant Profiles of Volatile Compounds in the Alveolar Air of Patients with Squamous Cell Lung Cancer, Lung Adenocarcinoma or Colon Cancer. Molecules, 2021, 26, 550.	3.8	9
25	Modeling Postnatal Hearing Case Finding Within the Italian National Health System. Frontiers in Pediatrics, 2021, 9, 564662.	1.9	0
26	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	10.0	38
27	Public health utility of cause of death data: applying empirical algorithms to improve data quality. BMC Medical Informatics and Decision Making, 2021, 21, 175.	3.0	45
28	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
29	Spatial Patterns of Endometriosis Incidence. A Study in Friuli Venezia Giulia (Italy) in the Period 2004–2017. International Journal of Environmental Research and Public Health, 2021, 18, 7175.	2.6	3
30	Two Dimensional-Difference in Gel Electrophoresis (2D-DIGE) Proteomic Approach for the Identification of Biomarkers in Endometrial Cancer Serum. Cancers, 2021, 13, 3639.	3.7	13
31	Measuring routine childhood vaccination coverage in 204 countries and territories, 1980–2019: a systematic analysis for the Global Burden of Disease Study 2020, Release 1. Lancet, The, 2021, 398, 503-521.	13.7	93
32	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
33	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Respiratory Medicine,the, 2021, 9, 1030-1049.	10.7	86
34	High-school students and self-injurious thoughts and behaviours: clues of emotion dysregulation. Italian Journal of Pediatrics, 2021, 47, 14.	2.6	8
35	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	30.7	60
36	Global prevalence and burden of depressive and anxiety disorders in 204 countries and territories in 2020 due to the COVID-19 pandemic. Lancet, The, 2021, 398, 1700-1712.	13.7	2,234

#	Article	IF	CITATIONS
37	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
38	Global, regional and national burden of bladder cancer and its attributable risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease study 2019. BMJ Global Health, 2021, 6, e004128.	4.7	41
39	Maternal suicide in Italy. Archives of Women's Mental Health, 2020, 23, 199-206.	2.6	21
40	The global, regional, and national burden of stomach cancer in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 42-54.	8.1	390
41	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 37-59.	9.1	104
42	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 60-79.	9.1	95
43	The global, regional, and national burden of inflammatory bowel disease in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 17-30.	8.1	1,200
44	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58
45	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
46	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
47	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
48	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
49	Reply. Ultrasound in Obstetrics and Gynecology, 2020, 56, 292-293.	1.7	2
50	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
51	Pattern and Features of Pediatric Endocrinology Referrals: A Retrospective Study in a Single Tertiary Center in Italy. Frontiers in Pediatrics, 2020, 8, 580588.	1.9	15
52	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
53	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
54	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103

#	Article	IF	CITATIONS
55	Comparison between Different Diagnostic Strategies in Low-Risk Reproductive Age and Pre-Menopausal Women Presenting Abnormal Uterine Bleeding. Diagnostics, 2020, 10, 884.	2.6	2
56	Glycemic Control in Type 1 Diabetes Mellitus During COVID-19 Quarantine and the Role of In-Home Physical Activity. Diabetes Technology and Therapeutics, 2020, 22, 462-467.	4.4	128
57	Emergency department attendance for injury and behaviours suggestive of attention deficit hyperactivity disorder (ADHD): a cross-sectional study. BMC Pediatrics, 2020, 20, 266.	1.7	3
58	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2020, 8, 585-596.	10.7	1,049
59	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	13.7	72
60	A Two-Stage Screening Approach with I-TC and Q-CHAT to Identify Toddlers at Risk for Autism Spectrum Disorder within the Italian Public Health System. Brain Sciences, 2020, 10, 184.	2.3	8
61	Retrospective study 2005–2015 of all cases of fetal death occurred at ≥23 gestational weeks, in Friuli Venezia Giulia, Italy. BMC Pregnancy and Childbirth, 2020, 20, 384.	2.4	5
62	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 142-150.	2.8	56
63	Ratio of umbilical and cerebral artery pulsatility indices in assessment of fetal risk: numerator and denominator matter. Ultrasound in Obstetrics and Cynecology, 2020, 56, 163-165.	1.7	12
64	The global, regional, and national burden of oesophageal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 582-597.	8.1	241
65	Acute cardiovascular changes in women undergoing in vitro fertilisation (IVF), a systematic review and meta-analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 248, 245-251.	1.1	16
66	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
67	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	2.8	56
68	Case–control study to develop and validate a questionnaire for the secondary prevention of endometriosis. PLoS ONE, 2020, 15, e0230828.	2.5	4
69	Intrauterine versus post-mortem magnetic resonance in second trimester termination of pregnancy for central nervous system abnormalities. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 250, 31-35.	1.1	7
70	National burden of cancer in Italy, 1990–2017: a systematic analysis for the global burden of disease study 2017. Scientific Reports, 2020, 10, 22099.	3.3	19
71	Proteins involved in oxidative stress in leiomyoma tissues treated with ulipristal acetate. Molecular Medicine Reports, 2020, 23, 1-1.	2.4	6
72	Acute rheumatic fever prophylaxis in high-income countries: clinical observations from an Italian multicentre, retrospective study. Clinical and Experimental Rheumatology, 2020, 38, 1016-1020.	0.8	2

#	Article	IF	CITATIONS
73	First urinary tract infections in children: the role of the risk factors proposed by the Italian recommendations. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 544-550.	1.5	25
74	<i>Neisseria gonorrhoeae</i> ciprofloxacin-resistant strains were associated with <i>Chlamydia trachomatis</i> coinfection. Future Microbiology, 2019, 14, 653-660.	2.0	0
75	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 913-933.	8.1	259
76	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
77	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 934-947.	8.1	372
78	An Easy and Reliable Strategy for Making Type I Interferon Signature Analysis Comparable among Research Centers. Diagnostics, 2019, 9, 113.	2.6	14
79	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	7.1	1,691
80	Age-Related Trends in the Diet of An Infant's Cohort in the Northeast of Italy from Six to Twelve Months of Age. Nutrients, 2019, 11, 230.	4.1	0
81	Monocyteâ€predominant engraftment, cytokine levels and early transplantâ€related complications in pediatric hematopoietic stem cell recipients. Cancer Medicine, 2019, 8, 890-901.	2.8	4
82	The lost children: The underdiagnosis of dyslexia in Italy. A cross-sectional national study. PLoS ONE, 2019, 14, e0210448.	2.5	23
83	Who misses the newborn hearing screening? Five years' experience in Friuli-Venezia Giulia Region (Italy). International Journal of Pediatric Otorhinolaryngology, 2019, 124, 193-199.	1.0	3
84	Phosphoproteins Involved in the Inhibition of Apoptosis and in Cell Survival in the Leiomyoma. Journal of Clinical Medicine, 2019, 8, 691.	2.4	14
85	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. JAMA Pediatrics, 2019, 173, e190337.	6.2	140
86	Length of stay following cesarean sections: A population based study in the Friuli Venezia Giulia region (North-Eastern Italy), 2005-2015. PLoS ONE, 2019, 14, e0210753.	2.5	18
87	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
88	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.3	558
89	Italy's health performance, 1990–2017: findings from the Global Burden of Disease Study 2017. Lancet Public Health, The, 2019, 4, e645-e657.	10.0	54
90	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2019, 7, 69-89.	10.7	326

#	Article	IF	CITATIONS
91	Cervicoâ€vaginal secretion cytokine profile: A nonâ€invasive approach to study the endometrial receptivity in IVF cycles. American Journal of Reproductive Immunology, 2019, 81, e13064.	1.2	13
92	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
93	Length of stay following vaginal deliveries: A population based study in the Friuli Venezia Giulia region (North-Eastern Italy), 2005-2015. PLoS ONE, 2019, 14, e0204919.	2.5	13
94	In response to "missed opportunities and potentially misleading results in maternal mortality study― Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 128-129.	2.8	0
95	The association of first trimester uterine arteries Doppler velocimetry with different clinical phenotypes of hypertensive disorders of pregnancy: a longitudinal study. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1191-1199.	1.5	7
96	Leiomyoma phosphoproteins involved in inhibition of oxidative stress and synthesis of reactive oxygen species. International Journal of Molecular Medicine, 2019, 44, 2329-2335.	4.0	1
97	Antibody response to polyomavirus primary infection: high seroprevalence of Merkel cell polyomavirus and lymphoid tissue involvement. Journal of NeuroVirology, 2018, 24, 314-322.	2.1	15
98	Maternal hemodynamics: a method to classify hypertensive disorders of pregnancy. American Journal of Obstetrics and Gynecology, 2018, 218, 124.e1-124.e11.	1.3	80
99	Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 63-77.	2.3	15
100	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 79-96.	2.3	17
101	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
102	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
103	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
104	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
105	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
106	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
107	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Clobal Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
108	Global, regional, and national burden of meningitis, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1061-1082.	10.2	221

#	Article	IF	CITATIONS
109	Interstitial Fluid in Gynecologic Tumors and Its Possible Application in the Clinical Practice. International Journal of Molecular Sciences, 2018, 19, 4018.	4.1	8
110	Intranasal dexmedetomidine, as midazolamâ€sparing drug, for <scp>MRI</scp> in preterm neonates. Paediatric Anaesthesia, 2018, 28, 747-748.	1.1	17
111	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
112	Maternal mortality in Italy: Results and perspectives of recordâ€linkage analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 1317-1324.	2.8	43
113	Neuronal Dysfunction Associated with Cholesterol Deregulation. International Journal of Molecular Sciences, 2018, 19, 1523.	4.1	9
114	Teaching pain recognition through art: the Ramsay-Caravaggio sedation scale. Italian Journal of Pediatrics, 2018, 44, 20.	2.6	1
115	Pancreatic ductal adenocarcinoma can be detected by analysis of volatile organic compounds (VOCs) in alveolar air. BMC Cancer, 2018, 18, 529.	2.6	23
116	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
117	Dysregulated chaperones associated with cell proliferation and negative apoptosis regulation in the uterine leiomyoma. Oncology Letters, 2018, 15, 8005-8010.	1.8	2
118	The burden of disease in Greece, health loss, risk factors, and health financing, 2000–16: an analysis of the Global Burden of Disease Study 2016. Lancet Public Health, The, 2018, 3, e395-e406.	10.0	37
119	Describing Kawasaki shock syndrome: results from a retrospective study and literature review. Clinical Rheumatology, 2017, 36, 223-228.	2.2	68
120	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
121	Risk of hospitalisation after earlyâ€revisit in the emergency department. Journal of Paediatrics and Child Health, 2017, 53, 850-854.	0.8	6
122	Identification of proteins with different abundance associated with cell migration and proliferation in leiomyoma interstitial fluid by proteomics. Oncology Letters, 2017, 13, 3912-3920.	1.8	9
123	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	6.2	306
124	<i>Chlamydia trachomatis</i> and HPV coâ€infections in HIV negative men from a multiâ€ethnic area of Northern Italy at high prevalence of cervical malignancies. Journal of Medical Virology, 2017, 89, 1654-1661.	5.0	9
125	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
126	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589

#	Article	IF	CITATIONS
127	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
128	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
129	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
130	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
131	Combination of intranasal dexmedetomidine and oral midazolam as sedation for pediatric <scp>MRI</scp> . Paediatric Anaesthesia, 2017, 27, 976-977.	1.1	23
132	Inflammatory bowel disease and patterns of volatile organic compounds in the exhaled breath of children: A case-control study using Ion Molecule Reaction-Mass Spectrometry. PLoS ONE, 2017, 12, e0184118.	2.5	22
133	Introduction of Complementary Foods in a Cohort of Infants in Northeast Italy: Do Parents Comply with WHO Recommendations?. Nutrients, 2017, 9, 34.	4.1	29
134	Adolescent Admissions to Emergency Departments for Self-Injurious Thoughts and Behaviors. PLoS ONE, 2017, 12, e0170979.	2.5	20
135	A proteomic approach for the identification of biomarkers in endometrial cancer uterine aspirate. Oncotarget, 2017, 8, 109536-109545.	1.8	19
136	Ex vivo response to mucosal bacteria and muramyl dipeptide in inflammatory bowel disease. World Journal of Gastroenterology, 2016, 22, 9734.	3.3	2
137	A Proteomic Approach for the Identification of Up-Regulated Proteins Involved in the Metabolic Process of the Leiomyoma. International Journal of Molecular Sciences, 2016, 17, 540.	4.1	13
138	Early diagnosis and Early Start Denver Model intervention in autism spectrum disorders delivered in an Italian Public Health System service. Neuropsychiatric Disease and Treatment, 2016, 12, 1379.	2.2	38
139	Geranylgeraniol and Neurological Impairment: Involvement of Apoptosis and Mitochondrial Morphology. International Journal of Molecular Sciences, 2016, 17, 365.	4.1	18
140	Incidence and Estimated Prevalence of Endometriosis and Adenomyosis in Northeast Italy: A Data Linkage Study. PLoS ONE, 2016, 11, e0154227.	2.5	110
141	Chronic nonbacterial osteomyelitis may be associated with renal disease and bisphosphonates are a good option for the majority of patients. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, e328-33.	1.5	24
142	Comment on: â€~Anthropometric parameters in relation to glycaemic status and lipid profile in a multi-ethnic sample in Italy' by Gualdi-Russo <i>et al</i> . Public Health Nutrition, 2016, 19, 1336-1336.	2.2	0
143	Abnormal expression of leiomyoma cytoskeletal proteins involved in cell migration. Oncology Reports, 2016, 35, 3094-3100.	2.6	11
144	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740

#	Article	IF	CITATIONS
145	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
146	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
147	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
148	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
149	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571
150	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	13.7	413
151	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	4.7	461
152	Body mass index curves for Italian preterm infants are comparable with American curves for infants born before 34 weeks of gestational age. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 483-489.	1.5	2
153	Brain sparing effect in growth-restricted fetuses is associated with decreased cardiac acceleration and deceleration capacities: a case-control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 1947-1954.	2.3	40
154	Hysteroscopic chasing for endometrial cancer in a low-risk population: risks of overinvestigation. Archives of Gynecology and Obstetrics, 2016, 293, 851-856.	1.7	9
155	Letter to the editor: Outbreak of a new measles B3 variant in the Roma/Sinti population with transmission in the nosocomial setting, Italy, November 2015 to April 2016. Eurosurveillance, 2016, 21, .	7.0	3
156	Pediatric patients with inflammatory bowel disease exhibit increased serum levels of proinflammatory cytokines and chemokines, but decreased circulating levels of macrophage inhibitory protein-1β, interleukin-2 and interleukin-17. Experimental and Therapeutic Medicine, 2015, 9, 2047-2052.	1.8	13
157	An IBCLC in the Maternity Ward of a Mother and Child Hospital: A Pre- and Post-Intervention Study. International Journal of Environmental Research and Public Health, 2015, 12, 9938-9951.	2.6	8
158	To Extinguish the Fire from Outside the Cell or to Shutdown the Gas Valve Inside? Novel Trends in Anti-Inflammatory Therapies. International Journal of Molecular Sciences, 2015, 16, 21277-21293.	4.1	5
159	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
160	Microglia activation and interaction with neuronal cells in a biochemical model of mevalonate kinase deficiency. Apoptosis: an International Journal on Programmed Cell Death, 2015, 20, 1048-1055.	4.9	11
161	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	7.1	2,269
162	Two-dimensional gel electrophoresis analysis of the leiomyoma interstitial fluid reveals altered protein expression with a possible involvement in pathogenesis. Oncology Reports, 2015, 33, 2219-2226.	2.6	13

#	Article	IF	CITATIONS
163	Risk-adjusted operative delivery rates and maternal-neonatal outcomes as measures of quality assessment in obstetric care: a multicenter prospective study. BMC Pregnancy and Childbirth, 2015, 15, 20.	2.4	8
164	Serum TRAIL levels increase shortly after insulin therapy and metabolic stabilization in children with type 1 diabetes mellitus. Acta Diabetologica, 2015, 52, 1003-1006.	2.5	7
165	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
166	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
167	Association between up-regulated expression proteins and circulating steroidal hormones in leiomyoma. Medical Hypotheses, 2015, 85, 515.	1.5	3
168	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
169	Soluble TRAIL is present at high concentrations in seminal plasma and promotes spermatozoa survival. Reproduction, 2014, 148, 191-198.	2.6	7
170	Promoting effective child development practices in the first year of life: does timing make a difference?. BMC Pediatrics, 2014, 14, 222.	1.7	6
171	Levels of circulating TNF-related apoptosis-inducing ligand in celiac disease. Experimental and Therapeutic Medicine, 2014, 8, 1906-1908.	1.8	0
172	Breastfeeding During Pregnancy: Safety and Socioeconomic Status. Breastfeeding Medicine, 2014, 9, 322-322.	1.7	0
173	NF-κB pathways in hematological malignancies. Cellular and Molecular Life Sciences, 2014, 71, 2083-2102.	5.4	140
174	The role of gestational diabetes, pre-pregnancy body mass index and gestational weight gain on the risk of newborn macrosomia: results from a prospective multicentre study. BMC Pregnancy and Childbirth, 2014, 14, 23.	2.4	165
175	The levels of circulating TRAIL at the onset of type 1 diabetes are markedly decreased in patients with ketoacidosis and with the highest insulin requirement. Acta Diabetologica, 2014, 51, 239-246.	2.5	25
176	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	13.7	609
177	Breastfeeding during Pregnancy. Journal of Human Lactation, 2014, 30, 20-27.	1.6	20
178	Potential role of circulating microRNAs as early markers of preeclampsia. Taiwanese Journal of Obstetrics and Gynecology, 2014, 53, 232-234.	1.3	86
179	HLAâ€G gene polymorphisms associated with susceptibility to rheumatoid arthritis disease and its severity in Brazilian patients. Tissue Antigens, 2014, 84, 308-315.	1.0	21
180	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	13.7	786

#	Article	IF	CITATIONS
181	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	13.7	1,230
182	Rhythm perception and production predict reading abilities in developmental dyslexia. Frontiers in Human Neuroscience, 2014, 8, 392.	2.0	118
183	Human Colostrum and Breast Milk Contain High Levels of TNF-Related Apoptosis-Inducing Ligand (TRAIL). Journal of Human Lactation, 2013, 29, 23-25.	1.6	10
184	The MDM2 inhibitor Nutlin-3 attenuates streptozotocin-induced diabetes mellitus and increases serum level of IL-12p40. Acta Diabetologica, 2013, 50, 899-906.	2.5	20
185	Patients affected by metabolic syndrome show decreased levels of circulating platelet derived growth factor (PDGF)-BB. Clinical Nutrition, 2013, 32, 259-264.	5.0	24
186	Lovastatin Dose-Dependently Potentiates the Pro-inflammatory Activity of Lipopolysaccharide Both In Vitro and In Vivo. Journal of Cardiovascular Translational Research, 2013, 6, 981-988.	2.4	12
187	Third trimester abdominal circumference, estimated fetal weight and uterine artery doppler for the identification of newborns small and large for gestational age. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 166, 133-138.	1.1	37
188	Family history in early-onset inflammatory bowel disease. Journal of Gastroenterology, 2013, 48, 144-144.	5.1	5
189	Prenatal Anteroposterior Pelvic Diameter Cutoffs for Postnatal Referral for Isolated Pyelectasis and Hydronephrosis: More is Not Always Better. Journal of Urology, 2013, 190, 1858-1863.	0.4	20
190	The circulating levels of TRAIL are extremely low after delivery but rapidly recover in both mothers and newborns. Cytokine, 2013, 64, 51-53.	3.2	2
191	Human papillomavirus infection is associated with decreased levels of GM-CSF in cervico-vaginal fluid of infected women. Journal of Clinical Virology, 2013, 58, 479-481.	3.1	19
192	Breastfeeding and Neonatal Weight Loss in Healthy Term Infants. Journal of Human Lactation, 2013, 29, 45-53.	1.6	47
193	GBD 2010 country results: a global public good. Lancet, The, 2013, 381, 965-970.	13.7	36
194	Presence of IL-9 in Paired Samples of Human Colostrum and Transitional Milk. Journal of Human Lactation, 2013, 29, 26-31.	1.6	13
195	Molecular epidemiology of <scp>JCV</scp> genotypes in patients and healthy subjects from Northern Italy. Journal of Medical Virology, 2013, 85, 1286-1292.	5.0	16
196	Mouse model of mevalonate kinase deficiency: comparison of cytokine and chemokine profile with that of human patients. Pediatric Research, 2013, 74, 266-271.	2.3	18
197	Mevalonate Kinase Deficiency and Neuroinflammation: Balance between Apoptosis and Pyroptosis. International Journal of Molecular Sciences, 2013, 14, 23274-23288.	4.1	32
198	Temperature and Drug Treatments in Mevalonate Kinase Deficiency: An <i>Ex Vivo</i> Study. BioMed Research International, 2013, 2013, 1-8.	1.9	2

#	Article	IF	CITATIONS
199	Interinstitutional Variation of Caesarean Delivery Rates According to Indications in Selected Obstetric Populations: A Prospective Multicenter Study. BioMed Research International, 2013, 2013, 1-9.	1.9	2
200	Clinical Genetic Testing of Periodic Fever Syndromes. BioMed Research International, 2013, 2013, 1-8.	1.9	10
201	Levels of TNF-Related Apoptosis-Inducing Ligand (TRAIL) Show a Long-term Stability in the Breast Milk of Mothers of Preterm Infants. Journal of Human Lactation, 2013, 29, 350-353.	1.6	7
202	Cytokine Levels in the Serum of Healthy Subjects. Mediators of Inflammation, 2013, 2013, 1-6.	3.0	271
203	Breastfeeding at NICU Discharge. Journal of Human Lactation, 2013, 29, 374-380.	1.6	59
204	The Application of the Ten Group Classification System (TGCS) in Caesarean Delivery Case Mix Adjustment. A Multicenter Prospective Study. PLoS ONE, 2013, 8, e62364.	2.5	13
205	Genetic and Functional Profiling of Crohn's Disease: Autophagy Mechanism and Susceptibility to Infectious Diseases. BioMed Research International, 2013, 2013, 1-11.	1.9	10
206	TRAIL-Based Therapeutic Approaches for the Treatment of Pediatric Malignancies. Current Medicinal Chemistry, 2013, 20, 2254-2271.	2.4	22
207	Does the LATCH Score Assessed in the First 24 Hours After Delivery Predict Non-Exclusive Breastfeeding at Hospital Discharge?. Breastfeeding Medicine, 2012, 7, 423-430.	1.7	38
208	Mevalonate Kinase Deficiency: Disclosing the Role of Mevalonate Pathway Modulation in Inflammation. Current Pharmaceutical Design, 2012, 18, 5746-5752.	1.9	11
209	First Trimester Maternal Serum PIGF, Free β-hCG, PAPP-A, PP-13, Uterine Artery Doppler and Maternal History for the Prediction of Preeclampsia. Obstetrical and Gynecological Survey, 2012, 67, 623-624.	0.4	1
210	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	13.7	7,061
211	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	13.7	6,376
212	The effect of clodronate on a mevalonate kinase deficiency cellular model. Inflammation Research, 2012, 61, 1363-1367.	4.0	3
213	CO10 THALIDOMIDE AFTER INFLIXIMAB FAILURE IN CHILDREN AND YOUNG ADULTS WITH CROHN'S DISEASE AND ULCERATIVE COLITIS. Digestive and Liver Disease, 2012, 44, S244-S245.	0.9	0
214	Lovastatinâ€induced apoptosis is modulated by geranylgeraniol in a neuroblastoma cell line. International Journal of Developmental Neuroscience, 2012, 30, 451-456.	1.6	33
215	Simultaneous determination of multiple cytokines reveals a pro-inflammatory and pro-angiogenic signature after major cardiothoracic surgery: Potential role of C-reactive protein. Cytokine, 2012, 60, 593-595.	3.2	1
216	Burden of Disease Caused by Otitis Media: Systematic Review and Global Estimates. PLoS ONE, 2012, 7, e36226.	2.5	699

#	Article	IF	CITATIONS
217	The Submerged Dyslexia Iceberg: How Many School Children Are Not Diagnosed? Results from an Italian Study. PLoS ONE, 2012, 7, e48082.	2.5	51
218	The early determination of circulating TRAIL levels does not predict the development of pre-eclampsia. Placenta, 2012, 33, 135-136.	1.5	7
219	First trimester maternal serum PIGF, free β-hCG, PAPP-A, PP-13, uterine artery Doppler and maternal history for the prediction of preeclampsia. Placenta, 2012, 33, 495-501.	1.5	107
220	The negative prognostic value of TRAIL overexpression in oral squamous cell carcinomas does not preclude the potential therapeutic use of recombinant TRAIL. Investigational New Drugs, 2012, 30, 810-818.	2.6	1
221	Review of the scientific literature on the health of the Roma and Sinti in Italy. Ethnicity and Disease, 2012, 22, 367-71.	2.3	7
222	Breastfeeding to 24 Months of Age in the Northeast of Italy: A Cohort Study. Breastfeeding Medicine, 2011, 6, 177-182.	1.7	31
223	Circulating TRAIL Shows a Significant Post-Partum Decline Associated to Stressful Conditions. PLoS ONE, 2011, 6, e27011.	2.5	6
224	Defining overweight and obesity in preâ€school children: IOTF reference or WHO standard?. Obesity Reviews, 2011, 12, 295-300.	6.5	95
225	Interventions for the prevention of overweight and obesity in preschool children: a systematic review of randomized controlled trials. Obesity Reviews, 2011, 12, e107-18.	6.5	104
226	Maternal height should be considered in the evaluation of macrosomia related risk of infant injuries at birth. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 198-198.	2.8	4
227	Overweight and obesity in infants and preâ€school children in the European Union: a review of existing data. Obesity Reviews, 2010, 11, 389-398.	6.5	230
228	Earlyâ€ <b>l</b> ife determinants of overweight and obesity: a review of systematic reviews. Obesity Reviews, 2010, 11, 695-708.	6.5	482
229	Comment on â€~Culture as an explanation in population health'. Annals of Human Biology, 2010, 37, 128-130.	1.0	0
230	Rotavirus vaccine efficacy in African and Asian countries. Lancet, The, 2010, 376, 1897.	13.7	2
231	Interventions to prevent overweight and obesity in preschool children. Public Health, 2009, 123, 517.	2.9	0
232	Anti-Chlamydophila pneumoniae Antibodies as Associated Factor for Carotid Atherosclerosis in Patients with AIDS. Current HIV Research, 2008, 6, 267-271.	0.5	5
233	Minority Health and Small Numbers Epidemiology: A Case Study of Living Conditions and the Health of Children in 5 Foreign <i>Romá</i> Camps in Italy. American Journal of Public Health, 2008, 98, 2035-2041.	2.7	26
234	National cross sectional study of views on sexual violence and risk of HIV infection and AIDS among South African school pupils. BMJ: British Medical Journal, 2004, 329, 952.	2.3	52

#	Article	IF	CITATIONS
235	Geographical Distribution of Incidence of Endometriosis in Friuli Venezia Giulia (Italy) in the Period 2004-2017. SSRN Electronic Journal, 0, , .	0.4	2