

Norbert Schmitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1330252/publications.pdf>

Version: 2024-02-01

262
papers

9,875
citations

44444

50
h-index

60403

85
g-index

279
all docs

279
docs citations

279
times ranked

13847
citing authors

#	ARTICLE	IF	CITATIONS
1	Manualized group cognitive behavioral therapy for social anxiety in first-episode psychosis: a randomized controlled trial. <i>Psychological Medicine</i> , 2023, 53, 3335-3344.	2.7	2
2	Does providing personalized depression risk information lead to increased psychological distress and functional impairment? Results from a mixed-methods randomized controlled trial. <i>Psychological Medicine</i> , 2022, 52, 2071-2079.	2.7	8
3	Context and contact: a comparison of patient and family engagement with early intervention services for psychosis in India and Canada. <i>Psychological Medicine</i> , 2022, 52, 1538-1547.	2.7	21
4	Unfinished business: Functional outcomes in a randomized controlled trial of a three-year extension of early intervention versus regular care following two years of early intervention for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 86-99.	2.2	6
5	Fit for purpose: Conception and psychometric evaluation of developmentally appropriate measures to assess functional recovery in first-episode psychosis across geo-cultural contexts. <i>Psychiatric Rehabilitation Journal</i> , 2022, 45, 226-236.	0.8	1
6	Whose responsibility? Part 1 of 2: A scale to assess how stakeholders apportion responsibilities for addressing the needs of persons with mental health problems. <i>International Journal of Mental Health Systems</i> , 2022, 16, 1.	1.1	11
7	Whose responsibility? Part 2 of 2: views of patients, families, and clinicians about responsibilities for addressing the needs of persons with mental health problems in Chennai, India and Montreal, Canada. <i>International Journal of Mental Health Systems</i> , 2022, 16, 2.	1.1	2
8	An observational study of antipsychotic medication discontinuation in first-episode psychosis: clinical and functional outcomes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1329-1340.	1.6	6
9	Conditional associations between childhood cat ownership and psychotic experiences in adulthood: A retrospective study. <i>Journal of Psychiatric Research</i> , 2022, 148, 197-203.	1.5	3
10	Trait Anger, Hostility, and the Risk of Type 2 Diabetes and Diabetes-Related Complications: A Systematic Review of Longitudinal Studies. <i>Current Diabetes Reviews</i> , 2022, 18, .	0.6	1
11	Diabetes Distress, Depressive Symptoms, and Anxiety Symptoms in People With Type 2 Diabetes: A Network Analysis Approach to Understanding Comorbidity. <i>Diabetes Care</i> , 2022, 45, 1715-1723.	4.3	17
12	Adverse childhood experiences and cognitive function in adulthood: examining the roles of depressive symptoms and inflammation in a prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2367-2377.	1.6	3
13	Patient satisfaction with random assignment to extended early intervention for psychosis vs regular care: Relationship with service engagement. <i>Microbial Biotechnology</i> , 2021, 15, 746-750.	0.9	1
14	Incident psychopharmacological treatment and psychiatric hospital contact in individuals with newly developed type 2 diabetes – a register-based cohort study. <i>Acta Neuropsychiatrica</i> , 2021, 33, 72-84.	1.0	4
15	Self-concept and Engagement in LiFe (SELF): A waitlist-controlled pilot study of a novel psychological intervention to target illness engulfment in enduring schizophrenia and related psychoses. <i>Schizophrenia Research</i> , 2021, 228, 567-574.	1.1	4
16	Measures of depression and incident type 2 diabetes in a community sample. <i>Annals of Epidemiology</i> , 2021, 55, 4-9.	0.9	8
17	Adipose tissue dysregulation at the onset of psychosis: Adipokines and social determinants of health. <i>Psychoneuroendocrinology</i> , 2021, 123, 104915.	1.3	7
18	Economic Evaluation of Extended Early Intervention Service vs Regular Care Following 2 Years of Early Intervention: Secondary Analysis of a Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2021, 47, 465-473.	2.3	8

#	ARTICLE	IF	CITATIONS
19	Understanding Components of Duration of Untreated Psychosis and Relevance for Early Intervention Services in the Canadian Context: Comprendre les Composantes de la Durée de la Psychose Non Traitée et la Pertinence de Services d'intervention Précoce Dans le Contexte Canadien. Canadian Journal of Psychiatry, 2021, 66, 878-886.	0.9	8
20	Associations between cognitive function, metabolic factors and depression: A prospective study in Quebec, Canada. Journal of Affective Disorders, 2021, 283, 77-83.	2.0	11
21	Adverse Childhood Experiences and the Risk of Coronary Heart Disease in Adulthood: Examining Potential Psychological, Biological, and Behavioral Mediators in the Whitehall II Cohort Study. Journal of the American Heart Association, 2021, 10, e019013.	1.6	20
22	Depression-related weight change and incident diabetes in a community sample. Scientific Reports, 2021, 11, 13575.	1.6	4
23	The impact of providing personalized depression risk information on self-help and help-seeking behaviors: Results from a mixed methods randomized controlled trial. Depression and Anxiety, 2021, 38, 917-924.	2.0	3
24	Self-help behaviors partially mediate the relationship between personalized depression risk disclosure and psychological distress: A mediation analysis using data from a randomized controlled trial. Journal of Psychiatric Research, 2021, 140, 7-14.	1.5	0
25	Measurement invariance testing of the patient health questionnaire-9 (PHQ-9) across people with and without diabetes mellitus from the NHANES, EMHS and UK Biobank datasets. Journal of Affective Disorders, 2021, 292, 311-318.	2.0	5
26	Adapting, updating and translating the Social Functioning Scale to assess social, recreational and independent functioning among youth with psychosis in diverse sociocultural contexts. Microbial Biotechnology, 2021, , .	0.9	2
27	Trajectories of Depressive Symptoms and Incident Diabetes: A Prospective Study. Annals of Behavioral Medicine, 2021, , .	1.7	2
28	Users' perceptions about receiving personalized depression risk information: findings from a qualitative study. BMC Psychiatry, 2021, 21, 581.	1.1	1
29	Dyadic associations between physical activity and body mass index in couples in which one partner has diabetes: results from the Lifelines cohort study. Journal of Behavioral Medicine, 2020, 43, 143-149.	1.1	1
30	Depressive symptoms and sleep problems as risk factors for heart disease: a prospective community study. Epidemiology and Psychiatric Sciences, 2020, 29, e50.	1.8	14
31	Participation in leisure activities in adolescents with congenital heart defects. Developmental Medicine and Child Neurology, 2020, 62, 946-953.	1.1	8
32	Association between depressive symptoms, metabolic risk factors, and cognitive function: cross-sectional results from a community study in Quebec, Canada. Aging and Mental Health, 2020, 25, 1-8.	1.5	6
33	COVID-19 and Depressive Symptoms: A Community-based Study in Quebec, Canada. Canadian Journal of Psychiatry, 2020, 65, 733-735.	0.9	17
34	Job strain and the incidence of heart diseases: A prospective community study in Quebec, Canada. Journal of Psychosomatic Research, 2020, 139, 110268.	1.2	2
35	The association between job strain, depressive symptoms, and cardiovascular disease risk: results from a cross-sectional population-based study in Québec, Canada. International Archives of Occupational and Environmental Health, 2020, 93, 1013-1021.	1.1	2
36	The relationship between depression risk perception and self-help behaviours in high risk Canadians: a cross-sectional study. BMC Public Health, 2020, 20, 876.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Comparison of clinical outcomes following 2 years of treatment of first-episode psychosis in urban early intervention services in Canada and India. <i>British Journal of Psychiatry</i> , 2020, 217, 514-520.	1.7	31
38	The association between sleep and diabetes outcomes – A systematic review. <i>Diabetes Research and Clinical Practice</i> , 2020, 161, 108035.	1.1	39
39	The accuracy of depression risk perception in high risk Canadians. <i>Journal of Affective Disorders</i> , 2020, 265, 410-415.	2.0	7
40	Measures of depression and risk of type 2 diabetes: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 265, 224-232.	2.0	48
41	Anxiety and Depression Symptom Comorbidity and the Risk of Heart Disease: A Prospective Community-Based Cohort Study. <i>Psychosomatic Medicine</i> , 2020, 82, 296-304.	1.3	10
42	Alcohol consumption, depressive symptoms, and the incidence of diabetes-related complications. <i>Journal of Diabetes</i> , 2019, 11, 14-22.	0.8	18
43	A randomized controlled trial to examine the impacts of disclosing personalized depression risk information on the outcomes of individuals who are at high risk of developing major depression: a research protocol. <i>BMC Psychiatry</i> , 2019, 19, 285.	1.1	8
44	Longitudinal associations between number of cigarettes per day and depressive symptoms in adult smokers with type 2 diabetes: A path analysis approach. <i>Journal of Psychosomatic Research</i> , 2019, 125, 109737.	1.2	6
45	Sex Differences in Clinical and Functional Outcomes among Patients Treated in an Early Intervention Service for Psychotic Disorders: An Observational Study. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 070674371985406.	0.9	12
46	Short duration of untreated psychosis enhances negative symptom remission in extended early intervention service for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 65-76.	2.2	25
47	Medication adherence in first episode psychosis: the role of pre-onset subthreshold symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 336-347.	2.2	12
48	A Comparison of Developmental Outcomes of Adolescent Neonatal Intensive Care Unit Survivors Born with a Congenital Heart Defect or Born Preterm. <i>Journal of Pediatrics</i> , 2019, 207, 34-41.e2.	0.9	23
49	Development of a Tool to Measure Women's Agency in India. <i>Journal of Human Development and Capabilities</i> , 2019, 20, 26-53.	1.2	11
50	Trajectories of social support in adults with type 2 diabetes: Associations with depressive symptoms and functional disability. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 480-487.	1.3	12
51	An approach to sample size calculation for research on duration of untreated psychosis. <i>Schizophrenia Research</i> , 2019, 206, 466-467.	1.1	0
52	Progress of negative symptoms over the initial 5 years of a first episode of psychosis. <i>Psychological Medicine</i> , 2019, 49, 66-74.	2.7	12
53	Habit strength as a moderator of the association between symptoms of poor mental health and unintentional non-adherence to oral hypoglycemic medication in adults with type 2 diabetes. <i>Journal of Health Psychology</i> , 2019, 24, 321-326.	1.3	7
54	Investigating the longitudinal association between diabetes and anxiety: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2018, 35, 677-693.	1.2	80

#	ARTICLE	IF	CITATIONS
55	Cardiometabolic dysregulation and cognitive decline: potential role of depressive symptoms. <i>British Journal of Psychiatry</i> , 2018, 212, 96-102.	1.7	25
56	Trajectories of anxiety symptoms and associations with incident cardiovascular disease in adults with type 2 diabetes. <i>Journal of Psychosomatic Research</i> , 2018, 104, 95-100.	1.2	17
57	Dimensions of insight in schizophrenia: Exploratory factor analysis of items from multiple self- and interviewer-rated measures of insight. <i>Schizophrenia Research</i> , 2018, 199, 319-325.	1.1	17
58	Do mental disorders moderate the association between diabetes status and alcohol consumption?. <i>Psychology, Health and Medicine</i> , 2018, 23, 277-284.	1.3	2
59	The association between C-reactive protein, Interleukin-6 and depression among older adults in the community: A systematic review and meta-analysis. <i>Experimental Gerontology</i> , 2018, 102, 109-132.	1.2	133
60	The effect of affordable daycare on women's mental health: Evidence from a cluster randomized trial in rural India. <i>Social Science and Medicine</i> , 2018, 217, 32-41.	1.8	6
61	Associations Between Depressive Symptoms and Indices of Obesity in Adults With Prediabetes and Normal Blood Glucose Levels: Results From the Emotional Health and Wellbeing Study. <i>Canadian Journal of Diabetes</i> , 2018, 42, 626-631.	0.4	5
62	Comorbid depressive and anxiety symptoms and the risk of type 2 diabetes: Findings from the Lifelines Cohort Study. <i>Journal of Affective Disorders</i> , 2018, 238, 24-31.	2.0	23
63	Adverse Childhood Experiences and the Risk of Diabetes: Examining the Roles of Depressive Symptoms and Cardiometabolic Dysregulations in the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2018, 41, 2120-2126.	4.3	40
64	Duration of active psychosis and first-episode psychosis negative symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 63-71.	0.9	19
65	Does Social Support Moderate the Association Among Major Depression, Generalized Anxiety Disorder, and Functional Disability in Adults With Diabetes?. <i>Psychosomatics</i> , 2017, 58, 364-374.	2.5	12
66	Response to Kawada: Anxiety symptoms and functioning in patients with type 2 diabetes. <i>Journal of Diabetes</i> , 2017, 9, 635-636.	0.8	0
67	Depressive symptoms, prediabetes, and incident diabetes in older English adults. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1450-1458.	1.3	13
68	Diabetes Complications and Depressive Symptoms: Prospective Results From the Montreal Diabetes Health and Well-Being Study. <i>Psychosomatic Medicine</i> , 2017, 79, 603-612.	1.3	25
69	Comparing three-year extension of early intervention service to regular care following two years of early intervention service in first-episode psychosis: a randomized single blind clinical trial. <i>World Psychiatry</i> , 2017, 16, 278-286.	4.8	66
70	Educational and rehabilitation service utilization in adolescents born preterm or with a congenital heart defect and at high risk for disability. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 1056-1062.	1.1	8
71	A Longitudinal Investigation of Anxiety and Depressive Symptomatology and Exercise Behaviour Among Adults With Type 2 Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2017, 41, 73-81.	0.4	9
72	Anxiety symptoms and functioning in a community sample of individuals with type 2 diabetes: A longitudinal study. <i>Journal of Diabetes</i> , 2016, 8, 854-862.	0.8	10

#	ARTICLE	IF	CITATIONS
73	Gender differences in the association between lifestyle behaviors and diabetes distress in a community sample of adults with type 2 diabetes. <i>Journal of Diabetes</i> , 2016, 8, 269-278.	0.8	16
74	Associations between Depressive Symptoms and Social Support in Adults with Diabetes: Comparing Directionality Hypotheses with a Longitudinal Cohort. <i>Annals of Behavioral Medicine</i> , 2016, 50, 348-357.	1.7	23
75	Depressive symptoms and glycated hemoglobin A1c: a reciprocal relationship in a prospective cohort study. <i>Psychological Medicine</i> , 2016, 46, 945-955.	2.7	12
76	Prediabetes, depressive and anxiety symptoms, and risk of type 2 diabetes: A community-based cohort study. <i>Journal of Psychosomatic Research</i> , 2016, 89, 85-90.	1.2	34
77	Evaluating lifestyle and health-related characteristics of older adults with co-occurring depressive symptoms and cardiometabolic abnormalities. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 66-75.	1.3	6
78	Associations between coping strategies and mental health in individuals with type 2 diabetes: Prospective analyses. <i>Health Psychology</i> , 2016, 35, 78-86.	1.3	29
79	Adequacy of Help Received by Individuals with Severe Mental Disorders After a Major Healthcare Reform in Quebec: Predictors and Changes at 5-Year Follow-Up. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2016, 43, 799-812.	1.2	12
80	The Relationship between Diabetes and Mental Health Conditions in an Aging Population. <i>Canadian Journal of Diabetes</i> , 2016, 40, 4-5.	0.4	8
81	Depression and risk of type 2 diabetes: the potential role of metabolic factors. <i>Molecular Psychiatry</i> , 2016, 21, 1726-1732.	4.1	50
82	Risk of Diabetes in Older Adults with Co-Occurring Depressive Symptoms and Cardiometabolic Abnormalities: Prospective Analysis from the English Longitudinal Study of Ageing. <i>PLoS ONE</i> , 2016, 11, e0155741.	1.1	11
83	Association between Depressive Symptoms and Cognitive Function in Persons with Diabetes Mellitus: A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0160809.	1.1	52
84	Preferred Features of E-Mental Health Programs for Prevention of Major Depression in Male Workers: Results From a Canadian National Survey. <i>Journal of Medical Internet Research</i> , 2016, 18, e132.	2.1	28
85	The Effects of an E-Mental Health Program and Job Coaching on the Risk of Major Depression and Productivity in Canadian Male Workers: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2016, 5, e218.	0.5	11
86	Association between smoking and depression in patients with type 2 diabetes: A Response. <i>Diabetes</i> , 2015, 7, 590-590.	0.8	9
87	Place and health in diabetes: the neighbourhood environment and risk of depression in adults with Type 2 diabetes. <i>Diabetic Medicine</i> , 2015, 32, 944-950.	1.2	24
88	Assessing the longitudinal associations and stability of smoking and depression syndrome over a 4-year period in a community sample with type 2 diabetes. <i>Diabetes</i> , 2015, 64, 1911-1917.	0.8	9
89	Cyclical relationship between depressive symptoms and diabetes distress in people with Type 2 diabetes mellitus: results from the Montreal Evaluation of Diabetes Treatment Cohort Study. <i>Diabetic Medicine</i> , 2015, 32, 1272-1278.	1.2	30
90	The Neighbourhood Built Environment and Trajectories of Depression Symptom Episodes in Adults: A Latent Class Growth Analysis. <i>PLoS ONE</i> , 2015, 10, e0133603.	1.1	31

#	ARTICLE	IF	CITATIONS
91	Investigation of anxiety and depression symptom co-morbidity in a community sample with type 2 diabetes: Associations with indicators of self-care. <i>Canadian Journal of Public Health</i> , 2015, 106, e496-e501.	1.1	20
92	Associations between diabetes, major depressive disorder and generalized anxiety disorder comorbidity, and disability: Findings from the 2012 Canadian Community Health Survey "Mental Health (CCHS-MH). <i>Journal of Psychosomatic Research</i> , 2015, 78, 137-142.	1.2	48
93	The longitudinal associations between C-reactive protein and depressive symptoms: evidence from the English Longitudinal Study of Ageing (ELSA). <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 976-984.	1.3	65
94	A five-year randomized parallel and blinded clinical trial of an extended specialized early intervention vs. regular care in the early phase of psychotic disorders: study protocol. <i>BMC Psychiatry</i> , 2015, 15, 22.	1.1	39
95	Demographic, lifestyle, and health characteristics of older adults with prediabetes in England. <i>Preventive Medicine</i> , 2015, 77, 74-79.	1.6	7
96	DEPRESSIVE SYMPTOMS, C-REACTIVE PROTEIN, AND INCIDENCE OF DIABETES. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, A2.3-A3.	2.0	0
97	Response to Kawada: C-reactive protein, depressive symptoms and incident diabetes mellitus with special emphasis on physical activity. <i>Journal of Psychosomatic Research</i> , 2015, 78, 407-408.	1.2	1
98	Associations between depression, chronic physical health conditions, and disability in a community sample: A focus on the persistence of depression. <i>Journal of Affective Disorders</i> , 2015, 179, 6-13.	2.0	49
99	QF2011: a protocol to study the effects of the Queensland flood on pregnant women, their pregnancies, and their children's early development. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 109.	0.9	59
100	Exploring trajectories of diabetes distress in adults with type 2 diabetes; a latent class growth modeling approach. <i>Journal of Affective Disorders</i> , 2015, 188, 160-166.	2.0	26
101	Stability of leisure participation from school-age to adolescence in individuals with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2015, 47, 73-79.	1.2	37
102	The longitudinal effects of neighbourhood social and material deprivation change on psychological distress in urban, community-dwelling Canadian adults. <i>Public Health</i> , 2015, 129, 932-940.	1.4	10
103	Are you doing what you want to do? Leisure preferences of adolescents with cerebral palsy. <i>Developmental Neurorehabilitation</i> , 2015, 18, 234-240.	0.5	25
104	Adherence to Disease Modifying Drugs among Patients with Multiple Sclerosis in Germany: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0133279.	1.1	70
105	Neighbourhood characteristics and 10-year risk of depression in Canadian adults with and without a chronic illness. <i>Health and Place</i> , 2014, 30, 279-286.	1.5	27
106	Response to Comment on Schmitz et al. Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. <i>Diabetes Care</i> 2014;37:970-978. <i>Diabetes Care</i> , 2014, 37, e146-e147.	4.3	0
107	Weight Cycling and Depressive Symptoms in Diabetes: A Community-Based Study of Adults with Type 2 Diabetes Mellitus in Quebec. <i>Canadian Journal of Diabetes</i> , 2014, 38, 456-460.	0.4	6
108	Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. <i>Diabetes Care</i> , 2014, 37, 970-978.	4.3	62

#	ARTICLE	IF	CITATIONS
109	A prediction algorithm for first onset of major depression in the general population: development and validation. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 418-424.	2.0	41
110	Good vs. Poor Self-rated Diabetes Control: Differences in Cardiovascular Risk and Self-care Activities. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, 236-239.	0.6	8
111	Self-reported use of diabetes healthcare services in a Quebec community-based sample: impact of depression status. <i>Public Health</i> , 2014, 128, 63-69.	1.4	4
112	How do neighborhoods affect depression outcomes? A realist review and a call for the examination of causal pathways. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 873-887.	1.6	95
113	Rehabilitation service utilization in children and youth with cerebral palsy. <i>Child: Care, Health and Development</i> , 2014, 40, 275-282.	0.8	56
114	Catechol-O-Methyltransferase Gene and Executive Function in Children With ADHD. <i>Journal of Attention Disorders</i> , 2014, 18, 202-211.	1.5	7
115	DEVELOPMENT AND VALIDATION OF A PREDICTION ALGORITHM FOR USE BY HEALTH PROFESSIONALS IN PREDICTION OF RECURRENCE OF MAJOR DEPRESSION. <i>Depression and Anxiety</i> , 2014, 31, 451-457.	2.0	30
116	C-reactive protein, depressive symptoms, and risk of diabetes: Results from the English Longitudinal Study of Ageing (ELSA). <i>Journal of Psychosomatic Research</i> , 2014, 77, 180-186.	1.2	31
117	A controlled evaluation of a targeted early case detection intervention for reducing delay in treatment of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1711-1718.	1.6	21
118	Longitudinal Relationships Between Depression and Functioning in People with Type 2 Diabetes. <i>Annals of Behavioral Medicine</i> , 2014, 47, 172-179.	1.7	13
119	Association of Depression and Anxiety Symptoms With Functional Disability and Disability Days in a Community Sample With Type 2 Diabetes. <i>Psychosomatics</i> , 2014, 55, 659-667.	2.5	14
120	Gender Differences in the Relationship between Anxiety Symptoms and Physical Inactivity in a Community-Based Sample of Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2014, 38, 444-450.	0.4	20
121	Predictors of quality of life in a longitudinal study of users with severe mental disorders. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 92.	1.0	59
122	Association of diabetes with anxiety: A systematic review and meta-analysis. <i>Journal of Psychosomatic Research</i> , 2013, 74, 89-99.	1.2	320
123	Development and validation of prediction algorithms for major depressive episode in the general population. <i>Journal of Affective Disorders</i> , 2013, 151, 39-45.	2.0	33
124	Redevelopment of tertiary psychiatric services in British Columbia: A prospective study of clinical, social, and residential outcomes of former long-stay inpatients. <i>Schizophrenia Research</i> , 2013, 149, 96-103.	1.1	6
125	Determinants of participation in leisure activities among adolescents with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2013, 34, 2621-2634.	1.2	76
126	Mastery motivation in adolescents with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2013, 34, 3384-3392.	1.2	24

#	ARTICLE	IF	CITATIONS
127	Maternal Smoking During Pregnancy and ADHD: A Comprehensive Clinical and Neurocognitive Characterization. <i>Nicotine and Tobacco Research</i> , 2013, 15, 149-157.	1.4	44
128	Picture me playing – A portrait of participation and enjoyment of leisure activities in adolescents with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2013, 34, 1001-1010.	1.2	40
129	Determinants of negative pathways to care and their impact on service disengagement in first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 125-136.	1.6	88
130	Diabetes distress and neighborhood characteristics in people with type 2 diabetes. <i>Journal of Psychosomatic Research</i> , 2013, 75, 147-152.	1.2	25
131	Exploring the Association of Psychological Status with Self-Rated Diabetes Control: Results from the Montreal Evaluation of Diabetes Treatment Study. <i>Psychosomatics</i> , 2013, 54, 35-43.	2.5	19
132	Self-rated health: A predictor for the three year incidence of major depression in individuals with Type II diabetes. <i>Journal of Affective Disorders</i> , 2013, 145, 100-105.	2.0	37
133	Changes in Depressive Symptoms and Changes in Lifestyle-Related Indicators: A 1-Year Follow-Up Study Among Adults With Type 2 Diabetes in Quebec. <i>Canadian Journal of Diabetes</i> , 2013, 37, 243-248.	0.4	11
134	The Association between Smoking and Depression in a Canadian Community-Based Sample with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2013, 37, 150-155.	0.4	16
135	Association between obesity-related gene <i>FTO</i> and ADHD. <i>Obesity</i> , 2013, 21, E738-44.	1.5	62
136	The pattern of depressive symptoms in people with type 2 diabetes: A prospective community study. <i>Journal of Psychosomatic Research</i> , 2013, 74, 128-134.	1.2	17
137	Pursuit of Complementary and Alternative Medicine Treatments in Adolescents With Cerebral Palsy. <i>Journal of Child Neurology</i> , 2013, 28, 1443-1447.	0.7	17
138	The Relationship Between Manual Ability and Ambulation in Adolescents with Cerebral Palsy. <i>Physical and Occupational Therapy in Pediatrics</i> , 2013, 33, 243-252.	0.8	8
139	Receiving Workplace Mental Health Accommodations and the Outcome of Mental Disorders in Employees With a Depressive and/or Anxiety Disorder. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1293-1299.	0.9	25
140	Response to Kawada: Self-rated health and depression of patients with diabetes: how to handle with wide range of ageing and diabetic status?. <i>Diabetic Medicine</i> , 2013, 30, 755-756.	1.2	2
141	Letter to the Editor: Smoking and mental health in young women – challenges in interpretation. <i>Psychological Medicine</i> , 2013, 43, 445-445.	2.7	0
142	Behavioral Difficulties in Adolescents With Cerebral Palsy. <i>Journal of Child Neurology</i> , 2013, 28, 27-33.	0.7	41
143	The Influence of Perceived Social Support on Medication Adherence in First-Episode Psychosis. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 59-65.	0.9	34
144	Body Weight and ADHD: Examining the Role of Self-Regulation. <i>PLoS ONE</i> , 2013, 8, e55351.	1.1	31

#	ARTICLE	IF	CITATIONS
145	Trajectories of Self-Rated Health in People with Diabetes: Associations with Functioning in a Prospective Community Sample. PLoS ONE, 2013, 8, e83088.	1.1	22
146	Publication bias: What are the challenges and can they be overcome?. Journal of Psychiatry and Neuroscience, 2012, 37, 149-152.	1.4	241
147	A Population-based Longitudinal Study on Work Environmental Factors and the Risk of Major Depressive Disorder. American Journal of Epidemiology, 2012, 176, 52-59.	1.6	95
148	Prenatal exposure to a natural disaster increases risk for obesity in 5½-year-old children. Pediatric Research, 2012, 71, 126-131.	1.1	93
149	Predictors of 1-year outcomes of major depressive disorder among individuals with a lifetime diagnosis: a population-based study. Psychological Medicine, 2012, 42, 327-334.	2.7	22
150	Case Manager- and Patient-Rated Alliance as a Predictor of Medication Adherence in First-Episode Psychosis. Journal of Clinical Psychopharmacology, 2012, 32, 465-469.	0.7	23
151	Business mergers and acquisitions and the risk of mental disorders: a population-based study. Occupational and Environmental Medicine, 2012, 69, 569-573.	1.3	9
152	Self-rated diabetes control in a Canadian population with type 2 diabetes: Associations with health behaviours and outcomes. Diabetes Research and Clinical Practice, 2012, 95, 162-168.	1.1	12
153	Self-rated health in diabetes: Should the question be the first administered?. Diabetes Research and Clinical Practice, 2012, 97, e27-e30.	1.1	4
154	Type 2 Diabetes Self-Management: Role of Diet Self-Efficacy. Canadian Journal of Diabetes, 2012, 36, 337-344.	0.4	27
155	Depression and Distress in Adults with Type 2 Diabetes: Does the Neighbourhood Environment Matter?. Canadian Journal of Diabetes, 2012, 36, S74.	0.4	0
156	Types of smokers in a community sample of individuals with Type 2 diabetes: a latent class analysis. Diabetic Medicine, 2012, 29, 586-592.	1.2	7
157	Indicators of self-rated health in the Canadian population with diabetes. Diabetic Medicine, 2012, 29, 1021-1028.	1.2	46
158	Three job-related stress models and depression: a population-based study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 185-193.	1.6	55
159	Lifestyle Care Indicators in Individuals with Major, Minor No Depression: A Community-Based Diabetes Study in Quebec. Canadian Journal of Diabetes, 2011, 35, 22-30.	0.4	3
160	Factors Associated with Disability and Depressive Symptoms Among Individuals with Diabetes: A Community Study in Quebec. Psychosomatics, 2011, 52, 167-177.	2.5	21
161	P2-94 Types of smokers, depression and disability in type 2 diabetes: a latent class analysis. Journal of Epidemiology and Community Health, 2011, 65, A246-A246.	2.0	0
162	Measuring psychological outcomes following pediatric intensive care unit hospitalization: Psychometric analysis of the Children's Critical Illness Impact Scale. Pediatric Critical Care Medicine, 2011, 12, 635-642.	0.2	17

#	ARTICLE	IF	CITATIONS
163	Perceived Needs for and Use of Workplace Accommodations by Individuals With a Depressive and/or Anxiety Disorder. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 1268-1272.	0.9	42
164	Development and Psychometric Evaluation of a 10-Item Short Form Inventory of Gambling Situations. <i>Journal of Gambling Studies</i> , 2011, 27, 115-128.	1.1	13
165	Psychometric Evaluation of the Problem Gambling Severity Index-Chinese Version (PGSI-C). <i>Journal of Gambling Studies</i> , 2011, 27, 453-466.	1.1	46
166	The Canadian Problem Gambling Index: An Evaluation of the Scale and Its Accompanying Profiler Software in a Clinical Setting. <i>Journal of Gambling Studies</i> , 2011, 27, 467-485.	1.1	33
167	Does job strain interact with psychosocial factors outside of the workplace in relation to the risk of major depression? The Canadian National Population Health Survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 577-584.	1.6	23
168	Obesity and the risk of disability in a 12-year cohort study: the role of psychological distress. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1173-1179.	1.6	15
169	Trait-defined eating disorder subtypes and history of childhood abuse. <i>International Journal of Eating Disorders</i> , 2010, 43, 428-432.	2.1	31
170	A Comparison Study of Multiple Measures of Adherence to Antipsychotic Medication in First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 64-67.	0.7	55
171	Workplace Characteristics, Depression, and Health-Related Presenteeism in a General Population Sample. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 836-842.	0.9	71
172	The Prevalence of Mental Disorders in the Working Population over the Period of Global Economic Crisis. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 598-605.	0.9	76
173	The interaction of obesity and psychological distress on disability. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 531-540.	1.6	11
174	Epidemiology of antidepressant medication use in the Canadian diabetes population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 911-919.	1.6	6
175	The incidence of major depression in Canada: The National Population Health Survey. <i>Journal of Affective Disorders</i> , 2010, 123, 158-163.	2.0	36
176	The 5-HTTLPR polymorphism of the serotonin transporter gene and short term behavioral response to methylphenidate in children with ADHD. <i>BMC Psychiatry</i> , 2010, 10, 50.	1.1	27
177	The Longitudinal Association From Obesity to Depression: Results From the 12-year National Population Health Survey. <i>Obesity</i> , 2010, 18, 1033-1038.	1.5	59
178	The association between obesity and anxiety disorders in the population: a systematic review and meta-analysis. <i>International Journal of Obesity</i> , 2010, 34, 407-419.	1.6	525
179	Socioeconomic status and the risk of major depression: the Canadian National Population Health Survey. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 447-452.	2.0	101
180	Testing Definitions of Symptom Remission in First-Episode Psychosis for Prediction of Functional Outcome at 2 Years. <i>Schizophrenia Bulletin</i> , 2010, 36, 1001-1008.	2.3	105

#	ARTICLE	IF	CITATIONS
181	Association of functional variants in the dopamine D2-like receptors with risk for gambling behaviour in healthy Caucasian subjects. <i>Biological Psychology</i> , 2010, 85, 33-37.	1.1	105
182	Should Psychological Distress Screening in the Community Account for Self-Perceived Health Status?. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 526-533.	0.9	28
183	Association Between Neighborhood-Level Deprivation and Disability in a Community Sample of People With Diabetes. <i>Diabetes Care</i> , 2009, 32, 1998-2004.	4.3	46
184	THREE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2009, 170, 132-133.	1.6	1
185	Changes in Perceived Job Strain and the Risk of Major Depression: Results From a Population-based Longitudinal Study. <i>American Journal of Epidemiology</i> , 2009, 169, 1085-1091.	1.6	113
186	Association of trait-defined, eating-disorder sub-phenotypes with (biallelic and triallelic) 5HTTLPR variations. <i>Journal of Psychiatric Research</i> , 2009, 43, 1086-1094.	1.5	44
187	Effects of trauma-focused psychotherapy upon war refugees. <i>Journal of Traumatic Stress</i> , 2009, 22, 585-592.	1.0	65
188	The Impact of Psychological Distress on Functional Disability in Asthma: Results From The Canadian Community Health Survey. <i>Psychosomatics</i> , 2009, 50, 42-49.	2.5	17
189	Early Predictors of Nonadherence to Antipsychotic Therapy in First-Episode Psychosis. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 28-35.	0.9	74
190	Long-term effects of a community intervention for early identification of first-episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 440-448.	2.2	17
191	Apomorphine effects on episodic memory in young healthy volunteers. <i>Neuropsychologia</i> , 2008, 46, 292-300.	0.7	21
192	Project Ice Storm: Prenatal Maternal Stress Affects Cognitive and Linguistic Functioning in 5½-Year-Old Children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 1063-1072.	0.3	351
193	Psychological distress and short-term disability in people with diabetes: Results from the Canadian Community Health Survey. <i>Journal of Psychosomatic Research</i> , 2008, 65, 165-172.	1.2	8
194	The relationship between work stress and mental disorders in men and women: findings from a population-based study. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 42-47.	2.0	140
195	From symptom relief to interpersonal change: Treatment outcome and effectiveness in inpatient psychotherapy. <i>Psychotherapy Research</i> , 2008, 18, 615-624.	1.1	52
196	COMT Val108/158Met Polymorphism and the Modulation of Task-Oriented Behavior in Children with ADHD. <i>Neuropsychopharmacology</i> , 2008, 33, 3069-3077.	2.8	27
197	Factors influencing relapse during a 2-year follow-up of first-episode psychosis in a specialized early intervention service. <i>Psychological Medicine</i> , 2008, 38, 1585-1593.	2.7	66
198	Validation of the Alcohol Use Disorders Identification Test and the Drug Abuse Screening Test in First Episode Psychosis. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 26-33.	0.9	40

#	ARTICLE	IF	CITATIONS
199	Relevance of the 5-HTTLPR Polymorphism and Childhood Abuse to Increased Psychiatric Comorbidity in Women With Bulimia-Spectrum Disorders. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 981-990.	1.1	42
200	Dopamine Transporter 3'UTR VNTR Genotype and ADHD: a Pharmaco-Behavioural Genetic Study with Methylphenidate. <i>Neuropsychopharmacology</i> , 2007, 32, 1370-1376.	2.8	61
201	Promoting Measured Genes and Measured Environments: On the Importance of Careful Statistical Analyses and Biological Relevance. <i>Archives of General Psychiatry</i> , 2007, 64, 377.	13.8	3
202	Joint Effect of Depression and Chronic Conditions on Disability: Results From a Population-Based Study. <i>Psychosomatic Medicine</i> , 2007, 69, 332-338.	1.3	96
203	The SF-36 summary scores and their relation to mental disorders: Physical functioning may affect performance of the summary scores. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 163-170.	2.4	17
204	Smoking and its association with disability in chronic conditions: Results from the Canadian Community and Health Survey 2.1. <i>Nicotine and Tobacco Research</i> , 2007, 9, 959-964.	1.4	15
205	Inconsistency in the relationship between duration of untreated psychosis (DUP) and negative symptoms: Sorting out the problem of heterogeneity. <i>Schizophrenia Research</i> , 2007, 93, 152-159.	1.1	24
206	Validation of the English and French versions of the Community Assessment of Psychic Experiences (CAPE) with a Montreal community sample. <i>Schizophrenia Research</i> , 2007, 95, 86-95.	1.1	80
207	Determinants of help-seeking and system related components of delay in the treatment of first-episode psychosis†. <i>Schizophrenia Research</i> , 2007, 96, 206-214.	1.1	79
208	A Multisite Canadian Study of Outcome of First-Episode Psychosis Treated in Publicly Funded Early Intervention Services. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 563-571.	0.9	47
209	Subjective distress in first-episode psychosis: role of symptoms and self-esteem. <i>Microbial Biotechnology</i> , 2007, 1, 251-258.	0.9	20
210	Problem gambling in bipolar disorder: Results from the Canadian Community Health Survey. <i>Journal of Affective Disorders</i> , 2007, 102, 27-34.	2.0	46
211	COMT Val108/158Met Gene Variant, Birth Weight, and Conduct Disorder in Children With ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 1363-1369.	0.3	33
212	0472 DURATION OF UNTREATED PSYCHOSIS AND OUTCOME: APPLICATION OF LATENT CLASS REGRESSION ANALYSES. <i>Schizophrenia Research</i> , 2006, 86, S124-S125.	1.1	0
213	The Relationship Between of Depression, Chronic Diseases and Short-Term Disability: Results from the Canadian Community and Health Survey. <i>American Journal of Epidemiology</i> , 2006, 163, S220-S220.	1.6	0
214	Is Olanzapine a Brain-Sparing Medication?. <i>Archives of General Psychiatry</i> , 2006, 63, 1292.	13.8	7
215	Impact of a Specialized Early Intervention Service for Psychotic Disorders on Patient Characteristics, Service Use, and Hospital Costs in a Defined Catchment Area. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 895-903.	0.9	47
216	Mental Disorders and Hypertension: Factors Associated With Awareness and Treatment of Hypertension in the General Population of Germany. <i>Psychosomatic Medicine</i> , 2006, 68, 246-252.	1.3	12

#	ARTICLE	IF	CITATIONS
217	The Four Es of Problem Gambling: A Psychological Measure of Risk. <i>Journal of Gambling Studies</i> , 2006, 22, 101-120.	1.1	42
218	Epidemiological Associations between Gambling Behavior, Substance Use & Mood and Anxiety Disorders. <i>Journal of Gambling Studies</i> , 2006, 22, 275-287.	1.1	140
219	Posttraumatic stress disorder and treatment seeking in a nationally representative Canadian military sample. <i>Journal of Traumatic Stress</i> , 2006, 19, 847-858.	1.0	39
220	Predictors of rate and time to remission in first-episode psychosis: a two-year outcome study. <i>Psychological Medicine</i> , 2006, 36, 649.	2.7	195
221	494: Hypertension and Mental Disorders: Factors Associated with Treatment of Hypertension in a Community Sample. <i>American Journal of Epidemiology</i> , 2005, 161, S124-S124.	1.6	0
222	The association between physical exercises and health-related quality of life in subjects with mental disorders: results from a cross-sectional survey. <i>Preventive Medicine</i> , 2004, 39, 1200-1207.	1.6	78
223	Psychological distress and socioeconomic status in single mothers and their children in a German city. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 59-68.	1.6	72
224	Self-management of oral anticoagulation: long-term results. <i>Journal of Internal Medicine</i> , 2003, 254, 515-516.	2.7	22
225	On the relation between neuroticism, self-esteem, and depression: results from the National Comorbidity Survey. <i>Comprehensive Psychiatry</i> , 2003, 44, 169-176.	1.5	85
226	Disability in depression and back pain. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 507-514.	2.4	256
227	On the Association Between Diabetes and Mental Disorders in a Community Sample: Results from the German National Health Interview and Examination Survey. <i>Diabetes Care</i> , 2003, 26, 1841-1846.	4.3	127
228	Disabilities, Quality of Life, and Mental Disorders Associated With Smoking and Nicotine Dependence. <i>American Journal of Psychiatry</i> , 2003, 160, 1670-1676.	4.0	124
229	Properties of the Symptom Check List (SCL-90-R) in a Psychosomatic Consultation-Liaison Setting. <i>Psychological Reports</i> , 2002, 90, 1201-1207.	0.9	9
230	Properties of the Symptom Check List (SCL-90-R) in a Psychosomatic Consultation-Liaison Setting. <i>Psychological Reports</i> , 2002, 90, 1201-1207.	0.9	10
231	The relationship between mental disorders and medical service utilization in a representative community sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 380-386.	1.6	31
232	A time-limited, problem-orientated psychotherapeutic intervention in Type 1 diabetic patients with complications: a randomized controlled trial. <i>Diabetic Medicine</i> , 2002, 19, 814-821.	1.2	47
233	A Bootstrap Method To Test If Study Dropouts Are Missing Randomly. <i>Quality and Quantity</i> , 2002, 36, 1-16.	2.0	4
234	PROPERTIES OF THE SYMPTOM CHECK LIST (SCL-90-R) IN A PSYCHOSOMATIC CONSULTATION-LIAISON SETTING. <i>Psychological Reports</i> , 2002, 90, 1201.	0.9	1

#	ARTICLE	IF	CITATIONS
235	PROPERTIES OF THE SYMPTOM CHECK LIST (SCL-90-R) IN A PSYCHOSOMATIC CONSULTATION-LIAISON SETTING. <i>Psychological Reports</i> , 2002, 90, 1201.	0.9	1
236	Improving screening for mental disorders in the primary care setting by combining the GHQ-12 and SCL-90-R subscales. <i>Comprehensive Psychiatry</i> , 2001, 42, 166-173.	1.5	28
237	Cardiovascular reactions induced by unpredictable, predictable, and controllable painful stimuli during sphygmomanometry. <i>International Journal of Psychophysiology</i> , 2001, 40, 161-165.	0.5	26
238	Effects of Short-Term Dynamic Psychotherapy for Neurotic, Somatoform, and Personality Disorders: a Prospective 1-Year Follow-Up Study. <i>Psychotherapy Research</i> , 2001, 11, 187-200.	1.1	37
239	Psychometric properties of the German version of the NEO-FFI in psychosomatic outpatients. <i>Personality and Individual Differences</i> , 2001, 31, 713-722.	1.6	39
240	Gender Differences in Cardiovascular Responses to Sphygmomanometric Measurements. <i>Journal of Psychophysiology</i> , 2001, 15, 43-46.	0.3	2
241	Fatigue and Personality Pathology in the Mentally Ill. <i>Journal of General Internal Medicine</i> , 2000, 15, 1-1.	1.3	0
242	Comparison of the standard and the computerized versions of the Symptom Check List (SCL-90-R): a randomized trial. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 147-152.	2.2	25
243	Stress, burnout and locus of control in German nurses. <i>International Journal of Nursing Studies</i> , 2000, 37, 95-99.	2.5	144
244	The Symptom Check-List-90-R (SCL-90-R): a German validation study. <i>Quality of Life Research</i> , 2000, 9, 185-193.	1.5	333
245	Application of stratum-specific likelihood ratios in mental health screening. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 375-379.	1.6	39
246	Assessing Clinically Significant Change: Application to the SCL-90-R. <i>Psychological Reports</i> , 2000, 86, 263-274.	0.9	82
247	ASSESSING CLINICALLY SIGNIFICANT CHANGE: APPLICATION TO THE SCL-90-R. <i>Psychological Reports</i> , 2000, 86, 263.	0.9	5
248	Somatic Distress of the Mentally Ill and Its Relationship to Personality Disorders. <i>Journal of General Internal Medicine</i> , 2000, 15, 1-1.	1.3	0
249	Diagnosing mental disorders in primary care: the General Health Questionnaire (GHQ) and the Symptom Check List (SCL-90-R) as screening instruments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 360-366.	1.6	221
250	A decade of spontaneous long-term course of psychogenic impairment in a community population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 651-656.	1.6	18
251	Psychometric properties of the General Health Questionnaire (GHQ-12) in a German primary care sample. <i>Acta Psychiatrica Scandinavica</i> , 1999, 100, 462-468.	2.2	178
252	Computerized administration of the Symptom Checklist (SCL-90-R) and the Inventory of Interpersonal Problems (IIP-C) in psychosomatic outpatients. <i>Psychiatry Research</i> , 1999, 87, 217-221.	1.7	19

#	ARTICLE	IF	CITATIONS
253	Anxiety moderates cardiovascular responses to painful stimuli during sphygmomanometry. <i>International Journal of Psychophysiology</i> , 1999, 33, 253-257.	0.5	10
254	Effects of Pain-Incompatible Imagery on Tolerance of Pain, Heart Rate, and Skin Resistance. <i>Perceptual and Motor Skills</i> , 1997, 84, 939-943.	0.6	3
255	Research in Psychotherapeutic Diagnosis and the Concept of Socio-Empirical Markers. <i>Psychotherapy Research</i> , 1997, 7, 71-82.	1.1	6
256	Title is missing!. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 14, 251-254.	0.3	6
257	Interpersonal Problems as Predictors of Symptom Related Treatment Outcome in Longterm Psychotherapy. <i>Psychotherapy Research</i> , 1996, 6, 164-176.	1.1	59
258	UNDERESTIMATION OF SENSORIMOTOR TASK-INDUCED BLOOD-PRESSURE CHANGES BY POSTTASK SPHYGMOMANOMETRY. <i>Perceptual and Motor Skills</i> , 1995, 81, 483-490.	0.6	0
259	Rise in systolic blood pressure during sphygmomanometry depends on the maximum inflation pressure of the arm cuff. <i>Journal of Hypertension</i> , 1994, 12, 825-830.	0.3	19
260	Sphygmomanometry vs. the penaz method for monitoring blood pressure during activation. <i>International Journal of Psychophysiology</i> , 1993, 14, 135.	0.5	0
261	Psychophysiological effects in pain reaction: Differences in respiratory rate between healthy subjects and back pain patients. <i>International Journal of Psychophysiology</i> , 1993, 14, 139.	0.5	1
262	Robust smoothing and filtering of psychophysiological time series. <i>International Journal of Psychophysiology</i> , 1993, 14, 148.	0.5	2