

# J Wetterslev

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1330517/publications.pdf>

Version: 2024-02-01

203  
papers

23,892  
citations

19608

61  
h-index

8599

146  
g-index

209  
all docs

209  
docs citations

209  
times ranked

19381  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term mortality and health-related quality of life of lower versus higher oxygenation targets in ICU patients with severe hypoxaemia. <i>Intensive Care Medicine</i> , 2022, 48, 714-722.	3.9	8
2	Higher vs Lower Oxygenation Strategies in Acutely Ill Adults. <i>Chest</i> , 2021, 159, 154-173.	0.4	40
3	Effect of low vs high haemoglobin transfusion trigger on cardiac output in patients undergoing elective vascular surgery: Post-hoc analysis of a randomized trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 302-312.	0.7	2
4	Considerations on the strengths and limitations of using disease-related mortality as an outcome in clinical research. <i>BMJ Evidence-Based Medicine</i> , 2021, 26, 127-130.	1.7	6
5	Plexus anesthesia versus general anesthesia for carotid endarterectomy: A systematic review with meta-analyses. <i>Annals of Medicine and Surgery</i> , 2021, 65, 102327.	0.5	5
6	A new tool to assess Clinical Diversity In Meta-analyses (CDIM) of interventions. <i>Journal of Clinical Epidemiology</i> , 2021, 135, 29-41.	2.4	24
7	Letter to the Editor: Response to "Should We Formalise the Assessment of Clinical Heterogeneity /Diversity In Systematic Reviews" - Clarifications of the use of the CDIM tool to assess clinical heterogeneity/diversity in meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2021, , .	2.4	0
8	Participants with mild, moderate, or severe pain following total hip arthroplasty. A sub-study of the PANSOID trial on paracetamol and ibuprofen for postoperative pain treatment. <i>Scandinavian Journal of Pain</i> , 2021, 21, 384-392.	0.5	2
9	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. <i>BMJ Evidence-Based Medicine</i> , 2021, 26, 121-126.	1.7	23
10	Haloperidol for the treatment of delirium in critically ill patients: A systematic review with meta-analysis and Trial Sequential Analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 254-266.	0.7	18
11	Benefits and harm of paracetamol and ibuprofen in combination for postoperative pain: Pre-planned subgroup analyses of the multicenter, randomized PANSOID trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 245-253.	0.7	2
12	Hyperoxia and antioxidants during major non-cardiac surgery and risk of cardiovascular events: Protocol for a 2x2 factorial randomised clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 400-409.	0.7	2
13	Long-term patient-important outcomes after septic shock: A protocol for 1-year follow-up of the CLASSIC trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 410-416.	0.7	5
14	Long-term mortality in the Intermediate care after emergency abdominal surgery (InCare) trial - A post-hoc follow-up study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1100-1105.	0.7	2
15	The handling oxygenation targets in the intensive care unit (HOT-ICU) trial: Detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 847-856.	0.7	13
16	The Agents Intervening against Delirium in the Intensive Care Unit Trial (AID-ICU trial): A detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1357-1364.	0.7	7
17	Arterial oxygen tensions in mechanically ventilated ICU patients and mortality: a retrospective, multicentre, observational cohort study. <i>British Journal of Anaesthesia</i> , 2020, 124, 420-429.	1.5	23
18	Plexus anesthesia versus general anesthesia in patients for carotid endarterectomy with patch angioplasty: Protocol for a systematic review with meta-analyses and Trial Sequential Analysis of randomized clinical trials. <i>International Journal of Surgery Protocols</i> , 2020, 19, 1-7.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Prophylactic use of acid suppressants in adult acutely ill hospitalised patients: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 714-728.	0.7	9
20	Lower vs Higher Fluid Volumes During Initial Management of Sepsis. <i>Chest</i> , 2020, 157, 1478-1496.	0.4	73
21	Heterogeneity of treatment effect of prophylactic pantoprazole in adult ICU patients: a post hoc analysis of the SUP-ICU trial. <i>Intensive Care Medicine</i> , 2020, 46, 717-726.	3.9	20
22	Eversion technique versus conventional endarterectomy with patch angioplasty in carotid surgery: protocol for a systematic review with meta-analyses and trial sequential analysis of randomised clinical trials. <i>BMJ Open</i> , 2020, 10, e030503.	0.8	4
23	The PANSOID randomized clinical trial: A pre-planned 1-year follow-up regarding harm. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 910-912.	0.7	0
24	Storage time of red blood cells among ICU patients with septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1366-1377.	0.7	1
25	Pantoprazole in ICU patients at risk for gastrointestinal bleeding: 1-year mortality in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1184-1190.	0.7	10
26	Apparently conclusive meta-analyses on interventions in critical care may be inconclusive: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019, 114, 1-10.	2.4	7
27	Heterogeneity of treatment effect of stress ulcer prophylaxis in ICU patients: A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1251-1256.	0.7	6
28	Agents intervening against delirium in the intensive care unit (AID-ICU) - Protocol for a randomised placebo-controlled trial of haloperidol in patients with delirium in the ICU. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1426-1433.	0.7	10
29	Conservative vs liberal fluid therapy in septic shock (CLASSIC) trial - Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1262-1271.	0.7	37
30	A difficulty with the <sc>DIFFMASK</sc> score is the difficult statistics - a reply. <i>Anaesthesia</i> , 2019, 74, 1338-1338.	1.8	0
31	Time to onset of gastrointestinal bleeding in the SUP-ICU trial: A pre-planned substudy. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1346-1356.	0.7	2
32	Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2019, 45, 143-158.	3.9	47
33	The diagnostic accuracy of clinical examination for estimating cardiac index in critically ill patients: the Simple Intensive Care Studies-I. <i>Intensive Care Medicine</i> , 2019, 45, 190-200.	3.9	36
34	The DIFFMASK score for predicting difficult facemask ventilation: a cohort study of 46,804 patients. <i>Anaesthesia</i> , 2019, 74, 1267-1276.	1.8	29
35	Low vs high hemoglobin trigger for transfusion in vascular surgery: a randomized clinical feasibility trial. <i>Blood</i> , 2019, 133, 2639-2650.	0.6	30
36	Handling Oxygenation Targets in the Intensive Care Unit (HOT-ICU) - Protocol for a randomised clinical trial comparing a lower vs a higher oxygenation target in adults with acute hypoxaemic respiratory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 956-965.	0.7	30

#	ARTICLE	IF	CITATIONS
37	Pantoprazole prophylaxis in ICU patients with high severity of disease: a post hoc analysis of the placebo-controlled SUP-ICU trial. <i>Intensive Care Medicine</i> , 2019, 45, 609-618.	3.9	28
38	Carotid endarterectomy with primary closure versus patch angioplasty in patients with symptomatic and significant stenosis: protocol for a systematic review with meta-analyses and trial sequential analysis of randomised clinical trials. <i>BMJ Open</i> , 2019, 9, e026419.	0.8	9
39	Effect of Combination of Paracetamol (Acetaminophen) and Ibuprofen vs Either Alone on Patient-Controlled Morphine Consumption in the First 24 Hours After Total Hip Arthroplasty. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 562.	3.8	97
40	Low Dose Low-Molecular-Weight Heparin for Thrombosis Prophylaxis: Systematic Review with Meta-Analysis and Trial Sequential Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 2039.	1.0	12
41	Higher versus lower fraction of inspired oxygen or targets of arterial oxygenation for adults admitted to the intensive care unit. <i>The Cochrane Library</i> , 2019, 2019, .	1.5	44
42	Prompt closure versus gradual weaning of extraventricular drainage for hydrocephalus in adult patients with aneurysmal subarachnoid haemorrhage: a systematic review protocol with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2019, 9, e029719.	0.8	4
43	Thromboelastography (TEG) or thromboelastometry (ROTEM) to monitor haemostatic treatment versus usual care in adults or children with bleeding. <i>The Cochrane Library</i> , 2018, 2018, CD007871.	1.5	214
44	Inhaled nitric oxide for acute respiratory distress syndrome (ARDS) in children and adults. <i>The Cochrane Library</i> , 2018, 2018, CD002787.	1.5	156
45	Timing of surgical site infection and pulmonary complications after laparotomy. <i>International Journal of Surgery</i> , 2018, 52, 56-60.	1.1	19
46	Perioperative hyperoxia and postoperative cardiac complications in adults undergoing noncardiac surgery: Systematic review protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1014-1019.	0.7	1
47	Stress ulcer prophylaxis in adult intensive care unit patients – a protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 744-755.	0.7	5
48	Effects of avoidance or use of neuromuscular blocking agents on outcomes in tracheal intubation: a Cochrane systematic review. <i>British Journal of Anaesthesia</i> , 2018, 120, 1381-1393.	1.5	54
49	Haloperidol for delirium in critically ill patients – protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 712-723.	0.7	7
50	Effects of shorter versus longer storage time of transfused red blood cells in adult ICU patients: a systematic review with meta-analysis and Trial Sequential Analysis. <i>Intensive Care Medicine</i> , 2018, 44, 204-217.	3.9	20
51	Oxygen supplementation for critically ill patients – A protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1020-1030.	0.7	2
52	Pantoprazole in Patients at Risk for Gastrointestinal Bleeding in the ICU. <i>New England Journal of Medicine</i> , 2018, 379, 2199-2208.	13.9	232
53	Systematic overview and critical appraisal of meta-analyses of interventions in intensive care medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1041-1049.	0.7	14
54	Timing of onset of gastrointestinal bleeding in the ICU: Protocol for a preplanned observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1165-1170.	0.7	4

#	ARTICLE	IF	CITATIONS
55	Response to: Revisiting the impact of red cell storage duration on adverse outcomes after transfusion. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1163-1164.	0.7	0
56	Intensive care doctors's preferences for arterial oxygen tension levels in mechanically ventilated patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1443-1451.	0.7	12
57	Effects of stress ulcer prophylaxis in adult ICU patients receiving renal replacement therapy (Sup-icu) Tj ETQq1 1 0.784314 rgBT /Over	0.7	4
58	Thromboelastography (<scp>TEG</scp>) or rotational thromboelastometry (<scp>ROTEM</scp>) to monitor haemostatic treatment in bleeding patients: a systematic review with meta-analysis and trial sequential analysis. <i>Anaesthesia</i> , 2017, 72, 519-531.	1.8	174
59	Effects of fluid restriction on measures of circulatory efficacy in adults with septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 390-398.	0.7	23
60	PANSAID - PARacetamol and NSAID in combination: study protocol for a randomised trial. <i>Trials</i> , 2017, 18, 11.	0.7	8
61	Higher vs. lower haemoglobin threshold for transfusion in septic shock: subgroup analyses of the <scp>TRISS</scp> trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 166-175.	0.7	22
62	Predictive accuracy of difficult mask ventilation assessment methods - a reply. <i>Anaesthesia</i> , 2017, 72, 787-788.	1.8	0
63	Avoidance versus use of neuromuscular blocking agents for improving conditions during tracheal intubation or direct laryngoscopy in adults and adolescents. <i>The Cochrane Library</i> , 2017, 2017, CD009237.	1.5	25
64	Stress ulcer prophylaxis in the intensive care unit trial: detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 859-868.	0.7	23
65	Trial Sequential Analysis in systematic reviews with meta-analysis. <i>BMC Medical Research Methodology</i> , 2017, 17, 39.	1.4	722
66	Benefit and harm of pregabalin in acute pain treatment: a systematic review with meta-analyses and trial sequential analyses. <i>British Journal of Anaesthesia</i> , 2017, 119, 775-791.	1.5	67
67	Effects of red blood cell storage time on transfused patients in the <scp>ICU</scp> - protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 1384-1397.	0.7	3
68	Lower vs. higher fluid volumes in sepsis - protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 942-951.	0.7	6
69	Low vs. high haemoglobin trigger for transfusion in vascular surgery: protocol for a randomised trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 952-961.	0.7	4
70	Effects of hydroxyethyl starch 130/0.42 vs. Ringer's acetate on cytokine levels in severe sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 904-913.	0.7	12
71	Gabapentin in procedure-specific postoperative pain management - preplanned subgroup analyses from a systematic review with meta-analyses and trial sequential analyses. <i>BMC Anesthesiology</i> , 2017, 17, 85.	0.7	23
72	Stress ulcer prophylaxis versus placebo or no prophylaxis in adult hospitalised acutely ill patients - protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2017, 6, 118.	2.5	12

#	ARTICLE	IF	CITATIONS
73	An urgent call for improved quality of trial design and reporting in postoperative pain research. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 8-10.	0.7	2
74	The effect of inhaled nitric oxide in acute respiratory distress syndrome in children and adults: a Cochrane Systematic Review with trial sequential analysis. <i>Anaesthesia</i> , 2017, 72, 106-117.	1.8	42
75	Can systematic reviews with sparse data be trusted?. <i>Anaesthesia</i> , 2017, 72, 12-16.	1.8	48
76	Prediction of difficult mask ventilation using a systematic assessment of risk factors vs. existing practice - a cluster randomised clinical trial in 94,006 patients. <i>Anaesthesia</i> , 2017, 72, 296-308.	1.8	53
77	When and how should multiple imputation be used for handling missing data in randomised clinical trials â€” a practical guide with flowcharts. <i>BMC Medical Research Methodology</i> , 2017, 17, 162.	1.4	1,400
78	PANSAIDâ€”Paracetamol and NSAID in combination: detailed statistical analysis plan for a randomised, blinded, parallel, four-group multicentre clinical trial. <i>Trials</i> , 2017, 18, 465.	0.7	8
79	Dose-related beneficial and harmful effects of gabapentin in postoperative pain management &ndash; post hoc analyses from a systematic review with meta-analyses and trial sequential analyses. <i>Journal of Pain Research</i> , 2017, Volume 10, 2547-2563.	0.8	15
80	The effects of high perioperative inspiratory oxygen fraction for adult surgical patients. <i>The Cochrane Library</i> , 2016, 2016, CD008884.	1.5	64
81	A Comment on â€œAirway Assessment Before Intervention. <i>Anesthesia and Analgesia</i> , 2016, 123, 1340-1341.	1.1	0
82	Does Ondansetron Modify Sympathectomy Due to Subarachnoid Anesthesia?. <i>Anesthesiology</i> , 2016, 124, 846-869.	1.3	31
83	Effects of biphasic, basal-bolus or basal insulin analogue treatments on carotid intima-media thickness in patients with type 2 diabetes mellitus: the randomised Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>BMJ Open</i> , 2016, 6, e008377.	0.8	11
84	Metformin versus placebo in combination with insulin analogues in patients with type 2 diabetes mellitusâ€”the randomised, blinded Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>BMJ Open</i> , 2016, 6, e008376.	0.8	30
85	Perioperative hyperoxia â€” Long-term impact on cardiovascular complications after abdominal surgery, a post hoc analysis of the PROXI trial. <i>International Journal of Cardiology</i> , 2016, 215, 238-243.	0.8	66
86	Stress ulcer prophylaxis with a proton pump inhibitor versus placebo in critically ill patients (SUP-ICU) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.7	38
87	Effects of using the simplified airway risk index vs usual airway assessment on unanticipated difficult tracheal intubation - a cluster randomized trial with 64,273 participants. <i>British Journal of Anaesthesia</i> , 2016, 116, 680-689.	1.5	57
88	Evidence-based clinical practice: Overview of threats to the validity of evidence and how to minimise them. <i>European Journal of Internal Medicine</i> , 2016, 32, 13-21.	1.0	88
89	Restricting volumes of resuscitation fluid in adults with septic shock after initial management: the CLASSIC randomised, parallel-group, multicentre feasibility trial. <i>Intensive Care Medicine</i> , 2016, 42, 1695-1705.	3.9	292
90	Long-term outcomes in patients with septic shock transfused at a lower versus a higher haemoglobin threshold: the TRISS randomised, multicentre clinical trial. <i>Intensive Care Medicine</i> , 2016, 42, 1685-1694.	3.9	38

#	ARTICLE	IF	CITATIONS
91	Effect of intraoperative high oxygen fraction on surgical site infection: a meta-analysis of randomized controlled trials. <i>Journal of Hospital Infection</i> , 2016, 94, 207-208.	1.4	1
92	Emergency surgical airway management in Denmark: a cohort study of 452 461 patients registered in the Danish Anaesthesia Database. <i>British Journal of Anaesthesia</i> , 2016, 117, i75-i82.	1.5	53
93	Postoperative serious adverse events in a mixed surgical population – a retrospective register study. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 1209-1221.	0.7	11
94	Gabapentin for postoperative pain management – a systematic review with meta-analyses and trial sequential analyses. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 1188-1208.	0.7	87
95	Postoperative analgesia: focus has been on benefit – are we forgetting the harm?. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 839-841.	0.7	12
96	False-positive findings in Cochrane meta-analyses with and without application of trial sequential analysis: an empirical review. <i>BMJ Open</i> , 2016, 6, e011890.	0.8	162
97	Markers of endothelial damage and coagulation impairment in patients with severe sepsis resuscitated with hydroxyethyl starch 130/0.42 vs Ringer acetate. <i>Journal of Critical Care</i> , 2016, 32, 16-20.	1.0	24
98	Viewpoint: taking into account risks of random errors when analysing multiple outcomes in systematic reviews. , 2016, 3, ED000111.		55
99	Is the Volume of the Caudate Nuclei Associated With Area of Secondary Hyperalgesia? – Protocol for a 3-Tesla MRI Study of Healthy Volunteers. <i>JMIR Research Protocols</i> , 2016, 5, e117.	0.5	3
100	Stress ulcer prophylaxis in the intensive care unit: an international survey of 97 units in 11 countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 576-585.	0.7	80
101	Variability in targeted arterial oxygenation levels in patients with severe sepsis or septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 859-869.	0.7	14
102	Systematic Reviews of Anesthesiologic Interventions Reported as Statistically Significant. <i>Anesthesia and Analgesia</i> , 2015, 121, 1611-1622.	1.1	86
103	Risk Factors for and Prediction of a Difficult Neuraxial Block. <i>Regional Anesthesia and Pain Medicine</i> , 2015, 40, 545-552.	1.1	14
104	Markers of endothelial dysfunction in patients with severe sepsis resuscitated with hydroxyethyl starch 130/0.42 vs. ringer's acetate. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	0.9	0
105	Hemoglobin Threshold for Transfusion in Septic Shock. <i>New England Journal of Medicine</i> , 2015, 372, 90-92.	13.9	8
106	Stress ulcer prophylaxis in adult neurocritical care patients – no firm evidence for benefit or harm. <i>Critical Care</i> , 2015, 20, 22.	2.5	4
107	Acute kidney injury with hydroxyethyl starch 130/0.42 in severe sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 329-336.	0.7	37
108	Glucocorticosteroids for sepsis: systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2015, 41, 1220-1234.	3.9	99

#	ARTICLE	IF	CITATIONS
109	Restrictive versus liberal transfusion strategy for red blood cell transfusion: systematic review of randomised trials with meta-analysis and trial sequential analysis. <i>BMJ, The</i> , 2015, 350, h1354-h1354.	3.0	362
110	Randomized multicentre feasibility trial of intermediate care <i>versus</i> standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> , 2015, 102, 619-629.	0.1	24
111	Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. <i>Intensive Care Medicine</i> , 2015, 41, 833-845.	3.9	208
112	When may systematic reviews and meta-analyses be considered reliable?. <i>European Journal of Anaesthesiology</i> , 2015, 32, 85-87.	0.7	35
113	Diagnostic accuracy of anaesthesiologistsâ€™ prediction of difficult airway management in daily clinical practice: a cohort study of 188Â064 patients registered in the Danish Anaesthesia Database. <i>Anaesthesia</i> , 2015, 70, 272-281.	1.8	243
114	Organizational Factors and Long-Term Mortality after Hip Fracture Surgery. A Cohort Study of 6143 Consecutive Patients Undergoing Hip Fracture Surgery. <i>PLoS ONE</i> , 2014, 9, e99308.	1.1	52
115	Thresholds for statistical and clinical significance in systematic reviews with meta-analytic methods. <i>BMC Medical Research Methodology</i> , 2014, 14, 120.	1.4	486
116	Sulfonylurea versus metformin monotherapy in patients with type 2 diabetes: a Cochrane systematic review and meta-analysis of randomized clinical trials and trial sequential analysis. <i>CMAJ Open</i> , 2014, 2, E162-E175.	1.1	73
117	The association of perioperative dexamethasone, smoking and alcohol abuse with wound complications after laparotomy. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 352-361.	0.7	24
118	Postâ€operative analgesic effects of paracetamol, <sc>NSAIDs</sc>, glucocorticoids, gabapentinoids and their combinations: a topical review. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1165-1181.	0.7	127
119	The thresholds for statistical and clinical significance â€“ a five-step procedure for evaluation of intervention effects in randomised clinical trials. <i>BMC Medical Research Methodology</i> , 2014, 14, 34.	1.4	132
120	Anticipation of the difficult airway. <i>British Journal of Anaesthesia</i> , 2014, 112, 589-590.	1.5	2
121	Mortality in Patients With Hypovolemic Shock Treated With Colloids or Crystalloids. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1067.	3.8	14
122	Stress ulcer prophylaxis versus placebo or no prophylaxis in critically ill patients. <i>Intensive Care Medicine</i> , 2014, 40, 11-22.	3.9	138
123	Long-term outcomes in patients with severe sepsis randomised to resuscitation with hydroxyethyl starch 130/0.42 or Ringerâ€™s acetate. <i>Intensive Care Medicine</i> , 2014, 40, 927-934.	3.9	35
124	Vitamin D supplementation for prevention of mortality in adults. <i>The Cochrane Library</i> , 2014, , CD007470.	1.5	329
125	Does anaesthesia with nitrous oxide affect mortality or cardiovascular morbidity? A systematic review with meta-analysis and trial sequential analysis. <i>British Journal of Anaesthesia</i> , 2014, 112, 410-426.	1.5	22
126	Adverse effects of perioperative paracetamol, <sc>NSAID</sc>s, glucocorticoids, gabapentinoids and their combinations: a topical review. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1182-1198.	0.7	126



#	ARTICLE	IF	CITATIONS
127	Lower versus Higher Hemoglobin Threshold for Transfusion in Septic Shock. <i>New England Journal of Medicine</i> , 2014, 371, 1381-1391.	13.9	717
128	Risk of new or recurrent cancer after a high perioperative inspiratory oxygen fraction during abdominal surgery. <i>British Journal of Anaesthesia</i> , 2014, 113, i74-i81.	1.5	55
129	Detailed statistical analysis plan for the difficult airway management (DIFFICAIR) trial. <i>Trials</i> , 2014, 15, 173.	0.7	5
130	Targeting intensive versus conventional glycaemic control for type 1 diabetes mellitus: a systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. <i>BMJ Open</i> , 2014, 4, e004806-e004806.	0.8	21
131	Preoperative airway assessment. No national consensus in Denmark - a survey from 29 departments of anaesthesia. <i>European Journal of Anaesthesiology</i> , 2014, 31, 275.	0.7	2
132	Transfusion requirements in septic shock (TRISS) trial - comparing the effects and safety of liberal versus restrictive red blood cell transfusion in septic shock patients in the ICU: protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 150.	0.7	42
133	Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013, 14, 37.	0.7	10
134	Targeted Temperature Management at 33°C versus 36°C after Cardiac Arrest. <i>New England Journal of Medicine</i> , 2013, 369, 2197-2206.	13.9	2,805
135	Stress ulcer prophylaxis in the intensive care unit: is it indicated? A topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 835-847.	0.7	48
136	Bleeding and risk of death with hydroxyethyl starch in severe sepsis: post hoc analyses of a randomized clinical trial. <i>Intensive Care Medicine</i> , 2013, 39, 2126-2134.	3.9	57
137	Association of Blood Transfusion With Increased Mortality in Myocardial Infarction. <i>JAMA Internal Medicine</i> , 2013, 173, 132.	2.6	196
138	Sulphonylurea monotherapy for patients with type 2 diabetes mellitus. , 2013, , CD009008.		46
139	Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. , 2013, , CD008143.		130
140	Effects of hydroxyethyl starch in subgroups of patients with severe sepsis: exploratory post-hoc analyses of a randomised trial. <i>Intensive Care Medicine</i> , 2013, 39, 1963-1971.	3.9	16
141	Hydroxyethyl starch 130/0.38-0.45 versus crystalloid or albumin in patients with sepsis: systematic review with meta-analysis and trial sequential analysis. <i>BMJ</i> , The, 2013, 346, f839-f839.	3.0	265
142	Flow-regulated versus differential pressure-regulated shunt valves for adult patients with normal pressure hydrocephalus. <i>The Cochrane Library</i> , 2013, , CD009706.	1.5	21
143	Incidence of unanticipated difficult airway using an objective airway score versus a standard clinical airway assessment: the DIFFICAIR trial " trial protocol for a cluster randomized clinical trial. <i>Trials</i> , 2013, 14, 347.	0.7	18
144	The Totally Extraperitoneal Method versus Lichtenstein's Technique for Inguinal Hernia Repair: A Systematic Review with Meta-Analyses and Trial Sequential Analyses of Randomized Clinical Trials. <i>PLoS ONE</i> , 2013, 8, e52599.	1.1	66

#	ARTICLE	IF	CITATIONS
145	Sensitivity Analyses of Supplemental Oxygen to Prevent Surgical Site Infection. <i>Anesthesia and Analgesia</i> , 2012, 115, 734.	1.1	3
146	Increased Long-Term Mortality After a High Perioperative Inspiratory Oxygen Fraction During Abdominal Surgery. <i>Anesthesia and Analgesia</i> , 2012, 115, 849-854.	1.1	148
147	Hydroxyethyl Starch 130/0.42 versus Ringer's Acetate in Severe Sepsis. <i>New England Journal of Medicine</i> , 2012, 367, 124-134.	13.9	1,594
148	Comparison of metformin and insulin versus insulin alone for type 2 diabetes: systematic review of randomised clinical trials with meta-analyses and trial sequential analyses. <i>BMJ</i> , The, 2012, 344, e1771-e1771.	3.0	78
149	Evolution of Heterogeneity (I <sup>2</sup> ) Estimates and Their 95% Confidence Intervals in Large Meta-Analyses. <i>PLoS ONE</i> , 2012, 7, e39471.	1.1	192
150	Authors' reply to Yudkin and Lipska. <i>BMJ: British Medical Journal</i> , 2012, 344, e710-e710.	2.4	0
151	Poor prognostic value of the modified Mallampati score: a meta-analysis involving 177 088 patients. <i>British Journal of Anaesthesia</i> , 2011, 107, 659-667.	1.5	142
152	Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. , 2011, , CD008143.		57
153	Thrombelastography (TEG) or thromboelastometry (ROTEM) to monitor haemotherapy versus usual care in patients with massive transfusion. , 2011, , CD007871.		186
154	Angiotensin receptor blockers and risk of myocardial infarction: meta-analyses and trial sequential analyses of 147 020 patients from randomised trials. <i>BMJ: British Medical Journal</i> , 2011, 342, d2234-d2234.	2.4	121
155	Carotid Artery Stenting vs Carotid Endarterectomy. <i>Archives of Neurology</i> , 2011, 68, 172-84.	4.9	78
156	Monitoring patients at risk of massive transfusion with <sc>T</sc>hrombelastography or <sc>T</sc>hromboelastometry: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 1174-1189.	0.7	86
157	The information gap between the required and the actual accrued information size in the meta-analysis of antenatal magnesium sulphate to prevent cerebral palsy in preterm infants. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 890-890.	1.1	4
158	Comparing the effect of hydroxyethyl starch 130/0.4 with balanced crystalloid solution on mortality and kidney failure in patients with severe sepsis (6S - Scandinavian Starch for Severe Sepsis/Septic). <i>Trials</i> , 2011, 12, 24.	0.7	52
159	Intensive glycaemic control for patients with type 2 diabetes: systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. <i>BMJ: British Medical Journal</i> , 2011, 343, d6898-d6898.	2.4	312
160	The Number of Patients and Events Required to Limit the Risk of Overestimation of Intervention Effects in Meta-Analysis—A Simulation Study. <i>PLoS ONE</i> , 2011, 6, e25491.	1.1	281
161	Clinical relevance of surgical site infection as defined by the criteria of the Centers for Disease Control and Prevention. <i>Journal of Hospital Infection</i> , 2010, 75, 173-177.	1.4	30
162	Evidence at a glance: error matrix approach for overviewing available evidence. <i>BMC Medical Research Methodology</i> , 2010, 10, 90.	1.4	138

#	ARTICLE	IF	CITATIONS
163	Inhaled nitric oxide for acute respiratory distress syndrome (ARDS) and acute lung injury in children and adults. , 2010, , CD002787.		82
164	Aerosolized prostacyclin for acute lung injury (ALI) and acute respiratory distress syndrome (ARDS). , 2010, , CD007733.		30
165	Trial sequential analyses of meta-analyses of complications in laparoscopic vs. small-incision cholecystectomy: more randomized patients are needed. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 246-256.	2.4	22
166	Positive end-expiratory pressure (PEEP) during anaesthesia for the prevention of mortality and postoperative pulmonary complications. , 2010, , CD007922.		43
167	Robustness Assessments Are Needed to Reduce Bias in Meta-Analyses That Include Zero-Event Randomized Trials. <i>American Journal of Gastroenterology</i> , 2009, 104, 546-551.	0.2	83
168	Apparently conclusive meta-analyses may be inconclusiveâ€”Trial sequential analysis adjustment of random error risk due to repetitive testing of accumulating data in apparently conclusive neonatal meta-analyses. <i>International Journal of Epidemiology</i> , 2009, 38, 287-298.	0.9	788
169	Effect of High Perioperative Oxygen Fraction on Surgical Site Infection and Pulmonary Complications After Abdominal Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 1543.	3.8	360
170	Avoidance of neuromuscular blocking agents may increase the risk of difficult tracheal intubation: a cohort study of 103 812 consecutive adult patients recorded in the Danish Anaesthesia Database. <i>British Journal of Anaesthesia</i> , 2009, 103, 283-290.	1.5	107
171	Can trial sequential monitoring boundaries reduce spurious inferences from meta-analyses?. <i>International Journal of Epidemiology</i> , 2009, 38, 276-286.	0.9	708
172	Estimating required information size by quantifying diversity in random-effects model meta-analyses. <i>BMC Medical Research Methodology</i> , 2009, 9, 86.	1.4	773
173	A documented previous difficult tracheal intubation as a prognostic test for a subsequent difficult tracheal intubation in adults. <i>Anaesthesia</i> , 2009, 64, 1081-1088.	1.8	71
174	Study rationale and design of the CIMT trial: The Copenhagen Insulin and Metformin Therapy Trial. <i>Diabetes, Obesity and Metabolism</i> , 2009, 11, 315-322.	2.2	26
175	High Body Mass Index Is a Weak Predictor for Difficult and Failed Tracheal Intubation. <i>Anesthesiology</i> , 2009, 110, 266-274.	1.3	243
176	Robustness Assessments Are Needed to Reduce Bias in Meta-Analyses That Include Zero-Event Randomized Trials. <i>American Journal of Gastroenterology</i> , 2009, 104, 546-551.	0.2	15
177	Perioperative oxygen fraction â€œ effect on surgical site infection and pulmonary complications after abdominal surgery: a randomized clinical trial. Rationale and design of the PROXI-Trial. <i>Trials</i> , 2008, 9, 58.	0.7	32
178	Systematic review: glucocorticosteroids for alcoholic hepatitis â€œ a Cochrane Hepatoâ€”Biliary Group systematic review with metaâ€”analyses and trial sequential analyses of randomized clinical trials. <i>Alimentary Pharmacology and Therapeutics</i> , 2008, 27, 1167-1178.	1.9	184
179	Trial sequential analysis may establish when firm evidence is reached in cumulative meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 64-75.	2.4	1,494
180	Trial sequential analysis reveals insufficient information size and potentially false positive results in many meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 763-769.	2.4	873

#	ARTICLE	IF	CITATIONS
181	925 GLUCOCORTICOSTEROIDS FOR ALCOHOLIC HEPATITIS. <i>Journal of Hepatology</i> , 2008, 48, S347.	1.8	0
182	One-year results of total arterial revascularization vs. conventional coronary surgery: CARRPO trial. <i>European Heart Journal</i> , 2008, 30, 1005-1011.	1.0	22
183	Heterozygosity of mannose-binding lectin (MBL2) genotypes predicts advantage (heterosis) in relation to fatal outcome in intensive care patients. <i>Human Molecular Genetics</i> , 2007, 16, 3071-3080.	1.4	57
184	Antithrombin III in critically ill patients: systematic review with meta-analysis and trial sequential analysis. <i>BMJ: British Medical Journal</i> , 2007, 335, 1248-1251.	2.4	75
185	Benefits and harms of perioperative beta-blockade. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2006, 20, 285-302.	1.7	13
186	Effect of perioperative $\beta_2$ blockade in patients with diabetes undergoing major non-cardiac surgery: randomised placebo controlled, blinded multicentre trial. <i>BMJ: British Medical Journal</i> , 2006, 332, 1482.	2.4	307
187	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. <i>International Journal of Health Care Quality Assurance</i> , 2005, 18, 321-328.	0.2	16
188	Long-term postoperative mortality in diabetic patients undergoing major non-cardiac surgery. <i>European Journal of Anaesthesiology</i> , 2004, 21, 523-529.	0.7	13
189	Long-term postoperative mortality in diabetic patients undergoing major non-cardiac surgery. <i>European Journal of Anaesthesiology</i> , 2004, 21, 523-529.	0.7	21
190	Appropriateness of leaving emergency medical service treated hypoglycemic patients at home: a retrospective study. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 464-468.	0.7	29
191	Epidural local anaesthetics versus opioid-based analgesic regimens for postoperative gastrointestinal paralysis, PONV and pain after abdominal surgery. , 2001, , CD001893.		243
192	Optimizing peroperative compliance with PEEP during upper abdominal surgery: effects on perioperative oxygenation and complications in patients without preoperative cardiopulmonary dysfunction. <i>European Journal of Anaesthesiology</i> , 2001, 18, 358-365.	0.7	32
193	Optimizing peroperative compliance with PEEP during upper abdominal surgery: effects on perioperative oxygenation and complications in patients without preoperative cardiopulmonary dysfunction. <i>European Journal of Anaesthesiology</i> , 2001, 18, 358-365.	0.7	19
194	Effect of epidural bupivacaine vs combined epidural bupivacaine and morphine on gastrointestinal function and pain after major gynaecological surgery. <i>British Journal of Anaesthesia</i> , 2001, 87, 727-732.	1.5	45
195	Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy. <i>British Journal of Anaesthesia</i> , 2001, 87, 577-583.	1.5	52
196	Local Anesthetic Infiltration for Postoperative Pain Relief After Laparoscopy: A Qualitative and Quantitative Systematic Review of Intraperitoneal, Port-Site Infiltration and Mesosalpinx Block. <i>Anesthesia and Analgesia</i> , 2000, 90, 899-912.	1.1	68
197	PaO <sub>2</sub> during anaesthesia and years of smoking predict late postoperative hypoxaemia and complications after upper abdominal surgery in patients without preoperative cardiopulmonary dysfunction. <i>Acta Anaesthesiologica Scandinavica</i> , 2000, 44, 9-16.	0.7	24
198	Effect of continuous epidural 0.2% ropivacaine vs 0.2% bupivacaine on postoperative pain, motor block and gastrointestinal function after abdominal hysterectomy. <i>British Journal of Anaesthesia</i> , 2000, 84, 144-150.	1.5	28

#	ARTICLE	IF	CITATIONS
199	A systematic review of intra-articular local anesthesia for postoperative pain relief after arthroscopic knee surgery. <i>Regional Anesthesia and Pain Medicine</i> , 1999, 24, 430-437.	1.1	76
200	Intraoperative and Postoperative Analgesic Efficacy and Adverse Effects of Intrathecal Opioids in Patients Undergoing Cesarean Section with Spinal Anesthesia. <i>Anesthesiology</i> , 1999, 91, 1919-1919.	1.3	357
201	A qualitative systematic review of incisional local anaesthesia for postoperative pain relief after abdominal operations. <i>British Journal of Anaesthesia</i> , 1998, 81, 377-383.	1.5	230
202	Split-dose atropine versus glycopyrrolate with neostigmine for reversal of gallamine-induced neuromuscular blockade. <i>Acta Anaesthesiologica Scandinavica</i> , 1991, 35, 398-401.	0.7	3
203	Higher versus lower inspiratory oxygen fraction or targets of arterial oxygenation for adult intensive care patients. <i>The Cochrane Library</i> , 0, , .	1.5	8